

# Contents

|  |           |
|--|-----------|
| <i>Preface to the Second Edition</i>           | <b>xv</b> |
| <b>1 Principles of Steel Design</b>            | <b>1</b>  |
| 1.1 THE STEEL STRUCTURE                        |           |
| 1.1.1 Types of Structures                      |           |
| 1.1.1.1 <i>Introduction</i>                    | 1         |
| 1.1.1.2 <i>Steel Buildings and Their Parts</i> | 2         |
| 1.1.1.3 <i>Steel Bridges and Their Parts</i>   | 10        |
| 1.1.1.4 <i>Special Structures</i>              | 16        |
| 1.1.2 Loads on Structures                      | 19        |
| 1.1.2.1 <i>Dead Loads</i>                      | 21        |
| 1.1.2.2 <i>Occupancy Loads on Buildings</i>    |           |
| 1.1.2.3 <i>Snow Loads on Buildings</i>         | 21        |
| 1.1.2.4 <i>Wind Loads</i>                      | 22        |
| 1.1.2.5 <i>Earthquake Loads</i>                | 23        |
| 1.1.2.6 <i>Live Loads on Bridges</i>           | 26        |
| 1.1.2.7 <i>Impact in Buildings and Bridges</i> | 27        |
| 1.2 DESIGN CRITERIA                            | 28        |
| 1.2.1 <i>Introduction</i>                      | 28        |
| 1.2.2 <i>Yield Criterion</i>                   | 30        |
| 1.2.3 <i>Plastic Criterion</i>                 | 30        |
| 1.2.4 <i>Deflection Criterion</i>              | 33        |

|         |   |    |
|---------|---|----|
| 1.2.5   | Dynamic Response Criterion                            | 34 |
| 1.2.6   | Instability Criterion                                 | 35 |
| 1.2.7   | Fatigue Criterion                                     | 35 |
| 1.2.8   | Brittle Fracture Criterion                            | 36 |
| 1.2.9   | Conclusions   | 36 |
| 1.3     | OPTIMUM DESIGN  | 37 |
| 1.4     | STRUCTURAL SAFETY                                     | 37 |
| 1.4.1   | Deterministic Approach                                | 38 |
| 1.4.1.1 | <i>Factors of Safety in Working Stress Design</i>     | 38 |
| 1.4.1.2 | <i>Load Factors in Plastic Design</i>                 | 38 |
| 1.4.2   | Probabilistic Approach                                | 41 |
| 1.4.2.1 | <i>Introduction</i>                                   | 41 |
| 1.4.2.2 | <i>Load and Resistance Factor Design</i>              | 42 |
| 1.4.2.3 | <i>Current European Practice in Structural Safety</i> | 42 |
| 1.5     | DESIGN TOOLS AND AIDS                                 | 43 |
| 1.5.1   | Design Tools  | 43 |
| 1.5.2   | Design Aids   | 44 |
| 1.6     | DESIGN PROCEDURES                                     | 44 |
| 1.6.1   | Planning and Site Exploration                         | 45 |
| 1.6.1.1 | <i>Functional Considerations</i>                      | 45 |
| 1.6.1.2 | <i>Economy, Strength, and Code Requirements</i>       | 46 |
| 1.6.2   | Preliminary Design                                    | 47 |
| 1.6.3   | Structural Analysis and the Accuracy of Computations  | 47 |
| 1.6.4   | Selection of Member Cross Sections                    | 48 |
| 1.6.5   | Secondary Design Considerations                       | 48 |
|         | NOTATIONS   | 50 |
|         | REFERENCES  | 50 |

## **2 Structural Steels and Their Properties**

**53**

|       |                                    |    |
|-------|------------------------------------|----|
| 2.1   | STRUCTURAL STEELS                  | 53 |
| 2.1.1 | Introduction                       | 53 |
| 2.1.2 | Carbon Steels                      | 56 |
| 2.1.3 | High-Strength, Low-Alloy Steels    | 56 |
| 2.2   | STRUCTURAL STEEL PRODUCTS          | 57 |
| 2.2.1 | Structural Shapes                  | 57 |
| 2.2.2 | Plates and Strips                  | 58 |
| 2.3   | MECHANICAL PROPERTIES              | 58 |
| 2.4   | FATIGUE                            | 63 |
| 2.4.1 | Introduction and Historical Review | 63 |
| 2.4.2 | Basic Aspects of Fatigue           | 64 |
| 2.4.3 | Design Concepts and Considerations | 70 |
| 2.5   | BRITTLE FRACTURE                   | 71 |
| 2.5.1 | Historical Review                  | 71 |
| 2.5.2 | Basic Characteristics              | 73 |
| 2.5.3 | Design Considerations              | 79 |
| 2.6   | LAMELLAR TEARING                   | 86 |
| 2.6.1 | Introduction                       | 86 |
| 2.6.2 | Basic Characteristics              | 87 |
| 2.6.3 | Design Considerations              | 88 |

|          |   |           |
|----------|---|-----------|
| 2.7      | CORROSION   | 90        |
| 2.7.1    | Introduction  | 90        |
| 2.7.2    | The Nature of Corrosion   | 91        |
| 2.7.3    | Corrosion-Resistant, Low-Alloy Steels                                 | 91        |
| 2.7.4    | Protective Coating  | 92        |
| 2.8      | THE CHOICE OF THE PROPER STEEL  | 93        |
|          | NOTATIONS   | 94        |
|          | REFERENCES  | 94        |
| <b>3</b> | <b><i>Behavior of Structural Steel Members</i></b>                    | <b>98</b> |
| 3.1      | STRUCTURAL BEHAVIOR OF MEMBERS  | 98        |
| 3.1.1    | Tension Members   | 99        |
| 3.1.2    | Compression Members   | 102       |
| 3.1.3    | Flexural Members  | 105       |
| 3.1.4    | Members in Combined Bending and Axial Compression                     | 115       |
| 3.1.5    | Light-Gage Steel Members  | 116       |
|          | NOTATIONS   | 119       |
|          | REFERENCES  | 119       |
| <b>4</b> | <b><i>Design of Tension Members</i></b>                               |           |
| 4.1      | CROSS SECTION DESIGN  | 122       |
| 4.1.1    | Strength-Based Design   | 122       |
| 4.1.1.1  | <i>Net Section of Bolted Members</i>                                  | 123       |
| 4.1.1.2  | <i>Net Section of Welded Members</i>                                  | 127       |
| 4.1.1.3  | <i>Composition of the Cross Section:<br/>Simple Built-Up Sections</i> | 128       |
| 4.1.2    | Slenderness-Based Design  | 132       |
| 4.2      | SPECIFICATIONS FOR TENSION MEMBERS                                    | 133       |
| 4.2.1    | U.S. Specifications   | 133       |
| 4.2.1.1  | <i>AISC for Buildings</i>   | 133       |
| 4.2.1.2  | <i>AASHTO for Highway Bridges</i>                                     | 134       |
| 4.2.1.3  | <i>AREA for Railroad Bridges</i>                                      | 135       |
| 4.2.2    | Foreign Specifications  | 135       |
|          | NOTATIONS   | 136       |
|          | PROBLEMS  | 137       |
|          | REFERENCES  | 142       |
| <b>5</b> | <b><i>Design of Compression Members</i></b>                           |           |
| 5.1      | BUCKLING OF STRAIGHT PRISMATIC MEMBERS                                | 143       |
| 5.1.1    | Axial Force   | 145       |
| 5.1.2    | Eccentric Force   | 152       |
| 5.1.3    | Effective Buckling Length   | 153       |
| 5.1.4    | Design Procedures   | 158       |
| 5.2      | BUCKLING OF INITIALLY CURVED MEMBERS                                  | 180       |
| 5.3      | BUCKLING OF THIN PLATES   | 184       |

|   |            |
|---|------------|
| 5.4 POSTBUCKLING STRENGTH OF PLATES   | 187        |
| NOTATIONS   | 188        |
| PROBLEMS  | 189        |
| REFERENCES  | 191        |
| <b>6 Torsion of Beams</b>   | <b>193</b> |
| 6.1 GENERAL   | 193        |
| 6.1.1 Shear Center  | 193        |
| 6.1.2 Pure and Restrained Torsion   | 194        |
| 6.2 PURE TORSION OF PRISMATIC MEMBERS                                       | 195        |
| 6.2.1 Introduction  | 195        |
| 6.2.2 Circular Closed Sections  | 195        |
| 6.2.3 Tubular Closed Sections   | 196        |
| 6.2.4 Solid Rectangular Sections  | 197        |
| 6.2.5 Open Sections   | 198        |
| 6.3 RESTRAINED TORSION  | 200        |
| 6.3.1 Introduction  | 200        |
| 6.3.2 I-sections  | 201        |
| 6.3.3 Channels  | 204        |
| 6.3.4 Box Sections  | 205        |
| 6.4 COMBINED TORSION AND BENDING  | 205        |
| 6.5 DESIGN FOR TORSION  | 208        |
| NOTATIONS   | 208        |
| PROBLEMS  | 208        |
| REFERENCES  | 211        |
| <b>7 Bending of Beams</b>   | <b>212</b> |
| 7.1 STRAIGHT PRISMATIC BEAMS  | 212        |
| 7.1.1 Simple Bending  | 212        |
| 7.1.2 Biaxial Bending   | 214        |
| 7.1.3 Unsymmetrical Bending   | 221        |
| 7.1.4 Lateral-Torsional Buckling  | 224        |
| 7.1.5 Design Considerations and Procedures<br>for the Working Stress Method | 228        |
| 7.1.6 Plastic Design of Beams   | 247        |
| 7.2 CURVED BEAMS  | 253        |
| 7.2.1 Beams of Large Curvature  | 253        |
| 7.3 TAPERED BEAMS   | 257        |
| NOTATIONS   | 258        |
| PROBLEMS  | 259        |
| REFERENCES  | 262        |
| <b>8 Beam-Columns</b>   | <b>264</b> |
| 8.1 INTRODUCTION  | 264        |
| 8.1.1 Ultimate Strength of Beam-Columns                                     | 264        |
| 8.1.2 Differential Equation for Beam-Columns                                | 266        |
| 8.1.3 Moment Magnification Factor   | 268        |

|       |   |     |
|-------|---|-----|
| 8.2   | INTERACTION EQUATIONS FOR BEAM-COLUMNS            | 268 |
| 8.2.1 | Zero-Length Members                               | 268 |
| 8.2.2 | Instability in the Plane of Bending               | 269 |
| 8.2.3 | Instability by Lateral-Torsional Buckling         | 270 |
| 8.3   | WORKING STRESS DESIGN METHOD FOR BEAM-COLUMNS     | 271 |
| 8.3.1 | AISC Working Stress Method                        | 271 |
| 8.3.2 | AASHTO Working Stress Method                      | 271 |
| 8.3.3 | Examples  | 272 |
| 8.4   | PLASTIC (ULTIMATE) DESIGN METHOD FOR BEAM-COLUMNS | 276 |
| 8.4.1 | AISC Plastic Design Method                        | 276 |
| 8.4.2 | AASHTO Load Factor Design Method                  | 277 |
| 8.4.3 | Examples  | 277 |
| 8.5   | FOREIGN DESIGN PRACTICES FOR BEAM-COLUMNS         | 280 |
| 8.6   | COMBINED BENDING AND AXIAL TENSION                | 280 |
|       | NOTATIONS   | 281 |
|       | PROBLEMS  | 281 |
|       | REFERENCES  | 285 |

## 9 Connections 287

|         |  |     |
|---------|--|-----|
| 9.1     | INTRODUCTION   | 287 |
| 9.1.1   | Types of Connections   | 288 |
| 9.1.2   | Types of Fasteners   | 289 |
| 9.1.2.1 | <i>Unfinished (Rough) Bolts (ASTM A307)</i>                  | 292 |
| 9.1.2.2 | <i>High-Strength Bolts</i>                                   | 293 |
| 9.1.3   | Electric-Arc Welding   | 296 |
| 9.1.3.1 | <i>Welding Procedures for Lowest Costs</i>                   | 306 |
| 9.1.3.2 | <i>Weldability of Steels</i>                                 | 309 |
| 9.1.3.3 | <i>Weld Defects</i>  | 310 |
| 9.1.3.4 | <i>Distortions and Residual Stresses Due to the Welding</i>  | 311 |
| 9.2     | CONNECTION PERFORMANCE                                       | 315 |
| 9.2.1   | Bolted Connections   | 315 |
| 9.2.1.1 | <i>Single Bolt in Concentric Shear-Bearing-Type Behavior</i> | 316 |
| 9.2.1.2 | <i>Bolt Groups in Concentric Shear</i>                       | 321 |
| 9.2.1.3 | <i>Bolt Groups in Torsion and Eccentric Shear</i>            | 321 |
| 9.2.1.4 | <i>Single Bolt in Tension</i>                                | 325 |
| 9.2.1.5 | <i>Concentric Tension on Bolt Groups</i>                     | 328 |
| 9.2.1.6 | <i>Bending and Eccentric Tensile Forces on Bolt Groups</i>   | 331 |
| 9.2.1.7 | <i>Combined Shear and Tension on Bolts</i>                   | 335 |
| 9.2.1.8 | <i>Fatigue Strength of Bolted Connections</i>                | 336 |
| 9.2.2   | Welded Connections   | 339 |
| 9.2.2.1 | <i>Concentric Forces on Welds</i>                            | 345 |
| 9.2.2.2 | <i>Torsion and Eccentric Shear Forces on Welds</i>           | 348 |
| 9.2.2.3 | <i>Bending of Welds</i>                                      | 350 |
| 9.2.2.4 | <i>Fatigue Strength of Welded Joints</i>                     | 353 |
| 9.3     | CONNECTION DESIGN  | 354 |
| 9.3.1   | Flexible (Shear) Beam Framing Connections                    | 354 |
| 9.3.1.1 | <i>Seated Beam Connections</i>                               | 368 |
| 9.3.1.2 | <i>Stiffened Seated Beam Connections</i>                     | 373 |
| 9.3.1.3 | <i>End-Plate Shear Connections</i>                           | 377 |

|                                     |     |
|-------------------------------------|-----|
| 9.3.2 Rigid Moment Beam Connections | 379 |
| 9.3.2.1 <i>Welded Connections</i>   | 379 |
| 9.3.2.2 <i>Bolted Connections</i>   | 389 |
| 9.3.3 Column Bracket Connection     | 392 |
| 9.3.4 Beam and Girder Splices       | 397 |
| 9.3.5 Truss Connections and Splices | 413 |
| NOTATIONS                           | 421 |
| PROBLEMS                            | 424 |
| REFERENCES                          | 429 |

## **10 Built-Up Beams**

|  |     |
|--|-----|
| 10.1 PLATE GIRDERS                             | 433 |
| 10.1.1 Load-Carrying Capacity of Plate Girders | 434 |
| 10.1.2 Buckling Strength of Plate Girders      | 446 |
| 10.1.3 Optimization of Plate Girder Dimensions | 450 |
| 10.2 OPEN-WEB JOISTS                           | 468 |
| 10.3 COMPOSITE BEAMS                           | 469 |
| 10.3.1 Introduction                            | 469 |
| 10.3.2 Composite Steel-Concrete Construction   | 471 |
| 10.3.3 Shear Connectors                        | 474 |
| 10.3.4 Design of Composite Beams               | 477 |
| 10.3.5 Concluding Remarks                      | 487 |
| 10.4 LIGHT-GAGE STEEL MEMBERS                  | 489 |
| 10.4.1 Design of Flexural Members              | 489 |
| 10.4.2 Steel Roof Decks                        | 491 |
| 10.4.3 Wall Studs                              | 492 |
| NOTATIONS                                      | 494 |
| PROBLEMS                                       | 496 |
| REFERENCES                                     | 499 |

## **11 Beam and Column Supports**

**501**

|                                     |     |
|-------------------------------------|-----|
| 11.1 BEAM SUPPORTS                  | 501 |
| 11.1.1 Tangential (Simple) Supports | 503 |
| 11.1.2 Hinged Supports              | 505 |
| 11.1.3 Roller Supports              | 505 |
| 11.1.4 Beam-to-Beam Supports        | 513 |
| 11.2 COLUMN SUPPORTS                | 513 |
| 11.2.1 Pinned Column Base           | 513 |
| 11.2.2 Flat Column Base Plates      | 514 |
| NOTATIONS                           | 520 |
| PROBLEMS                            | 520 |
| REFERENCES                          | 523 |

## **12 Summary: Design of Simple Structures**

|  |     |
|--|-----|
| 12.1 INTRODUCTION                              | 524 |
| 12.2 SINGLE-STORY BUILDINGS                    | 525 |
| 12.2.1 Structural Concepts of Building Systems | 525 |
| 12.2.2 Design Example 12.1                     | 525 |

|                            |     |
|----------------------------|-----|
| 12.3 BRIDGES               | 542 |
| 12.3.1 Girder Bridges      | 542 |
| 12.3.2 Design Example 12.2 | 542 |
| REFERENCES                 | 558 |

### ***Appendices***

|              |   |     |
|--------------|---|-----|
| APPENDIX I-1 | Fortran IV Program for the Design of Simply Supported Beams, AISC Specification                               | 561 |
| APPENDIX I-2 | Minicomputer Program for the Design of Simply Supported Beams, for HP9820A                                    |     |
| I-2.1        | Moments, Shears, and Modifiers, $C_b$   | 563 |
| I-2.2        | Selection of WF Section   | 565 |
| I-2.3        | Storage of Data   | 566 |
| APPENDIX I-3 | Program for Design of Simply Supported Beams for HP9830A  |     |
| I-3.1        | Structural Analysis   | 567 |
| I-3.2        | Beam Design   | 570 |
| APPENDIX II  | Fortran IV Program for Optimization of Plate Girder Without Stiffeners (Example 10.3)                         | 573 |
| APPENDIX III | Optimization of Plate Girder with Stiffeners (Example 10.4)   | 576 |
| APPENDIX IV  | Minicomputer Optimization Program of Girders Without Stiffeners, Sufficiently Laterally Braced (Example 10.3) |     |
| IV-1         | For HP9820A   | 580 |
| IV-2         | For HP9830A   | 583 |
| APPENDIX V   | Minicomputer Optimization Program of Girders with Stiffeners (Example 10.4), for HP9830A                      | 586 |
| APPENDIX VI  | Torsion: Tables 1 and 2   | 588 |
| APPENDIX VII | Solutions for Beam-Column Cases   | 591 |

### ***Index***