

CONTENTS

| | |
|---|-----|
| Foreword | vii |
| Committee Personnel | ix |
| Introduction | xii |
| Summary of Changes | xiv |
| General Provisions and Definitions | |
| 801 General | 1 |
| 802 Scope and Intent | 1 |
| 803 Piping Systems Definitions | 2 |
| 804 Piping Systems Component Definitions | 4 |
| 805 Design, Fabrication, Operation, and Testing Terms | 6 |
| 807 Quality Assurance | 7 |
| Chapter I Materials and Equipment | |
| 810 Materials and Equipment | 8 |
| 811 Qualification of Materials and Equipment | 8 |
| 812 Materials for Use in Cold Climates | 9 |
| 813 Marking | 9 |
| 814 Material Specifications | 9 |
| 815 Equipment Specifications | 9 |
| 816 Transportation of Line Pipe | 10 |
| 817 Conditions for the Reuse of Pipe | 10 |
| Chapter II Welding | |
| 820 Welding | 12 |
| 821 General | 12 |
| 822 Preparation for Welding | 12 |
| 823 Qualification of Procedures and Welders | 12 |
| 824 Preheating | 13 |
| 825 Stress Relieving | 13 |
| 826 Inspection of Welds | 14 |
| 827 Repair or Removal of Defective Welds in Piping Intended to Operate at Hoop Stress Levels of 20% or More of the Specified Minimum Yield Strength | 15 |
| Chapter III Piping System Components and Fabrication Details | |
| 830 Piping System Components and Fabrication Details | 16 |
| 831 Piping System Components | 16 |
| 832 Expansion and Flexibility | 22 |
| 833 Design for Longitudinal Stress | 23 |
| 834 Supports and Anchorage for Exposed Piping | 25 |
| 835 Anchorage for Buried Piping | 26 |
| Tables | |
| 831.42 Reinforcement of Welded Branch Connections, Special Requirements | 21 |
| 832.2 Thermal Expansion of Carbon and Low Alloy Steel | 22 |
| 832.5 Modulus of Elasticity for Carbon and Low Alloy Steel | 23 |
| Chapter IV Design, Installation, and Testing | |
| 840 Design, Installation, and Testing | 27 |
| 841 Steel Pipe | 29 |
| 842 Other Materials | 40 |
| 843 Compressor Stations | 46 |

| | | |
|---|--|----|
| 844 | Pipe-Type and Bottle-Type Holders | 49 |
| 845 | Control and Limiting of Gas Pressure | 50 |
| 846 | Valves | 58 |
| 847 | Vaults | 58 |
| 848 | Customers' Meters and Regulators | 59 |
| 849 | Gas Service Lines | 60 |
| Tables | | |
| 841.114A | Basic Design Factor, <i>F</i> | 30 |
| 841.114B | Design Factors for Steel Pipe Construction | 31 |
| 841.115A | Longitudinal Joint Factor, <i>E</i> | 32 |
| 841.116A | Temperature Derating Factor, <i>T</i> , for Steel Pipe | 32 |
| 841.322(f) | Test Requirements for Pipelines and Mains to Operate at Hoop Stresses of 30% or More of the Specified Minimum Yield Strength of the Pipe | 39 |
| 841.33 | Maximum Hoop Stress Permissible During Test | 39 |
| 842.214 | Standard Thickness Selection Table for Ductile Iron Pipe | 41 |
| 842.32(c) | Wall Thickness and Standard Dimension Ratio for Thermoplastic Pipe | 42 |
| 842.33(c) | Diameter and Wall Thickness for Reinforced Thermosetting Plastic Pipe | 42 |
| 842.396(c) | Nominal Values for Coefficients of Thermal Expansion of Thermoplastic Pipe Materials | 44 |
| Chapter V Operating and Maintenance Procedures | | |
| 850 | Operating and Maintenance Procedures Affecting the Safety of Gas Transmission and Distribution Facilities | 64 |
| 851 | Pipeline Maintenance | 66 |
| 852 | Distribution Piping Maintenance | 71 |
| 853 | Miscellaneous Facilities Maintenance | 74 |
| 854 | Location Class and Changes in Number of Buildings Intended for Human Occupancy | 76 |
| 855 | Concentrations of People in Location Classes 1 and 2 | 77 |
| 856 | Pipeline Service Conversions | 78 |
| Table | | |
| 854.1(c) | Location Class | 77 |
| Chapter VI Corrosion Control | | |
| 860 | Corrosion Control | 79 |
| 861 | Scope | 79 |
| 862 | External Corrosion Control | 79 |
| 863 | Internal Corrosion Control | 82 |
| 864 | Pipelines in Arctic Environments | 84 |
| 865 | Pipelines in High-Temperature Service | 85 |
| 866 | Stress Corrosion and Other Phenomena | 85 |
| 867 | Records | 86 |
| Chapter VII Miscellaneous | | |
| 870 | Miscellaneous | 87 |
| 871 | Odorization | 87 |
| 872 | Liquefied Petroleum Gas (LPG) Systems | 87 |
| 873 | Pipelines on Private Rights-of-Way of Electric Transmission Lines | 88 |
| Chapter VIII Offshore Gas Transmission | | |
| A800 | Offshore Gas Transmission | 89 |
| A801 | General | 89 |
| A802 | Scope and Intent | 89 |
| A803 | Offshore Gas Transmission Definitions | 89 |
| A811 | Qualification of Materials and Equipment | 90 |
| A814 | Material Specifications | 90 |

| | | |
|------|---|-----|
| A817 | Conditions for the Reuse and Requalification of Pipe | 90 |
| A820 | Welding Offshore Pipelines | 91 |
| A821 | General | 91 |
| A823 | Qualification of Procedures and Welders | 91 |
| A825 | Stress Relieving | 91 |
| A826 | Welding and Inspection Tests | 91 |
| A830 | Piping System Components and Fabrication Details | 92 |
| A831 | Piping System Components | 92 |
| A832 | Expansion and Flexibility | 92 |
| A834 | Supports and Anchorage for Exposed Piping | 92 |
| A835 | Anchorage for Buried Piping | 92 |
| A840 | Design, Installation, and Testing | 92 |
| A841 | Design Considerations | 92 |
| A842 | Strength Considerations | 93 |
| A843 | Compressor Stations | 96 |
| A844 | On-Bottom Stability | 97 |
| A846 | Valves | 98 |
| A847 | Testing | 98 |
| A850 | Operating and Maintenance Procedures Affecting the Safety of Gas Transmission Facilities | 99 |
| A851 | Pipeline Maintenance | 99 |
| A854 | Location Class | 100 |
| A860 | Corrosion Control of Offshore Pipelines | 100 |
| A861 | Scope | 100 |
| A862 | External Corrosion Control | 100 |
| A863 | Internal Corrosion Control | 102 |

Table

| | | |
|---------|--|----|
| A842.22 | Design Factors for Offshore Pipelines, Platform Piping, and Pipeline Risers | 94 |
|---------|--|----|

Chapter IX

Sour Gas Service

| | | |
|------|---|-----|
| B800 | Sour Gas Service | 103 |
| B801 | General | 103 |
| B802 | Scope and Intent | 103 |
| B803 | Sour Gas Terms and Definitions | 103 |
| B813 | Marking | 104 |
| B814 | Material Specifications | 104 |
| B820 | Welding Sour Gas Pipelines | 104 |
| B821 | General | 104 |
| B822 | Preparation for Welding | 104 |
| B823 | Qualifications of Procedures and Welders | 104 |
| B824 | Preheating | 104 |
| B825 | Stress Relieving | 104 |
| B826 | Welding and Inspection Tests | 105 |
| B830 | Piping System Components and Fabrication Details | 105 |
| B831 | Piping System Components | 105 |
| B840 | Design, Installation, and Testing | 105 |
| B841 | Steel Pipe | 105 |
| B842 | Other Materials | 106 |
| B843 | Compressor Stations | 106 |
| B844 | Pipe-Type and Bottle-Type Holders | 106 |
| B850 | Additional Operating and Maintenance Considerations Affecting the Safety of Sour Gas Pipelines | 106 |
| B851 | Pipeline Maintenance | 107 |
| B855 | Concentrations of People in Location Classes 1 and 2 | 107 |
| B860 | Corrosion Control of Sour Gas Pipelines | 107 |
| B861 | General | 107 |

| | | |
|-------------------|---|-----|
| B862 | External Corrosion Control | 107 |
| B863 | Internal Corrosion Control | 108 |
| B866 | Stress Corrosion and Other Phenomena | 108 |
| Appendices | | |
| A | References | 109 |
| B | Numbers and Subjects of Standards and Specifications That Appear in Appendix A | 112 |
| C | Publications That Do Not Appear in the Code or Appendix A | 113 |
| D | Specified Minimum Yield Strength for Steel Pipe Commonly Used in Piping Systems | 115 |
| E | Flexibility and Stress Intensification Factors | 117 |
| F | Extruded Headers and Welded Branch Connections | 123 |
| G | Testing of Welders Limited to Work on Lines Operating at Hoop Stresses of Less Than 20% of the Specified Minimum Yield Strength | 128 |
| H | Flattening Test for Pipe | 129 |
| I | End Preparations for Buttwelding | 130 |
| J | Commonly Used Conversion Factors | 137 |
| K | Criteria for Cathodic Protection | 141 |
| L | Determination of Remaining Strength of Corroded Pipe | 143 |
| M | Gas Leakage Control Criteria | 144 |
| N | Recommended Practice for Hydrostatic Testing of Pipelines in Place | 151 |
| O | Preparation of Technical Inquiries to the ASME Code for Pressure Piping, B31 | 153 |
| P | Nomenclature for Figures | 154 |
| Q | Scope Diagrams | 155 |
| R | Estimating Strain in Dents | 158 |
| Index | | 160 |