

# Contents

<i>Preface</i>	vii
<b>1. Introduction</b>	<b>1</b>
1.1 Overview	1
1.2 Impact Factor	2
1.3 Research Criteria	3
1.4 Format of Paper	6
1.4.1 Example of Paper Template	8
1.5 Status of Report	11
1.6 Problems	12
<b>2. Selection of Topic</b>	<b>13</b>
2.1 Topic of the Study	13
2.2 Basic Research	13
2.2.1 Some Examples of Basic Research	15
2.3 Applied Research	17
2.3.1 Some Examples of Applied Research	18
2.4 Problems	18
<b>3. Clarity of Abstract and Conclusion</b>	<b>21</b>
3.1 Abstract	21
3.1.1 Some Examples of Informative Abstract	22
3.2 Conclusion	27
3.2.1 Some Examples of Conclusion	28
3.3 Grammar	33
3.4 Problems	35
<b>4. Introduction to Report</b>	<b>41</b>
4.1 Literature Survey and Developing a Conceptual Framework	41
4.1.1 Examples of Conceptual Frameworks	42
4.2 Introduction of the Problem	42
4.2.1 Examples of Introduction	43
4.3 References	58
4.3.1 Examples of References	58
4.4 Problems	63

<b>5. Data Collection Methods</b>	<b>71</b>
5.1 Experiment Method	71
5.1.1 Examples of Experiment Method	71
5.2 Design and Construction	86
5.2.1 Examples of Design and Construction	86
5.3 Quantitative and Qualitative Methods	95
5.4 Problems	96
<b>6. Data Analysis of Report</b>	<b>103</b>
6.1 Results and Discussion	103
6.1.1 Table Format	104
6.1.1.1 Example of table	105
6.1.2 Figure Format	105
6.1.2.1 Examples of figures	106
6.1.3 Equation Format	107
6.1.4 Examples of Results and Discussion	107
6.2 Problems	167
<b>7. Research Ethics</b>	<b>191</b>
7.1 Ethics	191
7.2 Plagiarism Checker	192
7.2.1 Example of Research Paper Compared by Plagiarism Checker	194
7.3 Problems	199
<b>8. Presentation Format</b>	<b>201</b>
8.1 Oral Presentation	201
8.1.1 Examples of Oral Presentation	202
8.2 Poster Presentation	207
8.2.1 Examples of Poster Presentation	209
8.3 Research Proposal	214
8.3.1 Examples of Research Proposal	214
8.4 Problems	235
<i>Index</i>	315

## Index

- ablation time 81, 106, 160, 161  
 absolute magnitudes 73, 97, 296  
 absorption maxima 28, 37, 38, 44,  
 107, 108, 112, 182, 184, 185,  
 290  
 absorption spectra 44, 72, 73,  
 79, 85, 98, 107, 109, 112, 113,  
 116, 119, 182–185, 265, 289,  
 307, 309  
 AFM *see* atomic force microscopy  
 altitude 8, 10, 235, 236, 238–241,  
 243, 253, 254, 256–258  
 altitude angles 252, 253, 255, 258  
 amplifier 101, 293, 297  
 amplifier system 73, 78, 97, 100,  
 296  
 amplitude 170, 171, 187, 239  
 amyloid fibrils 214–216  
 analemma 8, 242  
 angle 10, 99, 120–122, 138, 168,  
 180, 226, 236, 237, 257, 261,  
 292–294, 297  
 aperture 253  
 azimuthal 8, 10, 23, 28, 37, 64,  
 65, 73, 97, 120, 168, 179, 235,  
 236, 238, 240, 241, 257, 258,  
 292, 294  
 declination 236, 239, 240  
 flux 72, 96–98, 231, 278, 286  
 hour 10, 236, 240  
 miscut 71  
 phase 261  
 tiled 135, 150  
 time-declination 240  
 animal holder 75  
 anisotropy 39, 64, 120, 189, 217,  
 228, 233, 295, 296, 300  
 arrays 18, 70, 73, 169, 225, 226,  
 277, 278, 281, 286, 300  
 cobalt dot 277  
 nanoparticle 226  
 parallel 278  
 periodic 281  
 rotary 49  
 aspect ratio 114, 156, 157, 219,  
 231, 305, 308, 309  
 atomic force microscopy (AFM)  
 51, 76, 77, 147, 216, 219, 224,  
 226, 228, 230  
 azimuth 8, 10, 235–237, 239,  
 252–255, 257, 258  
 band gap 51, 82, 144, 160, 161,  
 268  
 beam 24, 49, 66, 67, 80, 86, 88,  
 89, 92  
 fundamental 225, 226  
 parallel 101  
 reflected 86, 87, 91, 92, 135,  
 136, 138  
 X-ray 233  
 blend film 244–250  
 Brillouin light scattering  
 spectroscopy 217–219  
 cancer 48, 53  
 CCD *see* charge-coupled device  
 cell 56, 82, 161, 162, 307  
 cancer 17, 26, 32, 56, 81, 162,  
 165  
 dead 163  
 methanol-fuel 54  
 quartz 80, 81  
 charge 218, 229, 302, 310

- charge-coupled device (CCD) 101
- chemical vapor deposition (CVD)
  - 51, 100, 280
- Committee on Publication Ethic
  - 191
- CVD *see* chemical vapor deposition
- data 1, 74, 99, 129, 176, 252, 268
- data analysis 4, 6, 103, 104, 106,
  - 108, 110, 112, 114, 116, 118,
  - 120, 122, 124, 126, 128
- data collection methods 4, 71, 72,
  - 74, 76, 80, 82, 84, 86, 88, 90,
  - 92, 94, 96, 98, 100
- decay 130, 131, 153
  - exponential 129
  - radioactive 16
- dependence 44, 54, 80, 116, 282
  - incidence angle 190
  - laser fluence 26
  - linear 150
  - organic interlayer thickness
    - 223, 230
  - rotation-angle 188, 293
  - spectral 23, 46
- detection points 75, 78, 99, 106,
  - 130–133, 153–155, 186, 187
- devices 147, 148, 217, 218, 222,
  - 228, 229, 259, 281, 285
  - charge-coupled 101
  - electromechanical 282
  - field-emitting 26, 31, 52
  - lab-on-chip 215
  - molecular 228
  - optical 43, 53, 64, 68, 271, 284
  - photonics 228
  - single-photon 221, 234
  - surface acoustic wave 51
- dielectric constants 50, 80, 112,
  - 116, 126, 172, 173, 306
- dielectric function 113, 117, 119,
  - 126, 302
- dielectric medium 32, 67, 70,
  - 157–159, 286
- dielectric response 67, 70, 286,
  - 297, 299
- diffraction 49, 140, 146, 147
  - Bragg 233
  - low energy electron 231
- diffraction pattern 225, 233, 235
- diffuse optical tomography (DOT)
  - 14, 18, 23, 26, 29, 31, 37, 47,
  - 48, 53, 69
- dilute magnetic semiconductor
  - (DMS) 218, 229
- dipoles 45, 127, 170, 305, 311
- dish solar collector 235, 256, 257
- DMS *see* dilute magnetic
  - semiconductor
- DOT *see* diffuse optical
  - tomography
- drawbacks 8, 50, 55, 66, 176, 235,
  - 252, 278, 280, 307
- Drude–Lorentz model 119
- Drude model 119, 302, 306
- DSSCs *see* dye-sensitized solar cells
- dyes 26, 47, 57, 58, 83, 85, 135,
  - 165–167, 264, 265, 268, 270
  - cyanine 135
  - fluorophore 135
  - green 78
  - metal-free 265
  - photosensitive 264
  - ruthenium-based 264, 265
- dye-sensitized solar cells (DSSCs)
  - 264
- EBL *see* electron beam lithography
- electromagnetic field 67, 68, 116,
  - 159, 169, 222, 286, 290, 303,
  - 306
- electron beam lithography (EBL)
  - 44, 219, 231, 278–280
- electrons 26, 31, 46, 127, 156,
  - 158, 164, 227, 228, 233, 234,
  - 270, 272–275, 279, 282,
  - 301–303, 309

- emission 66, 74, 78, 128, 132, 134, 151, 165
- emission intensity 26, 57, 129, 153, 165
- emission light 74, 75, 134, 135, 153
- emission wavelengths 47, 99, 135
- engine 259–263
- errors 135, 236, 240, 252, 257, 307
- etching 25, 52, 77, 151, 278
- ethics 71, 191, 192
- excitation 23, 29, 36, 45, 47, 74, 75, 124, 128–135, 177, 187, 272, 297
- electronic 46
- resonant 275, 310
- size-dependent 282
- surface charge 45
- excitation light 47, 74, 85, 127, 128, 130, 132–135, 153, 176, 187, 188, 296
- experimental data 80, 117, 119, 126, 240, 243, 291, 308
- experiment method 16, 71–81, 83, 85, 86, 96
  
- fabrication 8, 38, 51, 52, 214, 226, 236, 282, 285
- fabrication technique 51, 64, 123, 271
- Fabry–Perot interferometer 219
- FDOT *see* fluorescence diffuse optical tomography
- FDTD method *see* finite-difference time-domain method
- FDTD simulations 116, 119, 291, 311
- field distributions 100, 169, 173, 175, 224, 305, 307, 310, 311
- field enhancement 37, 70, 126, 152, 173, 309–311
  
- films 24, 25, 30, 50, 76, 77, 140–148, 244, 245, 264, 266, 267, 269, 270
- acid 245
- anodic 281
- ceramic 281
- cianoacrylate 278
- metallic 231
- organic 222
- piezoelectric 148
- platinum 223
- sol-gel 264
- thin 16, 50, 51, 54, 142, 143
- finite-difference time-domain method (FDTD method) 18, 39, 99, 113, 116–119, 123, 181, 190, 285, 291, 296, 306, 307
- fluorescence 15, 23, 26, 42, 47, 48, 57, 58, 69, 74, 128, 154, 266, 268–270
- fluorescence diffuse optical tomography (FDOT) 14, 18, 23, 26, 29, 31, 37, 47, 48, 53, 69
- fluorescence intensity 130–132, 153, 155, 165–167
- fluorescence molecular tomography (FMT) 48
- fluorescence peak intensity ratio 26, 53, 106, 153–155
- fluorescence target 14, 23, 24, 26, 29, 48, 74, 78, 130, 132
- fluorescence temporal profiles 26, 31, 37, 38, 53, 69, 99, 127, 153, 154, 186, 187
- fluorophores 23, 29, 47, 48, 69, 127, 129, 132, 134
- FMT *see* fluorescence molecular tomography
- fundamental photon energy 23, 28, 65, 73, 80, 97, 121, 122, 168, 173, 174, 180, 292, 294, 296

- gold nanowires 271, 275, 277, 278, 280
- halide vapor phase epitaxy (HVPE) 50
- He-Ne laser 89–91, 93, 94, 135, 136, 138
- host medium 112, 126, 184, 305
- HVPE *see* halide vapor phase epitaxy
- ICG *see* indocyanine green
- incident field 37, 39, 64, 100, 112, 113, 169, 170, 184, 296, 300, 307
- incident light 44, 57, 78, 100, 101, 112, 119, 127, 184, 226, 299, 305, 307, 312
- incident plane 99, 120–122, 168, 180, 292–294
- inclined reflection mirror 24, 25, 31, 86, 88, 91, 92, 94, 95
- indocyanine green (ICG) 37, 74, 75, 79, 98, 99, 106, 128–130, 132, 135, 153–155, 186, 187
- interactions 16, 56, 57, 171, 216
  - d-d 273
  - dipolar 37, 310
  - short-range 169, 311
  - wire-matrix 112
- interference signal 89, 91, 93, 95, 135–139
- Intralipid 74, 128, 186, 187
- JCR *see* journal citation report
- journal citation report (JCR) 2
- journals 1, 2, 41, 58, 63, 105
  - authentic 2, 12
  - peer-reviewed 2
  - predatory 2, 12
  - scholarly 2
- keywords 6–8, 199
- laser 69, 74, 78, 80, 98, 101, 151, 153, 174, 190, 219, 293
- latitude 9, 10, 236, 239, 242, 243, 257
- light beam 66, 67, 86, 87, 92
  - coherent 66
  - fundamental 73, 97, 292
- lightning-rod effect 36, 38, 65, 123, 158, 173, 180, 190, 296, 311
- light source 73, 78, 85, 89, 91, 93, 94, 97, 135, 136, 138, 267, 296
- local field factor 126, 177, 179, 182, 298
- local plasmons 23, 36, 38, 65, 171, 173, 180, 190, 271, 296
- Lorentz model 302
- low-coherence reflectometer 24, 25, 29, 50, 89–91, 93, 135, 136, 138, 139
- magnetic anisotropies 217–219, 228–230
- magnetic properties 17, 217–219, 231, 232, 234, 235
- Maxwell-Garnett model 28, 44, 112–117, 119, 185, 286, 291, 305, 312
- Maxwell-Garnett simulation 301, 312
- Maxwell-Garnett theory 28, 38, 112, 184
- Maxwell's curl equation 306
- MBE *see* molecular beam epitaxy
- mean transit time (MTT) 82, 131–133, 135, 187, 188
- metallic nanoparticles 55, 57, 161, 218, 225, 229
- metallic nanostructures 26, 32, 46, 57, 83, 85, 126, 165, 166, 172, 178, 182, 298
- metallic nanowire 36, 43–45, 67, 68, 70, 96, 97, 177–179, 182, 188, 189, 219, 225, 285, 286, 291–293, 297–301, 305–309, 311, 312

- metalloporphyrins 227, 230, 231
- metals 42, 45, 52, 54, 96, 97, 112, 113, 165, 177, 223, 273, 274, 278, 280, 286–289, 300, 302, 303
  - 3-d 217, 228, 229, 274
  - 5-d 274
  - crystalline 45
  - noble 46, 223, 229
  - rare 264
  - wire 112, 182, 287
- methodology 6, 7, 71, 86, 199, 202
- microscope 38, 101, 176, 219, 230
  - commercial 101
  - confocal 175
  - optical sum frequency 18, 67
  - scanning electron 151
  - transmission electron 81, 216
- microscopy 36, 65, 66, 77, 174, 228
  - confocal 175
  - conventional 65, 66
  - scanning tunneling 228, 281
- Mie scattering theory 44, 113
- model 112, 116, 119, 169, 185, 228, 233, 262, 305, 308
  - analytical 235
  - dipole–dipole interaction 170, 311
  - disease 53
  - isotherm 250
  - kinetic 250
  - Mott 164
- molecular beam epitaxy (MBE) 50, 51, 219, 231
- molecules 16, 223, 265
- morphology 25, 30, 72, 77, 81, 141
- MTT *see* mean transit time
- nanoclusters 214–216
- nanodevices 55, 220, 222, 282
  - optoelectronic 55, 68
- nanodots 42, 44, 72, 98, 107, 109, 125, 127, 182
- nanofabrication 276, 277
- nanomaterials 54–56, 64, 67, 70, 215, 277, 285, 301
- nanoparticles 26, 31, 56, 57, 160–162, 216, 218, 226, 229, 231, 232
- nanorods 26, 27, 32, 33, 54, 57, 69, 79, 83, 155–157, 165, 221
- nanostructures 18, 44, 46, 55, 116, 165, 218, 219, 222, 223, 234, 276, 277, 280–283, 290
- nanowires 36–39, 68, 112, 113, 115, 116, 176, 177, 179–182, 215, 216, 219, 221, 222, 232–234, 277, 278, 280–284, 286–288, 295–297, 300
- OES *see* optical emission spectroscopy
- optical absorption 27, 28, 32, 38, 54, 80, 292
- optical coherence tomography 14, 25, 49, 52, 95
- optical delay line 14, 24, 29–31, 48–50, 86–94, 136, 139, 150
- optical emission spectroscopy (OES) 76, 145
- optical nonlinearity 67, 70, 173, 180, 190, 286, 295, 296
- optical path difference 88–90, 94, 150
- optical properties 32, 36, 44, 47, 50, 57, 69, 76, 81, 134, 142, 220, 221, 283, 285, 289
- optical signal 48, 49, 51, 95
- optical tomography 29, 47, 53
- oral presentation 201–205
- organic dyes 265, 270

- PAA *see* porous anodic alumina
- paper 1–7, 9, 12, 21, 27, 33, 35, 46, 47, 52, 53, 65, 71, 191–193, 199, 201, 235, 236
- paper title 14, 15, 63
- parabolic dish 236, 259, 262, 263
- parameters 26, 31, 67, 69, 132, 154, 155, 165, 236, 263
- patterns 65, 120–123, 160, 168, 179, 180, 189, 278, 280, 292, 295
- peak energy positions 44, 112, 113, 185, 291
- peak intensity 140, 145, 153, 165, 187
- phantoms 14, 37–39, 47, 69, 74, 99, 186
- photodetector 89, 90, 93, 148
- photomultiplier (PMT) 73, 78, 97, 101, 226, 289, 292, 293, 296, 297
- photon energy 99, 100, 109–111, 114, 116–118, 120, 125, 127, 143, 144, 169–173, 176, 177, 183–185, 290, 292, 297, 299
- photons 16, 174, 228
- pinhole 101, 174–176
- pivot 24, 50, 88–90, 94
- plagiarism 191–193, 199
- plagiarism checker 192–195, 197
- plasmon excitation 36–38, 123, 126, 158, 172, 173, 178, 181, 182, 222, 290, 297, 298, 300
- plasmon maxima 28, 114, 116, 117, 119, 171, 291, 306, 308, 311, 312
- plasmon resonances 32, 64, 73, 80, 107, 116, 126, 127, 178, 182, 190, 290, 292, 296, 298, 300
- PLD *see* pulsed laser deposition
- PMT *see* photomultiplier
- polarization 44, 100, 112, 120, 124, 127, 168, 185, 233, 291, 302, 310
- polarization configurations 113, 120, 122, 179, 189, 292, 294–296
- porous anodic alumina (PAA) 222, 234
- poster presentation 201, 207, 209, 211, 213, 235, 271
- presentation format 201, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 234–236, 270–272
- publication 1, 4, 12, 105, 191, 192
- publisher rank 2
- publisher 1, 2, 7, 12, 192
- pulsed laser deposition (PLD) 50, 51
- pulse picker system 74
- punctuation 107
- qualitative analysis 104
- quantum dots 55, 220–222
- quantum efficiency 47, 129, 132, 134
- quantum wires 55, 234
- quartz substrates 24, 30, 50, 51, 76, 77, 140–143, 145, 146
- radiation 52, 127, 153  
solar 236, 239, 240, 256
- radio frequency 25, 50, 51, 76
- ratio 57, 116, 132–134, 165, 187, 215, 261, 306  
compression 259–261, 263
- reactive oxygen species (ROS) 26, 32, 56, 82, 164
- reflection mirror 29, 86, 90, 92–94, 136, 137, 139
- reflectivity 285, 289–291, 303
- refractive index 24, 30, 32, 80, 136, 137, 139, 140, 143, 157–159, 175
- relativistic effects 271, 273, 274
- relativity 15, 271



- research 3, 4, 6, 12, 17, 18, 21, 41,  
 43–48, 54–57, 68, 69, 71, 95,  
 96, 191, 192, 215, 217, 228,  
 229  
   quantitative 96  
   sponsored 214  
   theoretical 13, 44  
 research ethics 191, 192, 194,  
 196, 198, 199  
 research grant 214  
 research methodology 1, 4, 43  
 research paper 6, 12, 103, 194,  
 199, 235, 244, 252, 259, 264  
 research proposal 201, 214, 215,  
 217, 219–223, 225, 227, 229,  
 231–233, 235, 271  
 resolution 37, 65, 69, 105, 174,  
 175, 218, 279  
 resonance 23, 45, 116, 124, 156,  
 160, 169, 177, 181, 297–299  
 retro-reflector 24, 25, 29, 86,  
 89–92, 94, 95, 136, 139  
 reviewer 1, 6, 11, 12, 168  
 review paper 6, 12, 271, 276, 284,  
 301  
 ROS *see* reactive oxygen species
- sample 66, 67, 73, 74, 79, 80,  
 82–84, 96, 97, 99–101, 108,  
 109, 122, 123, 136, 137, 139,  
 156–159, 167, 174–176,  
 292–294, 296, 297  
 sample surface 73, 97, 100, 121,  
 122, 148, 176, 180, 292–294,  
 296  
 SAM *see* self-assembled monolayer  
 scanning electron microscopy  
   (SEM) 78, 151, 224  
 scanning mirror 24, 25, 29, 31,  
 49, 50, 52, 86–94, 136, 138,  
 139, 150  
 scanning rate 24, 29, 31, 49–51,  
 91, 93, 95
- scanning tunneling microscopy  
   (STM) 224, 228, 281  
 scattering 46, 69, 135, 218, 279,  
 302  
 SD *see* standard deviation  
 second harmonic generation (SHG)  
   36, 39, 45, 64, 67–70, 168, 225,  
   226, 271, 272, 274, 285, 296,  
   297, 299–301, 303–305, 309,  
   310, 312  
 second harmonic intensity 14, 28,  
 29, 99  
 second harmonic response 23,  
 28, 36  
 self-assembled monolayer (SAM)  
   222–224, 230  
 SEM *see* scanning electron  
   microscopy  
 semiconductor 42, 218, 221, 222,  
 229, 234, 277, 280, 302, 303  
 sensor module 8, 235, 252, 253,  
 255, 258  
 sensor 252, 253  
 SERS *see* surface-enhanced Raman  
   scattering  
 shadow deposition method 18,  
 37, 38, 64, 65, 67, 68, 73, 96,  
 271, 277, 284, 285, 287  
 SHG *see* second harmonic  
   generation  
 SH intensity 37, 45, 64, 65, 73, 97,  
 120–126, 168, 177, 179, 180,  
 182, 190, 292, 294, 296–299,  
 301  
 SH light 23, 64, 120, 225, 292  
 SH photon energy 46, 124–127,  
 177–179, 181, 182, 271,  
 297–299  
 SH response 36, 73, 96, 97, 120,  
 124, 126, 169, 173, 177, 181,  
 182, 271, 274, 292, 296–298,  
 301  
 SH signal 45, 46, 68, 70, 73, 97,  
 126, 272, 285, 296, 298

- signal 54, 74, 124, 131, 224, 226, 292, 295
- simulation 100, 116, 117, 291, 307
- solar collector 239, 252, 256, 258, 259, 262, 263
- solar concentrator 15, 239, 259, 260, 262
- solar tracker 8, 235, 259
- solar tracking system 8, 10, 15, 235, 242, 252, 255–257, 260, 263
- spectrum 29, 36, 72, 98, 108, 124, 127, 134, 146, 156, 158, 160, 264, 268, 289
- standard deviation (SD) 187, 188, 260, 262
- STM *see* scanning tunneling microscopy
- subject 54, 55, 167, 232, 264, 271
- substrate 23, 50, 51, 72, 73, 76, 96–98, 168, 171, 176, 217–219, 221, 229–231, 233, 234, 277–279, 281, 285, 286
- sun 8, 9, 235–237, 239, 240, 252–254
- sun motion 243, 253, 254
- sun position 235, 252, 253, 258
- surface energy 112, 176, 177, 182, 183, 277, 287, 288
- surface-enhanced Raman scattering (SERS) 44, 57, 77, 118, 222–225, 228
- surface plasmon resonance 33–36, 44, 57, 113, 123, 177, 182, 298
- surface plasmon 29, 42, 64, 126, 159, 298, 310
- surfactant 31, 80, 215
- swelling degree 244–247, 250
- symmetry 28, 37, 46, 66, 67, 121, 169, 225, 226
- table 1, 2, 6, 7, 13, 14, 72, 80, 83, 84, 104, 107–109, 142, 143, 249, 255, 262, 263, 265, 266, 287, 288, 293, 294
- TCSPC *see* time-correlated single photon counting
- technique 17, 48, 49, 52, 53, 56, 69, 214, 216, 218, 221, 227, 228, 232, 233, 277, 278, 281, 300, 307
- data analysis 4
- electrochemical deposition 216
- finite-difference time-domain 158, 167
- fluorescence imaging 46
- laser ablation 31, 56
- linear optical 45, 68, 285
- lithography 219, 231
- Michelson interferometer 77
- microfabrication 230
- molecular beam 229
- nanofabrication 45, 277, 283
- nanolithography 282
- nonlinear optical 45, 67, 68, 285
- photolithography 279
- shadow deposition 36, 38, 43, 68, 72, 99, 229
- spectrometric 55
- spectroscopic 64, 301
- trypsinization 82
- X-ray diffraction 24
- TEM *see* transmission electron microscopy
- template 14, 18, 23, 64, 70, 72, 73, 183, 190, 214, 231, 232, 234, 277, 280, 283, 286, 287
- tense 6, 33, 71
- TERS *see* tip-enhanced Raman spectroscopy
- theoretical analysis 126, 177, 182, 298
- theory 4, 5, 13–15, 18, 112, 119, 127, 151, 184, 192, 291

- quantum 14
- quasi-static 119, 126, 178, 182, 298, 299
- thermal efficiency 259–263
- thermal energy 8, 235, 239, 240
- time-correlated single photon counting (TCSPC) 74
- tip-enhanced Raman spectroscopy (TERS) 224
- tips 25, 26, 31, 52, 77, 78, 151–153, 281
- tissue 23, 29, 46, 48, 53, 69, 135
- tissue phantom 14, 18, 23, 26, 29, 31, 48, 53, 78, 79, 153
- title 6, 7, 199, 214, 217, 220, 222, 225, 227, 232
- topic 4, 13, 14, 16, 18, 41, 43, 63, 202
- toxicity 56, 82
- transmission electron microscopy (TEM) 72, 79, 81, 96–99, 214, 215, 224, 278, 286, 287, 300
- trend 43–46, 48, 50–53, 104, 105, 282
- trial 53, 66, 67, 135
- tungsten nanotip 25, 31, 52, 78, 151, 152
- UHV *see* ultrahigh vacuum
- ultrahigh vacuum (UHV) 72, 78, 96–98, 219, 231, 278, 281, 286
- ultraviolet irradiation 32, 56, 82, 161–165
- ultraviolet photoelectron spectroscopy (UPS) 227, 229–231
- UPS *see* ultraviolet photoelectron spectroscopy
- UPS spectrum 227, 230
- vacuum 67, 68, 78, 96, 219, 231, 278, 285
- vibration angle 24, 29, 31, 50, 52, 136, 139
- vibration mode 25, 30, 145
- walk-off effect 49, 135, 138
- walk-off problem 24, 29, 49, 87, 92
- wavelength 25, 26, 64, 72, 73, 78, 81, 82, 84, 85, 98, 100, 106, 112, 142, 143, 145, 166, 233, 289
  - plasmon-peak 80
  - visible 24, 30
- wire 23, 29, 77, 100, 107, 169, 171–173, 176, 181, 220, 226, 282, 285, 295, 296, 310, 311
  - circular 100, 171–173, 310
  - non-regular 310
  - porphyrin 228
- X-ray diffraction (XRD) 51, 76, 77, 81, 145, 160, 232, 233
- XRD *see* X-ray diffraction
- XRD diffraction pattern 140, 141
- YAG laser 26, 73, 80, 81, 96, 97, 100, 226, 292, 296
- zinc oxide nanoparticle 15, 26, 31, 32, 56, 81, 82, 106, 159–164