

# Contents

## Preface v

### 1. Atoms and Molecules

1.1 Why Should You Study Chemistry? 1    1.2 Elements Are the Simplest Substances 2    1.3 About Three Fourths of the Elements Are Metals 3  
1.4 Antoine Lavoisier Was the Founder of Modern Chemistry 5    1.5 The Relative Amount of Each Element in a Compound Is Always the Same 6  
1.6 Dalton's Atomic Theory Explains the Law of Constant Composition 7  
1.7 Molecules Are Groups of Atoms Joined Together 9    1.8 The Assignment of Names to Compounds Is Called Chemical Nomenclature 11  
1.9 Molecular Mass Is the Sum of the Masses of the Atoms in a Molecule 13  
1.10 The Law of Multiple Proportions Is Explained by the Atomic Theory 14    1.11 The Discovery of Subatomic Particles Changed Our Concept of the Atom 15    1.12 Most of the Mass of an Atom Is Concentrated in the Nucleus 17    1.13 Atoms Consist of Protons, Neutrons, and Electrons 19    1.14 Isotopes Contain the Same Number of Protons But Different Numbers of Neutrons 20    1.15 Isotopes Can Be Separated by a Mass Spectrometer 23    1.16 There Are Uncertainties Associated with Measured Quantities 25    1.17 Calculated Numbers Should Show the Correct Number of Significant Figures 27    1.18 The Value of a Physical Quantity Depends on the Units 28    SUMMARY 33

### 2. The Chemical Elements and the Periodic Table 43

2.1 New Substances Are Formed in Chemical Reactions 43    2.2 Chemical Reactions Are Represented by Chemical Equations 45    2.3 A Chemical Equation Must Be Balanced 45    2.4 Some Elements Have Similar Chemical Properties 48    2.5 The Elements Show a Periodic Pattern When Listed in Order of Increasing Atomic Number 52    2.6 Elements in the Same Column in the Periodic Table Have Similar Chemical Properties 54    2.7 Mendeleev Predicted the Existence and Properties of Elements Not Yet Discovered 56  
2.8 The Periodic Table Organizes Our Study of the Elements 57  
2.9 Elements Are Arranged as Main-group Elements, Transition Metals, and Inner Transition Metals 59    2.10 The Periodic Table Contains Some Irregularities 62    2.11 Many Atoms Form Ions That Have a Noble-gas Electron Arrangement 63    2.12 Ionic Charges Can Be Used to Write Chemical Formulas 65    2.13 Oxidation-Reduction Reactions Involve a Transfer of Electrons 69    SUMMARY 69

## INTERCHAPTER A/OXYGEN 76

*A.1 Thirty-Five Billion Pounds of Oxygen Are Sold Annually in the United States 76*  
*A.2 Oxygen in the Earth's Atmosphere is Produced by Photosynthesis, 77*    *A.3 Oxygen Can Be Prepared in the Laboratory by Various Methods 78*    *A.4 Oxygen Reacts Directly with Most Other Elements 79*    *A.5 Some Metals React with Oxygen to Yield Peroxides 81*    *A.6 Ozone Is a Triatomic Oxygen Molecule 82*

### 3. Chemical Calculations 85

3.1 The Quantity of a Substance That Is Equal to Its Formula Mass in Grams Is a Mole 85    3.2 One Mole of Any Substance Contains Avogadro's Number of Formula Units 88    3.3 Simplest Formulas Can Be Determined by Chemical Analysis 92    3.4 Empirical Formulas Can Be Used to Determine an Unknown Atomic Mass 94    3.5 An Empirical Formula along with the Molecular Mass Determines the Molecular Formula 95    3.6 The Coefficients in Chemical Equations Can Be Interpreted as Numbers of Moles 96  
3.7 Calculations Involving Chemical Reactions Are Carried Out in Terms of

Moles 100 3.8 When Two or More Substances React, the Quantity of Product Is Determined by the Limiting Reactant 102 3.9 Many Reactions Take Place in Solution 104 3.10 The Concentration of a Solution Can Be Expressed in Terms of Molarity 105 SUMMARY 107

#### INTERCHAPTER B/SEPARATION OF MIXTURES 114

*B.1 Some Mixtures of Solids Can Be Separated by Dissolving One or More Components 114 B.2 Volatile Liquids Can Be Separated by Fractional Distillation 117 B.3 Liquid or Gas Mixtures Can Be Separated by Chromatography 118*

4.1 The Reaction of Two Substances to Form a Single Product Is a Combination Reaction 123 4.2 There Are Many Stable Polyatomic Ions 124 4.3 Transition-metal Ions Have More Than One Possible Ionic Charge 127 4.4 Many Oxides Combine with Water to Produce Acids or Bases 128 4.5 In a Decomposition Reaction, a Substance Is Broken Down into Two or More Simpler Substances 132 4.6 In a Single-replacement Reaction, One Element in a Compound Is Replaced by Another 133 4.7 Metals Can Be Ordered in Terms of Relative Reactivity 134 4.8 Single-replacement Reactions Do Not Have to Take Place in Solution 136 4.9 The Reactivity Order of the Halogens is  $F_2 > Cl_2 > Br_2 > I_2$  137 4.10 A Double-replacement Reaction Is One of the Type  $AB + CD \rightarrow AD + BC$  139 4.11 Neutralization Is the Reaction between an Acid and a Base 141 4.12 The Concentration of an Acid or a Base Can Be Determined by Titration 143 SUMMARY 147

5.1 The Physical States of Matter Are Solid, Liquid, and Gas 155 5.2 The Pressure of a Gas Can Support a Column of Liquid 157 5.3 The Earth's Atmosphere Exerts a Pressure 159 5.4 Pressure Is Expressed in Various Units 160 5.5 At Constant Temperature, the Volume of a Gas Is Inversely Proportional to Its Pressure 161 5.6 At Constant Pressure, the Volume of a Gas Is Proportional to Its Temperature 163 5.7 Equal Volumes of Gases at the Same Pressure and Temperature Contain Equal Numbers of Molecules 167 5.8 Boyle's, Charles's, and Avogadro's Laws Can Be Combined into One Equation 169 5.9 The Ideal-gas Equation Can Be Used to Calculate Gas Densities and Molar Masses 173 5.10 The Total Pressure of a Mixture of Gases Is the Sum of the Partial Pressures of All Gases in the Mixture 176 5.11 The Kinetic Theory of Gases Views the Molecules of a Gas as Being in Constant Motion 178 5.12 The Average Distance a Molecule Travels between Collisions Is the Mean Free Path 180 5.13 Different Gases Leak through a Small Hole in a Container at Different Rates 182 5.14 The Ideal-gas Equation Is Not Valid at High Pressures 183 SUMMARY 186

#### INTERCHAPTER C/NITROGEN 194

*C.1 Over 37 Billion Pounds of Nitrogen Is Produced Annually 194 C.2 Most Nitrogen Is Converted to Ammonia by the Haber Process 195 C.3 Nitrogen Is a Key Ingredient in Fertilizers 196 C.4 Nitric Acid Is Produced by the Ostwald Process 197 C.5 Certain Bacteria Can Fix Nitrogen 198 C.6 Nitrogen Forms Several Important Compounds with Hydrogen and Oxygen 199*

6.1 Energy Is Conserved 203 6.2 Chemical Reactions Evolve or Absorb Energy as Heat 205 6.3 Heats of Reaction Can Be Calculated from Tabulated Heats of Formation 207 6.4 Hess's Law Says That Enthalpy Changes For Chemical Reactions Are Additive 210 6.5 The Value of  $\Delta H_{rxn}^\circ$  Is Determined Primarily by the Difference in the Bond Enthalpies of Reactants and Products 216 6.6 Heat Capacity Measures the Ability of a Substance to

4.  
Chemical Reactions  
123

5.  
The Properties  
of Gases  
155

6.  
Chemical Reactions  
and Energy  
203

Take Up Energy as Heat 219 6.7 A Calorimeter Is a Device Used to Measure the Amount of Heat Evolved or Absorbed in a Reaction 221  
 6.8 Combustion Reactions Can Be Used as Energy Sources 224 6.9 Food Is Fuel 228 6.10 Rockets and Explosives Utilize Highly Exothermic Reactions with Gaseous Products 230 SUMMARY 230

#### INTERCHAPTER D/SULFUR 238

*D.1 Sulfur Is Recovered from Large Underground Deposits by the Frasch Process 238*  
*D.2 Sulfide Ores Are Important Sources of Several Metals 240* *D.3 Sulfur Exists as Rings of Eight Sulfur Atoms 242* *D.4 Sulfuric Acid is the Leading Industrial Chemical 244* *D.5 Sulfur Forms Several Widely Used Compounds 247*

### 7. The Quantum Theory and the Hydrogen Atom 251

7.1 First Ionization Energy Is a Periodic Property 251 7.2 The Values of Successive Ionization Energies Suggest a Shell Structure 253  
 7.3 Electromagnetic Radiation Can Be Described as Waves 257 7.4 The Spectra Emitted by Atoms Are Line Spectra 258 7.5 A Study of Blackbody Radiation Led Planck to the First Quantum Hypothesis,  $E = h\nu$  261  
 7.6 de Broglie Postulated That Matter Has Wavelike Properties 264  
 7.7 de Broglie Waves Are Observed Experimentally 265 7.8 The Energy of the Electron in a Hydrogen Atom Is Quantized 266 7.9 Atoms Emit or Absorb Electromagnetic Radiation When They Undergo Transitions from One Stationary State to Another 268 7.10 A Wave Function Is Used to Calculate the Probability That an Electron Will Be Found in Some Region of Space 272 7.11 The Azimuthal Quantum Number Determines the Shape of an Orbital 274 7.12 The Magnetic Quantum Number Determines the Spatial Orientation of an Orbital 278 7.13 An Electron Possesses an Intrinsic Spin 280 SUMMARY 281

### 8. Electronic Structure and Periodic Properties of Atoms 289

8.1 The Energy States of Atoms with Two or More Electrons Depend upon Both  $n$  and  $l$  289 8.2 No Two Electrons in the Same Atom Can Have the Same Set of Four Quantum Numbers 291 8.3 Electronic Configurations Are Obtained by Placing Electrons into the Available Orbitals of Lowest Energy 294 8.4 Hund's Rule Is Used to Predict Ground-state Electron Configurations 296 8.5 The Second and Third Rows of the Periodic Table Have Similar Outer Electron Configurations 298 8.6 The Principal Quantum Number of the Outer  $s$  Electrons Is Equal to the Number of the Row in the Periodic Table 301 8.7 In the First Set of Transition Metals the Five 3d Orbitals Are Filled Sequentially 302 8.8 The Lanthanides Have Similar Chemical Properties 304 8.9 Atomic Radius Is a Periodic Property 306 SUMMARY 309

#### INTERCHAPTER E/THE CHEMISTRY OF THE ATMOSPHERE 315

*E.1 The Earth's Atmosphere Can Be Divided into Four Distinct Regions 315*  
*E.2 The Concentration of Carbon Dioxide in the Earth's Atmosphere Is Slowly Increasing 318* *E.3 The Noble Gases Were Not Discovered Until 1893 320*  
*E.4 Oxides of Sulfur Are Major Pollutants of the Atmosphere 321* *E.5 Hydrocarbons and Oxides of Nitrogen Are the Primary Ingredients of Photochemical Smog 323*  
*E.6 Ozone is a Life-saving Constituent of the Stratosphere 324* *E.7 Solar Radiation of Wavelengths Shorter Than 100 nm Is Screened by Photoionization in the Ionosphere 327*

### 9. Ionic Compounds 331

9.1 The Electrostatic Attraction That Binds Oppositely Charged Ions Together Is Called an Ionic Bond 331 9.2 Reactive Metals Combine with Reactive Nonmetals to Produce Ionic Compounds 333 9.3 Many Ions Do Not Have a Noble-gas Electron Configuration 335 9.4 Ionic Radii Are Not the Same as Atomic Radii 339 9.5 Solutions That Contain Ions Conduct an Electric Current 342 9.6 Ionic Compounds Conduct an Electric Current When They Are Melted 345 9.7 Electron Affinity Is the Energy Released When an

Atom Gains an Electron 346    9.8 Coulomb's Law Is Used to Calculate the Energy of an Ion-pair 347    9.9 The Formation of Ionic Solids from the Elements Is an Exothermic Process 350    SUMMARY 353

#### INTERCHAPTER F/THE ALKALI METALS 358

*F.1 The Hydroxides of the Alkali Metals Are Strong Bases 358*    *F.2 The Alkali Metals Are Very Reactive 359*    *F.3 Many Alkali Metal Compounds are Important Commercially 362*

10.1 A Covalent Bond Can Be Described as a Pair of Electrons Shared by Two Atoms 365    10.2 We Always Try to Satisfy the Octet Rule When Writing Lewis Formulas 368    10.3 The Hydrogen Atom Is an Exception to the Octet Rule 370    10.4 Many Molecules Contain Double or Triple Covalent Bonds 373    10.5 Most Polyatomic Ions Contain Covalent Bonds 376    10.6 Formal Charges Can Be Assigned to Atoms in Lewis Formulas 377    10.7 Resonance Can Be Used to Predict Relative Bond Lengths in Molecules 378    10.8 Formal Charge Can Be Used to Choose a Preferred Lewis Formula 381    10.9 The Octet Rule Fails for Species with an Odd Number of Electrons 381    10.10 Atoms in the Third Row of the Periodic Table Can Accommodate More Than Eight Electrons in Their Valence Shells 383    10.11 Most Chemical Bonds Are Intermediate Between Purely Ionic and Purely Covalent 385    10.12 Lewis Formulas Do Not Indicate the Shapes of Molecules 387    SUMMARY 389

11.1 Lewis Formulas Do Not Represent the Shapes of Molecules 397    11.2 All Four Vertices of a Regular Tetrahedron Are Equivalent 398    11.3 Valence-shell Electron-pair Repulsion Theory Is Used to Predict the Shapes of Molecules 399    11.4 The Number of Valence-shell Electron Pairs Determines the Shape of a Molecule 401    11.5 Molecules with Six Covalent Bonds about a Central Atom Are Octahedral 403    11.6 Lone Electron Pairs in the Valence Shell Affect the Shapes of Molecules 405    11.7 The Values of  $m$  and  $n$  in the General Formula  $AX_mE_n$  Can Be Used to Predict the Shape of a Molecule 406    11.8 VSEPR Theory Is Applicable to Molecules That Contain Double or Triple Bonds 408    11.9 VSEPR Theory Can Be Applied to Molecules That Are Described by Resonance 409    11.10 Lone-pair Electrons Occupy the Equatorial Vertices of a Trigonal Bipyramid 410    11.11 Two Lone Electron Pairs Occupy Opposite Vertices of an Octahedron 413    SUMMARY 415

#### INTERCHAPTER G/SPECTROSCOPY 421

*G.1 The Infrared Spectrum of a Compound Gives Considerable Information About Its Structure 422*    *G.2 Nuclear Magnetic Resonance Spectra Indicate the Positions of Hydrogen Atoms in a Molecule 425*    *G.3 Compounds Can Be Identified by Their Characteristic Mass Fragmentation Patterns 426*    *G.4 The Elements in a Sample Can Be Identified by Their Characteristic X-ray Fluorescence Spectra 429*

12.1 The Electrons in Molecules Are Described by Molecular Orbitals 433    12.2 The Bonding in Polyatomic Molecules Can Be Described in Terms of Bond Orbitals 434    12.3  $sp^3$  Orbitals Point toward the Vertices of a Tetrahedron 436    12.4 We Use  $sp^3$  Orbitals to Describe the Bonding in Molecules Containing Oxygen Atoms 439    12.5 A Double Bond Consists of a  $\sigma$  Bond and a  $\pi$  Bond 440    12.6 There Is No Rotation about Carbon-Carbon Double Bonds 443    12.7 Physiological Activity Can Be Affected Dramatically by Molecular Shape 444    12.8 A Triple Bond Consists of One  $\sigma$  Bond and Two  $\pi$  Bonds 444    12.9 The  $\pi$  Electrons in Benzene Are Delocalized 446    12.10 Molecular Orbitals Can Be Ordered According to Their Energies 449    12.11 Molecular Orbitals Are Bonding or Antibonding 451    12.12 Molecular

10.  
Lewis Formulas  
365

11.  
The Shapes  
of  
Molecules  
397

12.  
Bonding  
in  
Molecules  
433

	Orbital Theory Predicts That Diatomic Neon Does Not Exist 452	12.13 A Photoelectron Spectrum Demonstrates the Existence of Molecular Orbitals 454	12.14 Oxygen Molecules Are Paramagnetic 454
	SUMMARY 457		
13.	13.1 Interactions between Molecules Are Much Greater in the Solid and Liquid Phases Than in the Gas Phase 465	13.2 The Processes of Melting and Boiling Appear as Horizontal Lines on a Heating Curve 467	13.3 It Requires Energy to Melt a Solid and to Vaporize a Liquid 471
Liquids	13.4 van der Waals Forces Are Attractive Forces Between Molecules 473	13.5 The Enthalpy of Sublimation Is a Measure of the Energy of Interaction between the Molecules in a Solid 479	13.6 The Equilibrium between a Liquid and Its Vapor Is a Dynamic Equilibrium 480
and	13.7 A Liquid Has a Unique Equilibrium Vapor Pressure at Each Temperature 481	13.8 Relative Humidity Is Based Upon the Vapor Pressure of Water 484	13.9 Surface Tension Minimizes the Surface Area of a Liquid 486
Solids	13.10 X-ray Diffraction Patterns Yield Information about the Structure of Crystals 488	13.11 A Phase Diagram Displays the Phase Equilibrium Lines Simultaneously 498	13.12 Diamond Can Be Produced from Graphite by Applying Very High Pressure 501
465	SUMMARY 503		
	INTERCHAPTER H/SILICON: A SEMIMETAL 510		
	<i>H.1 Elemental Silicon Is Used to Make Semiconductors 510</i>	<i>H.2 There Are Two Types of Semiconductors, n-type and p-type 512</i>	
	<i>H.3 Silicates Occur Widely in Nature 515</i>	<i>H.4 Most Glasses Are Silicates 519</i>	
14.	14.1 A Solution Is a Homogeneous Mixture of Two or More Substances 523	14.2 Solubility Involves a Dynamic Equilibrium 524	14.3 The Equilibrium Vapor Pressure of a Pure Liquid Is Always Decreased When a Substance Is Dissolved in the Liquid 527
Solutions	14.4 The Equilibrium Vapor Pressure of the Solvent over a Solution Is Proportional to the Mole Fraction of the Solvent in the Solution 528	14.5 Colligative Properties of Solutions Depend Only on the Solute Particle Concentration 531	14.6 Nonvolatile Solutes Increase the Boiling Point of a Liquid 533
523	14.7 Solutes Decrease the Freezing Point of a Liquid 534	14.8 The Freezing Point Depression Effect Is the Basis of the Action of Antifreeze 536	14.9 Only Solvent Molecules Can Pass through a Semipermeable Membrane 538
	14.10 The Molecular Mass of Proteins Can Be Determined by Osmotic Pressure Measurements 541	14.11 Osmotic Pressure Plays a Major Role in Living Systems by Keeping Cells Inflated 543	14.12 The Equilibrium Concentration of a Dissolved Gas Is Proportional to the Pressure of the Gas over the Solution 544
	SUMMARY 547		
	INTERCHAPTER I/MAIN-GROUP METALS 553		
	<i>I.1 The Alkaline Earth Metals Form Ionic Compounds Consisting of <math>M^{2+}</math> Ions 554</i>		
	<i>I.2 The Group 3 Metals Are Aluminum, Gallium, Indium, and Thallium 558</i>	<i>I.3 The Group 4 Metals Are Tin and Lead 560</i>	
	<i>I.4 Bismuth Is the Only Group 5 Metal 561</i>		
15.	15.1 A Chemical Equilibrium Is a Dynamic Equilibrium 565	15.2 A Chemical Equilibrium Is Approachable from Either Side 567	15.3 The Equilibrium Constant Expression for a Chemical Equation Is Equal to the Ratio of Product Concentration Terms to Reactant Concentration Terms 571
Chemical	15.4 Equilibrium Constants Can Be Expressed in Terms of Pressures for Gas Phase Reactions 572	15.5 Equilibrium Constants Are Used in a Variety of Calculations 575	15.6 A Chemical Reaction Displaced from Equilibrium Proceeds Toward a New Equilibrium State in the Direction That
Equilibrium			
565			

at Least Partially Offsets the Change in Conditions 580 15.7 A Decrease in Volume or Increase in Applied Pressure Shifts a Reaction Equilibrium Toward the Side with Fewer Moles of Gas 581 15.8 An Increase in Temperature Shifts a Reaction Equilibrium in the Direction in Which Heat Is Absorbed 583 15.9 Chemical Reactions Always Proceed Toward Equilibrium 584 15.10 Equilibrium Constants for Chemical Reactions Can Be Combined to Obtain Equilibrium Constants for Other Reactions 588 15.11 Le Châtelier's Principle Can Be Used to Select the Conditions that Maximize the Equilibrium Yield of a Reaction Product 590 SUMMARY 592

16.1 A Rate Tells Us How Fast a Quantity Is Changing with Time 601  
 16.2 The Rate Law Expresses the Rate of a Reaction in Terms of the Concentrations of the Reactants 605 16.3 The Method of Initial Rates Is Used to Determine Reaction Rate Laws 610 16.4 The Half-life for a First-order Rate Law Is Given by  $t_{1/2} = 0.693/k$  613 16.5 The Half-life of a Second-order Rate Law Depends upon the Initial Concentration 616  
 16.6 A Rate Law Cannot Be Deduced from the Reaction Stoichiometry 619  
 16.7 Molecules Must Collide before They Can React 623 16.8 The Activation Energy Is an Energy Barrier That the Reactants Must Surmount in Order to React 625 16.9 A Catalyst Is a Substance That Increases the Reaction Rate But Is Not Consumed as a Reactant 627 16.10 Many Metal Surfaces Act as Heterogeneous Catalysts 629 16.11 At Equilibrium, the Forward Reaction Rate Equals the Reverse Reaction Rate 631 SUMMARY 632

17.1 An Acid Is a Proton Donor and a Base Is a Proton Acceptor 647  
 17.2 In Any Aqueous Solution the Ion Concentration Product  $[H_3O^+][OH^-]$  Is a Constant 648 17.3 Strong Acids and Bases Are Completely Dissociated in Aqueous Solutions 649 17.4 pH Is a Measure of the Acidity of an Aqueous Solution 652 17.5 Weak Acids and Weak Bases React Only Partially with Water 656 17.6 The Equilibrium Constant for an Acid Dissociation Reaction Is Denoted by  $K_a$  657 17.7 The Larger the Value of  $K_a$ , the Stronger Is the Acid 662 17.8 The Smaller the  $pK_a$  Value for an Acid, the Stronger the Acid 664 17.9 Bases React with Water to Produce Hydroxide Ions 664 17.10 The Acid-Base Pair  $HB-B^-$  Is Called a Conjugate Acid-Base Pair 668 17.11 Aqueous Solutions of Many Salts Are Either Acidic or Basic 670 17.12 A Lewis Acid Is an Electron-pair Acceptor 676 SUMMARY 677

#### INTERCHAPTER J/PHOSPHORUS 685

*J.1 There Are Two Principal Allotropes of Solid Phosphorus 685 J.2 Phosphorus Is a Key Ingredient in Fertilizers 688 J.3 Phosphorus Forms Two Oxides 688 J.4 Phosphorus Forms Several Oxyacids 688 J.5 Phosphorus Forms a Number of Binary Compounds 692 J.6 Many Phosphorus Compounds Are Important Biologically 694*

18.1 An Indicator Is a Weak Organic Acid Whose Color Varies with pH 697 18.2 The Equivalence Point Is the Point at Which an Acid-Base Titration Is Complete 701 18.3 Weak Acids Can Be Titrated with Strong Bases 705 18.4 The pH of a Buffer Solution Can Be Computed Using the Henderson-Hasselbalch Equation 710 18.5 A Buffer Solution Suppresses pH Changes When Acid or Base Is Added 713 18.6 Buffers Control the pH of Blood 716 18.7 Polyprotic Acids Can Donate More Than One Proton 717 SUMMARY 723

## 16. Rates and Mechanisms of Chemical Reactions 601

## 17. Acids and Bases 647

## 18. Titration, Buffers, and Polyprotic Acids 697

## INTERCHAPTER K/NATURAL WATERS 730

*K.1 Seawater Contains Many Dissolved Salts 731 K.2 The Major Nutrients in the Ocean Food Chain are Phosphate, Nitrate, Carbon Dioxide, and Oxygen 732 K.3 Some Chemical Substances Are Obtained Commercially From Seawater 734 K.4 Fresh Water Contains a Variety of Dissolved Substances 735 K.5 Soap Cleans by Forming Micelles 737 K.6 Municipal Sewage Is Treated in Stages 738*

19.  
Solubility and  
Precipitation  
Reactions  
743

19.1 The Driving Force of a Double Replacement Reaction Is the Formation of an Insoluble Product 743 19.2 The Law of Concentration Action Governs the Equilibrium between an Ionic Solid and its Constituent Ions in Solution 745 19.3 The Solubility of an Ionic Solid Is Decreased When a Common Ion Is Present in the Solution 748 19.4 The Magnitude of the Ratio  $Q_{sp}/K_{sp}$  Is Used to Predict Whether an Ionic Solid Will Precipitate 753 19.5 Salts of Weak Acids Are More Soluble in Acidic Solutions Than in Neutral or Basic Solutions 755 19.6 Some Metal Cations Can Be Separated from a Mixture by the Formation of an Insoluble Hydroxide of One of Them 757 19.7 Insoluble Sulfides Are Separated by Adjustment of Solution pH 759 19.8 Amphoteric Hydroxides Dissolve in Both Highly Acidic and Highly Basic Solutions 761 19.9 Qualitative Analysis Is the Identification of the Species Present in a Sample 764 19.10 Precipitation Reactions Are Used to Separate Mixtures of Ions 765 19.11 Many Qualitative Analysis Schemes Involve the Separation of Cations as Insoluble Sulfides 768 19.12 Amphoteric Metal Hydroxides Are Separated by Dissolution in Strong Base 770 19.13 Qualitative Analysis Schemes Involve Sequential Separation of Small Groups of Cations 770 SUMMARY 774

20.  
Oxidation-Reduction  
Reactions  
781

20.1 An Oxidation State Can Be Assigned to Each Atom in a Chemical Species 781 20.2 Oxidation States Can Be Assigned Using Lewis Formulas 784 20.3 Oxidation-Reduction Reactions Involve the Transfer of Electrons From One Reactant to Another 787 20.4 Electron-transfer Reactions Can Be Separated into Two Half-reactions 789 20.5 Equations for Oxidation-Reduction Reactions Can Be Balanced by Balancing Each Half-reaction Separately 790 20.6 Chemical Equations for Reactions Occurring in Basic Solution Should Not Contain  $H^+(aq)$  794 20.7 Bleaches and Disinfectants Are Strong Oxidizing Agents 797 SUMMARY 798

21.  
Electrochemical  
Cells  
805

21.1 An Electrochemical Cell Produces Electricity Directly From a Chemical Reaction 805 21.2 A Cell Diagram Represents an Electrochemical Cell 809 21.3 Cell Voltage Depends on the Concentration of the Reactants and Products of the Cell Reaction 813 21.4 The Nernst Equation Can Be Written in Terms of a Standard Cell Voltage 815 21.5  $E^\circ$  Values Can Be Assigned to Half-reactions 818 21.6 Electrochemical Cells Are Used to Determine Concentrations of Ions 823 21.7 The pH of a Solution Can Be Determined by Electrochemical Cell Measurements 824 21.8 A Battery Is an Electrochemical Cell or Group of Cells Designed for Use as a Power Source 826 21.9 Electrolysis Is a Chemical Reaction That Occurs as a Result of the Passage of an Electric Current 830 21.10 Metals Are Obtained From Salts by Electrochemical Processes 832 21.11 Many Chemicals Are Prepared on an Industrial Scale by Electrolysis 835 SUMMARY 837

## INTERCHAPTER L/THE HALOGENS 845

*L.1 The Halogens Are Reactive Nonmetals 846 L.2 Fluorine Is the Most Reactive Element 847 L.3 Chlorine Is Obtained From Chlorides by Electrolysis 849 L.4 Bromine and Iodine Are Obtained by Oxidation of Bromides and Iodides with Chlorine 851 L.5 Halogens Form Numerous Compounds with Oxygen-Halogen Bonds 853*

22.1 An Evolution of Energy Does Not Guarantee Reaction Spontaneity 857  
 22.2 Entropy Is a Measure of the Amount of Disorder or Randomness in a System 859  
 22.3 There Is a Jump in Entropy at a Phase Transition 861  
 22.4 The Molar Entropy of a Substance Depends on the Number, Masses, and Arrangement of the Atoms in the Molecule 862  
 22.5  $\Delta S_{rxn}^\circ$  Equals the Entropy of the Products Minus the Entropy of the Reactants 868  
 22.6 Nature Acts to Minimize the Energy and to Maximize the Entropy of All Processes 870  
 22.7 The Sign of the Gibbs Free Energy Change Determines Whether or Not a Reaction Is Spontaneous 871  
 22.8 The Value of  $\Delta G_{rxn}$  Is Equal to the Maximum Amount of Work That Can Be Obtained from the Reaction 875  
 22.9 The Value of  $\Delta G_{rxn}$  Depends upon the Ratio  $Q/K$  876  
 22.10  $\Delta G_{rxn}^\circ$  Can Be Calculated from Tabulated  $\Delta G_f^\circ$  Values 879  
 22.11 It is the Sign of  $\Delta G_{rxn}$  and Not  $\Delta G_{rxn}^\circ$  That Determines Reaction Spontaneity 881  
 SUMMARY 883

## INTERCHAPTER M/THE TRANSITION METALS 893

*M.1 Many of the Transition Metals Are Used to Make Alloys 893*    *M.2 Iron Is the Fourth Most Abundant Element in the Earth's Crust 900*    *M.3 Billions of Dollars Are Spent Each Year to Protect Metals From Corrosion 903*

23.1 There Are 10 Elements in Each  $d$  Transition Metal Series 907  
 23.2 Transition Metal Ions with  $x$  Electrons in the Outer  $d$  Orbitals Are Called  $d^x$  Ions 910  
 23.3 Ligands Are Anions or Neutral Molecules That Bind to Metal Ions to Form Complexes 911  
 23.4 Transition Metal Complexes Have a Systematic Nomenclature 914  
 23.5 Certain Octahedral and Square-planar Transition Metal Complexes Can Exist in Isomeric Forms 918  
 23.6 Some Ligands Bind to More Than One Coordination Position Around the Metal Ion 920  
 23.7 The Five  $d$  Orbitals of a Transition Metal Ion in an Octahedral Complex Are Split into Two Groups by the Ligands 921  
 23.8 The Color of Most Transition Metal Complexes Arises From Transitions of Electrons in the Metal  $d$  Orbitals 923  
 23.9 The Colors of Many Gemstones Are Due to Transition Metal Ions 924  
 23.10  $d$ -Orbital Electron Configuration Is the Key to Understanding the Chemistry of the  $d$  Transition Metals 925  
 23.11 Ligands Can Be Ordered According to Their Ability to Split the Transition Metal  $d$  Orbitals 929  
 23.12 Transition Metal Complexes Are Classified as Either Inert or Labile 931  
 23.13 The  $d$ -Orbital Splitting Patterns in Square-Planar and Tetrahedral Complexes Are Different From Those in Octahedral Complexes 932  
 23.14 Transition Metal Complexes With Unpaired  $d$  Electrons Are Paramagnetic 934  
 SUMMARY 936

24.1 Most Elements Consist of Mixtures of Isotopes 943  
 24.2 Many Nuclei Spontaneously Emit Small Particles 944  
 24.3 There Are Several Types of Radioactive Emissions 945  
 24.4 The Proton-to-Neutron Ratio Determines the Stability of a Nucleus 947  
 24.5 Only a Few Stable Nuclei Have Odd Numbers of Protons and Neutrons 948  
 24.6 The Rate of Decay of a Radioactive Isotope Is Specified by Its Half-life 950  
 24.7 Radioactivity Can Be Used to Determine the Age of Rocks 953  
 24.8 Carbon-14 Can Be Used to Date Certain Archaeological Objects 954  
 24.9 Radioisotopes Can Be Produced in the Laboratory 957  
 24.10 Nuclear Chemistry Can Be Used to Detect Extremely Small Quantities of the Elements 957  
 24.11 Elements Beyond Uranium in the Periodic Table Are Produced Artificially 960  
 24.12 Enormous Amounts of Energy Accompany Nuclear Reactions 960  
 24.13 Energy Is Required to Break Up a Nucleus 963  
 24.14 Some Nuclei Fragment in Nuclear Reactions 964  
 24.15 The Fission of Uranium-235 Can Initiate a Chain Reaction 966  
 24.16 A Nuclear Reactor Utilizes a

22.  
 Entropy and  
 Gibbs Free Energy  
 857

23.  
 Transition  
 Metal  
 Complexes  
 907

24.  
 Nuclear  
 and  
 Radiochemistry  
 943



	Controlled Chain Reaction <b>968</b>	24.17 A Breeder Reactor Is Designed to Produce More Fissionable Material Than It Consumes <b>969</b>	24.18 Fusion Reactions Release More Energy Than Fission Reactions <b>969</b>	24.19 Exposure to Radiation Damages Cells, Tissues, and Genes <b>971</b>	<b>SUMMARY 973</b>
<b>25.</b>	<b>25.1 Alkanes Are Hydrocarbons That Contain Only Single Bonds <b>981</b></b>	<b>25.2 Molecules That Have the Same Chemical Formula But Different Structures Are Called Structural Isomers <b>983</b></b>	<b>25.3 The Number of Structural Isomers Increases with the Number of Carbon Atoms in an Alkane <b>984</b></b>	<b>25.4 The Principal Sources of Saturated Hydrocarbons Are Petroleum and Natural Gas Deposits <b>986</b></b>	<b>25.5 Alkanes Are Relatively Unreactive <b>987</b></b>
<b>Organic</b>	<b>25.6 Alkanes and Substituted Alkanes Can Be Named Systematically According to IUPAC Rules <b>990</b></b>	<b>25.7 Hydrocarbons That Contain Double Bonds Are Called Alkenes <b>994</b></b>	<b>25.8 Alkenes Undergo Addition Reactions <b>996</b></b>	<b>25.9 Alcohols Are Organic Compounds That Contain an —OH Group <b>998</b></b>	<b>25.10 Hydrocarbons That Contain a Triple Bond Are Called Alkynes <b>1000</b></b>
<b>Chemistry</b>	<b>25.11 Benzene Belongs to a Class of Hydrocarbons Called Aromatic Hydrocarbons <b>1001</b></b>	<b>25.12 Aldehydes and Ketones Contain a Carbon-Oxygen Double Bond <b>1004</b></b>	<b>25.13 Organic Carboxylic Acids Contain a —COOH Group <b>1008</b></b>	<b>25.14 Esters Are Produced by the Reaction of Carboxylic Acids with Alcohols <b>1010</b></b>	<b>SUMMARY 1011</b>
<b>981</b>	<b>INTERCHAPTER N/SYNTHETIC POLYMERS 1020</b>				
	<i>N.1 Polymers Are Composed of Many Molecular Subunits Joined End to End <b>1021</b></i>				
	<i>N.2 Nylon and Dacron Are Made by Condensation Reactions <b>1022</b></i>				
	<i>N.3 Polymers with Cross-linked Chains Are Elastic <b>1026</b></i>				
	<i>N.4 Rubber Is a Cross-linked Polymer <b>1027</b></i>				
<b>26.</b>	<b>26.1 Amino Acids Have an Amino Group and a Carboxyl Group Attached to a Central Carbon Atom <b>1032</b></b>	<b>26.2 The Amino Acids Have Optical Isomers <b>1034</b></b>	<b>26.3 Amino Acids Are the Monomers of Proteins <b>1035</b></b>	<b>26.4 A Protein Is Uniquely Specified by Its Primary Structure <b>1036</b></b>	<b>26.5 Disulfide Bonds Strongly Influence the Shape of Proteins <b>1039</b></b>
<b>Biochemistry</b>	<b>26.6 The Shape of a Protein Molecule Is Called Tertiary Structure <b>1040</b></b>	<b>26.7 Enzymes Are Protein Catalysts <b>1043</b></b>	<b>26.8 Normal Hemoglobin and Sickle-cell Hemoglobin Differ by 2 Out of 574 Amino Acids <b>1044</b></b>	<b>26.9 Starch and Cellulose Are Polymeric Carbohydrates <b>1045</b></b>	<b>26.10 DNA and RNA Are Polynucleotides <b>1050</b></b>
<b>1031</b>	<b>26.11 DNA is a Double Helix <b>1052</b></b>	<b>26.12 DNA Can Reproduce Itself <b>1055</b></b>	<b>26.13 Genetic Information Is Stored in a Triplet Code <b>1057</b></b>	<b>SUMMARY 1057</b>	
	<b>APPENDIX A/A MATHEMATICAL REVIEW A1</b>				
	<i>A.1 Scientific Notation and Exponents <b>A1</b></i>				
	<i>A.2 Logarithms <b>A3</b></i>				
	<i>A.3 The Quadratic Formula <b>A6</b></i>				
	<i>A.4 Plotting Data <b>A8</b></i>				
	<b>APPENDIX B/SI UNITS AND CONVERSION FACTORS A10</b>				
	<b>APPENDIX C/FOUR-PLACE LOGARITHMS A14</b>				
	<b>APPENDIX D/INSTRUCTIONS FOR BUILDING A TETRAHEDRON AND AN OCTAHEDRON A16</b>				
	<b>APPENDIX E/SYMBOLS AND NAMES OF ELEMENTS WITH ATOMIC NUMBERS GREATER THAN 100 A18</b>				
	<b>APPENDIX F/TABLE OF ATOMIC MASSES A19</b>				
	<b>APPENDIX G/ANSWERS TO ODD-NUMBERED PROBLEMS A23</b>				
	<b>ILLUSTRATION CREDITS A63</b>				
	<b>INDEX I</b>				