

# Contents

<b>Chapter 1</b>	<b>Introduction</b>	<b>1</b>
1.1	Introduction	1
1.2	Safety Considerations, Life-Cycle Assessment and Green Metrics	3
1.2.1	Environmental, Health and Safety (EHS)	5
1.2.2	Life Cycle Assessment (LCA)	5
1.2.3	Solvents in the Pharmaceutical Industry and Immediate Alternatives to Common Laboratory Solvents	13
1.2.4	Solvents in Analytical Chemistry incl. HPLC	16
1.3	Solvent Properties including Polarity	18
1.4	What Remains to be Done?	24
1.5	Summary	27
	References	28
<b>Chapter 2</b>	<b>Green Solvents – Legislation and Certification</b>	<b>31</b>
2.1	Introduction	31
2.2	Solvent Registration	32
2.2.1	European Union and Switzerland	32
2.2.2	United States and Canada	33
2.2.3	China and Taiwan	34
2.2.4	Japan	35
2.3	Solvent Emission Regulations	36
2.4	Applications Legislation	39
2.4.1	Food and Beverages	39

---

RSC Green Chemistry No. 20

Alternative Solvents for Green Chemistry: 2<sup>nd</sup> Edition

By Francesca M Kerton and Ray Marriott

© FM Kerton and R Marriott 2013

Published by the Royal Society of Chemistry, www.rsc.org

2.4.2	Pharmaceuticals, Nutraceuticals and Herbal Medicines	41
2.4.3	Cosmetics and Personal Care	44
2.5	Natural or Organic Certification	45
2.6	Summary	47
	References	47
<b>Chapter 3</b>	<b>'Solvent-Free' Chemistry</b>	<b>51</b>
3.1	Introduction	51
3.2	Chemical Examples	53
3.2.1	Inorganic and Materials Synthesis	53
3.2.2	Organic Synthesis	57
3.2.3	Biomass Transformations	72
3.3	Summary and Outlook for the Future	76
	References	77
<b>Chapter 4</b>	<b>Water</b>	<b>82</b>
4.1	Introduction	82
4.1.1	Biphasic Systems	84
4.2	Chemical Examples	87
4.2.1	Extraction	87
4.2.2	Chemical Synthesis	88
4.2.3	Materials Synthesis	102
4.3	Energy-Related Research in Seawater: Biorefineries and Hydrogen Production	106
4.4	High-Temperature, Superheated or Near-Critical Water	108
4.5	Summary and Outlook for the Future	109
	References	110
<b>Chapter 5</b>	<b>Supercritical Fluids</b>	<b>115</b>
5.1	Introduction	115
5.2	Chemical Examples	117
5.2.1	Supercritical and Liquid Carbon Dioxide	117
5.2.2	Supercritical Water and Near-Critical Water	132
5.2.3	Supercritical Alcohols	140
5.3	Summary and Outlook for the Future	141
	References	142

<b>Chapter 6</b>	<b>Renewable Solvents and Other ‘Green’ VOCs</b>	<b>149</b>
6.1	Introduction	149
6.2	Chemical Examples	152
6.2.1	Alcohols including Glycerol	152
6.2.2	Esters	156
6.2.3	2-Methyltetrahydrofuran (2-MeTHF)	161
6.2.4	Carbonates	164
6.2.5	Terpenes and Plant Oils	165
6.2.6	Renewable Alkanes	169
6.2.7	Ionic Liquids and Eutectic Mixtures Prepared from Biofeedstocks	170
6.3	Summary and Outlook for the Future	171
	References	171
<b>Chapter 7</b>	<b>Room-Temperature Ionic Liquids and Eutectic Mixtures</b>	<b>175</b>
7.1	Introduction	175
7.2	Biodegradation and Toxicological Studies	180
7.3	Chemical Examples	183
7.3.1	Extractions and Separations using RTILS	183
7.3.2	Electrochemistry in RTILS	186
7.3.3	Synthesis in RTILS	188
7.4	Summary and Outlook for the Future	200
	References	201
<b>Chapter 8</b>	<b>Fluorous Solvents and Related Systems</b>	<b>210</b>
8.1	Introduction	210
8.1.1	Overview of Fluorous Approach	210
8.1.2	Fluorous Solvent Polarity Data, Solubility and Miscibility Data	213
8.1.3	Fluorous Catalysts and Reagents	216
8.2	Chemical Examples	218
8.2.1	Fluorous Extractions and Fluorous Analytical Chemistry	218
8.2.2	Fluorous Reactions	220
8.2.3	Fluorous Biphasic Catalysis	221
8.2.4	Fluorous Biological Chemistry and Biocatalysis	232
8.2.5	Fluorous Combinatorial Chemistry	233
8.2.6	Fluorous Materials Chemistry	236
8.3	Summary and Outlook for the Future	237
	References	238

<b>Chapter 9</b>	<b>Liquid Polymers</b>	<b>242</b>
9.1	Introduction	242
9.1.1	Properties of Aqueous PEG Solutions	242
9.2	Chemical Examples	245
9.2.1	PEG and PPG as Nonvolatile Media	245
9.2.2	Poly(dimethylsiloxane) as a Nonvolatile Reaction Medium	257
9.3	Summary and Outlook for the Future	258
	References	259
<b>Chapter 10</b>	<b>Tunable and Switchable Solvent Systems</b>	<b>262</b>
10.1	Introduction	262
10.2	Chemical Examples	263
10.2.1	Gas-Expanded Liquids	263
10.2.2	Solvents of Switchable Polarity	271
10.2.3	Switchable Surfactants	275
10.2.4	Switchable Hydrophilicity Solvents and 'Switchable Water'	277
10.2.5	Solvents of Switchable Volatility	279
10.2.6	Thermomorphic and Related Biphasic Catalysis	280
10.3	Summary and Outlook for the Future	281
	References	281
<b>Chapter 11</b>	<b>Industrial Applications of Green Solvents</b>	<b>285</b>
11.1	Introduction	285
11.2	Industrial Examples	286
11.2.1	Selected Applications of Water as a Solvent and Reaction Medium	287
11.2.2	Selected Applications of Carbon Dioxide as a Solvent	290
11.2.3	Selected Applications of Ionic Liquids in Industry	298
11.3	Summary and Outlook	302
	References	302
<b>Chapter 12</b>	<b>Education and Outreach</b>	<b>305</b>
12.1	Introduction	305
12.2	Education	307

*Contents*

xiii

12.2.1 Laboratory Experiments and Classroom Exercises

309

12.3 Outreach

319

12.4 Summary

321

References

322

**Subject Index**

**325**

# Subject Index

References to tables and charts are in **bold** type.

- 1,1,1,2-tetrafluoroethane, 39, **41**, 74  
 1,1-diethoxypropane, **44**  
 1,1-dimethoxymethane, **44**  
 1,2,3-trimethylimidazolium, 177  
 1,2-dichloroethane, 39, **42**  
 1,2-dimethoxyethane, **43**  
 1,2-ethanediamine, **76**  
 1,3,5-triarylbenzenes, 59  
 1,3-butadienes, 59  
 1,3-dimethyl-imidazolium (Mmim),  
 176  
 1,3-dinitrobenzene, 162  
 1,3-propanediol, 74, 150  
 1,4-butanediamine, **76**  
 1,4-diaminocyclohexane, 54, **55**  
 1,4-diazabicyclo[2.2.2]octane  
 (DABCO), 54, **55**, 230, 247  
 1,4-dichlorobutane, 300  
 1,5,7-triazabicyclo[4.4.0]-dec-5-ene  
 (TBD), 66  
 1,5-cyclo-octadiene, 167  
 1,6-hexanediol, 127  
 1,8,-diazabicyclo-[5.4.0]-undec-7-ene  
 (DBU), 62, 100, **271**, 272, 274  
 1-allyl-3-methylimidazoliumformate  
 197  
 1-bromobutane, 313  
 1-butyl-3-methylimidazolium (Bmim)  
 biodegradation, 180–1  
 organic synthesis, 59, **61**  
 room temperature ionic liquids  
 (RTIL), 175, **177**, 178, **179**  
 RTIL electrochemistry, 187  
 RTIL extraction, 183–5  
 RTIL synthesis, 188–9, 191–2,  
 196–8  
 supercritical carbon dioxide, 129  
 1-ethyl-3-methyl-imidazolium  
 (Emim), 175, **177**, 184, 194–5,  
 198–9  
 1-ethyl-3-methylimidazolium chlor-  
 oaluminate, 195  
 1-methyl-2-azaadamantane *N*-oxyl  
 (1-Me-AZADO), 94–5  
 1-methylimidazole, 313  
 2,2-dimethoxypropane, **44**  
 2,3-dimethyl-1,3-butadiene, 247  
 2,5-furandicarboxylic acid, 94, 142  
 2-bromo-1-phenylethanone, 310  
 2-butanone, **4**  
 2-chloroethyltrimethylammonium  
 chloride, 184  
 2-ethoxyethanol, **43**  
 2-ethylhexyl lactate, **157**  
 2-hydroxyethylmethacrylate, 75  
 2-methoxyethanol, **43**  
 2-methyl tetrahydrofuran, 22  
 2-methylcyclopropanecarboxylic  
 acid, **164**  
 2-methyltetrahydrofuran (2-MeTHF)  
 cellulose, 163  
 copper (Cu), 162–3  
 dichloromethane, 162–3  
 palladium (Pd), 163

- tetrahydrofuran (THF), 161–4  
 volatile organic compounds (VOC), 162
- 2-nitrophenyl phenyl ether, 163
- 2-pentanone, 3
- 2-propanol, 15, 43, 306
- 2-propynoic acid, 310
- 3-ethoxycarbonylcoumarins, 59
- 3-hydroxybutyrolactone, 150
- 3-hydroxypropionic acid (3-HPA), 150
- 4-benzyl-4-methylmorpholinium, 181
- 4-*N,N*-dimethylaminopyridine (DMAP), 229–30
- 4-nitrophenol, 105
- 5-hydroxymethylfurfural, 73, 94, 101, 171, 199, 208
- 6-chloropurine, 71
- 6-hydroxycaplonate, 140
- $\alpha,\alpha,\alpha',\alpha'$ -tetraaryl-1,3-dioxolan- 4,5-dimethanol (TADDOL), 68
- $\alpha,\alpha,\alpha$ -trifluorotoluene, 211, 212, 223
- $\alpha$ -chymotrypsin, 232
- abiotic resource depletion potential, 309
- acceptor number (AN), 21
- acesulfamate, 181, 199
- acesulfame, 180
- acetaldehyde, 39
- acetamidinium bicarbonate salt, 277
- acetic acid  
 alcohols, 152  
 biomass transformations, 74  
 environmental health and safety (EHS), 5  
 gas-expanded liquids, 268  
 laboratory solvents, 15  
 life cycle assessment (LCA), 6  
 medicines, 43  
 RTIL extraction, 183  
 solvent polarity, 23  
 supercritical carbon dioxide, 130  
 supercritical water, 139
- acetone  
 biodegradation, 180  
 biphasic systems, 82–3  
 education and outreach, 319  
 emission regulations, 37  
 esters, 153, 160  
 food and beverage, 39–41  
 gas-expanded liquids, 264–6  
 life cycle assessment (LCA), 6, 12  
 medicines, 43  
 organic synthesis, 61, 69  
 PEG and PPG, 250  
 RTIL synthesis, 188  
 solvent polarity, 21–3  
 supercritical water, 134, 135  
 superheated water, 108–9, 132  
 terpenes and plant oils, 166
- acetonitrile  
 chemistry solvents, 17  
 environmental health and safety (EHS), 5  
 fluororous biphasic catalysis, 230  
 fluororous extractions, 219  
 gas-expanded liquids, 263, 264–5, 266  
 laboratory solvents, 15–6  
 life cycle assessment (LCA), 6, 9  
 medicines, 43  
 PEG and PPG, 249, 251  
 solvent polarity, 23
- acetophenones, 59, 250, 252
- acidification potential, 309
- acrylic acid, 103
- acrylonitrile, 39, 195, 289–90
- Actinobacillus succinogenes*, 106
- adhesives, 1, 9, 160
- adipic acid, 287
- Aerosol Solvenet Extraction System (ASES), 266
- aerospace industries, 160
- agrochemical industry, 60, 157
- Air Pollution Control Act, 39
- alcohols  
 acetic acid, 152  
 cellulose, 140  
 diethyl ether, 153

- ethanol, 151–5  
ethyl acetate, 155  
flavourings, 153–5  
hexane, 153  
hydrogen peroxide, 155  
methanol, 151–2, 154–5  
palladium (Pd), 154, 156  
propanol, 155  
ruthinium (Ru), 154  
time of flight (TOF), 154, 156  
toluene, 152–3  
turnover number (TON), 154, 156
- Aldol reaction, 63, 65, 69, **90**, 97–8, 124, 135, 229
- algae, 72, **151**, 158, 182, 199, **292**
- alimentary (cooking) oil (AO), 246
- alkanes, 169
- allergic reactions, 2
- almond oil, 169
- aluminium chloride, 85
- aluminum phosphate, 286, **287**
- aluminum (Al), 68, 85, 120, 185, **186**, 300
- Amberlite, 65
- American Chemical Society (ACS), 16, 307–8, 318
- American Chemical Society Green Chemistry Institute (ACSGCI), 16
- amidine, 275–8
- ammonium lactate, 157
- ammonium molybdate, 315
- ammonium phosphate, 138
- amphiphilic-solvent approach, 212
- amylose, 197
- analytical chemistry  
  extractions, 133–4, 142  
  fluorous, 218–9, 314  
  HPLC, 16–8  
  introduction, 1  
  PEG and PPG, 246  
  solvent applications, **9**
- analytical method volume intensity (AMVI), 17
- anethole, 155
- anisole, **43**, **193**, **250**
- anti-cancer drugs, 59
- anti-freeze, **9**
- anti-hypertensive drugs, 59
- anti-influenza drugs, 199
- anti-tuberculosis drugs, 76
- antimony (Sb), 186
- apricot kernel oil, 169
- aprotic solvents, 16, 20, **25–7**, 243, 257, 265, 279
- aqueous biphasic reactive extraction (ABRE), 254–5
- aqueous biphasic systems (ABS), 243, 245–6, 254–5, 258
- Archer Daniels Midland (ADM), 157
- arene molecules, 54, 105
- arenium intermeidates, 180
- Argonne National Laboratory, 156
- Artemisia afra*, 88, 89
- Artemisia annua*, 18
- artemisinin, 17–8
- aspartic acid, **150**
- Aspergillus niger*, 74
- asphalt, **160**
- Association internationale sans but lucratif, 45
- astaxanthin, **292**
- Atomic Emission Spectroscopy (AES), 154
- atomic force, 52
- Australia, 31, **294**, 295
- azepanium, 178
- azole fungicides, 295
- $\beta$ -cyclodextrins, 89, 98
- $\beta$ -D-fructopyranosides, 98
- $\beta$ -diketones, 132, 219, 317
- $\beta$ -lactoglobulin, 120
- bagasse, 135, 161, 198
- baker's yeast, **156**, **193**
- ball milling, 52–3, 57, 59, 61–3, 74, 77, 101, 287  
  *see also* (HSBM)
- barley, **151**



- BASE<sub>1</sub>** (*N,N,N'*-tributylpentanamine), 277–8  
**BASE<sub>2</sub>** (cyclohexyldimethylamine), 278  
 batch reactors, 14, 116, 137, 286  
 battery, 219, **298**  
     *see also* fuel cells  
 Bayer, 288  
 Baylis-Hillman reactions, 63, **90**  
 benzaldehyde, 59, 62, 67, 164, 227, **250**, 252  
 benzene, 2, 16, 39, **42**, 68, 86, 189, 265, **294**  
 benzonitrile, 124  
 benzylamine, 124, 167  
 benzylbenzamide, **274**  
 benzylmethylamine, 272  
 bergamot, 219  
 Biginelli reactions, 59, 249, 311  
**BINAP** ligand, 223, **224**  
 binary encoding system, 236  
 bio-oil, 72, 102  
 bioaccumulation, 309  
 biocatalysis, 1, 69, **98**, 130, 193, 232  
 biodegradation  
     1-butyl-3-methylimidazolium (Bmim), 180–1  
     acetone, **180**  
     Diels–Alder reactions, 181  
     imidazolium, 181–2  
     room temperature ionic liquids (RTIL), 175–81  
     toluene, **180**  
 biodiesel, 74, 122, 151, 155, 158–61, 184, 194, 285, 317  
 bioethanol, 12, 17, 151, 290, 317  
 biofeedstocks, **170**  
 biomass transformations  
     acetic acid, 74  
     cellulose, 72–3  
     copper (Cu), 73  
     microwaves, 72–3  
     palladium (Pd), 74  
     silica, 73  
 biomass types, 151  
 Biphasic Acid Scavenging utilising Ionic Liquids (BASIL), 299, **301**  
 biphasic systems  
     acetone, 82–3  
     diethyl ether, 86  
     ethanol, 82, **83**  
     hydrogen peroxide, 86  
     Lewis acids, 85  
     palladium (Pd), 85–6  
     pyridine, 86  
     supercritical carbon dioxide, 84  
     surfactants, 84, 87  
     time of flight (TOF), 85  
     volatile organic compounds (VOC), 84  
 bipyridine, 100  
 bis(2-ethylhexyl)phthalate, 161  
 bis(trifluoromethyl)sulfonyl, 180  
 bitumen, 279  
 blowing agent, **9**, 220, 296  
 boiling curve, 115–6  
 borane, 103  
 boric acid, 101, 306  
 Brazil, 12  
 bromobenzaldehyde, **250**  
 bromobenzene, 274  
 bubbling fluidised bed reactor, 72  
 Bundesverband der Industrie und Handelsunternehmen (BDIH), 45  
 butanediol, 73, 300  
 butanol, **4**, **6**, **43**, 159, 167, 184, 233, 279  
 butyl acetate, **6**, **7**, **43**  
 butyl levulinate, 152  
 butylene carbonate, 165  
 butyrate, 194  
 cadmium (Cd), 185  
 caffeine, 2, 118, 293  
 calcium nitrate, 138  
 Canada, 31, 33, 37, 46, 279, 307–8  
     Canadian Environmental Protection Act (CEPA), 34, 37

- Chemical Management Plan, 34  
Federal Agenda on Cleaner  
Vehicles, Engines and Fuels, 38  
List of Toxic Substances, 37  
Memorial University of  
Newfoundland, 307–8  
Organic Production Systems  
Permitted Substance List, 46  
Priority Substances List, 34  
Queen's University, 308  
Risk Management Measures, 34  
University of Toronto, 315  
Canada Organic Biologique, 46  
Canadian Environmental Protection  
Act (CEPA), 34, 37  
*Candida antarctica*, 74, 98, 194  
Cannizzaro reactions, **60**  
canola oil, 158, 160, 169, 272  
capillary electrophoresis (CE), 134  
caprate, 194  
caprolactam (CPL), 137, 286  
*Capsicum annum* L., 53, 105  
carbamic acid, 118, 237  
carbon capture and storage (CCS),  
102  
carbon dioxide as solvent  
chlorinated solvents, **291**  
copper (Cu), 290  
ethanol, **294**  
ethyl acetate, 293  
flavourings, **292**, 293  
hexane, **294**  
life cycle assessment (LCA), 296  
methanol, **294**  
carbon monoxide, 103, 179, 195, 288  
carbon scrambling, 72  
carbon-dioxide-expanded liquids  
(CXLs), **26**, 263–70, 281  
carbonates  
dimethylformamide (DMF), 164–5  
microwaves, 165  
palladium (Pd), 165  
toluene, 164  
types, 165  
carbonic acid, 99, 130, 276  
carboxylic acid, 62, 215, 250  
carcinogenic/mutagenic/reprotoxic  
potential (CMR), 36–7  
cellulose  
2-methyltetrahydrofuran (2-  
MeTHF), 163  
alcohols, **140**  
biomass transformations, 72–3  
chemical synthesis, 96, 101  
fluorous catalysts, 218  
future prospects, 171  
PEG and PPG, 218  
room temperature ionic liquids  
(RTIL), 177  
RTIL extraction, 183  
RTIL synthesis, 196–9  
supercritical water, 133, 135  
switchable polarity, **274**  
cellulosic biomass, 73, 151, 198–9  
cement, 52, 296–7  
Cerenol™, 74  
ceria, 67  
cerium (Ce), 139  
cetyl trimethylammonium bromide  
(CTAB), 276  
char formation, 72  
Chematur, **291**  
Chemical Management Plan, 34  
Chemical Substance Control Law  
(CSCL), 35, **36**  
Chemical Substance Nomination and  
Notification (CSNN), 35  
chemical synthesis  
cellulose, 96, 101  
copper (Cu), 95  
Diels–Alder reactions, 89, 91  
diethyl ether, 95  
ethyl acetate, 93, 100  
hydrogen peroxide, 94, 100  
Lewis acids, 93  
microwaves, **89**, 96, **97**  
palladium (Pd), 95–6  
pyridine, 100  
rhodium (Rh), 92, 95, 100  
ruthenium (Ru), 93, 95, 100, 102

- silica, 93, 98
- supercritical carbon dioxide, 94, 99
- surfactants, 89
- time of flight (TOF), 94
- turnover number (TON), 95
- volatile organic compounds (VOC), 89, 96
- chemiluminescence, 306
- Chemistry Education Research and Practice, 307
- chemistry solvents
  - acetonitrile, 17
  - ethanol, 17
  - heptane, 16
  - hexane, 16
- China, 34–5, 38, 41, 45, 295, 300
  - Chemical Substance Nomination and Notification (CSNN), 35
  - Global Harmonised System of Classification and Labelling of Chemicals (GHS), 34
  - Guidelines for Existing Chemical Substance Nomination, 35
  - Inventory of Existing Cosmetics Ingredients China (IECIC), 45
  - Measures for the Environmental Administration on New Chemical Substances, 34
  - medicinal plants, 246
  - Ministry of Environmental Protection, 34
  - New Chemical Substance Management, 34
  - PetroChina, 300
  - Regulations on New Chemical Substances, 34
- China's Ministry of Environmental Protection, 34
- Chinese medicinal plants, 246
- chitin, 75, 135, 196–8
- chitosan
  - see* chitin
- chlorinated solvents
  - carbon dioxide as solvent, **291**
  - fluorous extractions, 218
  - food and beverage, **40**
  - green solvents, 149
  - industrial applications, 299–301
  - inorganic synthesis, 56
  - laboratory solvents, 15–6
  - RTIL synthesis, 196
  - safety, 2
  - terpenes and plant oils, 166
- chlorine
  - chlorobenzene, 43, 245
  - chlorofluorocarbon (CFC), 37, 130, 295–6, 296
  - chloroform, 4, 20, 39, **43**, 45, 271
  - chlorosilanes, 56
  - chromium (Cr), 186, 188, 274, 302
  - citral, 126, 251
  - citronellal, 99, 126
  - citronellyl, 194
  - citrus fruit, 166–7, 312
- Claisen–Schmidt condensations, 135
- clay, 73
  - see also* organoclay
- Clean Air Act, 37
- cloud–point data, 120, 320
- clove bud, 219
- cobalt (Co), 185, 191, 216, 267, 315, **316**
- cocoa, **292**
- Code of Federal Regulation, 40, 46
- Codex Alimentarius Commission, 46
- coffee, 2, **40**, 88, 141, 292, **293–4**, 307, 320
- coke formation, 170
- colourings, 153–4
- column chromatography., 59, 64, 68, 91, 100
- computer-aided methods, 3, **5**, 18, 27, 70
- conifers, 165
- continuous-flow reactors
  - fluorous biphasic catalysis, **230**
  - organic synthesis, 65, **66**
  - supercritical carbon dioxide, 124, 127, 130
  - supercritical water, 137, **138**

- Cool Clean<sup>®</sup>, 295  
copper (Cu)  
  2-methyltetrahydrofuran (2-MeTHF), 162–3  
  biomass transformations, 73  
  carbon dioxide as solvent, 290  
  chemical synthesis, 95  
  education and outreach, 312, 314–6, 318  
  fluorous biphasic catalysis, 228–9  
  fluorous extractions, 219  
  future prospects, 141, 281  
  inorganic synthesis, 54  
  material synthesis, 103, 106  
  organic synthesis, 63, 71  
  PEG and PPG, 249, 252, 255  
  RTIL electrochemistry, 186  
  RTIL extraction, 185  
  supercritical carbon dioxide, 132  
  switchable volatility, 279  
corn, 151, 161, 198  
corrosion, 39, 160, 177, 290  
*Corynebacterium sp.*, 181  
Coskata Inc., 151  
Cosmetic Ingredient Review (CIR), 45  
COSMETic Organic Standard (COSMOS), 45  
Cosmetique Bio (COSEMBIO), 45  
cotton, 177, 196  
crab, 75  
cracking, 12, 195, 196  
CRC handbook, 20  
critical micelle concentration, 103  
crown ethers, 86, 245, 252  
cryptands, 86, 252  
cumene, 42, 43  
cyclo-octene, 315  
cyclohexane, 6, 39, 41, 43, 211, 226, 265, 266  
cyclohexanone, 6  
cyclohexene oxide, 273  
cyclohexyldimethylamine (BASE<sub>2</sub>), 278  
cyclopentene, 167, 225  
cyclopentyl methyl ether (CPME), 162  
cymene, 74, 167, 250  
cytochrome c, 200, 232, 233  
D-limonene  
  *see* limonene  
Dean–Stark apparatus, 71  
decaffeination, 2, 40, 292–4, 307, 320  
deep eutectic solvents (DES), 177, 184  
degreaser, 9, 157, 166  
dehydrator, 9  
Denmark, 295  
Depressurisation of an Expanded Liquid Organic Solution (DELOS), 266  
Desorption Electrospray Ionization Mass Spectrometry (DESI-MS), 18  
devulcanisation, 108  
dibenzothiophene, 184  
dibutyl sulfide, 250  
dichloroethane, 39, 40, 42, 61, 165  
dichloromethane  
  2-methyltetrahydrofuran (2-MeTHF), 162–3  
  education and outreach, 313, 315  
  emission regulations, 37, 39–41, 43, 45  
  esters, 158  
  gas-expanded liquids, 265  
  industrial applications, 293, 294  
  laboratory solvents, 15–6  
  liquid polymers, 243, 247, 251  
  organic synthesis, 69  
  properties, 2–3, 4  
  room temperature ionic liquids (RTIL), 178  
dicyanamide, 191, 200  
dicyanoaurate, 54  
Diels–Alder reactions  
  biodegradation, 181  
  chemical synthesis, 89, 91  
  education and outreach, 310

- fluorous biphasic catalysis, 230
- fluorous reactions, 220–1
- gas-expanded liquids, 266
- organic synthesis, 59, 68
- poly(dimethylsiloxane), 246–7, 253
- RTIL synthesis, 189, 191
- supercritical carbon dioxide, 124
- terpenes and plant oils, 169
- diethoxyphenylphosphine, 299
- diethyl carbonate, 165
- diethyl ether
  - alcohols, 153
  - biphasic systems, 86
  - chemical synthesis, 95
  - food and beverage, **39, 41**
  - laboratory solvents, 15
  - life cycle assessment (LCA), **6, 8–9**
  - organic synthesis, 68–9
- Difasol process, 300
- differential scanning calorimetry (DSC), 200
- dihydropyrimidinones, 59
- diisopropylethylamine, 126
- Dimersol process, 300
- dimethyl carbonate, 156, 165
- dimethyl sulfoxide (DMSO), 20, **43, 69, 194, 279**
- dimethylacetamide (DMA), 16, **43**
- dimethylformamide (DMF)
  - carbonates, 164–5
  - fluorous solvent data, 215
  - gas-expanded liquids, **266**
  - laboratory solvents, 16
  - life cycle assessment (LCA), **6**
  - medicines, **43**
  - PEG and PPG, 249
  - supercritical water, 135
  - switchable polarity, 271
  - switchable volatility, 279
- dimethylphenylsilane, 227
- dioxane, 5, **6, 9, 43, 135, 162, 251, 268**
- diphenyl ether, 22
- dipropylamine, 272
- diruthenium complex, 93
- dispersant, **9**
- divanillyl oxalate, 306
- donor number (DN), **21**
- Dow Chemical Company, 296
- Dowex, 65
- dry cleaning, 2, 131, 141, 295
- dry-jet wet spinning process, 198
- DryView<sup>TM</sup>, 286
- DryWash<sup>TM</sup>, 295
- DuPont<sup>TM</sup>, 73, 130, 141, 150, 287, 295
- dyeing, 132, 141
- E-factor, 12, 14, 64, 66, 68, 74, 308–9, 316
- Eastman Chemical Company, 299
- Eco Waste Technologies, USA, **291**
- ECOCERT Certification Body, 45
- EcoScale rating system, 70
- Ecosolvent software tool, 7
- edible biomass, 151
- education and outreach
  - acetone, 319
  - continuous-flow reactors, 315
  - copper (Cu), 312, 314–6, 318
  - dichloromethane, 313, 315
  - Diels–Alder reactions, 310
  - ethanol, 310–1, 321
  - hexane, 313
  - hydrogen peroxide, 306, 312
  - imidazolium, 313
  - life cycle assessment (LCA), 308–8
  - methanol, 306, 314–5
  - microwaves, 310, 315, 321
  - propanol, 306
  - pyridine, 315
  - supercritical carbon dioxide, 317
  - tetrahydrofuran (THF), 309
- Education Materials for Chemists, 313
- electrodeposition, 185–6, 200, 302
- electropolishing, 186
- Eli Lilly, 163
- emission regulations
  - acetone, 37
  - dichloromethane, 37, **39–41, 43, 45**

- ethanol, **37**
- hexane, 37
- methanol, 37
- paints, 38
- toluene, 37
- volatile organic compounds (VOC), 36–6, 198
- Energy Information Administration, USA, **152**
- enhanced oil recovery (EOR), 266, **275**, 295
- Environmental Assessment Tool for Organic Syntheses (EATOS), 70
- environmental health and safety (EHS), 5, 7–9, 13, 70
- Environmental Permitting, 36–7
- Environmental Protection Agency (EPA), 2, 33, 37, 120, 183, 286, 297
- epilepsy, 289
- essential oils, 88, **89**, **123**, 154, 165, 183, 219, 294
- esters
  - acetone, 153, **160**
  - dichloromethane, 158
  - methanol, 158
  - paints, **157**, **160**
  - toluene, 158–9, 160
- estragole, 155
- ethanol
  - alcohols, 151–5
  - biphasic systems, 82, **83**
  - carbon dioxide as solvent, **294**
  - chemistry solvents, 17
  - cosmetics, 44
  - education and outreach, 310–1, 321
  - emission regulations, **37**
  - fluorous biological chemistry, 233
  - food and beverage, **39–40**
  - future prospects, 142
  - inorganic synthesis, 53
  - laboratory solvents, 14, **15**
  - life cycle assessment (LCA), 5, **6**, 9, 12
  - medicines, **41**, **43**
  - organic certification, 45–7
  - organic synthesis, 56, 59, 68
  - PEG and PPG, 247, 250
  - room temperature ionic liquids (RTIL), **179**
  - RTIL extraction, 184
  - RTIL synthesis, 198–9
  - safety, 2, **4**
  - solvent polarity, 20, **22–3**
  - supercritical carbon dioxide, 122
  - supercritical water, 133, **134**, 135, **136**
  - superheated water, 108
  - switchable polarity, 274
- ethyl acetate
  - alcohols, 155
  - carbon dioxide as solvent, 293
  - chemical synthesis, 93, 100
  - fluorous biphasic catalysis, 229
  - food and beverage, **39–41**
  - inorganic synthesis, 56, 59–60, 64, 69
  - laboratory solvents, **15–6**
  - life cycle assessment (LCA), **6**
  - medicines, 43
  - safety, 2, **4**
  - solvent polarity, **22**
- ethyl benzene, **6**
- ethyl ether, **43**
- ethyl formate, **43**
- ethyl lactate, 2, **4**, 157–60
- ethyl levulinate, 152
- ethyl-*t*-butyl ether (ETBE), 184
- ethylene carbonate, 164–5
- ethylene glycol, **4**, **43**, 95, 169, 186, 242, 251, 253, 310
- ethylene oxide, 39
- eucalyptus, 74, 88
- Eucalyptus oil, 74, 88
- Euphorbia lathyris*, **151**
- European Chemicals Agency (ECHA), 32–3

- European Food Standards Agency (EFSA), 40
- European Inventory of Existing Commercial Chemical Substances (EINECS), 32
- European Union COSMetic Organic Standard (COSMOS), 45
- European Union Solvents Emissions Directive, 36
- europium (Eu), **186**
- Expert Working Group, 41
- Exxon process, 268, 270
- eye irritation, 2, **167**
- Federal Agenda on Cleaner Vehicles, Engines and Fuels, 38
- Finland, Helsinki, 32
- Fischer indole synthesis, **136**
- Fischer-Tropsch synthesis, 151, 249
- flavourings
  - alcohols, 153–5
  - carbon dioxide as solvent, 292, 293
  - chemical extractions, 88
  - industrial applications, 287
  - organic certification, 45
  - RTIL synthesis, 194
  - supercritical carbon dioxide, 121, **123**
  - water as solvent, 290
- flax oil, 158
- flexographic printing, 287
- fluorophilic ponytail (FNAD), 232–3
- fluorophobic effect, 220
- fluoropolymers, 120–1, 122, 130, 295
- fluorous biphasic catalysis
  - acetonitrile, 230
  - continuous-flow reactors, **230**
  - copper (Cu), 228–9
  - Diels-Alder reactions, 230
  - ethyl acetate, 229
  - Lewis acids, 226, 230
  - methanol, 223, 230
  - pyridine, 228–30
  - rhodium (Rh), 221, 223, 226–8, 231–2
  - ruthenium (Ru), 223–5
  - silica, 223, 227, 229
  - toluene, 221, 224, 230
  - turnover number (TON), 221, 230–1
- fluorous biphasic system (FBS), 210–2, 214–5, 223, 230–1, 236
- fluorous extractions
  - acetonitrile, 219
  - chlorinated solvents, 218
  - copper (Cu), 219
  - hexane, 218
  - silica, 219
- fluorous flash chromatography, **234**
- fluorous reverse phase silica gel (FRPSG), 212, 234–5
- food and beverage
  - acetone, **39–41**
  - chlorinated solvents, **40**
  - diethyl ether, **39, 41**
  - ethanol, **39–40**
  - ethyl acetate, **39–41**
  - hexane, 39, **40, 41**
  - methanol, **39–40**
- food miles, 12
- formaldehyde, 5, **6, 9, 37, 39**
- formamide, **43**
- formamidine, 61
- formic acid, 5, **6, 43, 126**
- Fourier Transform infrared spectroscopy (FTIR), 116, 194, 200
- fragrance, 88, **123, 166, 194, 287, 290, 292**
- France
  - Association internationale sans but lucratif, 45
  - Cosmetique Bio (COSEMBIO), 45
  - ECOCERT Certification Body, 45
  - French Petroleum Institute, 300
- Friedel-Crafts reactions, 87, 189, 221, 230
- fructose, 73, 101, **135, 171, 199, 218**
- fuel cells, 187, 200, 219, 298
- fullerenes, 56, **57**
- fumaric acid, **150**

- future prospects  
  cellulose, 171  
  copper (Cu), 141, 281  
  ethanol, 142  
  heptane, **26**, 27  
  Lewis acids, 302  
  methanol, 141–2  
  silica, 237  
  turnover number (TON), 200
- $\gamma$ -butyrolactone, 73  
 $\gamma$ -hydroxypentanoate, 158  
 $\gamma$ -valerolactone (GVL), 22, 102, 127, 158  
galactosidase, 155, **193**  
gallic acid, 183  
gallium (Ga), 186  
Gas Antisolvent (GAS), 266  
gas chromatography, 160, **214**, 315  
gas-expanded liquids (GXL)  
  acetic acid, 268  
  acetone, **264–6**  
  acetonitrile, 263, **264–5**, 266  
  dichloromethane, 265  
  Diels–Alder reactions, 266  
  dimethylformamide (DMF), **266**  
  hexane, 263  
  methanol, 265, 267, 270  
  rhodium (Rh), 270  
  supercritical carbon dioxide, 263  
  surfactants, 267  
  tetrahydrofuran (THF), 265–6, 268  
  toluene, 265, **266**  
  turnover number (TON), 270  
General Atomics, USA / Korea, **291**  
General Motors, 151  
generally regarded as safe (GRAS), 40  
geraniol, 75  
germanium (Ge), **186**  
Germany, 45, **294**, 295  
Gibbs energy of solution equation, 19, 318  
ginger, 135  
*Ginkgo biloba*, **134**  
Gladysz's catalyst, 224–5, 229  
Glaser reactions, 57  
glass transition temperatures, 195, 242  
GlaxoSmithKline (GSK), 14, **15**  
Global Harmonised System of Classification and Labelling of Chemicals (GHS), 34–5  
global warming, 37, 108, 220, 309  
global warming potential, 309  
glutamic acid, **150**  
glutaric acid, 287  
glutathione, 106  
glycerin, **41**  
glycerol carbonate, 74, 156, **157**, 165  
glyme, 255  
gold, 64–5, 67–8, 94, 104–6, 186, 227, 236, **237**  
graphene oxide, 140  
graphite, 67–8  
grasses, **151**  
Green Chemistry, 307  
Green Chemistry Award, 296  
Green Chemistry Group, 301–2  
Green Chemistry Network, 307  
Green Chemistry Resource Exchange website, 297  
Greener Education Materials for Chemists (GEMS), 307  
greenhouse gases, 10, 16, 37, 266, 320  
Grignard-type chemistry, 92, 162–3, 188, **189**  
Grubb's catalyst, 167, 224–5  
guanidine, 274, 276  
guanidinium, 253  
Guidelines for Existing Chemical Substance Nomination, 35  
*Gynostemma pentaphyllum*, 133  
gypenosides, 133  
Haber process, 286  
halogens, 12, 20, 136, 149, 152, 157, 165, 176  
Handbook of Fluorous Chemistry, 213



- Health & Safety Executive (HSE), 37
- Heck reactions, 63, 156, 274
- hemicellulose, 73, 163, 274
- Henry reaction, **125**
- heptadecafluoro-1-decanethiol, 236
- heptadecafluorooctanesulfonic acid, 228
- heptadecafluoroundecylamine, 236
- heptane
- chemistry solvents, **16**
  - future prospects, **26, 27**
  - laboratory solvents, 15
  - life cycle assessment (LCA), **6, 8–9**
  - medicines, **43**
  - PEG and PPG, 254
  - safety, 2–3, **4**
- hexafluorophosphate (PF<sub>6</sub>), 129, 175, 178
- hexamethylphosphoramide (HMPA), 279
- hexane
- alcohols, 153
  - carbon dioxide as solvent, **294**
  - chemistry solvents, **16**
  - education and outreach, 313
  - emission regulations, 37
  - fluorous extractions, 218
  - fluorous solvent data, **214**
  - food and beverage, 39, **40, 41**
  - gas-expanded liquids, 263
  - laboratory solvents, 14–5
  - life cycle assessment (LCA), **6, 8–9**
  - medicines, **43**
  - organic synthesis, 69
  - PEG and PPG, 246, 251
  - poly(dimethylsiloxane), 257
  - room temperature ionic liquids (RTIL), 178, **179–80**
  - safety, 2–3, **4**
  - solvent polarity, 20, **21–2**
  - supercritical carbon dioxide, 132
  - supercritical water, **134**
  - switchable water, 278
  - terpenes and plant oils, 167
- hexylamine, 138
- high-performance liquid chromatography (HPLC), 16–8, 62, 133–4, 215, 219, 234, 236, 267, 298
- high-speed ball mill (HSBM), 59, **60, 63, 69, 70**
- Hildebrand's solubility parameter, 20, **83, 154, 159, 162**
- hops, 40, **292, 294**
- Horner-Wadsworth-Emmons (HWE) reactions, 62
- horse liver alcohol dehydrogenase (HLADH), 232
- human toxicity by ingestion, 309
- human toxicity by inhalation, 309
- humectant, **9**
- humulones, 294
- hydrochloric acid, 56, 60, 139, 311
- hydrochlorofluorocarbon (HCFC), 37, 296
- hydrofluorocarbons (HFCs), 37, 287
- hydrogen bond acceptor (HBA), 23
- hydrogen bond donor (HBD), 23, 243, **244**
- hydrogen bromide, 100
- hydrogen peroxide
- alcohols, 155
  - biphasic systems, 86
  - chemical synthesis, 94, 100
  - education and outreach, 306, 312
  - organic synthesis, 68
  - PEG and PPG, 254
  - RTIL, 184, 191
  - supercritical carbon dioxide, 128
  - supercritical water, 137
- hydrometallurgy, **9**
- hydronium, 108
- hydrotalcite, 94
- hydroxide, 108, 154, 158, 254, 306
- hydroxyapatite, 137–9
- ibuprofen, **274**
- imidazoline, 276
- imidazolium
- biodegradation, 181–2
  - education and outreach, 313

- fluorous catalysts, 217–8
  - organic synthesis, 60
  - RTIL, 184, 186, 194–6, 199
  - supercritical carbon dioxide, 130
- indium (In), **186**
- inductively coupled plasma (ICP), 154
- industrial applications
  - chlorinated solvents, 299–301
  - dichloromethane, 293, **294**
  - flavourings, 287
  - supercritical carbon dioxide, 297
  - volatile organic compounds (VOC), 287–8, 296–7
- Industrial Green Chemistry, 307
- influenza drugs, 199
- ink, 2, 106, 160
- inorganic synthesis
  - chlorinated solvents, 56
  - copper (Cu), 54
  - ethanol, 53
  - ethyl acetate, 56, 59–60, 64, 69
  - methanol, 54
  - microwaves, 56
  - pyridine, 54
- insecticides, 46, 88
- interfacial mechanism, 86, **87**
- International Nomenclature
  - Cosmetic Ingredient (INCI), 44–5
- inulin, 197
- Inventory of Existing Cosmetics
  - Ingredients
    - China (IECIC), 45
- iodine (I), 56, 252, 319
- iodosylbenzene, 315
- ionic liquid–aqueous two-phase system (ILATPS), 185
- Ireland
  - Chematur, **291**
- iridium (Ir), 100, 188, 251, 268
- iron (Fe), 56, 107, 185, **186**, 188, 219, 249–50, 256, 315–6
- isoamyl lactate, 157
- isobutyl acetate, **43**
- isooctane, **44**
- isophorone diamine, **76**
- isoprene, 59, 165
- isopropanol, **4, 6**
- isopropyl acetate, 26, **43**, 158
- isopropyl ether, **44**
- Istituto per la Certificazione Etica e Ambientale (ICEA), 45
- itaconic acid, **150**
- Italy
  - Istituto per la Certificazione Etica e Ambientale (ICEA), 45
- Jacobsen's catalyst, 191
- JandaJel, 66
- Japan, 35, 39, 41–2, 44–5, **291**
  - Air Pollution Control Act, 39
  - Chematur, **291**
  - Chemical Substance Control Law (CSCL), 35, **36**
  - Codex Alimentarius Commission, 46
  - Ministry of Agriculture, Forestry and Fisheries, 46
  - Specifications and Standards for Food Additives, 41
  - SRI International, **291**
- Japanese Agricultural Standards (JAS), 46
- Journal of Chemical Education, 307, 310
- juice, 53, 77, 166, 312
- Kamlet–Taft parameters, 23–4, 167, 213
- kaolinite, 73
- kauri–butanol value (KBV), 159
- Knoevenagel condensations, 63
- Korea
  - General Atomics, **291**
- krill, **292**
- Krytox, 215, 233
- L-proline, 91, 193

- L-valine, 193
- laboratory solvents
- acetic acid, **15**
  - acetonitrile, 15–6
  - chlorinated solvents, 15–6
  - dichloromethane, 15–6
  - diethyl ether, 15
  - dimethylformamide (DMF), 16
  - ethanol, 14, **15**
  - ethyl acetate, **15–6**
  - heptane, 15
  - hexane, 14–5
  - methanol, 15
  - paints, 13
  - propanol, 15
  - pyridine, 16
  - tetrahydrofuran (THF), 14–6
  - toluene, **14, 15–6**
- lactic acid, 73, 157
- lanthanum (La), 139
- latex, 103–4, 276
- laurel, **134**
- Lautenberg, Frank Sen., 33
- lavender, 88
- lemon, **40, 312**
- levoglucosenone, 72
- levulinic acid, 73, 102, 127, 152
- Lewis acids
- biphasic systems, 85
  - chemical synthesis, 93
  - fluorous biphasic catalysis, 226, 230
  - future prospects, 302
  - organic synthesis, 67
  - room temperature ionic liquids (RTIL), 180, 189, 191
  - solvent polarity, **21**
  - supercritical carbon dioxide, 124
- Lewis base, 82, 162
- life cycle assessment (LCA)
- acetic acid, **6**
  - acetone, **6, 12**
  - acetonitrile, **6, 9, 15**
  - butanol, **6**
  - carbon dioxide as solvent, 296
  - diethyl ether, **6, 8–9**
  - dimethylformamide (DMF), **6**
  - dioxane, **6**
  - education and outreach, 308–8
  - ethanol, 5, **6, 9, 12**
  - ethyl acetate, **6**
  - fluorous catalysts, 216
  - formaldehyde, **6**
  - formic acid, **6**
  - green solvents, 151
  - heptane, **6, 8–9**
  - hexane, **6, 8–9**
  - methanol, **6, 9**
  - paints, 6–7
  - propanol, **6, 7–8**
  - room temperature ionic liquids (RTIL), 9, **10, 12–3, 177, 198**
  - surfactants, 10
  - tetrahydrofuran (THF), **6, 7, 9, 15**
  - toluene, **6**
  - volatile organic compounds (VOC), 6–7
- lignocellulose, 149, 163, **164, 196, 198**
- lime peel, 134
- limonene, **37, 122, 135, 166–9, 246, 250, 313, 319–20**
- LinkedIn
- Green Chemistry Network, 307
  - Industrial Green Chemistry, 307
- linoleic acid, 160, 246
- linseed oil, 75
- lipase, 70, 74, 97–8, 130, 156, 164, 193–4, 252
- liquor production, **9**
- List of Toxic Substances, 37
- lithiations, 162
- lithium (Li), 59
- Los Alamos National Laboratory, 126, 295
- lubricants, **9, 156, 215, 298**
- lupulones, 294
- lycopene, 313
- macroalgae, 72
- magnetic tapes, 158
- maleic anhydride, 75, 310
- malic acid, 142

- manganese (Mn), 93, 126, 185, **186**, 316
- Mannich-type reactions, 96, 249, 321
- mannose, 73
- maple wood, 102
- Material Safety Data Sheets (MSDS), **4**, 20, 306
- material synthesis
- copper (Cu), 103, 106
  - palladium (Pd), 105
  - surfactants, 102–4
  - time of flight (TOF), 105
- Materials Safety Data Sheets (MSDS), **4**, 20
- Maximum Residue Levels (MRLs), 39–40, 41, 287
- Measures for the Environmental Administration on New Chemical Substances, 34
- medicines
- acetic acid, **43**
  - acetone, **43**
  - acetonitrile, 43
  - dimethylformamide (DMF), **43**
  - ethanol, **41**, **43**
  - ethyl acetate, 43
  - heptane, **43**
  - hexane, **43**
  - methanol, **41**, **43**
  - propanol, **43**
  - pyridine, **43**
  - toluene, 43
- Meerwein–Ponndorf–Verle reactions, **60**
- Memorial University of Newfoundland, 307–8
- meniscus, 116
- menthane, 99
- mercury (Hg), 185
- metal–organic frameworks (MOFs), **53**, **55**, 66
- methanol
- alcohols, 151–2, 154–5
  - carbon dioxide as solvent, **294**
  - cosmetics, **45**
  - education and outreach, 306, 314–5
  - emission regulations, 37
  - esters, 158
  - fluorous biphase catalysis, 223, 230
  - food and beverage, **39–40**
  - future prospects, 141–2
  - gas-expanded liquids, 265, 267, 270
  - inorganic synthesis, 54
  - laboratory solvents, 15
  - life cycle assessment (LCA), **6**, 9
  - medicines, **41**, **43**
  - organic synthesis, 60, 68
  - PEG and PPG, 243, 251
  - poly(dimethylsiloxane), 257
  - room temperature ionic liquids (RTIL), **179**, 198
  - safety, **4**, 5
  - solvent polarity, **22–3**
  - supercritical carbon dioxide, 117, 127
  - supercritical water, 133, **134**
  - superheated water, 108
- methoxynonafluorobutane (HFE), 215, 232–3
- methyl 5-hexenoate, 140
- methyl acetate, 5, **6**, 9, **39**, **41**, **43**, 158
- methyl decanoate, 158
- methyl ethyl ketone, **6**, 158, 166
- methyl methacrylate (MMA), 195, 255
- methyl propiolate, 229
- methyl soyate, 158–9, **160**
- methyl-D-glucopyranoside, 178
- methyl-*t*-butyl ether (MTBE), **16**, 184
- methylaluminumoxane (MAO), 168
- methylbutyl ketone, **43**
- methylcyclohexane, **43**, 213, 219
- methylene chloride, 2, 149, 152, **159–60**, 166, **167**
- methylethyl ketone, **43**
- methylimidazolium, **61**, 129, 175, 177, **178–9**, 181, 187, 195, 197
- methylisobutyl ketone, **43**
- methylisopropyl ketone, **44**

- Meyers' lactamisation, 71  
 Micell Technologies, 141, 295  
 Michael additions, 66, 68, **90**, 93, 169, 192, 247, **249**  
 microemulsion electrokinetic chromatography (MEEKC), 17  
 microwaves  
   biomass transformations, 72–3  
   carbonates, 165  
   chemical synthesis, **89**, 96, **97**  
   education and outreach, 310, 315, 321  
   inorganic synthesis, 56  
   organic synthesis, 71–3  
   PEG and PPG, 246–7, 249, 253, 256  
   RTIL synthesis, 191, 194  
   supercritical carbon dioxide, 126  
   supercritical water, 133, 135, **136**  
   water extractions, 88  
 Ministry of Agriculture, Forestry and Fisheries, 46  
 Mitsunobu reactions, 221, **223**  
 molybdenum (Mo), 107, 188  
 mono-perfluoro-octyl, 235  
 monoperfluorohexyl, 235  
 monosaccharides, 24, 133, 255  
 monoterpenes, 166  
 montmorillonite, 66, 71  
*Morinda citrifolia*, 134  
 Morita–Baylis–Hillman reactions, 230  
 mortar, 52, 59, 315  
 murrayaquinone-A, 92, **93**  
 mushrooms, 194  
 mustard oil, 158  
 mutagenic  
   *see* CMR  
  
*N,N,N',N'*-tetramethyl-1,4-diaminobutane (TMBAB), 278  
*N,N,N'*-tributylpentanamidine (BASE<sub>1</sub>), 277–8  
*N,N*-dibutylundecanolamine, 272  
*N,N*-dimethylacetamide  
   *see* (DMA)  
*N,N*-dimethylpyrrolidinium, 177  
*N*-acetyl-L-phenylamine, 232  
*N*-ethylpyridinium, 181  
*N*-methyl-2-pyrrolidone (NMP), 16, 165, 229  
*N*-methyl-morpholine-*N*-oxide, 198  
*N*-methylpyrrolidone, 42, **43**  
*n*-propyl bromide (nPB), 36  
 Nalco, 288  
 nanochemistry, 1, **298**  
 nanofiltration, 13, 27, 186  
 nanohydroxyapatite, 137–8  
 nanorods, 236, 256  
 nanotubes, 195, 236  
 National Organic Program, 46  
 neoteric solvents, 9, 130  
 neurodegenerative diseases, 289  
 New Chemical Substance Management, 34  
 New Zealand, 31  
 nicotinamide adenine, 232  
 nickel (Ni), 56, 101, 103, 107, 185, **186**, 255  
 nicotine, **292**  
 nitric acid, 176  
 nitrobenzaldehyde, 60, 98  
 nitrogen gas, 13  
 nitromethane, **43**  
 nitrous oxide, **30–41**, 139  
 nonaflate, 217–8  
 norbornene, 167, 195, 226  
 Novozyme, 74, 130, 194  
 nuclear fuel, **9**, 177, 183  
 nuclear magnetic resonance (NMR), 168, 180, 312–3, 317  
 nylon, 135, 137, 140, 286–7  
  
*o*-iodoxybenzoic acid (IBX), 221  
 oil shale, 274, 279  
 oleic acid, 75, 160  
 oleoresins, **40**, 165  
   *see also* resins  
 olives, 313  
 omega-3 oils, **292**

- one-pot reactions, 60, 61, 235, 249  
onion, 108, 134  
orange, 122, 183, 246, 312–4, 319–20  
orbital shaker, 75  
oregano, **134**  
organic aqueous tunable solvents  
(OATS), 97, **98**, 270, 319  
Organic Production Systems  
Permitted Substance List, 46  
organic synthesis  
1-butyl-3-methylimidazolium  
(Bmim), 59, **61**  
acetone, 61, 69  
continuous-flow reactors, 65, **66**  
copper (Cu), 63, 71  
dichloromethane, 69  
Diels–Alder reactions, 59, 68  
diethyl ether, 68–9  
ethanol, 56, 59, 68  
hexane, 69  
hydrogen peroxide, 68  
imidazolium, 60  
Lewis acids, 67  
methanol, 60, 68  
microwaves, 71–3  
palladium (Pd), 59, 67  
pyridine, 66, 71  
rhodium (Rh), 64  
room temperature ionic liquids  
(RTIL), 61  
ruthenium (Ru), 68  
supercritical carbon dioxide, 58  
time of flight (TOF), 65  
toluene, 59, 61, 71  
organoclay, 67  
osmium (Os), 183, 250  
oxalic acid, 101–2, 163  
Oxone, 62, 221  
ozone, 1, 5, 36–7, 130, **159**, 309  
ozone-depletion potential, 309  
  
*p*-cymene, 74, 167, **250**  
*p*-*tert*-octylphenoxy polyethylene  
(Triton X-100), 104  
*p*-toluenesulfonate, **274**  
*p*-toluenesulfonic acid, 310  
*p*-toluidine, 320  
paints  
emission regulations, 38  
esters, **157**, **160**  
green solvents, 285  
laboratory solvents, 13  
life cycle assessment (LCA), 6–7  
materials synthesis, 102  
safety, 1–2  
solvent polarity, 18  
terpenes and plant oils, 166  
water as solvent, 287  
palladium (Pd)  
2-methyltetrahydrofuran (2-  
MeTHF), 163  
alcohols, 154, 156  
alkanes, 169  
biomass transformations, 74  
biphasic systems, 85–6  
carbonates, 165  
chemical synthesis, 95–6  
fluorous material chemistry, 236  
material synthesis, 105  
organic synthesis, 59, 67  
PEG and PPG, 247, 249, 251–2,  
257  
RTIL electrochemistry, 186  
RTIL extraction, 185  
RTIL synthesis, 191, 195  
supercritical carbon dioxide, 124,  
126, 128  
supercritical water, 139  
water as solvent, **289**  
paracyclophanes, 55  
partial least squares-discriminant  
analysis (PLS-DA), 182  
particles from gas-saturated solution  
(PGSS), 266  
partition coefficients, 160, **214**, 215,  
224, 246, 276  
Passerini reaction, 89, **90**, 250  
peanut oil, 41  
Pechmann condensation, 310  
PEG and PPG

- acetone, **250**  
 acetonitrile, 249, 251  
 cellulose, 218  
 copper (Cu), 249, 252, 255  
 diethyl ether, 247  
 dimethylformamide (DMF), 249  
 ethanol, 247, 250  
 heptane, 254  
 hexane, 246, 251  
 hydrogen peroxide, 254  
 methanol, 243, 251  
 microwaves, 246–7, 249, 253, 256  
 palladium (Pd), 247, 249, 251–2, 257  
 propanol, 243  
 pyridine, 249  
 rhodium (Rh), 251  
 ruthinium (Ru), 249, 251–2  
 tetrahydrofuran (THF), 247, 250  
 time of flight (TOF), 251  
 toluene, 249–50, 255, 257  
 turnover number (TON), 247, 251
- penicillin, 185  
*Penicillium citrinum*, 69  
*Penicillium expansum*, 194  
 pentane, **6**, **15**, **16**, **43**, 69, 153, 279, 296  
 pentanoic acid, 158  
 pentanol, **43**  
 peppermint, **134**  
 perchloroethylene (perc), 2, 131, 295, 315  
 perfluoro(2-butyltetrahydrofuran), **225**  
 perfluoro(methylcyclohexane) (PFMC), 211, 213, **214**, 219, 232, **233**  
 perfluoroalkyl ether, 13  
 perfluorocyclohexane, 210, 265  
 perfluorodecaline, **211**, **228**  
 perfluorohexane, **211**  
 perfluorooctane, **211**  
 perfluoropolyether, **211**  
 perfluorotributylamine, **211**  
 perlyene, 306  
 permissible daily exposure (PDE), 42, **43**  
 pervaporation, 27, 157, 186, 246  
 pestle, 52, 59  
 PetroChina, 300  
 petroleum ether, 44, 59, 64  
 Pfizer, 14–5  
 Pharmeuropa, 41  
 phase-transfer catalyst (PTC), 86–7, 93, 95, 245–6, 252–3, 258, 288, 302  
 phenanthroline, 100  
 phenylmagnesium bromide, 188  
 phosgene, 165, 299–300, **301**  
 phosphonium salts, 60, 86, 230  
 phosphoric acid, 139  
 photochemical reactions, 71–2  
 photoresist materials, **9**, **157**  
 phthalimide, 135, **136**, 164  
 piezoelectric, 116  
 pigments, 7, 18, 266, 290, **292**, 296  
 pine wood, 72, 123  
 pinene, 135, 166, 168  
 piperylene sulfone (PS), 27, 279–80  
*Pittosporum resiniferum*, **151**  
 planetary ball mill, 74  
*see also* (HSBM)  
 plasticizer, **9**  
 platinum (Pt), 53, 64, 94, 101, 106, 169, 186, **291**  
 poly(cyclopentene) (PCP), 168, 229  
 poly(dimethylsiloxane) (PDMS), 246–7, 253, 257–8  
 poly(ethylene glycol) dimethyl ether (DMPEG), 251  
 poly(*p*-phenyleneethynylene), 236  
 polychlorinated biphenyls (PCBs), 218, **291**  
 polycyclopentadiene, 104  
 polyethylene glycol, 85–6, 94  
 polyisobutylene, 104  
 polylactic acid (PLA), 131  
 polymer chemistry, 1, 150, 169  
 polymethylmethacrylate (PMMA), 131–2, 195, 255

- polymethylphenylsilane (PMPS), 168, 257–8
- polyoxometalate, 86, 250
- polystyrene, 65–6, 94, 104, 131, 272, 276, 278, 296, 318–9
- polystyrene (PS), 56, 66, 131, 319
- polyurethane, 75, **76**, **157**, 220, 288
- potassium permanganate, 86
- precipitation of particles from reverse emulsions (PPRE), 266
- precipitation with compressed anti-solvent (PCA), 266
- Presidential Green Chemistry Challenge Award, 156, 286, 307
- Principles for Reform of Chemicals Management Legislation, 33
- Priority Substances List, 34
- propane, **37**, **39–41**
- propanediol, 70, 74, 101, 150, 155
- propanol
- alcohols, 155
  - education and outreach, 306
  - fluorous biological chemistry, 232
  - laboratory solvents, 15
  - life cycle assessment (LCA), **6**, 7–8
  - medicines, **43**
  - PEG and PPG, 243
  - solvent polarity, **23**
  - switchable polarity, 272
- properties
- supercritical carbon dioxide, 2, 19, 27
- propionate, 194
- propyl acetate, **43**
- propylene carbonate, 165
- propylene oxide, 75, 120, 163, 165, 243, 258
- protic solvents, 20, 24, **25–6**, 54, 176, 243
- pyridine
- biphasic systems, 86
  - chemical synthesis, 100
  - education and outreach, 315
  - fluorous biphasic catalysis, 228–30
  - fluorous solvent data, 215
  - inorganic synthesis, 54
  - laboratory solvents, 16
  - medicines, **43**
  - organic synthesis, 66, 71
  - PEG and PPG, 249
  - solvent polarity, **23**
- pyridinium, **22**, 54, 60, 85, 181–2, 195
- Pyrococcus horikoshii*, 198
- pyrolysis, 72, 102
- Q3C guidelines, 42
- quantitative structure–activity map (QSAM), 182
- quaternary ammonium, 86, 184
- Queen's University, 308
- quercetin, 108, 183
- quinoxalines, 92
- rapeseed oil, 41, 158
- rapid expansion of supercritical solutions (RESS), **119**, 192
- Raytheon Environmental Systems, 295
- Reformatsky reactions, 57, 162
- Registration Evaluation, Authorisation of Chemical Substances (REACH), 31–3, 35
- Regulations on New Chemical Substances, 34
- Reichardt's betaine dye, 21–2, 178, 213
- renewable resources
- volatile organic compounds (VOC), 12–3, 18, 27, 149, 151, 153, 159
- reprotoxic
- see* CMR
- resins, 94, 122, 133, **135**, **160**, 166, **310**
- see also* oleoresins
- resorcinol, 310
- reverse-phase chromatography, 219
- rhodium (Rh)
- chemical synthesis, 92, 95, 100



- fluorous biphase catalysis, 221, 223, 226–8, 231–2
- gas-expanded liquids, 270
- organic synthesis, 64
- PEG and PPG, 251
- RTIL synthesis, 188, 193
- supercritical carbon dioxide, 129–30
- switchable volatility, 279
- terpenes and plant oils, 165
- water as solvent, 288, **289**
- Rhodococcus rhodochrous* J1, 289
- Rhone-Poulenc process, 92
- rice, 167
- ring-closing metathesis (RCM), 225–6
- ring-opening metathesis polymerisation (ROMP), 167–8, 226, 258
- risk management measures, 34
- room temperature ionic liquids (RTIL)
  - 1-butyl-3-methylimidazolium (Bmim), 175, **177**, 178, **179**
  - biodegradation, 175–81
  - biofeedstocks, **170**
  - cellulose, 177
  - dichloromethane, 178
  - ethanol, **179**
  - hexane, 178, **179–80**
  - Lewis acids, 180
  - life cycle assessment (LCA), 9, **10**, 12–3, 177
  - methanol, **179**
  - organic synthesis, 61
  - RTIL applications, **298**
  - RTIL electrochemistry, 186–7
  - RTIL extraction, 183–5
  - RTIL future, 200–1
  - RTIL synthesis, 188–9, **190**, 193–5, 197–8
  - safety, 3
  - solvent polarity, 18–9
  - tetrahydrofuran (THF), 178, **180**
  - toluene, 176, 178
- RTIL electrochemistry
  - 1-butyl-3-methylimidazolium (Bmim), 187
  - copper (Cu), **186**
  - imidazolium, 186
  - palladium (Pd), 186
- RTIL extraction
  - 1-butyl-3-methylimidazolium (Bmim), 183–5
  - acetic acid, 183
  - cellulose, 183
  - copper (Cu), 185
  - ethanol, 184
  - hydrogen peroxide, 184
  - imidazolium, 184
  - palladium (Pd), 185
- RTIL synthesis
  - 1-butyl-3-methylimidazolium (Bmim), 188–9, 191–2, 196–8
  - acetone, 188
  - cellulose, 196–9
  - chlorinated solvents, 196
  - Diels–Alder reactions, 189, 191
  - ethanol, 198–9
  - flavourings, 194
  - hydrogen peroxide, 191
  - imidazolium, 194–6, 199
  - Lewis acids, 189, 191
  - life cycle assessment (LCA), 198
  - methanol, 198
  - microwaves, 191, 194
  - palladium (Pd), 191, 195
  - rhodium (Rh), 188, 193
  - ruthenium (Ru), 188–9, 195, 200
  - tetrahydrofuran (THF), 188
  - toluene, 192
- rubber, 108
- Ruhrchemie–Rhône–Poulenc process, 288, **289**
- Rush, B.L., 33
- ruthenium (Ru)
  - alcohols, 154
  - chemical synthesis, 93, 95, 100, 102
  - fluorous biphase catalysis, 223–5
  - organic synthesis, 68
  - PEG and PPG, 249, 251–2

- poly(dimethylsiloxane), 257
- RTIL, 188–9, 195, 200
- supercritical carbon dioxide, 126–7, 129
- saccharinate, 181, 200
- safety
  - chlorinated solvents, 2
  - ethanol, 2, 4
  - ethyl acetate, 2, 4
  - heptane, 2–3, 4
  - hexane, 2–3, 4
  - methanol, 4, 5
  - paints, 1–2
  - room temperature ionic liquids (RTIL), 3
  - tetrahydrofuran (THF), 3, 4
  - toluene, 2, 4
- safflower oil, 169
- salt effect, 84
- salting out effect, 213
- savory, 134
- scanning electron microscope (SEC), 256
- Schiff bases, 249
- Scionix, 302
- seawater, 104, 108
- seaweed, 72, 151
- selenium (Se), 155
- semi-volatile organic compounds, 37
- setraline, 14
- Shell, 150
- shellfish, 75
- shoe polish, 2
- shrimp, 75
- silica
  - biomass transformations, 73
  - chemical synthesis, 93, 98
  - fluorous reactions, 212, 216, 219–21, 223, 227, 229, 234, 237
  - seawater, 104
  - supercritical carbon dioxide, 132
- silicon, 168, 185
- silicone, 120–1, 257
- silver (Ag), 53–5, 61, 104–6, 132, 185–6, 217–8, 236, 255–7
- smog, 1, 309
- smog-formation potential, 309
- sodium bromide, 100
- sodium dodecylsulfate (SDS), 103, 276
- sodium methoxide, 70
- sodium phenolate, 254
- Soil Association, 45–6
- solar power, 187
- solid-phase microextraction (SPME), 77
- Solkane<sup>®</sup>, 211, 220
- solution-enhanced dispersion by supercritical fluids (SEDS), 266
- solvent free approaches, 52, 59–60, 69, 77
- solvent polarity
  - acetic acid, 23
  - acetone, 21–3
  - acetonitrile, 23
  - ethanol, 20, 22–3
  - ethyl acetate, 22
  - hexane, 20, 21–2
  - Lewis acids, 21
  - methanol, 22–3
  - paints, 18
  - propanol, 23
  - pyridine, 23
  - room temperature ionic liquids (RTIL), 18–9
  - tetrahydrofuran (THF), 22–3
  - toluene, 20–2
- solvent resistant nanofiltration (SRNF), 13
- sonicator, 56, 134
- Sonogashira reactions, 63, 96, 182, 228, 257
- sorbitol, 101, 169
- Sorona, 150
- soybean oil, 2–3, 41, 75, 158, 160, 246, 274, 278

- soybeans, 3, 41, 75, 158, 160, 246, 274, 278
- Specifications and Standards for Food Additives, 41
- spectral polarity index ( $P_s$ ), 213
- Sphingomonas paucimobilis, 181
- spices, 40, 292
- spruce wood, 274
- SRI International, Japan, 291
- St. John's wort, 134
- star anise, 199
- Starbon<sup>®</sup>, 107
- starch, 102, 104–5, 135, 149, 151–2, 255, 319
- starch-derived biomass, 151
- steam distillation, 87–8, 123
- steroids, 87
- stilbene, 274
- Stille reactions, 249
- Strategic Approach to International Chemicals Management (SAICM), 35
- strengths, weaknesses, opportunities, threats (SWOT), 178
- Styrodur<sup>®</sup>, 296
- subcritical water  
  *see* superheated water
- succinic acid, 106–7, 150, 287
- sucrose, 73, 98
- sugar-derived biomass, 151
- sugarcane, 46
- sulfamic acid, 74
- sulfolane, 43
- sulfonic acid, 59, 74, 228, 312
- sulfuric acid, 137, 139, 187, 196, 286, 300, 306, 310
- sunflower oil, 158
- supercritical alcohol  
  volatile organic compounds (VOC), 141
- supercritical carbon dioxide  
  1-butyl-3-methylimidazolium (Bmim), 129  
  acetic acid, 130  
  biphasic systems, 84  
  chemical synthesis, 94, 99  
  continuous-flow reactors, 124, 127, 130  
  copper (Cu), 132  
  Diels–Alder reactions, 124  
  education and outreach, 317  
  ethanol, 122  
  extraction, 121  
  flavourings, 121, 123  
  hexane, 132  
  hydrogen peroxide, 128  
  imidazolium, 130  
  industrial applications, 297  
  Lewis acids, 124  
  methanol, 117, 127  
  microwaves, 126  
  organic synthesis, 58  
  palladium (Pd), 124, 126, 128  
  properties, 2, 19, 27  
  rhodium (Rh), 129–30  
  ruthenium (Ru), 126–7, 129  
  silica, 132  
  solubility, 84  
  surfactants, 120–1, 126, 131  
  tetrahydrofuran (THF), 118  
  toluene, 126  
  volatile organic compounds (VOC), 117
- supercritical carbon dioxide resist removal (SCORR), 297
- supercritical fluid chromatography (SFC), 17, 121–2
- supercritical fluid extraction (SFE), 121–3, 133, 134
- supercritical water  
  acetic acid, 139  
  acetone, 134, 135  
  cellulose, 133, 135  
  continuous-flow reactors, 137, 138  
  dimethylformamide (DMF), 135  
  ethanol, 133, 134, 135, 136  
  hexane, 134  
  hydrogen peroxide, 137  
  methanol, 133, 134  
  microwaves, 133, 135, 136

- palladium (Pd), 139
- toluene, 139
- volatile organic compounds (VOC), 133, **134**, 138
- supercritical water oxidation (SCWO), 139–40, 142, 290, **291**
- superheated water
  - acetone, 108–9, 132
  - ethanol, 108
  - methanol, 108
  - time of flight (TOF), 108
  - toluene, 108
- Supertrae, Denmark, 295
- Supramics, 297
- surfactants
  - biphasic systems, 84, 87
  - chemical solvents, 17
  - chemical synthesis, 89
  - fluorous biological chemistry, **233**
  - gas-expanded liquids, 267
  - life cycle assessment (LCA), 10
  - material synthesis, 102–4
  - supercritical carbon dioxide, 120–1, 126, 131
- Suzuki reaction, 52, 63, 95, **125**, 156, 247
- Suzuki–Miyaura reactions, 85
- Sweden Chematur, **291**
- Swiss Chemicals Ordinance, 33
- switchable hydrophilicity solvents (SHS), 22, 274, 277–9
- switchable polarity solvents (SPS), 272–4, 281
- switchable surfactants, 87, 275–7
- Switzerland, 32–3
- syngas, 150, 152
- synthesis gas, 150, 152
- syringol, 267
- Taiwan, 34–5
  - Chemical Substance Nomination and Notification (CSNN), 35
  - Guidelines for Existing Chemical Substance Nomination, 35
- Talampanol, 289
- Tamiflu, 199
- tannic acid, 183
- tantalum (Ta), **186**
- tar sands, 274, 279
- tautomers, 23, 317
- tea, **40**, 292
- Teflon<sup>TM</sup>, 130, 210, 219, 226–9, 295
- telomerisation reaction, 102
- TEMPO catalysts, 229
- terephthalic acid (TPA), 139
- terpenes and plant oils
  - acetone, 166
  - chlorinated solvents, 166
  - Diels–Alder reactions, 169
  - hexane, 167
  - paints, 166
  - rhodium (Rh), 165
  - toluene, 166–8
  - volatile organic compounds (VOC), 166
- terpinene, 74, **250**
- terpineols, 135
- tert-butyl methyl ether, 2
- tetra-n-butylammonium tetrafluoroborate, 264
- tetrabutylammonium bromide (TBAB), 100, 219, 247
- tetrachloroethylene, 39
- tetracosane, **274**
- tetradecyl(trihexyl)phosphonium chloride, 188
- tetraethylene glycol, 169
- tetrafluoroalkyldistannoxanes, 226
- tetrafluoroborate (BF<sub>4</sub>), 168, 180, 312–3, 317
- tetrafluoroethane sulfonic acid, 74
- tetrahydrofuran (THF)
  - 2-methyltetrahydrofuran (2-MeTHF), 161–4
  - education and outreach, 309
  - fluorous solvent data, 216
  - gas-expanded liquids, 265–6, 268

- laboratory solvents, 14–6
- life cycle assessment (LCA), 6, 7, 9
- PEG and PPG, 247, 250
- RITL synthesis, 188
- room temperature ionic liquids (RTIL), 178, **180**
- safety, 3, **4**
- solvent polarity, 22–3
- supercritical carbon dioxide, 118
- switchable water, 278
- tetrahydrothiophene, **250**
- tetralin, **43**
- The Journal of Supercritical Fluids, 115
- Thematoga maritime*, 199
- Thermally Induced Phase Separation (TIPS), 296
- thermogravimetric analysis (TGA), 18, 176
- thermometers, 153
- thiazolium, 181
- thioanisole, **193**, **250**
- thioethers, 128
- time of flight (TOF)
  - alcohols, 154, 156
  - biphasic systems, 85
  - chemical synthesis, 94
  - material synthesis, 105
  - organic synthesis, 65
  - PEG and PPG, 251
  - superheated water, 108
  - switchable water, 279
- tin (Sn), 121, **186**, 226
- Tischenko reactions, **60**
- titania, 105
- titanium (Ti), 66–7, 186
- tobacco, **292**
- toluene
  - alcohols, 152–3
  - aqueous PEG solutions, 243
  - biodegradation, **180**
  - carbonates, 164
  - emission regulations, 37
  - esters, 158–9, 160
  - fluorous biphasic catalysis, 221, 224, 230
  - gas-expanded liquids, 265, **266**
  - laboratory solvents, **14**, **15–6**
  - life cycle assessment (LCA), **6**
  - medicines, 43
  - organic synthesis, 59, 61, 71
  - PEG and PPG, 249–50, 255, 257
  - room temperature ionic liquids (RTIL), 176, 178, 192
  - safety, 2, **4**
  - solvent polarity, **20–2**
  - supercritical carbon dioxide, 126
  - supercritical water, 139
  - superheated water, 108
  - switchable polarity, **274**
  - terpenes and plant oils, 166–8
  - total reducing sugars (TRS), 198
  - Toxic Release Inventory, 2
  - Toxic Substance Control Act (TSCA), 33
  - Trametes versicolor*, 194
  - trans*-1,4-diaminocyclohexane, 54, **55**
  - transmission electron microscopy (TEM), 86, **227**, **237**, 257
  - triacetin, 306
  - trichloroacetic acid, **44**
  - trichloroethane, **40–2**, **294**
  - trichloroethylene, 36, 39, 159
  - triethylamine, 59, 63
  - triethylphosphonoacetate, 163
  - trifluoroacetic acid, **44**, 68
  - trifluoromethylbenzene, 224
  - triglyceride-based biomass, 151
  - Trike
    - see* trichloroethylene
  - trimethylammonium chloride, **274**
  - trimethylcyclohexanone, 297
  - trimethylsilyl cyanide, 274
  - triphasic reactions, 212, 230
  - Triton X-100 (*p*-*tert*-octylphenoxy polyethylene), 104
  - tropoisomeric biphenylphosphine, 193
  - tryptanthrin, 98
  - tungsten (W), 67, 188
  - turnover number (TON)

- alcohols, 154, 156
- chemical synthesis, 95
- fluorous reactions, 221, 230–1
- future prospects, 200
- gas-expanded liquids (GXL), 270
- PEG and PPG, 247, 251
- seawater, 108
- turpentine, 166
- twelve principles of green chemistry, 1
- tyrosinase, 194
  
- Ullmann's Encyclopedia of Industrial Chemistry, 52
- ultrasound, 56, 62, 99, **134**, 249
- Union Carbide (UNICARB), 296
- United Kingdom, 36, 45–6, 141, 291, **291**, **294**, 295, 307
  - Environmental Permitting, 36–7
  - Health & Safety Executive (HSE), 37
  - Scionix, 302
  - University of York, 307
- United States Department of Agriculture (USDA), 46
- United States Food and Drug Administration (FDA), 2, 45, 242
- United States Pharmacopoeia, 41
- University of York, 307
- University of Leicester, 301–2
- University of Newfoundland, 307–8
- University of Nottingham, 297
- University of Oregon, 307
- University of Toronto, 315
- University, Queen's, 308
- uranium (U), 185
- urea, 59, 177, 185, **186**, 192, 315
- US Department Of Energy, 149
- US Environmental Protection Agency (EPA), 2, 33, 37, 120, 183, 286, 297
- USA, 31, 141, 183, **291**, **294**, 295
  - Argonne National Laboratory, 156
  - Clean Air Act, 37
  - Code of Federal Regulation, 40, 46
  - Cosmetic Ingredient Review (CIR), 45
  - Dow Chemical Company, 296
  - Eastman Chemical Company, 299
  - Eco Waste Technologies, **291**
  - Energy Information Administration, **152**
  - General Atomics, **291**
  - hop extraction, 294
  - International Nomenclature Cosmetic Ingredient (INCI), 44–5
  - Los Alamos National Laboratory, 126, 295
  - Micell Technologies, 141, 295
  - National Organic Program, 46
  - Presidential Green Chemistry Challenge Award, 156, 286, 307
  - Raytheon Environmental Systems, 295
  - Union Carbide (UNICARB), 296
  - University of Oregon, 307
- valeric acid, 137
- valeronitrile, 137
- vanadium (V), 86
- vanillin, 267, 306, 320
- vapochromic responses, 54
- varnish, 1, **9**, 166, 319
- vegetable oils, 2, 46, 75, 135, 151, 160, 287
- very volatile organic compounds (VVOC), **37**
- Vibrio fischeri*, 182
- vinyl chloride, 39
- vinylcyclohexene, **250**
- volatile organic compounds (VOC)
  - 2-methyltetrahydrofuran (2-MeTHF), **162**
  - alternative solvents, **11**
  - biphasic systems, 84
  - chemical synthesis, 89, 96
  - defined, 1–3
  - emission regulations, 36–6

- emissions, 198
- fluorous approach, 210, 216
- industrial applications, 287–8, 296–7
- life cycle assessment, 6–7
- miscibilities, 180
- organic aqueous tunable solvents (OATS), 270
- polarities, **179**
- renewable resources, 12–3, 18, 27, 149, 151, 153, 159
- room temperature ionic liquids (RTIL), 185, **193**
- solvent free approaches, 52, 59–60, 69, 77
- supercritical alcohol, 141
- supercritical carbon dioxide, 117
- supercritical water, 133, **134**, 138
- terpenes and plant oils, 166
- vulcanisation, 108
  
- Wacker reaction, 165, 191, **250**
- Wales
  - Environmental Permitting, 36–7
  - Health & Safety Executive (HSE), 37
- warfarin, 99
- waste water treatment, **9**
- water hyacinth, **151**
- wax products, 122
  
- Waxman, Henry, 33
- wheat, 122, **151**
- Williamson ether synthesis, 252
- wind power, 187
- Wittig reactions, 57, 87
- World Health Organization (WHO), 36, **37**
- World Summit for Sustainable Development (WSSD), 35
- Wurtz-type synthesis, 168
  
- X-rays, 56
- xenon, 20
- Xerox, 141
- xylene, **6**, **43**, 139, 166, 195, 255, 268, 287
- xylytol, **150**, **169**
  
- yeast, 156, **193**, 258
- yogomi oil, 88
- Young's modulus, 75
- ytterbium (Yb), 93
- yttrium (Y), 139
  
- zeolite, 73
- zinc (Zn), 54, **55**, 185, **186**, 191, 253
- zirconium (Zr), 139
- zwitterionic solvents, 22, 272
- Zygosaccharomyces rouxii*, 289, **290**