

CONTENTS

GENERAL PART

A. INTRODUCTION	3
B. REAGENTS WHICH FORM NORMAL SALTS	7
C. REAGENTS WHICH FORM COMPLEX SALTS	10
I. Inner complex salts as precipitating and weighing forms	10
II. Penetration compounds as precipitating and weighing forms	25
D. REAGENTS, WHICH REACT WITH THE FORMATION OF INSOLUBLE, METALLIC ADSORPTION COMPOUNDS	26

SPECIAL PART

A. PRACTICALLY INSOLUBLE NORMAL SALTS OF ORGANIC ACIDS AS DETERMINATION FORMS	31
I. Anthranilic Acid: Individual determination procedures	31
II. Picrolonic Acid: Individual determinations	38
III. Nitron	48
IV. Phenyl Arsenic Acid	51
B. INNER COMPLEX SALTS AS DETERMINATION FORMS	53
I. Dimethylglyoxime	53
II. Quinaldinic Acid	55
III. Benzoin Oxime, "Cupron"	63
IV. Salicylaldoxime: Individual determinations	67
V. Oxalene-diuramino-oxime	71
VI. Nitrosophenylhydroxylamine Ammonium, "Cupferron"	72
VIa. Neocupferron (α -nitrosophenylhydroxylamine Ammonium) by Stuart Holmes	84
VII. "Thionalid," Thioglycolic Acid- β -amino Naphthalide	86
VIII. α -Nitroso- β -Naphthol	100
IX. 8-Hydroxyquinoline, "Oxine": by Stuart Holmes	103
X. Mercaptobenzthiazol	112
XI. Pyrogallol	115
XII. Dithizon	117
XIII. Sulfosalicylic Acid	141
C. PENETRATION COMPOUNDS AS DETERMINATION FORMS	149
I. Naphthoquinoline, "Naphthin": Individual determinations	149
II. Thiourea	154
III. Pyridine	156
IV. Tolidine and Benzidine	166

V. Ethylenediamine	168
VI. Propylenediamine	171
D. METAL ADSORPTION COMPOUNDS AS PRECIPITANTS	173
E. GUANIDINE CARBONATE	183