

APPROVED METHODS OF THE AACC

CONTENTS

- 02 Acidity**
- 02-01** Fat Acidity—General Method
- 02-02** Fat Acidity—Rapid Method, for Grain
- 02-03** Fat Acidity—Rapid Method, for Corn
- 02-04** Fat Acidity—Colorimetric Method
- 02-31** Titratable Acidity
- 02-32** Neutralizing Value of Acid-Reacting Materials Other Than Phosphates
- 02-33** Neutralizing Value of Monocalcium Phosphate: Monohydrate and Anhydrous
- 02-34** Neutralizing Value of Sodium Acid Pyrophosphate
- 02-35** Neutralizing Value of Sodium Aluminum Phosphate, Acidic
- 02-51** Hydrogen-Ion Activity (pH)—Colorimetric Method
- 02-52** Hydrogen-Ion Activity (pH)—Electrometric Method

- 04 Acids**
- 04-10** Phosphoric Acid—Qualitative Method
- 04-11** Phosphoric Acid—Quantitative Method
- 04-13** Total Phosphoric Acid
- 04-14** Sulfuric Acid
- 04-20** Acetic, Butyric, and Lactic Acids in Rye Flour
- 04-21** Benzoic Acid
- 04-22** Citric and Isocitric Acids
- 04-23** Formic, Acetic, Propionic, Butyric, Valeric, Succinic, and Lactic Acids—Van Dame Method
- 04-24** Fumaric, Pyruvic, Lactic, Succinic, and Tartaric Acids
- 04-25** Lactic Acid in Dried Eggs
- 04-26** Lactic Acid in Nonfat Dry Milk
- 04-27** Tartaric Acid
- 04-28** Free or Combined Tartaric Acid—Qualitative Method

- 06 Admixture of Flours**
- 06-10** Admixture of Rye and Wheat Flours
- 06-11** Soy Flour

- 08 Total Ash**
- 08-01** Ash—Basic Method
- 08-02** Ash—Rapid (Magnesium Acetate) Method
- 08-03** Ash—Rapid (2-hour, 600°) Method
- 08-10** Ash in Cacao Products
- 08-11** Ash in Dry Milk Products
- 08-12** Ash in Farina and Semolina
- 08-14** Ash in Molasses, Sugars, and Syrup
- 08-15** Original Ash—Gustafson Method
- 08-16** Ash in Soy Flour

- 08-17 Ash in Starch
- 08-18 Ash in Yeast Foods

10 Baking Quality

- 10-01 Total Reducing Substances
- 10-10 Baking Quality of Wheat Bread Flour—Straight-Dough Method
- 10-11 Baking Quality of Bread Flour—Sponge-Dough, Pound-Loaf Method
- 10-15 Baking Quality of Angel-Cake Flour
- 10-20 Baking Test for Sweet Yeast Products
- 10-30 Summary of Methods for Biscuit and Cracker Flour Testing
- 10-31A Baking Quality of Self-Rising Biscuit Flour
- 10-50D Baking Quality of Cookie Flour
- 10-60 Baking Quality of Pie Flour
- 10-70 Baking Quality of Rye Bread Flour
- 10-85 Baking Quality of Nonfat Dry Milk
- 10-90 Baking Quality of Cake Flour
- 10-91 Use of Layer Cake Measuring Template

12 Carbon Dioxide

- 12-10 Residual Carbon Dioxide in Baking Powder
- 12-20 Total (Gasometric) Carbon Dioxide in Baking Powder
- 12-21 Total Carbon Dioxide in Prepared Mixes and Self-Rising Flours
- 12-29 Table: Correction Factors for Gasometric Determination of Carbon Dioxide

14 Color and Pigments

- 14-10 Pekar Color Test ("Slick Test")
- 14-20 Color of Macaroni Products—Disk Method
- 14-21 Color of Macaroni Products—Spectrophotometric Method
- 14-22 Color of Alimentary Pastes—Reflectance Colorimeter Method
- 14-30 Agtron Color Test for Flour
- 14-50 Pigments

16 Cooking Characteristics

- 16-50 Cooking Characteristics of Macaroni
- 16-51 Cooking Characteristics of Macaroni—Borasio System

18 Drugs in Feeds, Feedstuffs, and Premixes

- 18-20 Arsanilic Acid
- 18-25 Nitrophenide
- 18-26 Nitrophenide—Modified Method, in Presence of Arsanilic Acid
- 18-27 Nitrosal
- 18-30 Phenothiazine
- 18-35 Sulfaquinoxaline

20 Egg Solids

- 20-01 Egg Solids—Digitonin Cholesterol Method
- 20-02 Lipoid Phosphoric Acid
- 20-10 Egg Solids in Macaroni Products

22 Enzymes

- 22-01 α -Amylase Activity of Malt

- 22-02** α -Amylase Activity, by β -Amylase GBI
- 22-06** α -Amylase Activity in Wheat
- 22-10** Diastatic Activity of Flour, with the Amylograph
- 22-10A** Diastatic Activity—Modified Amylograph
- 22-11** Diastatic Activity—Pressuremeter Method
- 22-13** Yeast Strength
- 22-14** Diastatic Activity—Volumetric Method
- 22-15** Diastatic Activity of Flour and Semolina
- 22-16** Diastatic Activity of Malt Flour
- 22-17** Table: Thiosulfate-Maltose (Diastatic Activity) Conversion
- 22-18** Table: Ferricyanide-Maltose-Sucrose Conversion
- 22-40** Lipoxidase Activity of Semolina and Flour
- 22-41** Lipoxidase Activity of Wheat
- 22-60** Proteolytic Activity of Flour
- 22-61** Proteolytic Activity of Malt
- 22-62** Proteolytic Activity—Spectrophotometric Method
- 22-63** Proteolytic Activity—Colorimetric Method
- 22-90** Urease Activity

- 26** **Experimental Milling**
- 26-10** Experimental Milling: Equipment, Sample Preparation, and Tempering
- 26-20** Experimental Milling—Buhler Method
- 26-21** Experimental Milling—Batch Method for Bread and Soft Wheats
- 26-30** Experimental Milling—Batch Method for Durum Wheat
- 26-95** Experimental Milling: Temper Table

- 28** **Extraneous Matter**
- Extraneous Matter: General Information
- 28-01** Cinder and Sand Particles—Counting Method
- 28-02** Cinder and Sand Particles—Gravimetric Method
- 28-10** Macroscopic Examination of Cereal Grains, Unpopped Popcorn, Dried Peas and Beans
- 28-20** External Insect and Rodent Hair Contamination
- 28-21** X-Ray Examination for Internal Insect Infestation
- 28-22** Cracking-Flotation Test for Internal Insects
- Baked Goods, Ready-to-Eat Cereals, and Alimentary Pastes: General Information
- 28-30** Macroscopic Examination of Baked Goods, Ready-to-Eat Cereals, and Alimentary Pastes
- 28-31** Sieving Method, for Insect and Rodent Filth
- 28-32** Sieving Method, for Materials Hard to Hydrate
- 28-33** Direct Trapping Method, for All Baked Materials except Chocolate Products and Pie Crust
- 28-40** Acid Hydrolysis Method for Insect Fragments and Rodent Hairs
- 28-41A** Acid Hydrolysis Method for Insect Fragments and Rodent Hairs
- 28-42** Decantation Method for Rodent Excreta
- 28-43** Glass Plate Method, for Insect Excreta
- 28-44** Iodine Method, for Insect Eggs
- 28-50** Decantation Method, for Rodent Excreta in Meal, Grits, Flour, Farina, and Semolina
- 28-51** Flotation Method, for Insect and Rodent Filth in Meal, Grits, Flour, Farina, and Semolina
- 28-60** Tween-Versene Method, for Insect Fragments and Rodent Hairs

- 28-70** Defatting-Digestion Method, for Insect Fragments and Rodent Hairs
- 28-75** Sieving Method
- 28-80** Flotation Method, for Insect and Rodent Filth in Popped Popcorn
- 28-85** Ultraviolet Light Examination
- 28-86** Xanthidrol Test, for Urea
- 28-87** Urease-Bromthymol Blue Test Paper for Urea
- 28-90A** Apparatus or Materials for Extraneous Matter Methods
- 28-91** Reagents for Extraneous Matter Methods
- 28-92** Special Techniques for Extraneous Matter Methods
- 28-93** Direction of Insect Penetration into Food Packaging
- 28-95** Insect Fragments: General Information
Illustrations: (1) Insect; (2) Rodent Hair; (3) Radiographs
- 28-99A** Radioactivity in Cereal Products—Emergency Monitoring

30 Crude Fat

- 30-10** Crude Fat in Flour, Bread, and Baked Cereal Products Not Containing Fruit
- 30-12** Crude Fat in Cocoa
- 30-14** Crude Fat in Baked Dog Food
- 30-16** Crude Fat in Dry Milk Products
- 30-18** Crude Fat in Egg Yolk and Dried Whole Egg
- 30-20** Crude Fat in Grain and Stock Feeds
- 30-25** Crude Fat in Wheat and Soy Flour, Feeds and Cooked Feeds
- 30-26** Crude Fat in Soy Flours
- 30-40** Unsaponifiable Matter

31 Fat

- 31-50** Solid Fat Index—Dilatometric Method

32 Fiber

- 32-15** Crude Fiber in Feeds and Feedstuffs
- 32-17** Crude Fiber in Soy Flour
- 32-20** Insoluble Dietary Fiber

33 Flavor

- 33-50** Taste Panel—Triangle Test

34 Flour Specifications

- 34-01** Flour Specifications

36 Glossary

- 36-01A** Glossary
- 36-02** Glossary—Fat

38 Gluten

- 38-10** Gluten—Hand Washing Method
- 38-11** Gluten—Machine Washing Method
- 38-20** Vital Wheat Gluten

39 Infrared Analysis

- 39-10** Infrared Reflectance Method for Protein and Oil Determination

40 Inorganic Constituents

- 40-01** Soluble Mineral Matter
- 40-10** Aluminum—Qualitative Method
- 40-15** Ammonia
- 40-16** Ammonium Salts—Qualitative Method
- 40-17** Ammonium Salts—Qualitative Method, for Nature of Salts
- 40-18** Ammonium Salts—Quantitative Method
- 40-20** Calcium in Bread and Flour
- 40-21** Calcium in Feedstuffs
- 40-26** Calcium in Mineral Feeds
- 40-30** Chlorides in Ash of Bread—Gravimetric Method
- 40-31** Chlorides in Ash of Bread—Volumetric Method
- 40-33** Chlorides in Yeast Foods—Quantitative Method
- 40-35** Iodine
- 40-40** Iron—Qualitative Method
- 40-41A** Iron—Quantitative Method
- 40-45** Acid-Soluble Manganese
- 40-50** Phosphates
- 40-51** Monocalcium Phosphate and/or Sodium Acid Pyrophosphate
- 40-55** Phosphorus—Colorimetric, Acetate Ashing Method
- 40-56** Phosphorus—Colorimetric, Modified Fiske-Subbarow Method
- 40-57** Phosphorus—Gravimetric Method
- 40-58** Phosphorus—Volumetric Method
- 40-60** Added Salt
- 40-61** Salt, Calculated from Total Chlorides
- 40-66** Sulfates—Gravimetric Method
- 40-70** Elements by Atomic Absorption Spectrophotometry

42 Microorganisms

- 42-10** Bacteria—Sampling Procedure
- 42-11** Aerobic Plate Count
- 42-15** Coliform—*E. coli*
- 42-17** *Clostridium perfringens* Enumeration
- 42-20** Rope Spore Count
- 42-25A** *Salmonella* Bacteria
- 42-26** *Salmonella* Bacteria, Fluorescent Antibody Technique
- 42-30B** Coagulase Positive *Staphylococcus*
- 42-35** Fecal Streptococci
- 42-40** Thermophilic Spore Counts (Flat-Sour, Total Aerobic, Anaerobic)
- 42-45** Thermophilic and Psychrophilic Bacteria
- 42-50** Mold Yeast Counts
- 42-55** Ergot—Chloroform-Alcohol Method
- 42-56** Ergot—Ether-Bicarbonate Method
- 42-70** Smut—Microscopic Method
- 42-71** Smut—Sedimentation Method

44 Moisture

- 44-01** Calculation of Per Cent Moisture
- 44-10** Moisture—Electrical Methods
- 44-11** Moisture—Dielectric Meter Method (Grain)

- 44-15A** Moisture—Air-Oven Methods
- 44-16** Moisture—Air-Oven (Aluminum-Plate) Method
- 44-18** Moisture—Modified Two-Stage Air-Oven Method
- 44-19** Moisture—Air-Oven Method, Drying at 135°
- 44-20** Moisture—ASBC Air-Oven Method
- 44-30** Moisture and Volatile Matter in Fats and Shortenings
- 44-31** Moisture and Volatile Matter in Soy Flours
- 44-32** Moisture and Volatile Matter—Vacuum-Oven Method
- 44-40** Moisture—Modified Vacuum-Oven Method
- 44-50** Moisture—By Distillation with Toluene, for Feeds and Feedstuffs
- 44-51** Moisture—By Distillation with Toluene, for Fats and Shortenings
- 44-52** Moisture in Nonfat Dry Milk
- 44-53** Moisture—Distillation Method (Brown-Duvel)
- 44-60** Moisture—Drying on Quartz Sand

45 Mycotoxins

- 45-05** Aflatoxin in Corn and Soybeans—TLC Method
- 45-10** Aflatoxin—Screening Method for Feeds and Foods
- 45-14** Aflatoxin in Corn—Rapid Screening Method
- 45-20** Zearalenone in Corn—TLC Method
- 45-25** Identification of Aflatoxin on TLC Plates
- 45-30** Identification of Aflatoxin B₁ by Derivative Formation

46 Nitrogen

- 46-08** Crude Protein—Automated Kjel-Foss Method
- 46-09** Crude Protein—Automated Colorimetric Method
- 46-10** Crude Protein—Improved Kjeldahl Method
- 46-11** Crude Protein—Improved Kjeldahl Method for Nitrate-Free Samples
- 46-12** Crude Protein—Kjeldahl Method, Boric Acid Modification
- 46-13** Crude Protein—Micro-Kjeldahl Method
- 46-14A** Crude Protein—Udy Dye Method
- 46-15** Crude Protein—5-min. Biuret Method for Wheat and Other Grains
- 46-18** Table: Crude Protein, Calculated from Percentage of Total Nitrogen, in Feeds and Feedstuffs
- 46-19** Table: Crude Protein, Calculated from Percentage of Total Nitrogen, in Wheat and Flour
- 46-20** Undenatured Whey Protein Nitrogen
- 46-21** Serum Protein—Harland & Ashworth Method
- 46-22** Serum Protein—Rowland Method
- 46-23** Nitrogen Solubility Index (NSI)
- 46-24** Protein Dispersibility Index (PDI)
- 46-30** Amino Nitrogen—Linderstrøm-Lang Method
- 46-31** Amino Nitrogen—Modified Sorensen Method
- 46-32** Amino Nitrogen—Van Slyke Method
- 46-40** Added Lysine in Wheat and Bulgur
- 46-50** Urea and Ammoniacal Nitrogen

48 Oxidizing, Bleaching, and Maturing Agents

- 48-02** Oxidizing Agents: Reaction with Potassium Iodide
- 48-05** Acetone Peroxides in Milling Premixes

- 48-06A** Benzoyl Peroxide—Qualitative Method, with Diaminophenylamine
- 48-06B** Benzoyl Peroxide—Qualitative Method
- 48-07** Benzoyl Peroxide—Semiquantitative Method
- 48-30** Bleaching of Flour—Chlorine Dioxide-Acetic Anhydride Method
- 48-42** Potassium Bromate—Quantitative Method
- 48-62** Ammonium Persulfate—Quantitative Method
- 48-71A** Azodicarbonamide in Premix

50 Particle Size

- 50-10** Particle Size Distribution of Flour

52 Pentosans

- 52-10** Pentosans—Volumetric Bromine Method
- 52-11** Pentosans—Xylene Partition Method

54 Physical Dough Tests

- 54-10** Extensigraph Method, General
- 54-11** Extensigraph, Structural Relaxation Method
- 54-12** Extensigraph Method for Quality of Nonfat Dry Milk
- 54-20** Farinograph Method of Hoffman *et al.*
- 54-21** Farinograph Method, for Flour
- 54-28A** Farinograph Table: Weight of Flour and Water to Give 480 g. Dough (Large Bowl) or 80 g. Dough (Small Bowl) at Various Absorption Levels
- 54-29** Table: Approximate Corrections for Changing As-Is Farinograph Absorption to 14.0% Moisture Basis (Constant Dough Weight Method Only)
- 54-40** Mixograph Method

56 Physicochemical Tests

- 56-20** Hydration Capacity of Pregelatinized Cereal Products
- 56-50** Peishenke Test (Wheat-Meal Fermentation Time Test)
- 56-60** Sedimentation Test for Flour
- 56-61A** Sedimentation Test for Wheat
- 56-62** Modified Sedimentation Test for Wheat
- 56-63** Micro Sedimentation test for Wheat
- 56-80** Apparent Viscosity of Acidulated Flour-Water Suspensions
- 56-81B** Falling Number Determination

58 Special Properties of Fats, Oils, and Shortenings

- 58-10** Cloud Point
- 58-11** Cold Test
- 58-12** Color
- 58-13** Congeal Point
- 58-14** Consistency—Penetration Method
- 58-15** Free Fatty Acids
- 58-16** Peroxide Value
- 58-17** Preparation of Methyl Esters of Long-Chain Fatty Acids

- 58-18** Fatty Acid Composition by Gas Chromatography
- 58-20** Index of Refraction, with Abbé Refractometer
- 58-30** Iodine Number
- 58-35** Acetone-Insoluble Lecithin
- 58-40** Melting Point—Capillary Method
- 58-41** Melting Point—Wiley Method
- 58-45** Monoglycerides and Free Glycerol
- 58-50** Saponification Value
- 58-51** Slipping Point
- 58-53** Softening Point
- 58-54** Stability (AOM)
- 58-55** Stability—Oxygen-Bomb Method
- 58-82** Smoke, Flash, and Fire Points

- 60 Residues**
- 60-01** Fungicide Residues
- 60-10** Inorganic Bromide Residues
- 60-20** Hydrocyanic Acid Residues
- 60-30** Malathion Residues—Colorimetric Method
- 60-40** Methoxychlor Residues—Low-Blank Method
- 60-50A** Pesticide Residues—Soxhlet Extraction Procedure
- 60-60** Pesticide Residues—Blending Extraction Procedure

- 62 Preparation of Sample**
- 62-05** Preparation of Sample: Bread
- 62-15** Preparation of Sample: Dried Eggs
- 62-20** Preparation of Sample: Feeds and Feedstuffs
- 62-25** Preparation of Sample: Fruit and Fruit Products
- 62-30** Preparation of Sample: Leavening Agents
- 62-40** Preparation of Sample: Macaroni Products
- 62-50** Preparation of Sample: Malt
- 62-60** Preparation of Sample: Semolina
- 62-70** Preparation of Sample: Wheat
- 62-80** Preparation of Sample: Yeast Foods and Flour Improvers

- 64 Sampling**
- 64-40** Sampling of Fats and Shortenings
- 64-50** Sampling of Feeds and Feedstuffs
- 64-60** Sampling of Flour, Semolina, and Similar Products: Feeds and Feedstuffs in Sacks
- 64-70** Sampling of Wheat and Other Whole Grains
- 64-71** Mechanical Sampling of Dry, Free-Flowing, Granular Material

- 66 Semolina Quality**
- 66-42** Semolina Quality—Micro Scale

- 68 Solids**
- 68-60** Solids—Refractometer Method
- 68-61** Table: Indices of Refraction of Sucrose Solutions at 20°
- 68-62** Solids—Spindle Method

- 70 Solutions**
- 70-10** Preparation and Standardization of Barium Lactate Solution
 - 70-15** Preparation and Standardization of Buffer Solutions
 - 70-20** Preparation and Standardization of Hydrochloric Acid Solution
 - 70-25** Preparation of Indicator Solutions
 - 70-30** Preparation and Standardization of Lactic Acid Solution
 - 70-35** Preparation of Ammonium Molybdate Solution
 - 70-45** Preparation of Potassium Dichromate Solution
 - 70-50** Preparation and Standardization of Potassium Permanganate Solution
 - 70-55** Preparation of Potassium Thiocyanate Solution
 - 70-60** Preparation of Silver Nitrate Solution
 - 70-70** Preparation and Standardization of Sodium or Potassium Hydroxide Solution
 - 70-75** Preparation and Standardization of Sodium Thiosulfate Solution
 - 70-80** Preparation and Standardization of Sulfuric Acid Solution
- 71 Soybean Protein**
- 71-10** Determination of Trypsin Inhibitor Activity of Soy Products
- 72 Specific Volume**
- 72-10** Specific Volume
- 74 Staleness**
- 74-10** Staleness of Bread—Compression Test with Baker Compressimeter
 - 74-30** Staleness of Bread—Sensory Perception Test
- 76 Starch**
- 76-10** Starch—Diastase Method with Subsequent Acid Hydrolysis
 - 76-11** Starch—Glucoamylase Method with Subsequent Measurement of Glucose with Glucose Oxidase
 - 76-20** Starch—Polarimetric Method
 - 76-30A** Damaged Starch
- 78 Statistical Principles**
- 78-40** Definitions of Statistical Terms
 - 78-50** Table: Standard Deviations for Specific Methods
 - 78-60** Statistical Evaluation of Test Methods—Estimation of Variance in Analytical Tests
- 80 Sugars**
- 80-10** Glucose in Sugar Mixtures—Glucose Oxidase Method
 - 80-20** Table: Temperature Corrections for Refractometer Readings
 - 80-21** Table: Temperature Corrections for Saccharimeter Readings
 - 80-30** Lactose in Mixed Feeds
 - 80-31** Lactose and Nonfat Dry Milk in Bread
 - 80-50** Sucrose
 - 80-60** Reducing and Nonreducing Sugars
 - 80-68** Reducing Sugars—Schoorl Method
 - 80-69** Table: Schoorl's Reduction Table
 - 80-75** Table: Specific Gravity, Degrees Brix, and Degrees Baumé of Sugar Solutions

- 82 Tables**
82-20 Explanation of Use of Tables **82-21**, **82-22**, **82-23**, and **82-24**
82-21 Table: For Converting Absorption to 14.0% Moisture Basis
82-22 Correction of Analytical Values to 14.0% Moisture Basis
82-23 Correction for Weight of Flour to Give 100 Grams at 14.0% Moisture
82-24 Multiplication Factors for Correcting Weights to a 14% Moisture Basis

- 84 Test Weight**
84-10 Test Weight per Bushel

- 86 Vitamins**
86-01A Vitamin A—Ultraviolet Absorption Method
86-02 Vitamin A—Carr-Price Method
86-03 Vitamin A in Enriched Flour
86-05 Vitamin A and Carotene
86-10 Ascorbic Acid—Indophenol-Xylene Extraction Method
86-30 Vitamin B₆ Complex—Chemical Method
86-31 Vitamin B₆ Complex—Microbiological Method
86-40 Vitamin B₁₂—Microbiological Method
86-45 Choline
86-49 Niacin in Enrichment Concentrates
86-50 Niacin and Nicotinamide in Cereal Products
86-51 Niacin—Microbiological Method
86-52 Niacin and Niacinamide Automated Determination
86-60 Pantothenic Acid
86-70 Riboflavin—Fluorometric Method
86-72 Riboflavin—Microbiological Method
86-73 Riboflavin—Automated Determination
86-80 Thiamine—Thiochrome Method

- 88 Water Hydration Capacity**
88-04 Water Hydration Capacity of Protein Materials