

# CONTENTS

## Chapter One COMPOUNDS OF THE MAIN GROUP ELEMENTS AND THE LANTHANIDES

1. Potassium Tetradeca hydrononaborate(1- ).....	1
2. Bromotrimethylsilane .....	4
3. Trimethylphosphine .....	7
4. Phosphorus Trifluoride .....	12
5. ( $\eta^5$ -Cyclopentadienyl)lanthanide Complexes from the Metallic Elements .....	17
A. Tris( $\eta^5$ -cyclopentadienyl)(tetrahydrofuran)neodymium(III)	20
B. Tris( $\eta^5$ -cyclopentadienyl)(tetrahydrofuran)samarium(II)...	21
C. Bis( $\eta^5$ -cyclopentadienyl)(1,2-dimethoxyethane)-ytterbium(II) .....	22

## Chapter Two MONONUCLEAR TRANSITION METAL CONIPLEXES Part I

6. Ammonium [(1 <i>R</i> )-( <i>endo, anti</i> )]-3-bromo-1,7-dimethyl-2-oxobicyclo[2.2.1]heptane-7-methanesulfonate, and Synthesis and Resolution of <i>cis</i> -Dichlorobis(1,2-ethanediamine)-chromium(III) Chloride.....	24
A. Ammonium [(1 <i>R</i> )-( <i>endo, anti</i> )]-3-bromo-1,7-dimethyl-2-oxobicyclo[2.2.1]heptane-7-methanesulfonate [ammonium (+) <sub>589</sub> - $\alpha$ -bromocamphor- $\pi$ -sulfonate].....	25
B. <i>cis</i> -Dichlorobis(1,2-ethanediamine)chromium(III) Chloride Monohydrate .....	27
C. (+) <sub>589</sub> - $\Lambda$ - <i>cis</i> -Dichlorobis(1,2-ethanediamine)-chromium(III) Chloride Monohydrate.....	28
7. Organometallic Complexes of Isomeric Acyl Isocyanides Chromium Carbonyl (Acyl Isocyanide) and (Acyl Cyanide) Complexes .....	31

A.	(Benzoyl isocyanide)dicarbonyl( $\eta^6$ -methylbenzoate)chromium(0) .....	32
B.	(Benzoyl isocyanide)pentacarbonylchromium(0) .....	34
C.	(Benzoyl cyanide)pentacarbonylchromium(0) .....	35
8.	Diammonium pentachlorooxomolybdate(V) .....	36
9.	Carbyne Complexes of Tungsten.....	40
A.	Pentacarbonyl[(diethylamino)methylidyne]tungsten Tetrafluoroborate.....	40
B.	<i>trans</i> -Tetracarbonyl[(diethylamino)methylidyne]- (isocyanato)tungsten.....	42
10.	(2,2-Dimethylpropylidyne)tungsten(VI) Complexes and Precursors for Their Syntheses.....	44
A.	Methoxytrimethylsilane .....	44
B.	Trichlorotrimethoxytungsten .....	45
C.	(2,2-Dimethylpropyl)magnesium Chloride.....	46
D.	Tris(2,2-dimethylpropyl)(2,2-dimethylpropylidyne)tungsten(VI) .....	47
E.	Trichloro(1,2-dimethoxyethane)(2,2-dimethylpropylidyne)tungsten(VI).....	50
11.	Zerovalent Iron Isocyanide Complexes.....	52
A.	Tetracarbonyl(2-isocyano-1,3-dimethylbenzene)iron(0) .....	52
B.	Tricarbonylbis(2-isocyano-1,3-dimethylbenzene)iron(0) .....	54
C.	Dicarbonyltris(2-isocyano-1,3-dimethylbenzene)iron(0).....	56
D.	Carbonyltetrakis(2-isocyano-1,3-dimethylbenzene)iron(O) ..	57
E.	Pentakis(2-isocyano-1,3-dimethylbenzene)iron(0) .....	57
12.	Tetracarbonyliron(0) Complexes Containing Group V Donor Ligands .....	59
A.	Tetracarbonyl(triphenylphosphine)iron(0).....	61
B.	Other Tetracarbonyl(Group V Donor Ligand) Iron(0) Complexes .....	61
13.	<i>cis</i> -Tetraamminedihaloruthenium(III) Halide Complexes....	65
A.	<i>cis</i> -Tetraamminedichlororuthenium(III) Chloride .....	66
B.	<i>cis</i> -Tetraamminedibromoruthenium(III) Bromide.....	67
14.	( $\eta^4$ -1,5-Cyclooctadiene)ruthenium(II) Complexes .....	68
A.	Di- $\mu$ -chloro( $\eta^4$ -1,5-cyclooctadiene)ruthenium(II).....	69

B.	Bis(acetonitrile)dichloro( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II).....	69
C.	Bis(benzonitrile)dichloro( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II).....	70
D.	Bis(acetonitrile)dibromo( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II).....	70
E.	Bis(benzonitrile)dibromo( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II).....	71
F.	Tris(acetonitrile)chloro( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II) Hexafluorophosphate(1-) ...	71
G.	Tris(acetonitrile)bromo( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II) Hexafluorophosphate(1-) ...	72
H.	Tetrakis(acetonitrile)( $\eta^4$ -1, 5-cyclooctadiene)ruthenium(II) bis[hexafluorophosphate(1-)] .....	72
I.	( $\eta^4$ -1, 5-Cyclooctadiene)tetrakis(hydrazine)ruthenium(II) bis[tetraphenylborate(1-)].....	73
J.	( $\eta^4$ -1, 5-Cyclooctadiene)tetrakis(methylhydrazine)ruthenium(II)bis[hexafluorophosphate(1-)] .....	74
K.	( $\eta^4$ -1, 5-Cyclooctadiene)tetrakis(methylhydrazine)ruthenium(II)bis[tetraphenylborate(1-)] .....	74
15.	Pentacarbonylhydridorhenium .....	77
16.	Organometallic Fluoro Complexes .....	81
A.	Tetrakis[tricarbonylfluororhenium(I)]tetrahydrate.....	82
B.	(2, 2'-Bipyridine)tricarbonylfluororhenium(I).....	82
C.	(2, 2'-Bipyridine)tricarbonyl(phosphorodifluoridato)rhenium(I).....	83
D.	Dicarbonylbis[1, 2-ethanediylbis(diphenylphosphine)]fluromolybdenum(II) hexafluorophosphate(1-) .....	84
17.	(Tetrahydrothiophene)gold(I) or Gold(III) Complexes.....	85
A.	Chloro(tetrahydrothiophene)gold(I) .....	86
B.	(Pentafluorophenyl)(tetrahydrothiophene)gold(I).....	86
C.	Tris(pentafluorophenyl)(tetrahydrothiophene)gold(III).....	87
D.	Benzyltriphenylphosphonium Chloro(pentafluorophenyl)aurate(I).....	88
E.	Bis[1, 2-phenylenebis(dimethylarsine)]gold(I) bis(pentafluorophenyl)aurate(I) .....	89
F.	(Pentafluorophenyl)- $\mu$ -thiocyanato(triphenylphosphene)digold(I).....	90

## Chapter Three MONONUCLEAR TRANSITION METAL COMPLEXES Part II. COMPLEXES WITH WEAKLY BONDED ANIONS

Preface W. Beck.....	92
<b>18. Carbonyl(<math>\eta^5</math>-cyclopentadienyl)(tetrafluoroborato)molybdenum and -tungsten Complexes.....</b>	<b>96</b>
A. Tricarbonyl( $\eta^5$ -cyclopentadienyl)(tetrafluoroborato)molybdenum and -tungsten .....	96
B. Dicarbonyl( $\eta^5$ -cyclopentadienyl)(tetrafluoroborato)(triphenylphosphine)-molybdenum and -tungsten, $MCP(CO)_2(PPh_3)(FBF_3)$ ( $M = Mo, W$ ).....	98
C. Tricarbonyl( $\eta^5$ -cyclopentadienyl)( $\eta^2$ -ethene)molybdenum-(I + )tetrafluoroborate(1 - ).....	102
D. Carbonyl( $\eta^5$ -cyclopentadienyl)bis(diphenylacetylene)molybdenum(1 + ) tetrafluoroborate(1 - ) .....	102
E. Carbonyl( $\eta^5$ -cyclopentadienyl)(diphenylacetylene) (triphenylphosphine)molybdenum(1 + )tetrafluoroborate-(1 - ) .....	104
F. (Acetone)(tricarbonyl)( $\eta^5$ -cyclopentadienyl)molybdenum(1 + ) and -tungsten(1 + )tetrafluoroborate(1 - ).....	105
<b>19. Pentacarbonyl(tetrafluoroborato)rhenium and -manganese and Reactions Thereof.....</b>	<b>106</b>
A. Pentacarbonylmethylrhenium .....	107
B. Pentacarbonyl(tetrafluoroborato)rhenium(I).....	108
C. Pentacarbonyl( $\eta^2$ -ethene)rhenium(1 + )tetrafluoroborate(1 - ) .....	110
D. Di- $\mu_3$ -(carbon dioxide)octadecacarbonyltetrarhenium .....	111
<b>20. Manganese(I) and Rhenium(I) Pentacarbonyl(trifluoromethane-sulfonato) Complexes .....</b>	<b>113</b>
A. Pentacarbonyl(trifluoromethanesulfonato)manganese(I), $Mn(CO)_5(O_3SCF_3)$ .....	114
B. Pentacarbonyl(trifluoromethanesulfonato)rhenium(I), $Re(CO)_5(O_3SCF_3)$ .....	115
<b>21. Iridium(III) Complexes with the Weakly Bonded Anions <math>[BF_4]^-</math>, and <math>[OSO_2CF_3]^-</math> .....</b>	<b>117</b>

A.	Carbonylchlorohydrido(tetrafluoroborato)bis-(triphenylphosphine)iridium(III) .....	117
B.	Carbonylchloromethyl(tetrafluoroborato)bis-(triphenylphosphine)iridium(III) .....	118
C.	Chloro(dinitrogen)hydrido(tetrafluoroborato)bis-(triphenylphosphine)iridium(III) .....	119
D.	Carbonylhydridobis(trifluoromethanesulfonato)bis-(triphenylphosphine)iridium(III) .....	120
22.	Dihydridobis(solvent)bis(triphenylphosphine)iridium(III) Tetrafluoroborates .....	122
A.	( $q^4$ -1,5-Cyclooctadiene)bis(triphenylphosphine)iridium(I) Tetrafluoroborate(1-) .....	122
B.	Bis(acetone)dihydridobis(triphenylphosphine)iridium(III) Tetrafluoroborate(1-) .....	123
C.	Diaquadihydridobis(triphenylphosphine)iridium(III) Tetrafluoroborate(1-) .....	124
D.	(1,2-Diiodobenzene)dihydridobis(triphenylphosphine)- iridium(III) Tetrafluoroborate(1-) .....	125
23.	<i>cis</i> -Chlorobis(triethylphosphine)- (trifluoromethanesulfonato)platinum(II).....	126
24.	Acetonitrile Complexes of Selected Transition Metal Cations... .	128
A.	Tetrakis(acetonitrile)palladium(II) bis(tetrafluoroborate)- (1-) .....	128
B.	<i>cis</i> -Tetrakis(acetonitrile)dinitrosylmolybdenum(II) bis(tetrafluoroborate)(1-).....	132
C.	<i>cis</i> -Tetrakis(acetonitrile)dinitrosytungsten(II) bis(tetrafluoroborate)(1-).....	133
25.	The Formation of the Hydrido(methanol)bis(triethyl- phosphine)platinum(II) Cation and Its Reactions with Unsaturated Hydrocarbons.....	134
A.	<i>trans</i> -Hydrido(methanol)bis(triethylphosphine)platinum(II) bis(trifluoromethanesulfonate)(1-) .....	135
B.	$\mu$ -Hydrido-hydridophenyltetrakis(triethylphosphine)di- platinum(II) tetraphenylborate(1-) .....	136
C.	<i>cis</i> (3-Methoxy-3-oxo- $\kappa O$ -propyl- $\kappa C^1$ )bis(triethylphos- phine)platinum(II) tetraphenylborate(1-) .....	138
D.	( $q^3$ -Cyclooctenyl)bis(triethylphosphine)platinum(I) tetra- phenylborate(1-) .....	139

E. <i>trans</i> -Chloro( <i>cis</i> -1, 2-diphenylethenyl)bis(triethylphosphine)platinum(II).....	140
<b>Chapter Four MONONUCLEAR TRANSITION METAL COMPLEXES Part III. METALLOCYCLIC COMPLEXES</b>	
Preface E. Lindner .....	142
26. Main Group Metal (Li or Mg) <i>o</i> -Phenylenedimethyl[ <i>o</i> -C <sub>6</sub> H <sub>4</sub> (CH <sub>2</sub> ) <sub>2</sub> or <i>o</i> -C <sub>6</sub> H <sub>4</sub> {CH(SiMe <sub>3</sub> ) <sub>2</sub> } Transfer Reagents .....	144
A. The di-Grignard Reagent of <i>o</i> -bis(Chloromethyl)-benzene, 1 .....	146
B. <i>o</i> -Bis[(trimethylsilyl)methyl]benzene .....	148
C. $\mu$ -[( $\alpha$ , $\alpha'$ , 1, 2-h: $\alpha$ , $\alpha'$ , 1, 2-h)- <i>O</i> -bis-[trimethylsilyl)methyl]-benzene]bis( <i>N</i> , <i>N</i> '-tetramethyl-1, 2-ethanediamine)-dilithium.....	148
27. Cyclometallated Organolithium Compounds .....	150
A. [2-[(Dimethylamino)methyl]phenyl]lithium.....	152
B. [2-[(Dimethylamino)methyl]-5-methylphenyl]lithium .....	152
C. [2-[(Dimethylamino)phenyl]-methyl]lithium .....	153
D. (Diethyl ether)[8-[(dimethylamino)-1-naphthyl]lithium....	154
28. Metallation of Aromatic Ketones with Pentacarbonylmethylmanganese(I).....	155
A. Pentacarbonylmethylmanganese(I) and (2-Acetylphenyl-C, <i>O</i> )tetracarbonylmanganese .....	156
B. Octacarbonyl-1- $\kappa^4$ C, 2 $\kappa^4$ C- $\mu$ -[carbonyl-1 $\kappa$ C:2 $\kappa$ [ <i>O</i> -(3-diphenylphosphino-1 $\kappa$ P)- <i>o</i> -phenylene-2 $\kappa$ C <sup>1</sup> ]-dimanganese, 5.....	158
29. Cyclo-Cotrimorization of Phosphinothioyls with Alkynes. Phosphinothioyl-containing Manganese Analogs of Cyclopentadiene and Bicycloheptadienes .....	161
A. Dimethylphosphine sulfide.....	162
B. Octacarbonylbis- $\mu$ -(dimethylphosphinothioyl- <i>P</i> : <i>S</i> )-dimanganese .....	162
C. Tetracarbonyl[2-(dimethylphosphinothioyl)-1, 2-bis-(methoxycarbonyl)ethenyl- <i>C'</i> : <i>S</i> )manganese .....	163
D. Tricarbonyl[ $\eta^4$ -3, 6-dihydro-3, 4, 5, 6-tetrakis(methoxycarbonyl)-2, 2-dimethyl-2 <i>H</i> -1, 2-thiaphosphorin-2-ium-3, 6-diyl]manganese.....	165

E.	Tetramethyl thiophenetetracarboxylate .....	166
F.	Tricarbonyl[q <sup>4</sup> -2, 5-dihydro-2, 3, 4, 5-tetrakis(methoxycarbonyl)-1, 1-dimethyl-2H-phosphol-1-ium-2, 5-diyl]manganese .....	167
30.	Tetracarbonyl{[2-(diphenylphosphino)phenyl]-hydroxymethyl-C, P}manganese .....	169
31.	Cyclometallation Reactions.....	171
A.	Benzylpentacarbonylmanganese .....	172
B.	Tetracarbonyl[2-(phenylazo)phenyl-C <sup>1</sup> , N <sup>2</sup> ]manganese and $\mu$ -(azodi-1, 2-phenylene-C <sup>1</sup> , N <sup>2</sup> :C <sup>1</sup> , N <sup>1</sup> )-octacarbonyldimanganese .....	173
C.	Bis[ $\mu$ -chloro-[2-(phenylazo)phenyl-C <sup>1</sup> , N <sup>2</sup> ]palladium]. ....	175
D.	Tricarbonyl[2-(phenylazo)phenyl]-C <sup>1</sup> , N <sup>2</sup> ]cobalt.. ....	176
E.	cis-Bis(benzo[h]quinolin-10-yl-C <sup>10</sup> , N <sup>1</sup> )dicarbonylruthenium(II). ....	177
F.	( $\eta$ <sup>5</sup> -Cyclopentadienyl)[2-[diphenoxypyrophosphino)-oxy]phenyl-C, P]triphenylphosphite-P)ruthenium(II) .....	178
32.	( $\eta$ <sup>6</sup> -Hexamethylbenzene)ruthenium Complexes Containing Hydride and <i>ortho</i> -Metallated Triphenylphosphine.....	180
A.	Chloro( $\eta$ <sup>6</sup> -hexamethylbenzene)(hydrido)(triphenylphosphine)ruthenium(II) .....	181
B.	[6-Diphenylphosphino)phenyl-C <sup>1</sup> , P]( $\eta$ <sup>6</sup> -hexamethylbenzene)(hydrido)ruthenium(II).....	182
33.	An Osmium Containing Benzene Analog, $\text{Os}(\text{CSCHCHCHCH})(\text{CO})(\text{PPh}_3)_2$ , Carbonyl (5-thioxo-1, 3-pentadiene-1, 5-diyl-C <sup>1</sup> , C <sup>5</sup> , S)bis(triphenylphosphine)osmium and Its Precursors.....	184
A.	Dichlorotris(triphenylphosphine)osmium(II).....	184
B.	Dichloro(thiocarbonyl)tris(triphenylphosphine)osmium(II) ..	185
C.	Dihydrido(thiocarbonyl)tris(triphenylphosphine)-osmium(II) .....	186
D.	Carbonyl(thiocarbonyl)tris(triphenylphosphine)osmium(0)..	187
E.	Carbonyl(5-thioxo-1, 3-pentadiene-1, 5-diyl-C <sup>1</sup> , C <sup>5</sup> , S)-bis(triphenylphosphine)osmium, $\text{Os}(\text{CSCHCHCHCH})(\text{CO})(\text{PPh}_3)_2$ .....	188
34.	(1, 3-butadiene-1, 4-diyl)( $\eta$ <sup>5</sup> -Cyclopentadienyl)-(triphenylphosphine)cobalt with Various Substituents.....	189
A.	Chlorotris(triphenylphosphine)cobalt .....	190

B. ( $\eta^5$ -Cyclopentadienyl)bis(triphenylphosphine)cobalt.....	191
C. ( $\eta^5$ -Cyclopentadienyl)[1, 1'-( $\eta^2$ -1, 2-ethynediyl)dibenzene]- (triphenylphosphine)cobalt and ( $\eta^5$ -cyclopentadienyl)- (methyl-3-phenyl- $\eta^2$ -2-propynoate)(triphenylphosphine)- cobalt.....	192
D. ( $\eta^5$ -Cyclopentadienyl)(2, 3-dimethyl-1, 4-diphenyl-1, 3- butadiene-1, 4-diyl)(triphenylphosphine)cobalt.....	195
E. [1, 4-Bis(methoxycarbonyl)-2methyl-3-phenyl-1, 3- butadiene-1, 4-diyl]( $\eta^5$ -cyclopentadienyl)(triphenyl- phosphine)cobalt and [1, 3-bis(methoxycarbonyl)-2- methyl-4-phenyl-1, 3-butadiene-1, 4-diyl]( $\eta^5$ - cyclopentadienyl)-(triphenylphosphine)- cobalt.....	197
35. An Iridium(III) Complex Containing Cyclometallated Tri- phenylphosphine Formed by Isomerization of an Iridium(I) Triphenylphosphine Complex .....	200
A. Chlorotris(triphenylphosphine)iridium(I).....	201
B. ( <i>OC-6-53</i> )Chloro[(2-diphenylphosphino)phenyl- $C^1$ , PI- hydridobis(triphenylphosphine)iridium(III) .....	202
36. Nickel-Containing Cyclic Amide Complexes.....	204
A. [2-Methylpropanamidato(2-)- $C^3$ , <i>N</i> ](tricyclohexyl- phosphine)nickel(II), (tcyp) $\text{NiCH}_2\text{CH}(\text{CH}_3)\text{CONH}$ .....	205
B. [Butanamidato(2-) $C^4$ , <i>N</i> ]- (tricyclohexylphosphine)nickel(II), $\text{NiCH}_2\text{CH}_2\text{CH}_2\text{CONH}$ (tcyp).....	206
37. Six-Membered Cyclopalladated Complexes of 2-Benzylpyridine.	208
A. Bis( $\mu$ -acetato)bis[2-(2-pyridinylmethyl)phenyl- $C^1$ , <i>N</i> ]- dipalladium(II).....	208
B. Di- $\mu$ -chloro-bis[2-(2-pyridinylmethyl)phenyl- $C^1$ , <i>N</i> ]- dipalladium(II).....	209
C. Chloro(3, 5-dimethylpyridine)[2-(2-pyridinylmethyl)- phenyl- $C^1$ , <i>N</i> ] palladium(II) .....	210
38. Cyclopalladated Compounds.....	211
A. Di- $\mu$ -chloro-bis[2-[(dimethylamino)methyl]- phenyl- <i>C</i> , <i>N</i> ]dipalladium(II).....	212
B. Di- <i>p</i> -chloro-bis(8-quinolylmethyl- <i>C</i> , <i>N</i> )- dipalladium(II).....	213

## Chapter Five POLYNUCLEAR TRANSITION METAL COMPLEXES

Preface J. R. Shapley .....	215
<b>39. Ditungsten Tetracarboxylates .....</b>	<b>219</b>
A. Tungsten Tetrachloride $[WCl_4]_x$ .....	221
B. Tetrakis(trifluoroacetato)ditungsten(II). $W_2(O_2CCF_3)_4(W^{\frac{4}{-}}W)$ .....	222
C. Tetrakis(2, 2-dimethylpropanoato)ditungsten(II). $W_2(O_2C-t\text{-}Bu)_4(W^{\frac{4}{-}}W)$ .....	223
D. Tetrakis(acetato)ditungsten(II). $W_2(O_2CCH_3)_4(W^{\frac{4}{-}}W)$ .....	224
<b>40. Diphenylphosphino-Bridged Dimanganese Complexes.....</b>	<b>225</b>
A. ( $\mu$ -Diphenylphosphino)- $\mu$ -hydrido-bis(tetracarbonyl-manganese)(Mn—Mn).....	226
B. $\mu$ -Nitrido-bis(triphenylphosphorus)(1+)( $\mu$ -diphenyl-phosphino)bis(tetracarbonylmanganate)(Mn—Mn)(1—) ...	228
C. Heterometallic Trinuclear Clusters	
1. Octacarbonyl- $1\kappa^4C, 2\kappa^4C(\mu$ -diphenylphosphino- $1:2\kappa P$ )-(triphenylphosphine- $3\kappa P$ )-triangulo-dimanganesegold .....	229
2. ( $\mu$ -Chloromercurio)( $\mu$ -diphenylphosphino)-bis(tetracarbonylmanganese)(Mn—Mn).....	230
<b>41. Preparation of Some Bimetallic <math>\mu</math>-(<math>\eta^1</math>-C, O) Acetyl Complexes ..</b>	<b>231</b>
A. Dicarbonyl( $q^5$ -cyclopentadienyl)(tetrahydrofuran)iron Hexafluorophosphate.....	232
B. ( $p$ -Acetyl-C:O)-Bis(dicarbonyl- $q^5$ -cyclopentadienyliron)-(1+) Hexafluorophosphate(1—).....	235
C. ( $\mu$ -Acetyl- $2\kappa C^1:1\kappa O$ -tricarbonyl- $1\kappa^2C, 2\kappa C$ -bis[ $1:2(\eta^5$ -cyclopentadienyl)] (triphenylphosphine- $2\kappa P$ )diiiron(1+) Hexafluorophosphate(1—).....	237
D. ( $\mu$ -Acetyl- $2\kappa C^1:1\kappa O$ )-pentacarbonyl- $\kappa^3C, 2\kappa^2C$ -bis[ $1:2(\eta^5$ -cyclopentadienyl)]molybdenumiron(1+) Hexafluorophosphate(1—).....	239
E. ( $\mu$ -Acetyl- $2\kappa C^1:1\kappa O$ )-tetracarbonyl- $1\kappa^3C, 2\kappa^2C$ -bis[ $1:2(\eta^5$ -cyclopentadienyl)](triphenyl- $(\eta^5$ -cyclopentadienyl)phosphine- $1\kappa P$ )-molybdenumiron(1+) Hexafluorophosphate(1—).....	241
<b>42. Trinuclear Metal Complexes .....</b>	<b>243</b>
A. Nonacarbonyl dihydrido- $\mu_3$ -thio-triiron .....	244
B. Nonacarbonyl- $\mu_3$ -thio-dicobaltiron .....	245

43. Bis[ $\mu$ -nitrido-bis(triphenylphosphorus)(1+)] $[\mu_4$ -carbido-dodecacarbonyltetraferrate(2-)] .....	246
44. Dinuclear Ruthenium(II) Carboxylate Complexes .....	249
A. Di- $\mu$ -chloro( $\eta^4$ -bicyclo[2.2.1]hepta-2,5-diene)ruthenium(II) Polymer .....	250
B. ( $\eta^4$ -Bicyclo[2.2.1]hepta-2,5-diene)bis( $\eta^3$ -2-propenyl)-ruthenium(II).....	251
C. Di- $\mu$ -chloro-( $\eta^4$ -cycloocta-1,5-diene)ruthenium(II) Polymer .....	253
D. ( $\eta^4$ -Cycloocta-1,5-diene)bis( $\eta^3$ -2-propenyl)ruthenium(II)....	254
E. p-Aqua-bis-(p-trifluoroacetato)-bis[q $^4$ -cycloocta-1,5-diene](trifluoroacetato)ruthenium(II) ] .....	254
F. p-Aqua-bis-(p-chloroacetato)-bis[(chloroacetato)(q $^4$ -cycloocta-1,5-diene)ruthenium(II)].....	256
G. p-Aqua-bis-(p-trichloroacetato)-bis[(q $^4$ -bicyclo[2.2.1]-hepta-2,5-diene)(trichloroacetato)ruthenium(II)] .....	256
45. Polynuclear Ruthenium Complexes.....	259
A. Dodecacarbonyltriruthenium, Ru <sub>3</sub> (CO) <sub>12</sub> .....	259
B. Dodecacarbonyltetra-p-hydrido-tetraruthenium, Ru <sub>4</sub> ( $\mu$ -H) <sub>4</sub> (CO) <sub>12</sub> .....	262
46. A Phosphino Bridged Ruthenium Cluster: Nonacarbonyl- $\mu$ -hydrido-( $\mu$ -diphenylphosphino)triruthenium(0) .....	264
47. [ $\mu$ -Nitrido-bis(triphenylphosphorus)(1+)] [deca-carbonyl-1 $\kappa^3$ C, 2 $\kappa^3$ C, 3 $\kappa^4$ C- $\mu$ -hydrido-1:2 $\kappa^2$ H-bis-(triethylsilyl)-1 $\kappa$ Si, 1 $\kappa$ Si)triangulo-triruthenate(1-)] .....	269
48. Tri- and Tetranuclear Carbonyl-Ruthenium Cluster Complexes Containing Isocyanide, Tertiary Phosphine, and Phosphate Ligands. Radical Ion-Initiated Substitution of Metal Cluster Carbonyl Complexes Under Mild Conditions.....	271
A. Sodium Benzophenone Ketyl Solution.....	273
B. Undecacarbonyl(dimethylphenylphosphine)triruthenium, Ru <sub>3</sub> (CO) <sub>11</sub> (PMe <sub>2</sub> Ph) .....	273
C. Decacarbonyl(dimethylphenylphosphine)(2-isocyano-2-methylpropane)triruthenium, Ru <sub>3</sub> (CO) <sub>10</sub> (CN- <i>t</i> -Bu)-(PMe <sub>2</sub> Ph) .....	275
D. Decacarbonyl[methylenebis(diphenylphosphine)]-triruthenium, Ru <sub>3</sub> (CO) <sub>10</sub> [ (Ph <sub>2</sub> P) <sub>2</sub> CH <sub>2</sub> ] .....	276

E.	[ $\mu$ -Ethynediylbis(diphenylphosphine)]bis[undeca-carbonyltriruthenium], $\{(\text{Ru}_3(\text{CO})_{11})_2[\mu\text{-C}_2(\text{PPh}_2)_2]\}$ .....	277
F.	Undecacarbonyltetrahydrido[tris(4-methylphenyl) phosphite]tetraruthenium, $\text{Ru}_4\text{H}_4(\text{CO})_1[\text{P}(\text{OC}_6\text{H}_4\text{Me}-p)_3]$ .....	277
G.	Decacarbonyl(dimethylphenylphosphine)tetrahydrido[tris(4-methylphenyl) phosphite]tetraruthenium, $\text{Ru}_4\text{H}_4(\text{CO})_{10}(\text{PMe}_2\text{Ph})[\text{P}(\text{OC}_6\text{H}_4\text{Me}-p)_3]$ .....	278
49.	Carbido-carbonyl Ruthenium Cluster Complexes .....	280
A.	$\mu_6$ -Carbido-heptadecacarbonylhexaruthenium.....	281
B.	$\mu_5$ -Carbido-pentadecacarbonylpentaruthenium.....	283
C.	Disodium or Bis[ $\mu$ -nitrido-bis-(triphenylphosphorus)(1+)] Salts of [ $\mu_5$ -Carbidotradecacarbonylpentaruthenate(2-)] .....	284
50.	Nitrido-Ruthenium Cluster Complexes.....	286
A.	$\mu$ -Nitrido-bis(triphenylphosphorus)(1+)azide, $\text{PPN}[\text{N}_3]$ ..	286
B.	$\mu$ -Nitrido-bis(triphenylphosphorus)(1+)hexadeca-carbonylnitridohexaruthenate(1-), [PPN] $[\text{Ru}_6\text{N}(\text{CO})_{16}]$ ..	287
C.	$\mu$ -Nitrido-bis(triphenylphosphorus)(1+)tetraadeca-carbonylnitridopentaruthenate(1-), [PPN] $[\text{Ru}_5\text{N}(\text{CO})_{14}]$	288
51.	Some Useful Derivatives of Dodecacarbonyltriosmium .....	289
A.	(Acetonitrile)undecacarbonyltriosmium .....	290
B.	Undecacarbonyl(pyridine)triosmium .....	291
C.	Bis(acetonitrile)decacarbonyltriosmium .....	292
52.	Dodecacarbonyltetra-p-hydrido-tetrahedro-tetraosmium.....	293
53.	High Nuclearity Carbonyl Cluster Complexes of Osmium.....	295
A.	Octadecacarbonylhexaosmium .....	295
B.	Bis[ $\mu$ -nitrido-bis(triphenylphosphorus)(1+)] pentadeca-carbonylpentaosmate(2-). ....	299
C.	Bis[ $\mu$ -nitrido-bis(triphenylphosphorus)(1+)] octadeca-carbonylhexaosmate(2-). ....	300
D.	Octadecacarbonyldihydridohexaosmium.....	301
54.	Thioosmium Clusters .....	303
A.	( $\mu$ -Benzenthiolato)decacarbonyl- $\mu$ -hydrido-triosmium, 1 ..	304
B.	$\mu_3$ -Carbonyl-nonacarbonyl- $\mu_3$ -thio-triosmium, 2 .....	305
C.	Nonacarbonyldi- $\mu_3$ -thio-triosmium, 3 .....	306
D.	Tridecacarbonyldi- $\mu_3$ -thio-tetraosmium, 4 .....	307
E.	Dodecacarbonyldi- $\mu_3$ -thio-tetraosmium, 5 .....	307

F. Analogous Selenido Clusters.....	308
55. Tris( $\eta^5$ -cyclopentadienyl)bis( $\mu_3$ -phenyl-methylidyne)-tricobalt.....	309
56. Bis(tetramethylammonium) Hexa- $\mu$ -carbonyl-hexacarbonylhexanickelate(2-), [N(CH <sub>3</sub> ) <sub>4</sub> ] <sub>2</sub> [Ni <sub>6</sub> (CO) <sub>6</sub> ( $\mu$ -CO) <sub>6</sub> ].....	312
57. Bis(tetrabutylammonium) Hexa- $\mu$ -carbonyl-hexa-carbonylhexaplatinate(2-), [N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> ] <sub>2</sub> [Pt <sub>6</sub> (CO) <sub>6</sub> ( $\mu$ -CO) <sub>6</sub> ] ..	316
58. Preparation of the Carbonyl Platinum Anions, [Pt <sub>3</sub> (CO) <sub>6</sub> ] <sub>n</sub> <sup>2-</sup> (n = 3-5).....	319
A. Bis(tetraethylammonium) Pentakis[tri- $\mu$ -carbonyl-tricarbonyltriplatinate](2-), [N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> ] <sub>2</sub> [Pt <sub>3</sub> (CO) <sub>6</sub> ] <sub>5</sub> ....	320
B. Bis(tetraethylammonium) Tetrakis[tri- $\mu$ -carbonyl-tri-carbonyltriplatinate](2-), [N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> ] <sub>2</sub> [Pt <sub>3</sub> (CO) <sub>6</sub> ] <sub>4</sub> .....	321
C. Bis(tetraethylammonium) Tris[tri- $\mu$ -carbonyl-tricarbonyl-triplatinate] (2-), [N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> ] <sub>2</sub> [Pt <sub>3</sub> (CO) <sub>6</sub> ] <sub>3</sub> .....	322
59. Synthesis of Gold-Containing Mixed-Metal Cluster Complexes.	324
A. Chloro(triphenylphosphine)gold, AuCl(PPh <sub>3</sub> ) .....	325
B. $\mu_3$ -Oxo-[tris(triphenylphosphinegold)](1+)tetra-fluoroborate(1-), [O{Au(PPh <sub>3</sub> )},][BF <sub>4</sub> ] .....	326
C. Dodecacarbonyltris(triphenylphosphine)cobaltrigoldtriruthenium, Au <sub>3</sub> CoRu <sub>3</sub> (CO) <sub>12</sub> (PPh <sub>3</sub> ) <sub>3</sub> .....	327
60. Mercury-Bridged Transition Metal Cluster Derivatives and Their Precursor.....	328
A. Nonacarbonyl- $\mu_3$ -( $\kappa:\eta^2:\eta^2$ -3, 3-dimethyl-1-butynyl)- $\mu$ -hydrido- <i>triangulo</i> -triruthenium.....	329
B. 1. Nonacarbonyl- $\mu_3$ -( $\kappa:\eta^2:\eta^2$ -3, 3-dimethyl-1-butynyl)- $\mu$ -iodomercurio- <i>triangulo</i> -triruthenium .....	330
2. $\mu$ -(Bromomercurio)-nonacarbonyl- $\mu_3$ -( $\kappa:\eta^2:\eta^2$ -3, 3-dimethyl-1-butynyl)- <i>triangulo</i> -triruthenium.....	331
C. $\mu_4$ -Mercurio-bis-[Nonacarbonyl- $\mu_3$ -( $\kappa:\eta^2:\eta^2$ -3, 3-dimethyl-1-butynyl)- <i>triangulo</i> -triruthenium].....	333
D. Nonacarbonyl- $\mu_3$ -( $\kappa:\eta^2:\eta^2$ -3, 3-dimethyl-1-butynyl)- $\mu$ -{[tricarbonyl( $\eta^5$ -cyclopentadienyl)molybdio]-mercurio}- <i>triangulo</i> -triruthenium.....	333
61. Heterobinuclear Nonacarbonyl Complexes and Hydride Complexes of Iron-Chromium, Iron-~Molybdenum and Iron-Tungsten.....	335

A.	$\mu$ -Nitrido-bis(triphenylphosphorus)(1+)tetra-carbonyl hydridoferrate(1-)	336
B.	$\mu$ -Nitrido-bis(triphenylphosphorus)(1+)-nonacarbonylhydridoferrate tungstate(1-)	336
C.	Bis[ $\mu$ -nitrido-bis(triphenylphosphorus)(1+)] nonacarbonylchromateferrate(1-)	339
62.	Cyclopentadienylsodium and some Mono-, Tri-, and Tetrานuclear Metal Carbonyl Derivatives and Cluster Complexes	341
A.	Cyclopentadienylsodium—1,2-dimethoxyethane	342
B.	Sodium tricarbonyl( $\eta^5$ -cyclopentadienyl)metallates, DME solvates, $\text{Na}[\text{M}(\text{CO})_3(\eta^5\text{-C}_5\text{H}_5)] \cdot 2\text{DME}$ ( $\text{M} = \text{Cr}, \text{Mo}, \text{or W}$ )	343
C.	A Linear Dimetallioplatinum Complex	
1.	Bis(benzonitrile)-dichloroplatinum	345
2.	A Linear Dimetallic Platinum Complex	346
D.	Planar Tetrานuclear Clusters with Mixed-Metal Cores $\text{M}'_2\text{Mo}_2(\text{C}_2\text{H}_5)_2(\text{CO})_6(\text{PPh}_3)_2$ , ( $\text{M}' = \text{Pd or Pt}$ )	
1.	Hexacarbonylbis( $\eta^5$ -cyclopentadienyl)bis(triphenylphosphine)dimolybdenumdiplatinum, $[\text{Pt}_2\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_6(\text{PPh}_3)_2]$	347
2.	Hexacarbonylbis( $\eta^5$ -cyclopentadienyl)bis(triphenylphosphine)dimolybdenumdipalladium, $[\text{Pd}_2\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_6(\text{PPh}_3)_2]$	348
63.	Mixed Trinuclear Dicobaltiron and Dicobaltruthenium Cluster Complexes	351
A.	Nonacarbonyl- $\mu_3$ -thio-dicobaltiron, $\text{FeCo}_2(\text{CO})_9\text{S}$	352
B.	Nonacarbonyl- $\mu_3$ -thio-dicobaltruthenium, $\text{RuCo}_2(\text{CO})_9\text{S}$	352
C.	Nonacarbonyl- $\mu_3$ -(phenylphosphinidene)dicobaltiron, $\text{FeCo}_2(\text{CO})_9(\text{PC}_6\text{H}_5)\text{S}$	353
D.	Undecacarbonyldicobaltruthenium, $\text{RuCo}_2(\text{CO})_{11}$	354
64.	Stepwise Syntheses of Ruthenium Mixed-Metal Cluster Complexes	356
A.	Tetraethylammonium Bis(acetonitrile)tetrachlororuthenate(1-), $(\text{Et}_4\text{N})[\text{RuCl}_4(\text{CH}_3\text{CN})_2]$	356
B.	Tetraethylammonium Dodecacarbonyltricobaltruthenate(1-), $(\text{Et}_4\text{N})[\text{Co}_3\text{Ru}(\text{CO})_{12}]$	358
C.	(Acetonitrile)dodecacarbonyltricobaltrutheniumcopper, $\text{Co}_3\text{RuCu}(\text{CH}_3\text{CN})(\text{CO})_{12}$	359
65.	Mixed-Metal Cluster Complexes of Nickel with Ruthenium or with Osmium	360

A.	Nonacarbonyl( $\eta^5$ -cyclopentadienyl)tri- $\mu$ -hydrido-nickel triosmium, $\text{Os}_3\text{Ni}(\mu\text{-H})_3(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_9$ .....	362
B.	Nonacarbonyl( $\eta^5$ -cyclopentadienyl)tri- $\mu$ -hydrido-nickel-triruthenium, $\text{Ru}_3\text{Ni}(\mu\text{-H})_3(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_9$ .....	363
66.	Triosmium and Trinickeltriosmium Cluster Complexes.....	365
A.	Nonacarbonyltris( $\eta^5$ -cyclopentadienyl)-trinickeltriosmium .	365
B.	Decacarbonyldihydridotriosmium .....	367
67.	A. Dicobaltplatinum Complex and Its Platinum Precursor.....	369
A.	Dichloro[1,2-ethanediylbis(diphenylphosphine)platinum ...	370
B.	Heptacarbonyl[1,2-ethanediylbis(diphenylphosphine)]-dicobaltplatinum .....	370
68.	Salts of Mixed Platinum-Tetrarhodium Cluster Complexes.....	372
A.	Bis[ $\mu$ -nitrido-bis(triphenylphosphorus)(1+)][tetra-decacarbonylplatinumtetrarhodate(2-), $[(\text{Ph}_3\text{P})_2\text{N}]_2[\text{PtRh}_4(\text{CO})_{14}]$ ].....	373
B.	Bis[ $\mu$ -nitrido-bis(triphenylphosphorus)(1+)][dodeca-carbonylplatinumtetrarhodate(2-), $[(\text{Ph}_3\text{P})_2\text{N}]_2[\text{PtRh}_4(\text{CO})_{12}]$ ].....	375

## Chapter Six SOLID STATE

69.	Synthesis and Crystal Growth of $\text{A}_3[\text{M}_2\text{X}_9]$ ( $\text{A} = \text{Cs, Rb}$ ; $\text{M} = \text{Ti, V, Cr; X} = \text{Cl, Br}$ ).....	377
A.	Single Crystals of $\text{A}[\text{Cr}_2\text{X}_9]$ .....	381
B.	Synthesis of $\text{TiBr}_3$ .....	382
C.	Polycrystalline $\text{A}_3[\text{Ti}_2\text{X}_9]$ and $\text{A}_3[\text{V}_2\text{X}_9]$ .....	383
D.	Single Crystals of $\text{A}_3[\text{Ti}_2\text{X}_9]$ and $\text{A}_3[\text{V}_1\text{X}_9]$ .....	384
70.	Highly Conducting and Superconducting Synthetic Metals.....	386
A.	Synthesis of 5,5',6,6'-tetrahydro-2,2'-Bi-1,3-dithiolo[4,5-b][1,4]-dithiinylidene, BEDT-TTF 1. 1,3-Dithiolo[4,5-b]dithiin-2-thione, EDTDTT, <b>II</b> ....	389
	2. 5,5',6,6'-tetrahydro-2,2'-Bi-1,3-dithiolo[4,5-b]-dithiinylidene, BEDT-TTF, <b>III</b> .....	390
B.	Tetrabutylammonium Perrhenate and Superconducting Bis(5,5',6,6'-tetrahydrdo-2,2'-bi-1,3-dithiolo[4,5-b][1,4]dithiinylidene)perrhenate .....	391

C. Tetrabutylammonium fluorosulfate and 2,2'-bi-1,3-dithiolo[4,5- <i>b</i> ][1,4]dithiinylidene fluorosulfate .....	393
Index of Contributors .....	395
Subject Index .....	399
Formula Index.....	411