

contents

	PAGE NO.
PREFACE..	iii
INTRODUCTION	vii
Experimental Technique	viii
Region 1 (1800-1580 cm. ⁻¹)	ix
Region 2 (1480-1300 cm. ⁻¹)	x
Region 3 (1400-650 cm. ⁻¹)	x
Spectral Resolution	xi
Arrangement of the Charts in the Atlas	xi
Use of the Spectra in Structure Determination	xii
Absorption at Higher Frequencies	xv
Acknowledgements	xvi
CHART NO.	
ATLAS OF SPECTRA	1-308
I. C ₁₈ Steroids	1-15
II. C ₁₉₋₂₉ Steroids	16-231
A. Hydrocarbons	16-22
B. Monohydric Alcohols	23-64
C. Dihydric Alcohols	65-80
D. Trihydric Alcohols	81-89
E. Tetrahydric Alcohols	90
F. Pentahydric Alcohols	91
G. Monoketones	92-109
H. Diketones	110-121
I. Triketones	122-127
J. Monohydroxy-monoketones	128-164
K. Dihydroxy-monoketones	165-182
L. Trihydroxy-monoketones	183-186
M. Tetrahydroxy-monoketones	187-191
N. Monohydroxy-diketones	192-209
O. Dihydroxy-diketones	210-217
P. Trihydroxy-diketones	218-222
Q. Monohydroxy-triketones	223-226
R. Dihydroxy-triketones	227-231

ATLAS OF SPECTRA (<i>Continued</i>)		CHART NO.
III.	Bile Acid Esters	232-253
	A. Carboalkoxy Esters	232
	B. Monohydroxy-carboalkoxy Esters	232-238
	C. Dihydroxy-carboalkoxy Esters	239-243
	D. Trihydroxy-carboalkoxy Esters	244
	E. Keto-carboalkoxy Esters	245-247
	F. Hydroxy-keto-carboalkoxy Esters	248-253
IV.	Steroid Sapogenins and Derivatives	254-288
V.	Cardiac Glycones and Derivatives	289-292
VI.	Steroid Alkaloids	293-294
VIII.	Supplementary Curves	295-308
	A. Spectra between 4000 and 2600 cm. ⁻¹	295-306
	B. Absorption of Solvents at 1 mm. Thickness	307
	C. Spectral Slit Widths	308
		PAGE NO.
	BIBLIOGRAPHY	xvii
	NUMERICAL INDEX OF CHARTS	xxi
	ALPHABETICAL INDEX OF CHARTS	xxxi