

CONTENTS

HETEROCYCLIC COMPOUNDS

| | |
|---|------|
| PREFACE | VII |
| LIST OF PERIODICALS | XVII |
| OFFICIAL PUBLICATIONS | XXV |
| LIST OF COMMON ABBREVIATIONS AND SYMBOLS USED | XXV |
| INTRODUCTION, by E. H. RODD | I |

*Chapter I. Compounds with Three- and Four-Membered Heterocyclic Rings**by T. S. STEVENS*

| | |
|---|----|
| 1. Ethylene Oxides (Oxirans) | II |
| 2. Ethylene Sulphides (Thiirans) | 11 |
| 3. Ethyleneimines (Aziridines) | 14 |
| 4. Three Membered Rings with Two Hetero Atoms | 20 |
| 5. Trimethylene Oxides (Oxetans) | 20 |
| 6. Trimethylene Sulphides (Thietans) | 22 |
| 7. Trimethyleneimines (Azetidines) | 22 |
| 8. Other Four Membered Rings | 25 |
| a. Silicon Compounds | 25 |
| b. Rings Containing Two Oxygen or Sulphur Atoms | 25 |
| c. Rings Containing Two Nitrogen Atoms | 26 |
| d. Rings Containing One Nitrogen and One Oxygen or Sulphur Atom | 27 |

*Chapter II. Compounds Containing a Five Membered Ring with One Hetero Atom, Nitrogen**by T. S. STEVENS*

| | |
|--|----|
| I. Pyrroles and Hydropyrroles | 28 |
| Synthetic Methods, 28 - General Properties, 34 | |
| a. Pyrrole and its Substitution Products | 40 |
| (i) Pyrrole, 40 [N-Derivatives of Pyrrole, 41] - (ii) C-Alkyl- and C-Aryl-pyrroles, 43 - (iii) Halogenopyrroles, 45 - (iv) Nitro-, Nitroso- and Amino-pyrroles, 47 - (v) Hydroxypyrroles, 49 - (vi) Sulphur Derivatives of | |

| | | |
|----|---|------------|
| | Pyrroles, 51 – (vii) Alcohols and Related Compounds, 51 – (viii) Aldehydes and Ketones, 52 – (ix) Carboxylic Acids, 55 | |
| b. | Dihydropyrroles (Pyrrolines) | 59 |
| c. | Tetrahydropyrroles (Pyrrolidines) | 61 |
| d. | Compounds Having Two or More Unfused Pyrrole Rings | 68 |
| 2. | Indoles and Hydroindoles | 71 |
| | Synthetic Methods, 71 – General Properties and Reactions, 77 | |
| a. | Indole and its Substitution Products | 81 |
| | (i) Indole, 81 [N-Derivatives, 81] – (ii) C-Alkyl-, C-Aryl- and Related Indoles, 82 – (iii) Halogenoindoles, 85 – (iv) Sulphur Compounds, 85 – (v) Nitro-, Amino- and Related Indoles, 86 – (vi) Hydroxyindoles, 87 – (vii) Metal and Metalloid Derivatives, 91 – (viii) Indolyl Carbinols and Related Amines, 92 [Aminoalkylindoles, 92] – (ix) Aldehydes and Ketones, 95 – (x) Carboxylic Acids, 96 | |
| b. | Dihydroindoles (Indolines) | 100 |
| | Oxoindolines (Indolinones) | 102 |
| c. | Tetra-, Hexa- and Octa-Hydroindoles | 109 |
| d. | Compounds Having More than One Indole Nucleus | 109 |
| 3. | <i>iso</i> Indoles and <i>iso</i> Indolines | 112 |
| 4. | Other Bicyclic Pyrrole Systems | 115 |
| a. | Spirocyclic Systems | 115 |
| b. | Cycloalkenopyrroles | 116 |
| c. | Fused Systems of Two Heterocyclic Rings | 117 |
| 5. | Benzoindoles (Except Carbazole) | 119 |
| 6. | Carbazole | 120 |
| | Synthetic Methods. 121 – General Properties and Reactions, 122 | |
| | (i) Carbazole and its N-Substituted Derivatives, 123 – (ii) C-Alkylcarbazoles, 125 – (iii) 125 – (iv) Nitro- and Amino-carbazoles, 125 – (v) 127 – (vi) lph and Related Compounds, 128 – (vii) Organometallic Derivatives, 128 – (viii) Alcohols, Aldehydes and Ketones, 128 – (ix) Carboxylic Acids, 129 – (x) Tetrahydrocarbazoles, 130 – (xi) Other Reduced Carbazoles. 133 – (xii) Compounds Having More Than One Carbazole Nucleus. 134 – (xiii) Benzocarbazoles, 134 | |
| 7. | Other Tricyclic Pyrrole Systems | 136 |

Chapter IIZ. Compounds Containing a *Five* Membered
Ring with One Hetero Atom, Oxygen or Sulphur

by T. S. STEVENS

The *Furan* Group

| | | |
|----|--|------------|
| i. | Monocyclic Furans and Hydrofurans | 138 |
| a. | Furan and its Substitution Products | 138 |
| | Synthetic Methods, 138 – General Properties and Reactions, 141 – Ring Fission, 143 | |
| | (i) Furan, 144 – (ii) Alkyl- and Aryl-furans, 146 – (iii) Halogenofurans, 147 – (iv) Sulphonic Acids, 148 – (v) Nitrofurans, 148 – (vi) Aminofurans, 149 – (vii) Hydroxyfurans, 149 – (viii) Furfuryl Alcohol and Related Compounds. 151 – (ix) Aldehydes and Ketones, 152 – (x) Carboxylic Acids, 155 | |
| b. | Dihydrofurans | 159 |
| c. | Tetrahydrofurans | 162 |

| | |
|---|-----|
| d. Compounds with Two or More Unfused Furan Nuclei | 166 |
| e. Polyene Derivatives of Furan | 167 |
| 2. 2:3(4:5)-Benzofuran (Coumarone) and its Hydrogenated Products | 168 |
| Synthetic Methods, 169 - General Properties and Reactions, 171 | |
| a. Benzofuran and its Substitution Products | 172 |
| (i) Benzofuran, 172 - (ii) Alkyl- and Aryl-benzofurans, 173 - (iii) Halogeno-benzofurans, 173 - (iv) Nitro- and Amino-benzofurans, 174 - (v) Hydroxy-benzofurans, 175 - (vi) Alcohols, Aldehydes and Ketones, 175 - (vii) Carboxylic Acids, 178 | |
| b. 2:3-Dihydrobenzofurans (Coumarans) | 179 |
| c. Other Reduced Benzofurans | 185 |
| 3. 3:4-Benzofuran (<i>iso</i> Benzofuran) | 186 |
| 4. Other Bicyclic Systems with a Furan Ring | 190 |
| 5. Dibenzofuran or Diphenylene Oxide and its Hydrogenated Products | 192 |
| Synthetic Methods, 192 - Properties and Reactions, 193 | |
| a. Dibenzofuran and Derivatives | 195 |
| b. Reduced Dibenzofurans | 195 |
| c. Natural Products Related to Dibenzofuran | 197 |
| 6. Other Tri- and Poly-cyclic Systems with a Furan Ring | 199 |
| a. Condensed Systems of Benzene Rings with One Furan Nucleus. | 199 |
| b. Systems of Benzene Rings and More Than One Furan Nucleus | 201 |
| c. Other Tri- and Poly-cyclic Furans | 202 |

The Thiophen Group

| | |
|--|-----|
| 7. Monocyclic Thiophens and Hydrothiophens | 203 |
| a. Thiophen and its Substitution Products | 203 |
| Synthetic Methods, 203 - General Properties, 205 | |
| (i) Thiophen, 207 [Metal and Metalloid Derivatives of Thiophens, 208] - | |
| (ii) Alkyl- and Aryl-thiophens, 210 - (iii) Halogenothiophens, 212 - (iv) Nitro- and Amino-thiophens, 214 - (v) Hydroxythiophens, 215 - (vi) Sulphonic Acids, Mercaptans and Related Compounds, 216 - (vii) Thiophen Alcohols and Related Compounds, 216 - (viii) Aldehydes and Ketones, 217 - (ix) Thiophencarboxylic Acids, 219 [Acids Having the Carboxyl Group in the Side-Chain, 220] | |
| b. Dihydrothiophens | 221 |
| c. Tetrahydrothiophens | 222 |
| d. Compounds Having Two or More Unfused Thiophen Rings | 224 |
| 8. Thionaphthens | 225 |
| Synthetic Methods, 225 - General Properties, 228 | |
| a. Thionaphthen and its Substitution Products | 229 |
| b. Reduced Thionaphthens. | 232 |
| 9. Other Bicyclic Thiophens | 235 |
| a. 3:4-Benzothiophens (<i>iso</i> Benzothiophens) | 235 |
| b. Other Cycloalkenothiophens | 236 |
| c. Systems of Two Fused Thiophen Rings | 237 |
| 10. Dibenzothiophens | 238 |
| 11. Other Tri- and Poly-cyclic Systems Containing the Thiophen Ring | 240 |
| 12. Selenophens and Tellurophens | 242 |

Chapter IV. Compounds Containing a Five Membered Ring with
Two Hetero Atoms: Pyrazole and Iminazole Groups

by J. D. LOUDON

| | |
|--|-----|
| Nomenclature | 244 |
| 1. Pyrazole Group | 245 |
| a. Pyrazoles | 245 |
| Syntheses, 245 – Properties, 249 | |
| (i) Halogeno-, Nitroso-, Nitro- and Sulphonic Derivatives, 253 – (ii) Amino- and Azo-pyrazoles, 254 – (iii) Hydroxypyrazoles, 255 – (iv) Alcohols, Aldehydes, Ketones, 257 – (v) Carboxylic Acids, 258 – (vi) Pyrazolenines, 260 | |
| b. Pyrazolines | 261 |
| Syntheses, 261 – Properties, 263 | |
| (i) Alkyl- and Aryl-pyrazolines, 264 – (ii) Substituted Pyrazolines, 265 – (iii) Pyrazolones, 268 | |
| c. Pyrazolidines | 276 |
| d. Indazoles or Benzopyrazoles | 278 |
| Synthetic Methods of Formation, 279 – Properties, 281 | |
| (i) Halogeno-, Nitro- and Amino-indazoles, 282 – (ii) Ketones and Carboxylic Acids, 284 – (iii) Reduced indazoles, 284 | |
| e. Condensed Polycyclic Pyrazoles | 285 |
| 2. Iminazole Group | 286 |
| Syntheses, 286 – Properties, 290 | |
| a. Iminazole, its Homologues and Derivatives | 292 |
| (i) Halogeno-, Nitro- and Amino-iminazoles, 294 – (ii) Sulphur-Containing Derivatives, 295 – (iii) Alcohols and Related Compounds, 296 – (iv) Aldehydes and Ketones, 298 – (v) Iminazole Carboxylic Acids, 298 | |
| b. Iminazolines | 301 |
| (i) 2-Iminazolines, 301 – (ii) 2:5-Dihydroiminazoles or 3-Iminazolines, 306 – (iii) 2:3-Dihydroiminazoles or 4-Iminazolines, 306 | |
| c. Iminazolidines | 308 |
| (i) Ketoiminazolidines, 309 – (ii) Diketoiminazolidines, 312 – (iii) Triketoiminazolidines, 320 | |
| d. Benziminazoles | 321 |
| Methods of Synthesis, 322 – Properties, 325 – Benziminazole, its Homologues and Substitution Products, 326 | |
| (i) Halogeno-, Nitro-, Sulpho- and Amino-Derivatives, 327 – (ii) Alcohols etc., Aldehydes and Ketones, 328 – (iii) Carboxylic Acids, 329 – (iv) Reduced Benziminazoles, 329 | |
| e. Condensed Polycyclic Iminazoles | 331 |

Chapter V. Compounds Containing a Five Membered Ring with Two Hetero Atoms:
Dioxole and Oxazole Groups and Their Thia Analogues

by J. D. LOUDON

| | |
|--|-----|
| 1. Compounds Containing a Five Membered Ring with Oxygen and/or Sulphur as the Two Hetero Atoms | 332 |
| 2. <i>iso</i> Oxazole Group. | 334 |
| a. <i>iso</i> Oxazole, its Homologues and Substitution Products | 334 |
| Syntheses, 334 – Properties, 336 | |
| (i) Halogeno-, Nitro- and Sulphonic Derivatives, 338 – (ii) Amino Derivatives, 339 – (iii) Alcohols etc., Aldehydes and Ketones, 340 – (iv) <i>iso</i> Oxazole Carboxylic Acids, 341 | |

| | |
|--|-----|
| b. <i>iso</i> Oxazolines and Their Derivatives | 343 |
| Synthetic Methods, 343 | |
| (i) <i>iso</i> Oxazolines, 344 – (ii) <i>iso</i> Oxazolones, 345 | |
| c. <i>iso</i> Oxazolidines | 348 |
| d. Benzisooxazoles and Related Compounds | 348 |
| (i) Benzisooxazoles (Indoxazenes). 349 – (ii) Anthranils, 351 | |
| 3. Oxazole Group | 353 |
| a. Oxazole, its Homologues etc. | 353 |
| Syntheses, 353 – Properties, 357 – Aldehydes, Ketones and Carboxylic Acids, 359 | |
| b. Oxazolines | 361 |
| (i) 4: 5-Dihydrooxazoles or <i>z</i> -Oxazolines, 361 [Syntheses, 361 – 4-Oxazolones (4-Keto- <i>z</i> -Oxazolines), 365 – 5-Oxazolones (5-Keto- <i>z</i> -oxazolines), 365] – (ii) <i>z</i> : 5-Dihydrooxazoles or 3-Oxazolines, 370 – (iii) 2:3-Dihydrooxazoles or 4-Oxazolines, 371 | |
| c. Oxazolidines | 372 |
| d. Benzoxazoles and Condensed Polycyclic Oxazoles. | 375 |
| 4. <i>iso</i> Thiazole Group | 379 |
| a. Benzisothiazoles | 380 |
| b. Benzisoselenazoles | 385 |
| 5. Thiazole Group. | 385 |
| a. Thiazoles | 385 |
| • Syntheses, 386 – Properties, 388 | |
| (i) Halogeno-, Nitro- and Sulpho-thiazoles, 391 – (ii) Amino- and Hydroxy-thiazoles, 392 – (iii) Alcohols and Related Compounds, 397 – (iv) Thiazole Aldehydes and Ketones, 399 – (v) Thiazole Carboxylic Acids. 400 | |
| b. Thiazolines | 403 |
| (i) 4: 5-Dihydrothiazoles (2-Thiazolines), 403 – (ii) <i>z</i> : 5-Dihydrothiazoles (3-Thiazolines), 407 – (iii) 2: 3-Dihydrothiazoles (4-Thiazolines), 407 | |
| c. Thiazolidines | 407 |
| d. The Penicillins | 414 |
| Structure of Degradation Products, 417 [Penicillamine. Penilloaldehydes, Penaldic and Penicilloic Acids, 417 – Penilloic Acids, 419 – Penillic Acids, Penillamines and <i>iso</i> Penillic Acids, 419 – Penicillenes, 421 – Benzylpenillonic Acid, 421] – Structure of Penicillin, 423 | |
| e. Benzothiazoles | 425 |
| Syntheses, 425 – Properties, 426 | |
| (i) Halogeno-, Nitro- and Sulpho-benzothiazoles, 428 – (ii) Amino- and Hydroxy-benzothiazoles, 429 – (iii) Aldehydes, Ketones and Carboxylic Acids, 433 – (iv) Reduced Benzothiazoles, 433 – (v) Condensed Polycyclic Thiazoles, 435 | |
| f. Selenazoles | 435 |

Chapter VI. Compounds Containing a Five Membered Ring
with More Than Two Hetero Atoms

by E. HOGGARTH

Five Membered Rings with Three Hetero Atoms

| | |
|---|-----|
| I. Triazoles | 439 |
| a. 1:2:3-Triazoles | 439 |
| Methods of Preparation, 439 – Properties, 443 – Structure of 1:2:3-Triazoles, 444 | |

| | |
|--|-----|
| (i) Halogen Derivatives of 1:2:3-Triazole, 445 - (ii) C-Hydroxy-1:2:3-Triazoles, 445 - (iii) C-Amino-1:2:3-triazoles, 446 - (iv) 1:2:3-Triazole Aldehydes, 447 - (v) 1:2:3-Triazolecarboxylic Acids, 448 | |
| b. Benzotriazoles | 449 |
| Methods of Preparation, 449 - Properties, 450 - Structure of the Benzotriazoles, 451 | |
| c. 1:2:4-Triazoles | 452 |
| Methods of Preparation, 452 - Properties, 458 - Structure of 1:2:4-Triazoles, 458 | |
| (i) Halogen Derivatives of 1:2:4-Triazole, 460 - (ii) Hydroxy- and Amino-Derivatives of 1:2:4-Triazole, 460 - (iii) 1:2:4-Triazolecarboxylic Acids, 463 | |
| 2. Oxadiazoles | 464 |
| a. 1:2:3-Oxadiazoles | 464 |
| b. 1:2:5-Oxadiazoles (Furazans) | 466 |
| c. Benzo-1:2:5-oxadiazoles | 469 |
| d. 1:2:4-Oxadiazoles (Azoximes) | 469 |
| e. 1:3:4-Oxadiazoles | 471 |
| 3. Thiadiazoles | 473 |
| a. 1:2:3-Thiadiazoles (Diazosulphides) | 473 |
| b. Benzo-1:2:3-thiadiazoles | 474 |
| c. 1:2:5-Thiadiazoles | 474 |
| d. 1:2:4-Thiadiazoles (Azosulphimes) | 475 |
| e. 1:3:4-Thiadiazoles | 476 |
| 4. Dioxazoles, Dithiazoles and Oxathiazoles | 479 |

Five Membered Rings with Four Hetero Atoms

| | |
|---|-----|
| 5. Tetrazoles | 481 |
| 6. Thiatriazoles and Dithiadiazoles | 486 |

Chapter VII. Compounds Containing a Six Membered Ring with One Hetero Atom, Nitrogen

by N. CAMPBELL

| | |
|---|-----|
| I. Pyridine and its Derivatives | 488 |
| Structure of Pyridine, 489 - Fine Structure of the Pyridine Molecule, 490 - Methods of Synthesis, 492 - Separation, Purification and Identification of Pyridine Bases, 499 - Properties and Reactions of the Pyridine Bases; Comparison with Benzene and Nitrobenzene, 500 - Reactions with Metal Compounds, 501 - Diene Addition, 501 - Pyridinium Compounds, 504 - Pyridinium Betaines, 507 - Properties of the Pyridinium Betaines, 509 - Pyridinium Salts and Betaines as Synthetic Reagents, 510 - Fission of the Pyridine Ring, 512 | |
| a. Pyridine, its Homologues and Substitution Products | 514 |
| (i) Pyridine, 514 [Pyridine-N-Oxides, 516] - (ii) Pyridine Homologues, 518 [Reactivity of the 2- and 4-Picolines, 519] - (iii) Phenylpyridines, 526 - (iv) Pyridone Methides, 528 - (v) Halogenopyridines, 530 - (vi) Nitropyridines, 536 - (vii) Pyridinesulphonic Acids, 537 - (viii) Aminopyridines, 538 [Properties and Structure, 539 - Azopyridines and Related Compounds, 542] - (ix) Hydroxypyridines, 544 - (x) Pyridithiols or Pyridithiones, 548 - (xi) Alcohols of the Pyridine Series, 549 [Vitamin B ₆ , 551] - (xii) Pyridine Aldehydes, 552 - (xiii) Pyridine Ketones, 554 - (xiv) Pyridine- | |

| | |
|---|-----|
| carboxylic Acids, 556 [Pyridine Polycarboxylic Acids, 562] - (xv) Pyridine Arsenicals, 564 - (xvi) Dipyridyls, 564 | |
| b. Dihydropyridines | 566 |
| c. Tetrahydropyridines. Piperidine | 567 |
| d. Hexahydropyridine. Piperidine | 569 |
| (i) Piperidine and its Homologues, 570 - (ii) N-Alkyl- and N-Aryl-Piperidines, 572 [Fission of the Piperidine Ring, 574] - (iii) Piperidine Derivatives, 576 - (iv) Hydrogenated Pyridinecarboxylic Acids, 578 - (v) Piperidones, 581 | |
| e. Dipiperidyls | 583 |
| 2. Quinoline and its Derivatives | 584 |
| Structure of Quinoline, 585 - Fine Structure of Quinoline, 586 - Methods of Synthesis, 586 - Separation, Purification and Identification of the Quinoline Bases, 594 - Properties of the Quinoline Bases. Comparison with Naphthalene, 594 - Quinolinium Compounds, 597 - Ring-Fission, 601 | |
| a. Quinoline, its Homologues and Substitution Products. | 602 |
| (i) Quinoline, 602 - (ii) Quinoline Homologues, 603 - (iii) Phenylquinolines, 604 - (iv) Quinolone Methides, 604 - (v) Halogenoquinolines, 607 - (vi) Nitroquinolines, 610 - (vii) Quinolinesulphonic Acids, 612 - (viii) Aminoquinolines and Related Compounds, 613 [Properties, 614 - Aminoquinoline Derivatives as Chemotherapeutic Drugs, 617 - Quinolylhydrazines and Related Compounds, 618] - (ix) Hydroxyquinolines or Quinolins, 620 [Aminohydroxyquinolines, 626 - Quinoline Quinones, 627] - (x) Quinolmethiols, 627 - (xi) Quinoline-aldehydes, 628 - (xii) Quinolyl Ketones, 630 - (xiii) Quinolincarboxylic Acids, 631 - (xiv) Hydroxyquinolincarboxylic Acids, 635 - (xv) Diquinolyls, 637 - (xvi) Quinoline Dyes, 637 [Quinophthalones, 638 - Dyes Derived from Naphtho-[2':3'-5:6]-quinoline, 640] | |
| b. Hydrogenated Quinolines | 641 |
| 3. <i>iso</i> Quinoline and its Derivatives | 645 |
| Constitution, 645 - Synthetic Methods, 646 - Fission of the <i>iso</i> Quinoline Ring, 649 - General Properties, 651 - <i>iso</i> Quinolinium Compounds, 653 | |
| a. <i>iso</i> Quinoline and its Substitution Products | 654 |
| (i) <i>iso</i> Quinoline, its Alkyl and Aryl Derivatives, 654 - (ii) Halogeno <i>iso</i> quinolines, 656 - (iii) Nitration and Sulphonation of <i>iso</i> Quinoline, 657 - (iv) Amino <i>iso</i> quinolines, 658 - (v) Hydroxy <i>iso</i> quinolines or <i>iso</i> Quinolins, 659 - (vi) <i>iso</i> Quinoline-aldehydes and Ketones, 660 - (vii) <i>iso</i> Quinoline-carboxylic Acids, 662 - (viii) Di <i>iso</i> quinolyls, 663 | |
| b. Hydrogenated <i>iso</i> Quinolines | 663 |
| 4. Cyclopolymethylenepyridines | 666 |
| 5. Acridine and its Derivatives | 667 |
| Synthetic Methods, 668 - Acridinium Compounds, 671 | |
| a. Acridine and its Substitution Products | 673 |
| (i) Acridine and Homologues, 673 - (ii) Halogenoacridines, 674 - (iii) Nitroacridines, 676 - (iv) Aminoacridines, 677 [Acridine Compounds of Therapeutic Importance, 679 - Acridine Dyes, 681] - (v) Hydroxyacridines or Acridols, 684 [Acridone and its Derivatives, 685] - (vi) Diacridyl Compounds, 688 | |
| b. Hydrogenated Acridines | 689 |
| 6. Phenanthridine and its Derivatives | 691 |
| Methods of Synthesis, 692 | |
| a. Phenanthridine and its Substitution Products | 694 |
| (i) Phenanthridine and its Homologues, 694 - (ii) Halogeno-, Nitro- and Amino-phenanthridines, 695 - (iii) Phenanthridinium d 697 - , ') Hydroxyphenanthridines. Phenanthridones, 698 | |

| | |
|---|------------|
| b. Hydrophenanthridines | 701 |
| 7. Benzoquinolines | 702 |
| 8. Benzoisoquinolines | 705 |
| 9. Naphthoquinolines and Naphthoisoquinolines | 706 |
| a. Benzacridines (Naphthacridines). | 709 |
| b. Dibenzacridines | 710 |
| c. Benzophenanthridines | 712 |
| INDEX | 715 |

VOLUMES IV B AND C

will contain chapters covering the following subjects:

Six Membered Kings with One Oxygen or Sulphur Atom

 Two Fused Rings Each with One Hetero Atom

Six Membered Rings with More than One Hetero Atom

 Larger Heterocyclic Rings

 Rings with Unusual Hetero Atoms

 The Cyanine and Related Dyes

 Indigoid Dyes and Related Compounds

 Purines, Nucleosides, Nucleic Acids

 Porphins, Bile Pigments, Phthalocyanines

 Brazilin and Haematoxylin Group

 Alkaloids of All Types