

Part I Chemical and Molecular Foundations

1 LIFE BEGINS WITH CELLS	1	Cells Grow and Divide	18
		Cells Die from Aggravated Assault or an Internal Program	19
1.1 The Diversity and Commonality of Cells	1	1.4 Investigating Cells and Their Parts	20
All Cells Are Prokaryotic or Eukaryotic	1	Cell Biology Reveals the Size, Shape, Location, and Movements of Cell Components	20
Unicellular Organisms Help and Hurt Us	4	Biochemistry and Biophysics Reveal the Molecular Structure and Chemistry of Purified Cell Constituents	21
Viruses Are the Ultimate Parasites	6	Genetics Reveals the Consequences of Damaged Genes	22
Changes in Cells Underlie Evolution	6	Genomics Reveals Differences in the Structure and Expression of Entire Genomes	23
Even Single Cells Can Have Sex	7	Developmental Biology Reveals Changes in the Properties of Cells as They Specialize	23
We Develop from a Single Cell	8	Choosing the Right Experimental Organism for the Job	25
Stem Cells, Fundamental to Forming Tissues and Organs, Offer Medical Opportunities	8	The Most Successful Biological Studies Use Multiple Approaches	27
1.2 The Molecules of a Cell	9	1.5 A Genome Perspective on Evolution	28
Small Molecules Carry Energy, Transmit Signals, and Are Linked into Macromolecules	9	Metabolic Proteins, the Genetic Code, and Organelle Structures Are Nearly Universal	28
Proteins Give Cells Structure and Perform Most Cellular Tasks	10	Darwin's Ideas About the Evolution of Whole Animals Are Relevant to Genes	28
Nucleic Acids Carry Coded Information for Making Proteins at the Right Time and Place	11	Many Genes Controlling Development Are Remarkably Similar in Humans and Other Animals	28
The Genome Is Packaged into Chromosomes and Replicated During Cell Division	12	Human Medicine Is Informed by Research on Other Organisms	29
Mutations May Be Good, Bad, or Indifferent	13		
1.3 The Work of Cells	14	2 CHEMICAL FOUNDATIONS	31
Cells Build and Degrade Numerous Molecules and Structures	15		
Animal Cells Produce Their Own External Environment and Glues	16	2.1 Covalent Bonds and Noncovalent Interactions	32
Cells Change Shape and Move	16	The Electronic Structure of an Atom Determines the Number and Geometry of Covalent Bonds It Can Make	33
Cells Sense and Send Information	16		
Cells Regulate Their Gene Expression to Meet Changing Needs	17		

Electrons May Be Shared Equally or Unequally in Covalent Bonds	34	Life Depends on the Coupling of Unfavorable Chemical Reactions with Energetically Favorable Reactions	57
Covalent Bonds Are Much Stronger and More Stable Than Noncovalent Interactions	35	Hydrolysis of ATP Releases Substantial Free Energy and Drives Many Cellular Processes	57
Ionic Interactions Are Attractions between Oppositely Charged Ions	36	ATP Is Generated During Photosynthesis and Respiration	59
Hydrogen Bonds Determine the Water Solubility of Uncharged Molecules	37	NAD ⁺ and FAD Couple Many Biological Oxidation and Reduction Reactions	59
Van der Waals Interactions Are Caused by Transient Dipoles	37		
The Hydrophobic Effect Causes Nonpolar Molecules to Adhere to One Another	38	3 PROTEIN STRUCTURE AND FUNCTION	63
Molecular Complementarity Mediated via Noncovalent Interactions Permits Tight, Highly Specific Binding of Biomolecules	39		
2.2 Chemical Building Blocks of Cells	40	3.1 Hierarchical Structure of Proteins	64
Amino Acids Differing Only in Their Side Chains Compose Proteins	41	The Primary Structure of a Protein Is Its Linear Arrangement of Amino Acids	65
Five Different Nucleotides Are Used to Build Nucleic Acids	44	Secondary Structures Are the Core Elements of Protein Architecture	66
Monosaccharides Joined by Glycosidic Bonds Form Linear and Branched Polysaccharides	44	Overall Folding of a Polypeptide Chain Yields Its Tertiary Structure	67
Phospholipids Associate Noncovalently to Form the Basic Bilayer Structure of Biomembranes	46	Different Ways of Depicting the Conformation of Proteins Convey Different Types of Information	68
		Structural Motifs Are Regular Combinations of Secondary and Tertiary Structures	68
		Structural and Functional Domains Are Modules of Tertiary Structure	70
		Proteins Associate into Multimeric Structures and Macromolecular Assemblies	72
		Members of Protein Families Have a Common Evolutionary Ancestor	72
2.3 Chemical Equilibrium	49	3.2 Protein Folding	74
Equilibrium Constants Reflect the Extent of a Chemical Reaction	50	Planar Peptide Bonds Limit the Shapes into Which Proteins Can Fold	74
Chemical Reactions in Cells Are at Steady State	50	information Directing a Protein's Folding is Encoded in Its Amino Acid Sequence	74
Dissociation Constants of Binding Reactions Reflect the Affinity of Interacting Molecules	50	Folding of Proteins in Vivo Is Promoted by Chaperones	75
Biological Fluids Have Characteristic pH Values	51	Alternatively Folded Proteins Are Implicated in Diseases	77
Hydrogen Ions Are Released by Acids and Taken Up by Bases	52		
Buffers Maintain the pH of Intracellular and Extracellular Fluids	52	3.3 Protein Function	78
		Specific Binding of Ligands Underlies the Functions of Most Proteins	78
2.4 Biochemical Energetics	54	Enzymes Are Highly Efficient and Specific Catalysts	79
Several Forms of Energy Are Important in Biological Systems	54	An Enzyme's Active Site Binds Substrates and Carries Out Catalysis	80
Cells Can Transform One Type of Energy into Another	55	Serine Proteases Demonstrate How an Enzyme's Active Site Works	81
The Change in Free Energy Determines the Direction of a Chemical Reaction	55	Enzymes in a Common Pathway Are Often Physically Associated with One Another	84
The ΔG° of a Reaction Can Be Calculated from Its K_{eq}	56		
The Rate of a Reaction Depends on the Activation Energy Necessary to Energize the Reactants into a Transition State	56		

Enzymes Called Molecular Motors Convert Energy into Motion	85
3.4 Regulating Protein Function I: Protein Degradation	86
Regulated Synthesis and Degradation of Proteins is a Fundamental Property of Cells	86
The Proteasome Is a Complex Molecular Machine Used to Degrade Proteins	87
Ubiquitin Marks Cytosolic Proteins for Degradation in Proteasomes	88
3.5 Regulating Protein Function II: Noncovalent and Covalent Modifications	88
Noncovalent Binding Permits Allosteric, or Cooperative, Regulation of Proteins	89
Noncovalent Binding of Calcium and GTP Are Widely Used As Allosteric Switches to Control Protein Activity	90
Phosphorylation and Dephosphorylation Covalently Regulate Protein Activity	91
Proteolytic Cleavage Irreversibly Activates or Inactivates Some Proteins	91
Higher-Order Regulation Includes Control of Protein Location and Concentration	92

3.6 Purifying, Detecting, and Characterizing Proteins	92
Centrifugation Can Separate Particles and Molecules That Differ in Mass or Density	92
Electrophoresis Separates Molecules on the Basis of Their Charge-to-Mass Ratio	94
Liquid Chromatography Resolves Proteins by Mass, Charge, or Binding Affinity	96
Highly Specific Enzyme and Antibody Assays Can Detect Individual Proteins	98
Radioisotopes Are Indispensable Tools for Detecting Biological Molecules	99
Mass Spectrometry Can Determine the Mass and Sequence of Proteins	101
Protein Primary Structure Can Be Determined by Chemical Methods and from Gene Sequences	103
Protein Conformation Is Determined by Sophisticated Physical Methods	103
3.7 Proteomics	105
Proteomics Is the Study of All or a Large Subset of Proteins in a Biological System	105
Advanced Techniques in Mass Spectrometry Are Critical to Proteomic Analysis	106

Part II Genetics and Molecular Biology

4 BASIC MOLECULAR GENETIC MECHANISMS 111

4.1 Structure of Nucleic Acids 113

A Nucleic Acid Strand Is a Linear Polymer with End-to-End Directionality	113
Native DNA Is a Double Helix of Complementary Antiparallel Strands	114
DNA Can Undergo Reversible Strand Separation	116
Torsional Stress in DNA Is Relieved by Enzymes	117
Different Types of RNA Exhibit Various Conformations Related to Their Functions	118

4.2 Transcription of Protein-Coding Genes and Formation of Functional mRNA 120

A Template DNA Strand Is Transcribed into a Complementary RNA Chain by RNA Polymerase	120
---	-----

Organization of Genes Differs in Prokaryotic and Eukaryotic DNA	122
Eukaryotic Precursor mRNAs Are Processed to Form Functional mRNAs	123
Alternative RNA Splicing Increases the Number of Proteins Expressed from a Single Eukaryotic Gene	125

4.3 The Decoding of mRNA by tRNAs 127

Messenger RNA Carries Information from DNA in a Three-Letter Genetic Code	127
The Folded Structure of tRNA Promotes Its Decoding Functions	129
Nonstandard Base Pairing Often Occurs Between Codons and Anticodons	130
Amino Acids Become Activated When Covalently Linked to tRNAs	131

4.4 Stepwise Synthesis of Proteins on Ribosomes 132

Ribosomes Are Protein-Synthesizing Machines	132
---	-----

Methionyl-tRNA ^{MET} Recognizes the AUG Start Codon	133
Translation Initiation Usually Occurs at the First AUG from the 5' End of an mRNA	133
During Chain Elongation Each Incoming Aminoacyl-tRNA Moves Through Three Ribosomal Sites	135
Translation Is Terminated by Release Factors When a Stop Codon Is Reached	137
Polysomes and Rapid Ribosome Recycling Increase the Efficiency of Translation	138

4.5 DNA Replication 139

DNA Polymerases Require a Primer to Initiate Replication	140
Duplex DNA Is Unwound and Daughter Strands Are Formed at the DNA Replication Fork	141
Several Proteins Participate in DNA Replication	141
DNA Replication Usually Occurs Bidirectionally from Each Origin	143

4.6 DNA Repair and Recombination 145

DNA Polymerases Introduce Copying Errors and Also Correct Them	145
Chemical and Radiation Damage to DNA Can Lead to Mutations	145
High-Fidelity DNA Excision-Repair Systems Recognize and Repair Damage	147
Base Excision Repairs T-G Mismatches and Damaged Bases	147
Mismatch Excision Repairs Other Mismatches and Small Insertions and Deletions	147
Nucleotide Excision Repairs Chemical Adducts That Distort Normal DNA Shape	148
Two Systems Utilize Recombination to Repair Double-Strand Breaks in DNA	149
Homologous Recombination Can Repair DNA Damage and Generate Genetic Diversity	150

4.7 Viruses: Parasites of the Cellular Genetic System 154

Most Viral Host Ranges Are Narrow	154
Viral Capsids Are Regular Arrays of One or a Few Types of Protein	154
Viruses Can Be Cloned and Counted in Plaque Assays	155
Lytic Viral Growth Cycles Lead to the Death of Host Cells	156
Viral DNA Is Integrated into the Host-Cell Genome in Some Nonlytic Viral Growth Cycles	158

5 MOLECULAR GENETIC TECHNIQUES 16

5.1 Genetic Analysis of Mutations to Identify and Study Genes 16

Recessive and Dominant Mutant Alleles Generally Have Opposite Effects on Gene Function	16
Segregation of Mutations in Breeding Experiments Reveals Their Dominance or Recessivity	16
Conditional Mutations Can Be Used to Study Essential Genes in Yeast	17
Recessive Lethal Mutations in Diploids Can Be Identified by Inbreeding and Maintained in Heterozygotes	17
Complementation Tests Determine Whether Different Recessive Mutations Are in the Same Gene	17
Double Mutants Are Useful in Assessing the Order in Which Proteins Function	17
Genetic Suppression and Synthetic Lethality Can Reveal Interacting or Redundant Proteins	173
Genes Can Be Identified by Their Map Position on the Chromosome	174

5.2 DNA Cloning and Characterization 176

Restriction Enzymes and DNA Ligases Allow Insertion of DNA Fragments into Cloning Vectors	176
<i>E. coli</i> Plasmid Vectors Are Suitable for Cloning Isolated DNA Fragments	178
cDNA Libraries Represent the Sequences of Protein-Coding Genes	179
cDNAs Prepared by Reverse Transcription of Cellular mRNAs Can Be Cloned to Generate cDNA Libraries	181
DNA Libraries Can Be Screened by Hybridization to an Oligonucleotide Probe	181
Yeast Genomic Libraries Can Be Constructed with Shuttle Vectors and Screened by Functional Complementation	182
Gel Electrophoresis Allows Separation of Vector DNA from Cloned Fragments	184
Cloned DNA Molecules Are Sequenced Rapidly by the Dideoxy Chain-Termination Method	187
The Polymerase Chain Reaction Amplifies a Specific DNA Sequence from a Complex Mixture	188

5.3 Using Cloned DNA Fragments to Study Gene Expression 191

Hybridization Techniques Permit Detection of Specific DNA Fragments and mRNAs	191
DNA Microarrays Can Be Used to Evaluate the Expression of Many Genes at One Time	192

Cluster Analysis of Multiple Expression Experiments Identifies Co-regulated Genes	193	Nonprotein-Coding Genes Encode Functional RNAs	222
<i>E. coli</i> Expression Systems Can Produce Large Quantities of Proteins from Cloned Genes	194	6.2 Chromosomal Organization of Genes and Noncoding DNA	223
Plasmid Expression Vectors Can Be Designed for Use in Animal Cells	196	Genomes of Many Organisms Contain Much Nonfunctional DNA	223
5.4 Identifying and Locating Human Disease Genes	198	Most Simple-Sequence DNAs Are Concentrated in Specific Chromosomal Locations	224
Many Inherited Diseases Show One of Three Major Patterns of Inheritance	199	DNA Fingerprinting Depends on Differences in Length of Simple-Sequence DNAs	225
DNA Polymorphisms Are Used in Linkage-Mapping Human Mutations	200	Unclassified Spacer DNA Occupies a Significant Portion of the Genome	225
Linkage Studies Can Map Disease Genes with a Resolution of About 1 Centimorgan	201	6.3 Transposable (Mobile) DNA Elements	226
Further Analysis Is Needed to Locate a Disease Gene in Cloned DNA	202	Movement of Mobile Elements Involves a DNA or an RNA Intermediate	226
Many Inherited Diseases Result from Multiple Genetic Defects	203	DNA Transposons Are Present in Prokaryotes and Eukaryotes	227
5.5 Inactivating the Function of Specific Genes in Eukaryotes	204	LTR Retrotransposons Behave Like Intracellular Retroviruses	229
Normal Yeast Genes Can Be Replaced with Mutant Alleles by Homologous Recombination	205	Non-LTR Retrotransposons Transpose by a Distinct Mechanism	230
Transcription of Genes Ligated to a Regulated Promoter Can Be Controlled Experimentally	206	Other Retrotransposed RNAs Are Found in Genomic DNA	234
Specific Genes Can Be Permanently Inactivated in the Germ Line of Mice	207	Mobile DNA Elements Have Significantly Influenced Evolution	234
Somatic Cell Recombination Can Inactivate Genes in Specific Tissues	208	6.4 Organelle DNAs	236
Dominant-Negative Alleles Can Functionally Inhibit Some Genes	209	Mitochondria Contain Multiple mtDNA Molecules	237
RNA Interference Causes Gene Inactivation by Destroying the Corresponding mRNA	210	mtDNA Is Inherited Cytoplasmically	237
6 GENES, GENOMICS, AND CHROMOSOMES	215	The Size, Structure, and Coding Capacity of mtDNA Vary Considerably Between Organisms	238
6.1 Eukaryotic Gene Structure	217	Products of Mitochondrial Genes Are Not Exported	240
Most Eukaryotic Genes Contain Introns and Produce mRNAs Encoding Single Proteins	217	Mitochondria Evolved from a Single Endosymbiotic Event Involving a Rickettsia-like Bacterium	240
Simple and Complex Transcription Units Are Found in Eukaryotic Genomes	217	Mitochondrial Genetic Codes Differ from the Standard Nuclear Code	240
Protein-Coding Genes May Be Solitary or Belong to a Gene Family	219	Mutations in Mitochondrial DNA Cause Several Genetic Diseases in Humans	240
Heavily Used Gene Products Are Encoded by Multiple Copies of Genes	221	Chloroplasts Contain Large DNAs Often Encoding More Than a Hundred Proteins	242
		6.5 Genomics: Genome-wide Analysis of Gene Structure and Expression	243
		Stored Sequences Suggest Functions of Newly Identified Genes and Proteins	243

7.5	Transcription Initiation by RNA Polymerase II	296	Mitochondrial and Chloroplast DNAs Are Transcribed by Organelle-Specific RNA Polymerases	317
	General Transcription Factors Position RNA Polymerase II at Start Sites and Assist in Initiation	296		
	Sequential Assembly of Proteins Forms the Pol II Transcription Preinitiation Complex in Vitro	297		
	In Vivo Transcription Initiation by Pol II Requires Additional Proteins	298		
7.6	Molecular Mechanisms of Transcription Repression and Activation	299		
	Formation of Heterochromatin Silences Gene Expression at Telomeres, Near Centromeres, and in Other Regions	299		
	Repressors Can Direct Histone Deacetylation and Methylation at Specific Genes	303		
	Activators Can Direct Histone Acetylation and Methylation at Specific Genes	305		
	Chromatin-Remodeling Factors Help Activate or Repress Transcription	306		
	Histone Modifications Vary Greatly in Their Stabilities	307		
	The Mediator Complex Forms a Molecular Bridge Between Activation Domains and Pol II	307		
	Transcription of Many Genes Requires Ordered Binding and Function of Activators and Co-activators	308		
	The Yeast Two-Hybrid System Exploits Activator Flexibility to Detect cDNAs That Encode Interacting Proteins	310		
7.7	Regulation of Transcription-Factor Activity	311		
	All Nuclear Receptors Share a Common Domain Structure	312		
	Nuclear-Receptor Response Elements Contain Inverted or Direct Repeats	313		
	Hormone Binding to a Nuclear Receptor Regulates Its Activity as a Transcription Factor	313		
7.8	Regulated Elongation and Termination of Transcription	314		
	Transcription of the HIV Genome Is Regulated by an Antitermination Mechanism	315		
	Promoter-Proximal Pausing of RNA Polymerase II Occurs in Some Rapidly Induced Genes	316		
7.9	Other Eukaryotic Transcription Systems	316		
	Transcription Initiation by Pol I and Pol III Is Analogous to That by Pol II	316		
8	POST-TRANSCRIPTIONAL GENE CONTROL	323		
8.1	Processing of Eukaryotic Pre-mRNA	325		
	The 5' Cap Is Added to Nascent RNAs Shortly After Transcription Initiation	325		
	A Diverse Set of Proteins with Conserved RNA-Binding Domains Associate with Pre-mRNAs	326		
	Splicing Occurs at Short, Conserved Sequences in Pre-mRNAs via Two Transesterification Reactions	329		
	During Splicing, snRNAs Base-Pair with Pre-mRNA	330		
	Spliceosomes, Assembled from snRNPs and a Pre-mRNA, Carry Out Splicing	330		
	Chain Elongation by RNA Polymerase II Is Coupled to the Presence of RNA-Processing Factors	333		
	SR Proteins Contribute to Exon Definition in Long Pre-mRNAs	333		
	Self-Splicing Group II Introns Provide Clues to the Evolution of snRNAs	334		
	3' Cleavage and Polyadenylation of Pre-mRNAs Are Tightly Coupled	335		
	Nuclear Exonucleases Degrade RNA That Is Processed Out of Pre-mRNAs	336		
8.2	Regulation of Pre-mRNA Processing	337		
	Alternative Splicing Is the Primary Mechanism for Regulating mRNA Processing	337		
	A Cascade of Regulated RNA Splicing Controls Drosophila Sexual Differentiation	338		
	Splicing Repressors and Activators Control Splicing at Alternative Sites	339		
	RNA Editing Alters the Sequences of Some Pre-mRNAs	340		
8.3	Transport of mRNA Across the Nuclear Envelope	341		
	Nuclear Pore Complexes Control Import and Export from the Nucleus	342		
	Pre-mRNAs in Spliceosomes Are Not Exported from the Nucleus	345		
	HIV Rev Protein Regulates the Transport of Unspliced Viral mRNAs	346		

9.5 Isolation, Culture, and Differentiation of Metazoan Cells 394

Flow Cytometry Separates Different Cell Types	394
Culture of Animal Cells Requires Nutrient-Rich Media and Special Solid Surfaces	395
Primary Cell Cultures Can Be Used to Study Cell Differentiation	396
Primary Cell Cultures and Cell Strains Have a Finite Life Span	396
Transformed Cells Can Grow Indefinitely in Culture	397
Some Cell Lines Undergo Differentiation in Culture	398
Hybrid Cells Called Hybridomas Produce Abundant Monoclonal Antibodies	400
HAT Medium Is Commonly Used to Isolate Hybrid Cells	402
CLASSIC EXPERIMENT 9.1 Separating Organelles	407

10 BIOMEMBRANE STRUCTURE 409

10.1 Biomembranes: Lipid Composition and Structural Organization 411

Phospholipids Spontaneously Form Bilayers	411
Phospholipid Bilayers Form a Sealed Compartment Surrounding an Internal Aqueous Space	411
Biomembranes Contain Three Principal Classes of Lipids	415
Most Lipids and Many Proteins Are Laterally Mobile in Biomembranes	416
Lipid Composition Influences the Physical Properties of Membranes	418
Lipid Composition Is Different in the Exoplasmic and Cytosolic Leaflets	419
Cholesterol and Sphingolipids Cluster with Specific Proteins in Membrane Microdomains	420

10.2 Biomembranes: Protein Components and Basic Functions 421

Proteins Interact with Membranes in Three Different Ways	421
Most Transmembrane Proteins Have Membrane-Spanning α Helices	422
Multiple β Strands in Porins Form Membrane-Spanning "Barrels"	424
Covalently Attached Hydrocarbon Chains Anchor Some Proteins to Membranes	424
All Transmembrane Proteins and Glycolipids Are Asymmetrically Oriented in the Bilayer	426

Lipid-Binding Motifs Help Target Peripheral Proteins to the Membrane	427
Proteins Can Be Removed from Membranes by Detergents or High-Salt Solutions	427

10.3 Phospholipids, Sphingolipids, and Cholesterol: Synthesis and Intracellular Movement 429

Fatty Acids Synthesis Is Mediated by Several Important Enzymes	430
Small Cytosolic Proteins Facilitate Movement of Fatty Acids	430
Incorporation of Fatty Acids into Membrane Lipids Takes Place on Organelle Membranes	431
Flippases Move Phospholipids from One Membrane Leaflet to the Opposite Leaflet	431
Cholesterol Is Synthesized by Enzymes in the Cytosol and ER Membrane	432
Cholesterol and Phospholipids Are Transported Between Organelles by Several Mechanisms	433

11 TRANSMEMBRANE TRANSPORT OF IONS AND SMALL MOLECULES 437

11.1 Overview of Membrane Transport 438

Only Small Hydrophobic Molecules Cross Membranes by Simple Diffusion	438
Membrane Proteins Mediate Transport of Most Molecules and All Ions Across Biomembranes	439

11.2 Uniport Transport of Glucose and Water 441

Several Features Distinguish Uniport Transport from Simple Diffusion	441
GLUT1 Uniporter Transports Glucose into Most Mammalian Cells	442
The Human Genome Encodes a Family of Sugar-Transporting GLUT Proteins	443
Transport Proteins Can Be Enriched Within Artificial Membranes and Cells	443
Osmotic Pressure Causes Water to Move Across Membranes	444
Aquaporins Increase the Water Permeability of Cell Membranes	444