CONTENTS

Preface	V
Introduction	1
General Methods Used in Official Pharmaceutical Analyses	
1. Remarks and General Directions Sampling—Calculation of results and errors—General operations— The analytical balance—Weights.	1 t
2. Gravimetric Analysis	39
3. Gravimetric Methods	47
4. Principles of Titrimetric (Volumetric) Analysis Definitions—Volumetric apparatus—The calibration of volumetric apparatus—Neutralization methods: Theory—Indicators—Standard solutions—Preparation and standardization of normal hydrochloric acid, of normal sodium hydroxide.	69
 Alkalimetry	03
6. ACIDIMETRY	.26

CONTENTS

7.	Precipitation Methods
	Determination of the end point—Indicators. Standard solutions. Preparation and standardization of tenth-normal silver nitrate and of tenth-normal ammonium thiocyanate.
	Direct titration methods: Assay of strong silver protein, of chiniofon. Residual titration methods: Assay of sodium chloride, of ammonium bromide, and of syrup of hydriodic acid.
8.	Oxidation-Reduction Methods
	Theory—Standard solutions—Preparation and standardization of tenth-normal potassium permanganate.
	Direct titration methods: Assay of ferrous sulfate, of reduced iron, and of solution of hydrogen peroxide.
	Indirect titration methods: Assay of calcium gluconate.
	Residual titration methods: Preparation and standardization of tenth-normal oxalic acid—Assay of sodium nitrite, of calcium oxide, and of potassium chlorate.
	Ceric Sulfate methods: Preparation and standardization of tenth- normal ceric sulfate—Assay of pills of ferrous carbonate.
9.	Oxidation and Reduction—Iodimetric Methods 177
	Starch indicator solutions. Standard solutions: Preparation and standardization of tenth-normal sodium thiosulfate solution and of tenth-normal iodine.
	Direct titration with standard iodine solution: Assay of arsenic trioxide.
	Direct titration with potassium arsenite: Assay of strong solution of iodine.
	Residual titration with standard sodium thiosulfate: Assay of mercurous chloride.
	Titration of the iodine liberated from potassium iodide with sodium
	thiosulfate: Assay of solution of ferric chloride, of chlorinated
	lime, of cupric sulfate, of sodium arsenate, and of thyroid. Titration with tenth-normal bromine: Preparation and standardiza-
	tion of tenth-normal bromine—Assay of phenol and of calcium hypophosphite.
	Titrations with standard potassium iodate: Preparation of standard
	potassium iodate solution—Assay of potassium iodide.
	Diazotization Assays with nitrates: Preparation of 0.1M sodium nitrate—Assav of sulfanilamide.
10.	Gasometric Methods
	Theory—Apparatus—Test of the nitrometer—Assay of carbon dioxide and of spirit of ethyl nitrite.

PART 2

	Physical Methods Used in Official Pharmaceutical Analyses	
11.	Solubility	229
12.	Methods used to determine the specific gravity of liquids: The use of pycnometers—Determination of the alcohol content of an official preparation. The use of the Westphal balance—Determination of the specific gravity of a volatile oil. The use of hydrometers. Methods used to determine the specific gravity of solids: By weighing in water—Determination of the specific gravity of camphor: By the flotation method—Determination of the speci-	233
13.	fic gravity of yellow wax. Melting, Congealing, and Boiling Temperatures. Melting point: Determination of the melting point of salicylic acid. Congealing temperature: Method of determining—Determination of the solidification temperature of the fatty acids of cottonseed oil. Boiling and distilling ranges: Determination of the boiling point of carbon tetrachloride.	254
14.	REFRACTOMETRIC MEASUREMENTS. Refractive index: Refractometers—The Abbé refractometer. Determination of the refractive index of oil of orange.	268
15.	ROTATORY POWER	275
16.	VISCOSITY MEASUREMENTS	285
17.	Photometric Methods of Analysis	288

18.	DETERMINATION OF HYDROGEN ION CONCENTRATION 301			
	Acid base equilibrium and pH.			
	Potentiometric methods: The hydrogen electrode—Platinization of			
	the hydrogen electrode—The calomel electrode—The scheme of			
	assembly for hydrogen ion methods.			
	Determination of the end point of titration of hydrochloric acid			
	with sodium hydroxide potentiometrically—Notes and precau-			
	tions—Determination of the end point of titration of acetic acid			
	with sodium hydroxide potentiometrically. Determination of the			
	pH of saturated boric acid solution, and of physiological salt			
	solution.			
	The quinhydrone electrode: Preparation—Use.			
	Determination of the pH of elixir of iron, quinine and strychnine,			
	elixir of pepsin, and tincture of aconite by means of the quin- hydrone electrode.			
	The glass electrode.			
	Colorimetric methods: Indicators—Buffer solutions—Color stand-			
	ards—Color comparators.			
	Determination of the pH of solution of epinephrine hydrochloride,			
	and syrup of hydriodic acid.			
	ELECTROLYTIC METHODS			
	Electrical units and fundamental laws—Theory—Apparatus.			
	Assay of copper sulfate and of mercuric chloride. Other electroly-			
	tic assays.			
	PART 3			
	Special Methods Used in Official Pharmaceutical Analyses			
00	A M D			
20.	Ash and Moisture Determinations			
	Ash content: Determination of the total and acid-insoluble ash			
	content of digitalis leaf. Moisture content: Determination of the moisture content of acacia—			
	Determination of the moisture content of digitalis leaf by the			
	toluene distillation method.			
	tordene distination inclined.			
21.	EXTRACTIVE AND CRUDE FIBER CONTENT			
	Volatile and nonvolatile ether-soluble extractive: Determina-			
	tion of the volatile and nonvolatile ether-soluble extractive of myristica.			
	Alcohol-soluble extractive: Assay of benzoin.			
	Water-soluble extractive: Assay of aloe.			
	Purified petroleum benzin extractive.			
	Crude fiber: Determination of the crude fiber content of cloves.			

22.	Constants of Fats, Fatty Oils, Waxes, Balsams, Resins, Etc 38. Acid value: Determination of the acid value of rosin. Saponification value: Determination of the saponification value of cottonseed oil. Ester number. Unsaponifiable matter. Iodine value: Determination of the iodine value of olive oil. Hydroxyl value.	1.
23.	Assay of Volatile Oils	ò
	Methods of general application: Specific gravity—Rotatory power—Refractive index—Congealing point—Distilling point—Fractional distillation—Solubility. Assay for ester content: Preparation of half-normal alcoholic potas-	
	sium hydroxide—Assay of oil of peppermint for total esters. Assay for alcohol content: Assay of oil of peppermint for total menthol.	
	Assay of aldehyde content: Assay of oil of bitter almond for benz- aldehyde content.	
	Assay for ketone content: Assay of oil of caraway.	
	Assay for phenol content: Assay of oil of clove. Assay for hydrocyanic acid content: Assay of oil of bitter almond for hydrocyanic acid.	
	Assay for ascaridol content: Assay of oil of chenopodium.	
	Assay for allyl isothiocyanate: Assay of allyl isothiocyanate. Assay of volatile oil content of crude drugs and oleoresins: Assay of oil of clove.	
	Assay for volatile oil in spirits: Assay of spirit of peppermint.	
24.	ALKALOIDAL ASSAYING	
	General Principles: Sources of error—Theory of distribution coefficient—Choice of indicators—Test solutions.	
	General procedures: Selection of the sample—Weighing of samples —Extraction methods—Gravimetric determination of alkaloids— Volumetric determination of alkaloids.	
25.	OFFICIAL TYPE METHODS	
	Alkaloidal assays by aliquot part method. General procedure: Extraction of the drug—Decanting the aliquot portion—Shaking out with acid—Shaking out with immiscible solvent—Determination of the alkaloidal content. Gravimetric assays: Assay of hydrastis for ether-soluble alkaloids,	
	of cinchona for total alkaloids, and of compound tincture of cinchona.	

CONTENTS

Volumetric assays: Assay of ipecac is assay of areca.	or ether-soluble alkaloids and
Alkaloidal assays by the total extra scyamus.	action method: Assay of hyo-
Assay of preparations of hyoscyamus Assay of tincture of belladonna a leaf.	belladonna, and stramonium: nd fluidextract of belladonna
26. ALKALOIDAL ASSAYS BY SPECIAL METH	ODS 469
Assay of opium.	
Assay of colchicum.	
Assay of nux vomica.	
Assay of caffeine containing drugs: A	ssay of kola.
Assay of alkaloidal salts: Assay of hydrochloride, of theophylline with sulfate.	citrated caffeine, of eucaine sodium acetate, and ephedrine
27. OTHER OFFICIAL ASSAYS INVOLVING THE	USE OF IMMISCIBLE SOLVENTS 493
Assay of cantharides—Assay of aspi of tablets of barbital.	
28. Assay of Enzyme-containing Substa	NCES 500
Assay of pepsin—Assay of pancreatin Assay of pancreatin for casein dige	n for starch digestive power— stive power—Assay of rennin.
Appendix	511
Logarithms of numbers—Antilogarithms.	***
LIST OF VISUAL MATERIALS.	. 515
Index	517
TABLE OF ATOMIC WEIGHTS	Inside back cover