

Contents

<i>Contributor contact details</i>	xiii
<i>Foreword</i>	xvii
<i>Introduction</i>	xix

Part I Formation and analysis of hazardous compounds in heat-treated foods

1 The Maillard reaction and its role in the formation of acrylamide and other potentially hazardous compounds in foods	3
<i>D. S. Mottram, M. Y. Low and J. S. Elmore, The University of Reading, UK</i>	
1.1 Introduction	3
1.2 The chemistry of the Maillard reaction	4
1.3 Acrylamide and the Maillard reaction	7
1.4 The formation of other potentially toxic compounds in the Maillard reaction	15
1.5 Conclusions	18
1.6 References	19
2 The formation of acrylamide in cereal products and coffee	23
<i>R. H. Stadler, Nestlé Product Technology Centre, Switzerland</i>	
2.1 Introduction	23
2.2 Formation and possible mitigation strategies	24

2.3	Coffee	34
2.4	Conclusion	37
2.5	References	38
3	The formation of acrylamide in potato products	41
	<i>N. U. Haase, Federal Research Centre for Nutrition and Food, Germany</i>	
3.1	Introduction	41
3.2	Acrylamide and the raw material	42
3.3	Acrylamide and potato processing	49
3.4	Conclusion	55
3.5	References	56
4	Mechanism for the formation of PhIP in foods	60
	<i>M. Murkovic, Institute for Food Chemistry and Technology, Austria</i>	
4.1	Introduction	60
4.2	Formation of PhIP	61
4.3	Conclusions	65
4.4	References	66
5	Latest developments in the analysis of heterocyclic amines in cooked foods	68
	<i>M. T. Galceran and L. Puignou, University of Barcelona, Spain</i>	
5.1	Introduction	68
5.2	Extraction of HCAs and sample preparation	72
5.3	Chromatographic analysis	90
5.4	Identification and quantification methods	107
5.5	Conclusions	110
5.6	References	111
6	Analysis for acrylamide in foods	117
	<i>L. Castle, Department for Environment, Food and Rural Affairs, UK</i>	
6.1	The analytical task	117
6.2	Physical and chemical properties of acrylamide	118
6.3	Sampling requirements	118
6.4	Extraction procedures	120
6.5	Determination by GC-MS after bromination of acrylamide ..	122
6.6	Determination by GC-MS with no derivatisation	124
6.7	Determination by LC-MS	125
6.8	Other instrumental methods	127
6.9	Prospects for rapid tests	128
6.10	Conclusions	128
6.11	References	129

7	A molecular modelling approach to predict the toxicity of compounds generated during heat treatment of foods	132
	<i>Q. Chaudhry, J. Cotterill, R. Watkins, Department for Environment, Food and Rural Affairs, UK and N. Price, Technology for Growth, UK</i>	
7.1	Introduction to molecular modelling	132
7.2	Development of a (Q)SAR model	135
7.3	The use of <i>in silico</i> models as a predictive tool in chemical risk assessment	138
7.4	Prediction of chemical toxicity by expert systems	138
7.5	The use of the (Q)SAR approach to identify potential toxicants in heat treated foods	140
7.6	Conclusions	158
7.7	References	159
Part II	Health risks of acrylamide and other hazardous compounds in heat-treated foods	
8	Biomonitoring of acrylamide	163
	<i>M. Törnqvist, B. Paulsson and S. Osterman-Golkar, Stockholm University, Sweden</i>	
8.1	Introduction	163
8.2	Metabolism and reactivity	164
8.3	Chemical biomarkers, methods and experimental results	167
8.4	Application of bio-monitoring in human exposure situations ..	181
8.5	Comparison with other methods for exposure assessment	184
8.6	Usefulness of biomarkers in risk assessment	186
8.7	Future trends	188
8.8	Acknowledgements	189
8.9	References	189
9	Modelling of dietary exposure to acrylamide	195
	<i>J. D. van Klaveren, P. E. Boon and A. de Mul, RIKILT - Institute of Food Safety, The Netherlands</i>	
9.1	Introduction	195
9.2	Different models to estimate dietary exposure to food contaminants ..	197
9.3	Dietary AA exposure assessments	199
9.4	Reduction of AA levels in food: implications	203
9.5	Exposure to AA in relation to reported toxicity	206
9.6	Discussion and European funded research projects	208
9.7	References	210

10 Assessing exposure levels of acrylamide	214
<i>E. J. M. Konings, Food and Consumer Product Safety Authority (VWA), The Netherlands and J. G. F. Hogervorst, L. J. Schouten and P. A. van den Brandt, Maastricht University, The Netherlands</i>	
10.1 Rationale of exposure assessment	214
10.2 Difficulties in exposure assessment of acrylamide	215
10.3 Overview of dietary acrylamide exposure levels	218
10.4 Are the exposure estimates valid?	220
10.5 Bioavailability	220
10.6 Acrylamide metabolism	221
10.7 Biomarkers of acrylamide exposure	221
10.8 Relevance of the biomarkers for exposure and risk assessment	225
10.9 References	225
11 Assessing human exposure to heterocyclic aromatic amines ...	231
<i>M. G. Knize, University of California, USA</i>	
11.1 Introduction	231
11.2 Biomonitoring	233
11.3 Food frequency questionnaires and doneness classification ..	235
11.4 Application of exposure assessment to risk	240
11.5 Conclusion	240
11.6 Acknowledgements	241
11.7 References	241
12 Genotoxicity, metabolism, and biomarkers of heterocyclic aromatic amines	247
<i>R. J. Turesky, NYS Department of Health, USA</i>	
12.1 Introduction	247
12.2 Bioactivation of HCAs, DNA adduct formation, mutagenesis and carcinogenesis	248
12.3 HCA-protein adduct formation with hemoglobin and serum albumin	253
12.4 Analysis of HCAs and their metabolites in human urine	257
12.5 Other potential HCA biomarkers	262
12.6 Future trends	262
12.7 Sources of further information	263
12.8 References	264
13 Risk assessment techniques for acrylamide	275
<i>J. Alexander, Norwegian Institute of Public Health, Norway</i>	
13.1 Introduction	275
13.2 Exposure assessments	277
13.3 Hazard identification: neurotoxicity, genotoxicity, developmental and reproductive toxicity	279

13.4	Hazard identification: carcinogenicity	283
13.5	Hazard characterisation: dose response analysis for various effects	286
13.6	Risk characterisation	288
13.7	Conclusions	289
13.8	Acknowledgements	289
13.9	References	290
14	The possible involvement of mutagenic and carcinogenic heterocyclic amines in human cancer	296
	<i>Y. Totsuka, R. Nishigaki, T. Sugimura and K. Wakabayashi, National Cancer Center Research Institute, Japan</i>	
14.1	Introduction	296
14.2	Formation of HCAs	300
14.3	<i>In vitro</i> and <i>in vivo</i> mutagenicity of HCAs	302
14.4	Metabolism of HCAs	303
14.5	Carcinogenicity of HCAs in rodents	306
14.6	Modulation of carcinogenic activity	309
14.7	Estimation of human intake and exposure to HCAs	310
14.8	Epidemiological studies	313
14.9	Risk of development of human cancer from HCAs	314
14.10	Acknowledgements	315
14.11	References	315
15	Health risks of 5-hydroxymethylfurfural (HMF) and related compounds	328
	<i>H. Glatz and Y. Sommer, German Institute of Human Nutrition, Germany</i>	
15.1	Introduction	328
15.2	Occurrence of HMF in foods and other consumer products ..	329
15.3	Absorption, biotransformation and elimination of HMF	331
15.4	Reaction of HMF with amino acids and protein	336
15.5	Acute and chronic toxicity of HMF and SMF	336
15.6	Genotoxicity of HMF, SMF and CMF	337
15.7	Carcinogenicity of HMF, SMF and CMF	342
15.8	Other furan derivatives formed from carbohydrates	343
15.9	Conclusions	350
15.10	Sources of further information	352
15.11	Acknowledgement	352
15.12	References	353
16	Metabolic factors affecting the mutagenicity of heterocyclic amines	358
	<i>H. Glatz, German Institute of Human Nutrition, Germany</i>	
16.1	Introduction	359

16.2	Genotoxicity and carcinogenicity of HCAs in standard models .	359
16.3	Biotransformation pathways	370
16.4	Overview of enzyme super-families involved in the biotransformation of HCAs	377
16.5	Identification of specific human enzyme forms involved in the activation and inactivation of individual HCAs	382
16.6	Knockout and transgenic mouse models for HA-metabolising enzymes	391
16.7	Genetic polymorphism of human enzymes involved in the activation and inactivation of HCAs	392
16.8	Conclusions	394
16.9	Sources of further information	394
16.10	Acknowledgements	395
16.11	References	395
Part III Minimising the formation of hazardous compounds in foods during heat treatment		
17	Modifying cooking conditions and ingredients to reduce the formation of heterocyclic amines	407
	<i>K. Skog, Lund University, Sweden and M. Jägerstad, Swedish University of Agricultural Sciences, Sweden</i>	
17.1	Introduction	407
17.2	Chemical structures	407
17.3	Precursors	408
17.4	HCA levels in cooked foods	409
17.5	Daily intake of HCAs	409
17.6	Factors affecting the yield of HCAs	411
17.7	Effects of varying levels of natural precursors in meat	411
17.8	Cooking methods and ingredients	414
17.9	Conclusions and recommendations	418
17.10	References	419
18	Dietary compounds which protect against heterocyclic amines	425
	<i>S. Knasmüller, C. Hölzl, J. Bichler, A. Nersesyan and V. A. Ehrlich, Medical University of Vienna, Austria</i>	
18.1	Introduction	426
18.2	Mechanisms of protection	426
18.3	Methodological aspects	431
18.4	Protective effects of different foods and of individual food components	437
18.5	Conclusions and implications for food producers	444
18.6	Future trends	445
18.7	References	445

19 Controlling acrylamide formation during baking	459
<i>T. M. Amrein, F. Escher and R. Amadò, ETH, Zurich, Switzerland</i>	
19.1 Introduction	459
19.2 Acrylamide formation and ways to reduce its content in bakery products	460
19.3 Conclusions	473
19.4 References	474
20 Novel techniques to prevent the formation of acrylamide in processed food	478
<i>E. Shimoni, Israel Institute of Technology, Israel</i>	
20.1 Introduction	478
20.2 General considerations	478
20.3 Technological approaches for reducing acrylamide and other hazardous materials	481
20.4 Conclusion	487
20.5 Sources of further information	488
20.6 References	489
Appendix I: List of abbreviations of heterocyclic amines	494
Appendix II: Molecular structures of heterocyclic amines	495
Index	499