Contents

| Part C | Steels with characterizing Properties for Specific Fields of Applica- tion | |
|--------------------|--|----------|
| C1 | General Survey of Part C and its Aim. By W. Schlüter | 3 |
| C2 | Normal and High Strength Structural Steels By B. Müsgen, H. de Boer, H. Fröber and J. Petersen | 6 |
| C 2.1 | General Remarks | 6 |
| C 2.2 C 2.2.1 | Required Properties of Use Required Application Properties Mechanical Properties under Static Loads. Mechanical Properties under Cyclic Loads. Resistance Against Brittle Fracture. Resistance to Weathering. Wear Resis- tance. | 7 |
| C 2.2.2 | Required Processing Properties Formability. Suitability for Shearing, Machining and Flame Cutting. Weldability. Suitability for Zinc Coating (Galvanizing). | 10 |
| C 2.2.3 | Requirements for Uniformity | 12 |
| C 2.3 | Characterization of the Required Properties | 12 |
| C 2.3.1 | Characterization of Application Properties | 12 |
| | Characterization of Processing Properties Formability. Machinability and Suitability for Flame Cutting. Weldability. Suit- ability for Zinc Coating (Galvanizing). | 22 |
| C 2.4 | Measures of Physical Metallurgy to Attain Required Properties | 34 |
| C 2.4.1 C 2.4.2 | General Remarks Influence of the Heat Treatment and the Resulting Microstructure on Prop- | 34 |
| | erties | 35 |
| ~ • • | structure | -20 |
| C 2.5 | Characteristic Steel Grades Proven in Service | |
| C3 | Reinforcing Steel for Reinforced Concrete and Prestressed Concrete Structures | |
| | By H. Weise, W. Krämer, W. Bartels and WD. Brand | |
| C 3.1 | General Remarks | 61 |
| C 3.2 | Reinforcing Bars and Wire-fabric | 62 |
| C 3.2.1 | Required Properties | 62 |
| C 3.2.2 | Characterization of the Required Properties | 62 |
| C 3.2.3 | Measure Changes in Physical Metallurgy to Attain Required Properties Characteristic Steel Grades Proven in Service [10] | 63 66 |
| C 3.2.4 | | |
| C 3.3 C 3.3.1 | Prestressing Steels | 67 67 |
| C 3.3.1 C 3.3.2 | Characterization of the Required Properties | 70 |
| | | - |

| C 3.3.3 C 3.3.4 | Measures of Physical Metallurgy to Attain Required Properties Characteristic Steel Grades Proven in Service | 72 74 |
|--------------------|---|----------------|
| C4 | Steels for Hot-Rolled, Cold-Rolled and Surface-Coated Flat-Rolled Products for Cold Forming | 77 |
| | - | |
| C4 C4. C4. | Hot- and Cold-rolled Flat Products for Cold Forming | 77 77 77 |
| C42 | Cold-rolled Flat Products. Required Properties of Use. Characterization of the Required Properties. Measures for Attaining the Required Properties. Characteristic Steel Grades Proven in Service. | 80 |
| | Flat-Rolled Products of Structural Steels for General Purposes. and of High- | |
| C 4.1.2 | strength Steels | 84 84 |
| C4.1.2.2 | Cold-Rolled Flat Products | 90 |
| C4.1.3 | Flat Products of Stainless Steels | 96 |
| C4.2 | Surface-coated Flat Rolled Products | 07 |
| C 4.2.1 | Flat-Rolled Products with Metallic Coatings | 99 |
| C4.2.1.1 | Zinc-coated Flat Products | 99 |
| C4.2.1.2 | Aluminum-Coated Flat Products | 105 |
| C4.2.1 | Flat Products with Coatings Containing Tin and Chromium | 109 |
| C4.2.1.4 | Flat Products with Lead Coating | 111 |
| C4.2.1.5 | Flat Products with Other Metallic Coatings Flat Products with Electrolytically-deposited Metal Coatings. Flat Products with Metal Coatings Produced by Cladding. Flat Products with Coatings Produced by Vapor-Deposition. Flat-Rolled Products with Inorganic Coatings Phosphated and Chromated Flat Products. Enamelled Flat Products. | 112 |
| Ċ4.2.3 | Organic Coil-coated Steel Flat Products | 116 |
| 65 | Heat-treatable and Surface-hardening Steels for Vehicle and Machine Construc- tion | |
| C 5.1 | General Remarks. | 118 |
| C 5.2 | Heat-treatable Steels (Steels for Quenching and Tempering), Steels for Flame, Induction and Immersion Surface Hardening and Nitriding Steels General Requirements for the Properties of Use of Heat-treatable Structural Steels, Their Characterization by Test Values and Possibilities to Attain Them | 119 |

XII

Contents

| C 5.2.1.1 | Properties which are Important for End Uses | 119 |
|--|--|------------|
| C 5.2.1.2 | Important Processing Properties | 132 |
| C 5.2.2 | Heat-treatable Steels (Steels for Quenching and Tempering). | 134 |
| C 5.2.2.1 | General Selection Criteria. | 134 |
| C 5.2.2.2 | Steel Grades Proven in Service. | 134 |
| C 5.2.3 | Steels for Flame, Induction and Immersion Surface Layer Hardening | 137 |
| C 5.2.3.1 | Special Aspects of Flame, Induction and Immersion Surface Layer Hardening | 137 |
| C 5.2.3.2 | Steel Grades Proven in Service. | 140 |
| C 5.2.4 | Nitriding Steels | 140 |
| C 5.2.4.1 | Special Features of Nitriding | 140 |
| C 5.2.4.2 | Steel Grades Proven in Service. | 146 |
| | | |
| C 5.3 | Steels for Heavy Forgings. | 147 |
| C 5.3.1 | Required Properties | 147 |
| C 5.3.2 | Characterization of the Required Properties by Test Results | 147 |
| C 5.3.3 | Measures for the Attainment of the Required Properties. | 148 |
| C 5.3.3.1 | Melting and Casting | 148 |
| C 5.3.3.2 | Heat Treatment. | 150 |
| C 5.3.3.3 | Relationship Between Alloying Content, Microstructure and Mechanical Prop- | |
| C 5.3.4 | erties | 151 155 |
| C 5.4 | Case Hardening Steels. | 158 |
| C 5.4.1 | Requirements for the Base or Core Material to Suit Service and Processing Operations. | 158 |
| C 5.4.1.1 | Required Properties | 158 |
| C 5.4.1.1 | Characterization of the Required Properties by Test Values. | 159 |
| C 5.4.1.2 C 5.4.1.3 | Measures for Achieving the Required Properties | 159 |
| C 5.4.1.5 | Required Properties of the Case Hardened Layer and Their Production | 161 |
| C 5.4.2 C 5.4.2.1 | | 161 |
| | Required Properties | 163 |
| C 5.4.2.2 | Carburizing | 165 |
| C 5.4.2.3 | Hardening | 165 |
| C 5.4.2.4 | Stress Relieving | 108 |
| C 5.4.3 | Behavior of the Composite Material of the Case and the Tough Core Under Service | 169 |
| <i><u><u></u></u></i> <u></u> | Conditions. | |
| C 5.4.4 | Steel Grades Proven in Service | 174 |
| C6 | Steels for Cold Forming (Forming e.g. by Cold Extrusion and Cold Heading) | 177 |
| | By H. Gulden and I. Wiesenecker-Krieg | |
| C 6.1 | General Remarks | 177 |
| | | |
| C 6.2 | Required Properties | 177 |
| C 6.3 | Characterization of Required Properties | 178 |
| C 6.4 | Measures of Physical Metallurgy to Attain the Required Properties | 180 |
| C 6.4.1 | General Remarks. | 180 |
| C 6.4.2 | Chemical Composition and Microstructure | 181 |
| C 6.4.3 | Cleanness | 185 |
| C 6.4.4 | Surface Quality and Dimensional Accuracy of Steel Products | 186 |
| | | |
| C 6.5 | Characteristic Steel Grades Proven in Service | 187 |
| C7 | Unalloyed Wire Rod for Cold Drawing | 195 |
| | By H. Beck and C. M. Vlad | |
| C7.1 | Required Properties of Use | 195 |
| C7.2 | Characterization of the Required Properties | 196 |
| | | |
| C7.3 | Measures to Attain Required Properties | 199 |
| C 7.3. | General Remarks | 199 |

| | Metallurgical Measures and Mill Practices to Produce Microstructures with Required Properties | 200 |
|------------------------|--|------------|
| | Characteristic Steel Grades Proven in Service | 204 |
| C8 | Ultra High-strength Steels | 208 |
| C 8.1 | Definition of the Term "Ultra High-strength Steel" ("UHS" Steel) | 208 |
| C 8.2 | Required Properties and Appropriate Test Methods | 208 |
| C 8.2.1 | Application-derived Requirements | 208 |
| C 8.2.2 | Requirements Imposed by Manufacturing (Processing) Technology | 210 |
| C 8 3 | Meeting Requirements by Adjustment of Chemical Compositions and Appropriate | |
| | Production Techniques | 211 |
| C8.3.1 | Basic Possibilities. | 211 212 |
| C 8.3.2 C 8.3.2.1 | Strength and Toughness Properties | 212 |
| C 8.3.2.1 C 8.3.2.2 | Maraging Steels. | 212 |
| C 8.3.2.2 | Production of Conventionally Heat-treatable UHS Steels and Maraging Steels | 218 |
| C8.3.3 | Stress Corrosion Cracking, Hydrogen Embrittlement and Rust-resistance | 219 |
| C 8.3.4 | Fatigue Strength | 220 |
| C8.3.5 | Processing Properties | 221 |
| C 8.4 | Characteristic Grades of UHS Steel and Their Properties | 223 |
| C9 | Elevated-temperature Steels (Creep Resistant and High Creep Resistant Steels) and Alloys | 226 |
| C9.1 | Required Properties | 226 |
| C9.2 | Characterization of the Required Properties by Results of Specified Tests | 229 |
| C9.3 | Physical Metallurgy Procedures to Attain the Required Properties | 233 |
| C9.3.1 | Ferritic Steels | 233 |
| C9.3.1.1 | Ferritic Steels for Slightly Elevated Temperatures. | 233 |
| C9.3.1.2 | Ferritic Steels for Creep Resistance | 237 |
| C9.3.2 | Austenitic Steels | 242 |
| C9.3.2.1 | Significance of the Face Centered Cubic Lattice for the High-temperature Strength | 242 |
| C9.3.2.2 | of Austenite | 242 243 |
| C9.3.2.2 | Effects of Carbon and Nitrogen | 243 |
| C 9.3.2.4 | Effects of Niobium and Titanium | 245 |
| C9.3.2.5 | Effects of Molybdenum, Tungsten, Vanadium and Cobalt. | 246 |
| C 9.3.2.6 | Effect of Boron | 249 |
| C9.3.3 | High-temperature Nickel and Cobalt Alloys | 249 |
| C9.4 | Characteristic Material Grades Proven in Service. | 253 |
| Ċ9.4.1 | Ferritic Steels | 253 |
| C 9.4.1.1 | Ferritic Steels for Slightly Elevated Temperatures. | 253 |
| C9.4.1.2 | Ferritic Steels for Plates and Tubes | 256 |
| C 9.4.1.3 | Ferritic Steels for Forgings and Bars | 259 |
| C9.4.1.4 | Ferritic Steels for Castings | 261 264 |
| C9.4.2 | High-temperature Nickel and Cobalt Alloys | 269 |
| C 10 | Low Temperature Steels (Steels with Good Toughness at Low Temperatures) | 273 |
| 1 , 10 | By M. Hancke, J. Degenkolbe, J. Petersen and W. Weßling | 213 |
| 0101 | • • | |
| C 10.1 | Required Properties of Use | 273 |
| C 10.2 | Characterization of the Required Properties | 274 |
| C 10.3 | Physical Metallurgy Procedures to Attain Required Properties | 777 |

| C 10.3.1 | Ferritic Steels | 277 |
|------------------------|---|-----|
| C 10.3.2 | Austenitic Steels | 282 |
| C 10.4 | Characteristic Steel Grades Proven in Service | 287 |
| C 10.4.1 | Ferritic Steels | 287 |
| C 10.4.2 | Austenitic Steels | 292 |
| C 10.5 | Processing of Low Temperature Steels | |
| C 10.5 | | 294 |
| C11 | Tool Steels. By S. Wilmes, HJ. Becker, R. Krumpholz and W. Verderber | 302 |
| C11.1 | Multiple Stresses in Tools. | 302 |
| C11.2 | Properties Required of Tool Steels, their Characterization on the Basis of Test | |
| 011.2 | Values, and Measures of Physical Metallurgy to Attain them. | 303 |
| C11.2.1 | Properties of Importance for Various Applications . | 305 |
| C11.2.1.1 | Hardness at Low and High Operating Temperatures. | 305 |
| C11.2.1.1 | Hardenability | 311 |
| C11.2.1.2 | Retention of Hardness. | |
| C11.2.1.4 | | 314 |
| C11.2.1.4 C11.2.1.5 | Compression Strength and Pressure Resistance | 317 |
| C11.2.1.5 C11.2.1.6 | Fatigue Strength | 320 |
| C11.2.1.0 C11.2.1.7 | Toughness at Operational Temperatures | 321 |
| | Wear Resistance | 329 |
| C11.2.1.8 | Thermal Conductivity | 334 |
| C11.2.1.9 | Resistance to Thermal Fatigue | 335 |
| C11.2.1.10 | Corrosion Resistance. | 337 |
| C11.2.2 | Steel Properties of Importance in the Manufacture of Tools | 339 |
| C11.2.2.1 | Dimensional Accuracy During Heat Treatment | 339 |
| C11.2.2.2 | Hot Formability | 342 |
| C 11.2.2.3 | Cold Formability and Suitability for Hobbing. | 343 |
| C 11.2.2.4 | Machinability | 346 |
| C 11.2.2.5 | Grindability | 347 |
| C 11.2.2.6 | Polishability | 349 |
| C 11.3 | Characteristic Steel Grades for the Different Fields of Tool Application | 350 |
| C 11.3.1 | Steels for Plastics Molds | 350 |
| C11.3.2 | Steels for Pressure Casting Molds | 354 |
| C 11.3.3 | Steels for Glass Processing | 355 |
| C11.3.4 | Steels for Cold-forming Tools | 357 |
| C11.3.5 | Steels for Forging and Pressing Dies | 361 |
| C 11.3.6 | Steels for Hot Extrusion Press Tools | 363 |
| C11.3.7 | Steels for Machining Tools | 365 |
| C 11.3.8 | Steels for Cutting Tools | 368 |
| C 11.3.9 | Steels for Hard Tools | 373 |
| C 12 | Wear-resistant Steels | 374 |
| | By H. Berns | 574 |
| | - | |
| C 12.1 | Key Properties and their Characteristics | 374 |
| C 12.2 | Microstructural Considerations | 374 |
| C 12.3 | Applications of Steels and Iron-base Alloys | |
| V 14.J | Applications of Steels and Holi-base Alloys | 379 |
| C13 | Stainless Steel | 382 |
| | By W. Heinmann, R. Oppenheim and W. Weßling | 502 |
| | • | |
| C 13.1 | Required Design Properties of the Steels | 382 |
| C13.1.1 | Fields of Application for Stainless Steels | 382 |
| C13.1.2 | Resistance to Various Types of Corrosion | 382 |
| C 13.1.3 | Mechanical and Technologically Significant Properties | 383 |

ห้องสมุดกรมวิทยาศาสตร์บริการ

| C 13.2 C 13.2.1 C 13.2.2 | Characterization of the Required Properties by Test Values. Testing Corrosion Resistance. Parameters Characterizing Mechanical and Technologically Significant Properties | 384 384 390 |
|--------------------------------|--|-------------------|
| C13.3 | The Importance of Microstructure and its Chemical Composition for Corrosion. Performance. | 393 |
| C 13.3.1 C 13.3.2 | The Decisive Importance of Chromium Content Influence of Other Alloying Elements on Corrosion Behavior | 393 395 |
| C 13.4 | Attainment of the Desired Microstructure by Chemical Composition and Heat Treatment | 396 |
| C 13.4.1 | Dependence of Structure Type on Content of Ferrite and Austenite Formers. Phase Diagram for Stainless Steels | 396 |
| C 13.4.2 | Heat Treatment of the Characterizing Structure Groups. | 399 |
| C 13.5 | Typical Steels Proven in Service | 408 |
| C 13.5.1 | Ferritic Steels | 408 |
| C13.5.2 | Martensitic Steels. | 411 |
| C13.5.3 | Austenitic Steels | 416 |
| C 13.5.4 | Ferritic-austenitic Steels | 421 |
| C 14 | Steels for Use with Hydrogen at Elevated Temperatures and Pressures (High-pressure | 400 |
| | Hydrogen Resistant Steels) | 423 |
| C 14.1 | Hydrogen-induced Damage to Steel Used in High-pressure Applications | 423 |
| C 14.2 | Basis of Physical Metallurgy to Attain High-pressure Hydrogen Resistant Steels | 424 |
| C 14.3 | Conclusions Regarding the Chemical Composition | 426 |
| C 14.3.1 C 14.3.2 | Resistance to High-pressure Hydrogen | 426 427 |
| C144 | Application-oriented Selection of the Steels | 427 |
| | Heat Resisting Steels | 433 |
| | By Weßling and R. Oppenheim | |
| C15.1 | Required Properties of Use | 433 |
| C15.2 | Characterization of the Required Properties by Test Values | 434 |
| C15.3 | Chemical Composition and Microstructure of Applicable Steels | 437 |
| C 15.4 | Characteristic Grades of Heat Resisting Materials | 439 |
| C15.4.1 | Ferritic Steels | 439 |
| C15.4.2 | Austenitic Steels and Alloys. | 440 |
| C15.4.3 | Criteria for the Selection of Heat Resisting Material Groups | 444 |
| | Heating Conductor Alloys | 445 |
| C 16.1 | Required Properties and their Testing | 445 |
| C16.2 | Relationship Between Physical Metallurgy and Chemical Composition | 446 |
| C 16.2.1 | Austenitic Heating Conductor Alloys | 446 |
| C 16.2.2 | Ferritic Heating Conductor Alloys | 447 |
| C 16.2.3 | Influence of Special Alloying Additions. | 448 |
| C 16.3 | Technically Established Heating Conductor Alloys | 449 |
| C 17 | Steels for Values in Internal Combustion Engines By W. Weßling and F. Ulm | 452 |
| C 17.1 | Basic Properties of Valve Materials | 453 |
| C17.1.1 | Requirements Resulting from Service Conditions | 453 |
| C17.1.2 | Requirements Concerning the Processing Properties | 454 |

| C17.2 | Characterization of the Requirements by Test Values | 454 |
|----------------------|--|-----|
| C17.3 | Measures for Satisfying the Requirements | 456 |
| C17.3.1 | Measures of Physical Metallurgy | 456 |
| C17.3.2 | Measures for Shaping Valve Parts and Protecting Their Surfaces | 457 |
| C17.4 | Presentation of Standard Valve Materials | 458 |
| C17.4.1 | Heat-Treatable Steels (Steels for Quenching and Tempering) | 458 |
| C17.4.2 | Austenitic Steels | 460 |
| C17.4.3 | Nickel Alloys | 461 |
| C17.4.4 | High-Temperature Behavior of the Three Material Groups in Comparison | 462 |
| C 18 | Spring Steels. | 468 |
| | By D. Schreiber and J. Wiesenecker-Krieg | |
| C 18.1 | Required Properties | 468 |
| C 18.2 | Measures of Physical Metallurgy to Attain Required Properties | 469 |
| C 18.3 | Spring Steel Grades Proven in Service | 472 |
| C 18.3.1 | Steels for Cold Formed Springs | 473 |
| C 18.3.2 | Steels for Quenched and Tempered Springs | 473 |
| C 18.3.3 C 18.3.4 | Elevated-temperature Strength Steels for Springs Spring Steels with Good Toughness at Low Temperatures (Spring Steels for Low | 475 |
| | Temperature Service). | 476 |
| C 18.3.5 | Stainless Steels for Springs | 476 |
| C 19 | Free-cutting Steels | 478 |
| | By H. Sutter and G. Becker | |
| C 19.1 | Characteristic Properties | 478 |
| C 19.2 | Consequences Considering Physical Metallurgy | 479 |
| C 19.2.1 | Nature of the Microstructure. | 479 |
| C 19.2.2 | Effects of Special Alloying Elements on Free-cutting Steels | 479 |
| C 19.3 | Consequences for the Production of the Free-cutting Steels | 482 |
| C19.4 | The Free-cutting Steel Grades of Common Use and Their Properties | 485 |
| C 19.4.1 | Steel Grades Characterizing the Application Range. | 485 |
| C 19.4.2 | Machinability | 485 |
| C 19.4.3 | Mechanical Properties | 487 |
| C 19.4.4 | Subsequent Processing and Heat Treatment | 489 |
| C 19.4.5 | Other Properties | 489 |
| C20 | Soft Magnetic Materials | 491 |
| | By E. Gondolf, F. Assmus, K. Günther, A. Mayer, H. G. Ricken and KH. Schmidt | |
| C 20.1 | Range of the Soft Magnetic Materials | 491 |
| C 20.2 | Characteristics for the Evaluation of Soft Magnetic Materials | 492 |
| C 20.3 | Soft Iron: Applications, Properties, Production, and Grades | 494 |
| C 20.3.1 | Basic Requirements | 494 |
| C 20.3.2 | Findings of Physics and Physical Metallurgy Regarding Influences on the Required Properties | 494 |
| | Saturation Polarization. Coercivity and Bloch-wall Movements. Anisotropy Ener- gies. Implications for Manufacturing. | |
| C 20.3.3 | Production Technique | 407 |
| C 20.3.4 | Magnetic Properties of Important Soft Iron Grades Relay Materiak. Heavy Forgings | 499 |
| C 20.4 | Electrical Steel Sheet. | 501 |
| C 20.4.1 | Basic Requirements | 501 |
| | | |

| XVIII | Contents |
|-------|----------|
| | |

| C 20.4.2 | Considerations of Physics and Physical Metallurgy Magnetization Processes and Eddy Currents. Chemical Composition. Texture, Grain-oriented Electrical Steel Sheet. Consequences for the Fabrication. | 502 |
|--|---|---|
| C 20.4.3 | Production Processes of Electrical Steel Sheets Steel-making and Hot Rolling. Processing of the Hot-rolled Strip. | 508 |
| C 20.4.4 | Electrical Steel Sheets Currently Available on the Market and Their Properties. | 512 |
| C 20.4.5 | Comments on Other Materials | -514 |
| | Recent Developments (Amorphous Metals, Silicon Steel with 6% Si). Silicon- alloyed Materials Besides Electrical Steel Sheets. | |
| C 20.5 | | |
| C 20.5 | Other Steels with Special Requirements for Their Magnetic Properties Applications and Requirements for the Material Properties | 515 |
| C 20.5.2 | Relationships Between the Required Properties and the Microstructure. | 515 516 |
| C 20.5.3 | Characteristic Examples of Other Steels with Special Magnetic Properties | 516 |
| | Steels for Generator Shafts, Steel Castings for Magnetic Applications Stainless | 510 |
| | Chromium Steels for Magnetic Applications. | |
| C 20.6 | Soft Magnetic Nonferrous Alloys | 523 |
| C 20.6.1 | Applications and Requirements | 523 |
| C 20.6.2 | Aspects of Physics and Physical Metallurgy | 523 |
| | Phases and Transformations. Magnetic Constants and Ordering Processes. Specific Shapes of the Hysteresis Loop. | |
| C 20.6.3 | General Remarks on Processing and Products | 526 |
| C 20.6.4 | Commercial Nonferrous Alloys for Magnetic Applications | 526 |
| | Iron-nickel Alloys with 70% to 80% Ni. Iron-nickel Alloys with 45% to 65% Ni | 520 |
| | Iron-nickel Alloys with 35% to 40% Ni. Iron-nickel Alloys with Nickel Contents | |
| | Near 30%. Iron-cobalt Alloys with 27% to 50% Co. | |
| C 20.7 | Remarks on Further Crystalline Special Alloys and on Metallic Glasses | 532 |
| C 20.7.1 | Special Iron Alloys | 532 |
| C 20.7.2 | Metallic Glasses | 532 |
| ~ ~ . | _ | |
| C 21 | Permanent Magnet Materials | 534 |
| | By H. Stäblein and HE. Arntz | |
| | | |
| C 21.1 | Required Properties | 534 |
| C 21.1 C 21.2 | Required Properties | 534 535 |
| | Permanent Magnet Characteristics | 535 |
| C 21.2 C 21.3 C 21.3.1 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials | |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels | 535 538 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets | 535 538 538 538 538 539 |
| C21.2 C21.3 C21.3.1 C21.3.1.1 C21.3.1.2 C21.3.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials | 535 538 538 538 539 539 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys | 535 538 538 538 539 539 539 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys | 535 538 538 538 539 539 539 539 541 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys | 535 538 538 539 539 539 539 541 541 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys | 535 538 538 538 539 539 539 539 541 541 542 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials | 535 538 538 539 539 539 539 541 541 542 542 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.4 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron | 535 538 538 538 539 539 539 539 541 541 542 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials | 535 538 538 539 539 539 539 539 541 541 542 542 542 543 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials | 535 538 538 539 539 539 539 541 541 542 542 542 543 544 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.2 C 21.3.3.3 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Manganese-Aluminum Materials | 535 538 538 539 539 539 539 541 541 542 542 542 543 544 544 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials | 535 538 538 539 539 539 541 541 542 542 542 542 543 544 544 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.3 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.3 C 21.4 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Muminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Anganese-Aluminum Materials | 535 538 538 539 539 539 541 541 542 542 542 543 544 544 544 544 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.2 C 21.3.3.3 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Anganese-Aluminum Materials Application Ranges | 535 538 538 539 539 539 541 541 542 542 542 543 544 544 544 544 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.3 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.3 C 21.4 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Muminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Anganese-Aluminum Materials | 535 538 538 539 539 541 541 542 542 542 542 543 544 544 545 545 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.3 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.3 C 21.4 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Manganese-Aluminum Materials Application Ranges By W. Weßling and W. Heimann Required Properties | 535 538 538 539 539 541 541 542 542 542 542 543 544 544 545 545 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.1 C 21.3.1.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.3 C 21.4 C 22 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Manganese-Aluminum Materials Application Ranges By W. Weßling and W. Heimann Required Properties | 535 538 538 539 539 539 539 539 539 541 542 542 542 543 544 544 544 545 545 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.2 C 21.3.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.3 C 21.3.2.4 C 21.3.2.5 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.3 C 21.4 C 22 C 22.1 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Manganese-Aluminum Materials Application Ranges Steels By W. Weßling and W. Heimann Required Properties Characterization of the Magnetic Properties by Test Results | 535 538 538 539 539 539 539 539 541 542 542 542 543 544 544 544 545 545 547 547 548 |
| C 21.2 C 21.3 C 21.3.1 C 21.3.1.2 C 21.3.2 C 21.3.2 C 21.3.2.1 C 21.3.2.2 C 21.3.2.3 C 21.3.2.3 C 21.3.2.4 C 21.3.2.6 C 21.3.3 C 21.3.3.1 C 21.3.3.1 C 21.3.3.3 C 21.3.3.3 C 21.4 C 22 C 22.1 C 22.2 | Permanent Magnet Characteristics Metallurgical Fundamentals and Production High-Iron Materials Steels Elongated Single Domain (ESD) Magnets Medium-Iron Materials Aluminum-Nickel and Aluminum-Nickel-Cobalt Alloys Iron-Cobalt-Vanadium-Chromium Alloys Chromium-Iron-Cobalt Alloys Copper-Nickel-Iron Alloys Oxide Materials (Hard Ferrites) Neodymium-Iron-Boron Materials Material Containing Little or No Iron Rare Earth Metal-Cobalt Materials Platinum-Cobalt Materials Manganese-Aluminum Materials Application Ranges By W. Weßling and W. Heimann Required Properties | 535 538 538 539 539 539 539 539 539 541 542 542 542 543 544 544 544 545 545 |

| C 23 | Steels with Defined Thermal Expansion and Special Elastic Properties By H. Thomas and H. Haas | 556 |
|--------------------------------|--|-------------------|
| C 23.1 C 23.1.1 C 23.1.2 | Properties and Tests | 556 556 557 |
| C 23.2 | Considerations of Physical Metallurgy | 558 |
| C 23.3 | Technically Proven Materials. | 562 |
| C 23.3.1 | Materials with Special Thermal Expansion. | 562 |
| C 23.3.2 | Materials for Thermobimetals | 565 |
| C 23.3.3 | Constant-Modulus Alloys | 565 |
| C 24 | Steels with Good Electrical Conductivity | 566 |
| C 24.1 | Ranges of Application of the Steels and Expected Properties of Use. | 566 |
| C 24.2 | Determination of Electrical Conductivity. | |
| C 24.3 | Measures of Metallurgy and Physical Metallurgy to Attain a Good Conduc- | 568 |
| C 24.4 | tivity | 569 572 |
| C 25 | Steels for Line Pipe | 574 |
| C 25.1 | Required Properties | 574 |
| C 25.2 | Characterization of the Required Properties | 574 |
| C 25.3 | Measures of Physical Metallurgy to Attain the Required Properties | 578 |
| C 25.4 | Characteristic Steel Grades Proven in Service | 581 |
| | Ball and Roller Bearing Steels | 584 |
| C 26.1 | Required Properties | 584 |
| C 26.2 | Characterization of the Required Properties by Test Values | 585 |
| C 26.3 | Measures of Physical Metallurgy to Attain the Required Properties | |
| C 26.4 | Characteristic Steel Grades Proven in Service | 587 589 |
| | Steels for Permanent-way (Track) Material. | 593 |
| C 27.1 | Required Properties of Use | 593 |
| C 27.2 | Characterization of the Required Properties | |
| C27.3 | Measures of Physical Metallurgy to Attain the Required Properties | 594 |
| C 27.4 | Characteristic Steel Grades and Their Application | 595 599 |
| | Steels for Rolling Stock By K. Vogt, K. Forch and G. Oedinghofen | 602 |
| C 28.1 | General Remarks | 602 |
| C 28.2 | Required Properties of Use | |
| C 28.3 | Characterization of the Required Properties . | 602 |
| C 28.4 | | 603 |
| | Measures to Attain the Required Properties. | 603 |
| C 28.5 | Characteristic Steel Grades Proven in Service | 606 |
| | Steels for Screws, Bolts, Nuts, and Rivets | 608 |
| | By K. Barteld and WD. Brand | |
| C 29. | Required Properties of Use | 608 |
| | | 000 |

| Characterization of the Required Properties | 610 |
|---|--|
| Measures of Physical Metallurgy to Attain the Required Properties | 612 |
| Characteristic Grades Proven in Service | 615 |
| Steels for Welded Round Link Chains | |
| By HH. Domalski, H. Beck, and H. Weise | |
| Required Properties of Use | |
| Characterization of the Required Properties | 624 |
| Measures to Attain the Required Properties | 626 |
| Characteristic Steel Grades Proven in Services | 628 |
| | Measures of Physical Metallurgy to Attain the Required Properties Characteristic Grades Proven in Service |

Part D The Influence of Production Processes on the Properties of Steel 634

| D1 | The Influence of Production Processes on the Properties of Steel and Steel Products A Overview | 635 |
|--------------------|--|------------|
| | By A. Randak | |
| D 2 | Crude Steel Production. | 638 |
| | By H. P. Haastert | |
| D 2.1 | Raw Materials for Steelmaking. | 638 |
| D 2.2 | Influence of the Charged Materials in Steelmaking | 641 |
| D2.3 | Steelmaking | 642 |
| D 2.3.1 | Melting and Refining | 643 |
| D 2.3.2 | Deoxidizing and Alloying | 645 |
| | Deoxidizing and Alloying in the Steelmaking Vessel. Deoxidizing and Alloying in the Ladle. | |
| D 2.3.3 | Ladle Metallurgy Processes for Steel Aftertreatment | 646 |
| | | |
| D3 | Casting and Solidification | 650 |
| | By P. Hammerschmid | |
| D 3.1 | Characteristics of Common Methods of Casting | 650 |
| D 3.2 | Casting and Solidification of Steel in Ingot Molds | 651 |
| D 3.2.1 | Reoxidation, Flow, and Superheat. | 651 |
| D 3.2.2 | Crystallization Process. | 653 |
| D 3.2.3 | Heat Transfer and Solidification : | 654 |
| D 3.2.4 | Formation of Segregations | 655 |
| | Ingot Segregation. Microsegregation. | |
| D 3.2.5 | Formation of Oxide Inclusions. | 657 |
| D 3.2.6 | Formation of Sulfide Inclusions | 658 |
| D 3.2.7 | Formation of Blowholes. | 659 |
| D 3.2.8 D 3.2.9 | Formation of Pipe | 660 |
| | Treatment of Cast Steel | 660 |
| D 3.3 | Processes in Continuous Casting. | 661 |
| D 3.3.1 | Reoxidation, Flow, and Superheat. | 661 |
| D 3.3.2 D 3.3.3 | Heat Transfer During Solidification | 662 |
| D 3.3.5 D 3.3.4 | Formation of Segregations | 663 664 |
| D 3.3.4 D 3.3.5 | Influence of Electromagnetic Stirring on Segregations | 665 |
| D 3.3.5 D 3.3.6 | Surface Defects | 666 |
| D 3.3.7 | Significance of Casting Fluxes | 667 |
| D 3.3.8 | Hot Charging and Hot Direct Rolling of Continuous Cast Steel | 668 |
| D 3.4 | Comparison of Ingot Casting and Continuous Casting | 668 |
| D 3.5 | Outlook: Continuous Casting Approaching Final Shape. | 668 |

| D4 | Special Methods for Melting and Casting By H. Vöge | 670 |
|--------------------|---|------------|
| D4.1 | Remelting Methods | 670 |
| D4.2 | Special Melting Methods for Heavy Forgings | 675 |
| Ď4.3 | Vacuum Melting Methods | 676 |
| D5 | Hot Rolling | 678 |
| D 5.1 | Hot Rolling Process | 678 |
| D 5.2 | Heating | 679 |
| D 5.2.1 | Heating Conditions | 679 |
| D 5.2.2 | Scaling | 682 |
| D 5.2.3 | Surface Decarburization. | 682 |
| D 5.2.4 | Hot Shortness. | 684 |
| D 5.2.5 D 5.2.6 | Influences on the Microstructure | 684 685 |
| D 5.2.0 D 5.3 | | |
| D 5.3.1 | The Rolling Processes Deformation Resistance | 685 685 |
| D 5.3.2 | Formability | 686 |
| D 5.3.3 | Control of Microstructure and Metal Properties | 687 |
| D 5.3.4 | Improved Surface Characteristics | 688 |
| D 5.3.5 | Yield | 689 |
| D 5.4 | Finishing | 690 |
| D6 | Hot Forming by Forging | 691 |
| D 6.1 | Aims of Forging | 691 |
| D 6.2 | Forging Methods. | 691 |
| D 6.3 | Material for Forging | 691 |
| | | |
| D 6.4 D 6.4.1 | Working Conditions in Forging | 692 692 |
| D 6.4.2 | Forging Conditions | 693 |
| 13 0.4.2 | Effects on the General Quality Properties. Effects on the Mechanical Properties. | 075 |
| D 6.4.3 | Cooling from Forging Heat. | 697 |
| D6.5 | Defects | 697 |
| D7 | Cold Forming by Rolling | 699 |
| D7.1 | Definition and Scope of Cold Rolling. | 699 |
| D7.2 | Production Sequences in the Cold Rolling Mill | 699 |
| D7.3 | Effect of Process Variables in Cold Rolling on Material Properties | 702 |
| D7.4 | Heat Treatment of Cold Strip | 703 |
| D7.4.1 | General Information | 703 |
| D 7.4.2 | Continuous Annealing. | 703 |
| D 7.4.3 | Box Annealing | 704 |
| D 7.5 | Temper Rolling | 704 |
| D7.6 | Finishing for Dispatch | 706 |
| D8 | Heat Treatment | 707 |
| D9 | Quality Management in the Production of Steel Works Products By W. Rohde, R. Dawirs, F. Helck and KJ. Kremer | 711 |
| D9.1 | Concept of Quality Management | 711 |

XXII Contents

| D 9.2 | Measures for Quality Management | 711 |
|---------|--|-----|
| D9.2.1 | Quality Planning | 711 |
| D 9.2.2 | Quality Inspection | 712 |
| D 9.2.3 | Quality Control. | 713 |
| D 9.3 | Quality Management in Steel Making | 718 |
| D 9.4 | Quality Management in the Deforming of Crude Steel | 719 |
| D 9.5 | Quality Management in Steel Bar Production | 721 |
| D 9.6 | Quality Management in Plate Production | 724 |

Table 1. Comparison of the steel grades mentioned in Volume 1 and Volume 2 of "Werkstoffkunde Stahl" and identified here by their designations according to German standards (DIN Standard) with corresponding grades according to international, European and some other 728 national standards Table 2. Brief definition of the scope and contents of the DIN Standards mentioned in Volume 1 and Volume 2 of "Werkstoffkunde Stahl" and listed in column 1 of Table 1 744 Table 3. International and European standards as well as national standards of some non-German countries which are comparable with DIN. (The standards are identified just by their number; for abbreviated titles of the German standards refer to Table 2) 759 Glossary of Repeatedly Used Symbols and Abbreviations References. 763 813 Subject Index

Contents of Volume 1

| Part A | Microstructure of Steels By W. Pitsch, G. Sauthoff (A1–A8), and H. P. Hougardy (A9) |
|--------|--|
| A 1 | Introduction |
| A 2 | Thermodynamics of Iron and Iron-based Alloys |
| A 3 | Nucleation |
| A 4 | Diffusion |
| A 5 | Typical; Microstructures in Steel |
| A 6 | Kinetics and Morphology of Steel Constituents |
| A7 | Structure Development by Thermal and Mechanical Treatments |
| A 8 | Comparative Summary of the Reactions in Steel |
| A 9 | Description and Control of Transformations in Technical Applications |
| Part B | The Properties of Steel in Dependence of Microstructure and Chemical Composition |
| BÍ | Mechanical Properties By W. Dahl |