

Contents

Introduction	<i>xvii</i>
Property and Commercial Data Sheets:	
ABS (Acrylonitrile Butadiene Styrene)	1
ABS (Acrylonitrile Butadiene Styrene): Fire retardant	1
ABS (Acrylonitrile Butadiene Styrene): 30% Glass fibre reinforced	2
ABS (Acrylonitrile Butadiene Styrene): High heat	3
ABS (Acrylonitrile Butadiene Styrene): High heat; UV stabilised	4
ABS (Acrylonitrile Butadiene Styrene): High impact	5
ABS (Acrylonitrile Butadiene Styrene): High impact; UV stabilised	6
ABS (Acrylonitrile Butadiene Styrene): Low gloss	6
ABS (Acrylonitrile Butadiene Styrene): Medium impact	7
ABS (Acrylonitrile Butadiene Styrene): Plating	8
ABS (Acrylonitrile Butadiene Styrene): Structural foam	9
ABS (Acrylonitrile Butadiene Styrene): Transparent	10
ABS/PC Alloy (Acrylonitrile Butadiene Styrene/Polycarbonate Alloy)	11
ABS/PSul Alloy (Acrylonitrile Butadiene Styrene/Polysulphone Alloy)	12
ABS/PVC Alloy (Acrylonitrile Butadiene Styrene/Polyvinylchloride Alloy)	13
Acetal (POM) (Polyoxymethylene)	14
Acetal (POM) (Polyoxymethylene): Copolymer	14
Acetal (POM) (Polyoxymethylene): Copolymer; 30% carbon fibre reinforced	15
Acetal (POM) (Polyoxymethylene): Copolymer; 30% glass fibre coupled	16
Acetal (POM) (Polyoxymethylene): Copolymer; 2% silicone lubricated	17
Acetal (POM) (Polyoxymethylene): Copolymer; UV stabilised	17
Acetal/Elastomer alloy: Super tough	18
Acetal (POM) (Polyoxymethylene): Homopolymer	19
Acetal (POM) (Polyoxymethylene): Homopolymer; glass fibre reinforced	20
Acetal (POM) (Polyoxymethylene): Homopolymer; PTFE lubricated	20
Acetal (POM) (Polyoxymethylene): Homopolymer; UV stabilised	21
Acrylic (PMMA) (Polymethylmethacrylate)	22

Acrylic (PMMA) (Polymethylmethacrylate): Casting	22
Acrylic (PMMA) (Polymethylmethacrylate): Cast sheet	23
Acryli (PMMA) (Polymethylmathacrylate): General purpose	24
Acrylic (PMMA) (Polymethylmethacrylate): High impact	25
Alkyd	26
Alkyd: Long glass fibre reinforced; high impact	26
Alkyd: Mineral filled	27
Alkyd: Mineral & glass fibre reinforced	27
Alkyd: Mineral & glass fibre reinforced; fire retardant	28
Alkyd: Short glass fibre reinforced	29
Alkyd: Short glass fibre reinforced; fire retardant	29
ASA (Acrylate Styrene Acrylonitrile)	30
CA (Cellulose Acetate)	31
CAB (Cellulose Acetate Butyrate)	32
CEE TPE (Coether Ester based Thermoplastic Elastomer)	33
CEE TPE (Coether Ester based Thermoplastic Elastomer): TPE 40D	33
CEE TPE (Coether Ester based Thermoplastic Elastomer): TPE 55D	34
CEE TPE (Coether Ester based Thermoplastic Elastomer): TPE 72D	35
CP (Cellulose Propionate)	35
CPE (Chlorinated Polyethylene)	36
CPVC (Chlorinated Polyvinyl Chloride) (Chlorinated PVC)	37
CTFE (Chlorotrifluoroethylene)	38
DAIP (Diallyl Isophthalate)	39
DAIP (Diallyl Isophthalate): Long glass fibre reinforced	39
DAIP (Diallyl Isophthalate): Mineral filled	40
DAIP (Diallyl Isophthalate): Short glass fibre reinforced	41
DAP (Diallyl Phthalate)	41
DAP (Diallyl Phthalate): Long glass fibre reinforced	42

DAP (Diallyl Phthalate): Long glass fibre reinforced; fire retardant	42
DAP (Diallyl Phthalate): Mineral filled	43
DAP (Diallyl Phthalate): Mineral and synthetic fibre filled	44
DAP (Diallyl Phthalate): Short glass fibre reinforced	45
DAP (Diallyl Phthalate): Short glass fibre reinforced; fire retardant	45
ECTFE (Ethylene-Chlorotrifluoroethylene)	46
ECTFE (Ethylene-Chlorotrifluoroethylene): Glass fibre filled	47
EEA TPE (Etherester Amide based Thermoplastic Elastomer)	48
EEA TPE (Etherester Amide based Thermoplastic Elastomer): TPE 70A	48
EEA TPE (Etherester Amide based Thermoplastic Elastomer): TPE 40D	49
EEA TPE (Etherester Amide based Thermoplastic Elastomer): TPE 63D	49
Epoxies	50
Epoxies: Laminate; carbon fibre prepreg	51
Epoxies: Laminate; glass fabric	51
Epoxies: Laminate; glass prepreg	52
Epoxies: Laminate; Kevlar prepreg	53
Epoxies: MC; glass fibre reinforced	54
Epoxies: MC; high heat; glass fibre reinforced	54
Epoxies: MC; mineral filled	55
Epoxies: MC; mineral and glass fibre reinforced	56
Epoxies: MC; fire retardant; mineral and glass fibre reinforced	57
Epoxies: Casting; aluminium filled	57
Epoxies: Casting; glass filled	58
Epoxies: Casting; mineral filled	59
Epoxies: Casting; silica filled	60
Epoxies: Resin; flexible	61
Epoxies: Resin; general purpose	61
Epoxies: Resin; high heat	62
ETFE (Ethylene-Tetrafluoroethylene)	63
ETFE (Ethylene-Tetrafluoroethylene): 10% Glass fibre filled	64
ETFE (Ethylene-Tetrafluoroethylene): 30% Glass fibre filled	65
ETFE (Ethylene-Tetrafluoroethylene): 30% Carbon fibre filled	65
Ethylene-Propylene Copolymer (Polyallomer)	66
EVA (Ethylene-Vinyl Acetate)	67

EVA (Ethylene-Vinyl Acetate): 12% VA	67
EVA (Ethylene-Vinyl-Acetate): 25% VA	68
EVA (Ethylene-Vinyl Acetate): 33% VA	69
FEP (Fluorinated Ethylene-Propylene)	70
FEP (Fluorinated Ethylene-Propylene): 20% glass fibre coupled	71
Furane	71
HDPE (High Density Polyethylene)	72
HDPE (High Density Polyethylene): UV stabilised	73
HDPE (High Density Polyethylene): MDPE	74
HIPS (High Impact Polystyrene)	75
HIPS (High Impact Polystyrene): Fire retardant	76
HIPS (High Impact Polystyrene): UV stabilised	77
Ionomer	78
LDPE (Low Density Polyethylene)	79
LDPE (Low Density Polyethylene): UV stabilised	80
LLDPE (Linear Low Density Polyethylene)	81
MF (Melamine Formaldehyde) (Melamine): Cellulose filled	82
OI TPE (Olefinic TPE) (Olefinic based Thermoplastic Elastomer)	83
OI TPE (Olefinic TPE) (Olefinic based Thermoplastic Elastomer): TPE 65A	83
OI TPE (Olefinic TPE) (Olefinic based Thermoplastic Elastomer): TPE 85A	84
OI TPE (Olefinic TPE) (Olefinic based Thermoplastic Elastomer): TPE 93A	85
PA 4/6 (Polyamide 4/6) (Nylon 4/6)	86
PA 6 (Polyamide 6) (Nylon 6)	87
PA 6 (Polyamide 6) (Nylon 6): 30% Carbon fibre reinforced	88
PA 6 (Polyamide 6) (Nylon 6): Casting	89
PA 6 (Polyamide 6) (Nylon 6): Elastomer copolymer	90
PA 6 (Polyamide 6) (Nylon 6): Fire retardant	91
PA 6 (Polyamide 6) (Nylon 6): 25% Glass bead filled	92

PA 6 (Polyamide 6) (Nylon 6): 50% Glass bead filled	93
PA 6 (Polyamide 6) (Nylon 6): Glass fibre and bead reinforced	94
PA 6 (Polyamide 6) (Nylon 6): 10% Glass fibre reinforced	95
PA 6 (Polyamide 6) (Nylon 6): 30% Glass fibre reinforced	96
PA 6 (Polyamide 6) (Nylon 6): 30% Glass fibre reinforced; fire retardant	97
PA 6 (Polyamide 6) (Nylon 6): 60% Glass fibre reinforced	98
PA 6 (Polyamide 6) (Nylon 6): High impact	99
PA 6 (Polyamide 6) (Nylon 6): Mineral filled	100
PA 6 (Polyamide 6) (Nylon 6): Molybdenum disulphide lubricated	101
PA 6 (Polyamide 6) (Nylon 6): 20% PTFE lubricated	102
PA 6 (Polyamide 6) (Nylon 6): 2% Silicone lubricated	103
PA 6 (Polyamide 6) (Nylon 6): Stampable sheet; glass fibre reinforced	104
PA 6 (Polyamide 6) (Nylon 6): UV stabilised	105
PA 6/6 (Polyamide 6/6) (Nylon 6/6)	106
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 10% Carbon fibre reinforced	108
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 30% Carbon fibre reinforced	109
PA 6/6 (Polyamide 6/6) (Nylon 6/6): Fire retardant	110
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 40% Glass bead filled	111
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 10% Glass fibre reinforced	112
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 33% Glass fibre reinforced	113
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 60% Glass fibre reinforced	114
PA 6/6 (Polyamide 6/6) (Nylon 6/6): Glass fibre and bead reinforced	115
PA 6/6 (Polyamide 6/6) (Nylon 6/6): High impact	116
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 40% Mineral filled	117
PA 6/6 (Polyamide 6/6) (Nylon 6/6): Molybdenum disulphide lubricated	118
PA 6/6 (Polyamide 6/6) (Nylon 6/6): 20% PTFE lubricated	119
PA 6/6 (Polyamide 6/6) (Nylon 6/6): Supertough	120
PA 6/6 (Polyamide 6/6) (Nylon 6/6): Supertough; fire retardant	121
PA 6/6 (Polyamide 6/6) (Nylon 6/6): Supertough; 33% glass fibre reinforced	122
PA 6/6 (Polyamide 6/6) (Nylon 6/6): UV stabilised	123
PA 6/6-6 (Polyamide 6/6-6) (Nylon 6/6-6)	124
PA 6/9 (Polyamide 6/9) (Nylon 6/9)	125
PA 6/10 (Polyamide 6/10) (Nylon 6/10)	126
PA 6/10 (Polyamide 6/10) (Nylon 6/10): 30% Carbon fibre reinforced	127
PA 6/10 (Polyamide 6/10) (Nylon 6/10): Fire retardant	127
PA 6/10 (Polyamide 6/10) (Nylon 6/10): 10% Glass fibre reinforced	128
PA 6/10 (Polyamide 6/10) (Nylon 6/10): 30% Glass fibre reinforced	129

PA 6/10 (Polyamide 6/10) (Nylon 6/10): 20% PTFE lubricated	130
PA 6/10 (Polyamide 6/10) (Nylon 6/10): 2% Silicone lubricated	130
PA 6/12 (Polyamide 6/12) (Nylon 6/12)	131
PA 6/12 (Polyamide 6/12) (Nylon 6/12): 30% Carbon fibre reinforced	132
PA 6/12 (Polyamide 6/12) (Nylon 6/12): Fire retardant	133
PA 6/12 (Polyamide 6/12) (Nylon 6/12): 10% Glass fibre reinforced	134
PA 6/12 (Polyamide 6/12) (Nylon 6/12): 30% Glass fibre reinforced	135
PA 6/12 (Polyamide 6/12) (Nylon 6/12): 20% PTFE lubricated	135
PA 6/12 (Polyamide 6/12) (Nylon 6/12): 2% Silicone lubricated	136
PA 11 (Polyamide 11) (Nylon 11)	137
PA 11 (Polyamide 11) (Nylon 11): 30% Carbon fibre reinforced	138
PA 11 (Polyamide 11) (Nylon 11): Fire retardant	139
PA 11 (Polyamide 11) (Nylon 11): Flexible	139
PA 11 (Polyamide 11) (Nylon 11): 30% Glass fibre reinforced	140
PA 11 (Polyamide 11) (Nylon 11): Semi flexible	141
PA 11 (Polyamide 11) (Nylon 11): UV stabilised	142
PA 12 (Polyamide 12) (Nylon 12)	143
PA 12 (Polyamide 12) (Nylon 12): Fire retardant	144
PA 12 (Polyamide 12) (Nylon 12): Flexible	144
PA 12 (Polyamide 12) (Nylon 12): 50% Glass bead filled	145
PA 12 (Polyamide 12) (Nylon 12): 30% Glass fibre reinforced	146
PA 12 (Polyamide 12) (Nylon 12): Semi flexible	147
PA 12 (Polyamide 12) (Nylon 12): UV Stabilised	148
PA RIM (Polyamide RIM) (Nyrim) (RIM Nylon)	149
PA Transparent (Tranparent Polyamide) (Transparent Nylon)	150
PA Transparent (Tranparent Polyamide) (Transparent Nylon): Amorphous; 30% glass fibre reinforced	151
PA/ABS Alloy (Nylon/ABS Alloy) (Polyamide/ABS alloy)	152
PAI (Polyamideimide)	153
PAI (Polyamideimide): Glass fibre reinforced	154
PAI (Polyamideimide): Graphite filled	154
PAr (Polyarylate)	155

PB (Polybutylene)	156
PBT (Polybutylene Terephthalate)	157
PBT (Polybutylene Terephthalate): 30% Carbon fibre reinforced	158
PBT (Polybutylene Terephthalate): Fire retardant	159
PBT (Polybutylene Terephthalate): 30% Glass bead filled	159
PBT (Polybutylene Terephthalate): 10% Glass fibre reinforced	160
PBT (Polybutylene Terephthalate): 20% Glass fibre reinforced; fire retardant	161
PBT (Polybutylene Terephthalate): 30% Glass fibre reinforced	162
PBT (Polybutylene Terephthalate): 30% Glass fibre reinforced; fire retardant	163
PBT (Polybutylene Terephthalate): 45% Mineral and glass filled	164
PBT (Polybutylene Terephthalate): 15% PTFE lubricated	165
PBT (Polybutylene Terephthalate): 2% Silicone lubricated	166
PBT (Polybutylene Terephthalate): Structural foam	166
PBT (Polybutylene Terephthalate): UV stabilised	167
PC (Polycarbonate)	168
PC (Polycarbonate): 30% Carbon fibre reinforced	169
PC (Polycarbonate): Fire retardant	170
PC (Polycarbonate): 20% Glass fibre reinforced	171
PC (Polycarbonate): 30% Glass fibre reinforced	172
PC (Polycarbonate): High flow	173
PC (Polycarbonate): 15% PTFE lubricated	174
PC (Polycarbonate): Structural foam	174
PC (Polycarbonate): UV stabilised	175
PC/PBT Alloy (Polycarbonate/Polybutylene Terephthalate Alloy)	176
PE Foam (Polyethylene Foam)	177
PEEK (Polyether Ether Ketone)	178
PEEK (Polyether Ether Ketone): 30% Carbon fibre reinforced	179
PEEK (Polyether Ether Ketone): 10% Glass fibre reinforced	180
PEEK (Polyether Ether Ketone): 20% Glass fibre reinforced	180
PEEK (Polyether Ether Ketone): 30% Glass fibre reinforced	181
PEI (Polyetherimide)	182
PEI (Polyetherimide): 10% Glass fibre reinforced	183
PEI (Polyetherimide): 20% Glass fibre reinforced	184
PEI (Polyetherimide): 30% Glass fibre reinforced	184

PES (Polyethersulphone)	185
PES (Polyethersulphone): 30% Carbon fibre reinforced	186
PES (Polyethersulphone): 20% Glass fibre reinforced	187
PES (Polyethersulphone): 30% Glass fibre reinforced	188
PET (Polyethylene Terephthalate)	189
PET (Polyethylene Terephthalate): Amorphous	189
PET (Polyethylene Terephthalate): Crystalline	190
PET (Polyethylene Terephthalate): Fire retardant	191
PET (Polyethylene Terephthalate): 15% Glass fibre reinforced; high impact	192
PET (Polyethylene Terephthalate): 30% Glass fibre reinforced, fire retardant	192
PET (Polyethylene Terephthalate): 30% Glass fibre reinforced; high impact	193
PET (Polyethylene Terephthalate): 35% Glass fibre reinforced; supertough	194
PET (Polyethylene Terephthalate): 36% Glass fibre reinforced	195
PET (Polyethylene Terephthalate): 45% Glass fibre reinforced	195
PET (Polyethylene Terephthalate): 55% Glass fibre reinforced	196
PET (Polyethylene Terephthalate): 35% Mica and glass fibre reinforced	197
PET (Polyethylene Terephthalate): Mineral filled	198
PET (Polyethylene Terephthalate): 45% Mineral and glass fibre reinforced, fire retardant	198
PET (Polyethylene Terephthalate): UV stabilised	199
PF (Phenol Formaldehyde) (Phenolic)	200
PF (Phenol Formaldehyde) (Phenolic): Cellulose filled; shock resistant	200
PF (Phenol Formaldehyde) (Phenolic): Chopped fabric filled; medium impact	201
PF (Phenol Formaldehyde) (Phenolic): Cotton filled; medium shock	202
PF (Phenol Formaldehyde) (Phenolic): Foam	203
PF (Phenol Formaldehyde) (Phenolic): Glass fibre reinforced; high impact	204
PF (Phenol Formaldehyde) (Phenolic): Laminate; cotton fabric	205
PF (Phenol Formaldehyde) (Phenolic): Laminate; glass fabric	205
PF (Phenol Formaldehyde) (Phenolic): Laminate; paper	206
PF (Phenol Formaldehyde) (Phenolic): Mica filled; electrical	207
PF (Phenol Formaldehyde) (Phenolic): Mica and glass fibre reinforced; electrical	208
PF (Phenol Formaldehyde) (Phenolic): Mineral filled; high heat	209
PF (Phenol Formaldehyde) (Phenolic): Natural fibre filled; general purpose	209
PF (Phenol Formaldehyde) (Phenolic): Wood filled; general purpose	210
PFA (Perfluoroalkoxyethylene)	211
PFA (Perfluoroalkoxyethylene): 20% Glass fibre reinforced	212
PI (Polyimide)	213
PI (Polyimide): 40% Glass fibre reinforced	214

PI (Polyimide) 25% Graphite lubricated	215
PI (Polyimide). Molybdenum disulphide lubricated	215
PI (Polyimide): PTFE lubricated	216

Polyarylamide 217

Polyester 218

Polyester: Bisphenol polyester laminate (glass filled)	218
Polyester: Casting, flexible	219
Polyester: Casting: rigid	220
Polyester: DMC	220
Polyester: DMC, electrical	221
Polyester: DMC, fire retardant	222
Polyester: DMC, high heat	223
Polyester: DMC, low profile	224
Polyester: GMC	224
Polyester: GMC; fire retardant	225
Polyester: GMC; high impact	226
Polyester: GMC; mineral filled	226
Polyester: Laminate, chopped glass filled	227
Polyester: Laminate, woven glass roving	228
Polyester: SMC	229
Polyester: SMC, fire retardant	229
Polyester: SMC, high impact	230
Polyester: SMC; low profile	231
Polyester: Vinyl ester	231

PP (Polypropylene) 232

PP (Polypropylene): 20% Calcium carbonate filled	233
PP (Polypropylene) 40% Calcium carbonate filled	233
PP (Polypropylene) Copolymer	234
PP (Polypropylene) Copolymer; UV stabilised	235
PP (Polypropylene) Elastomer modified	236
PP (Polypropylene) Elastomer modified; UV stabilised	237
PP (Polypropylene) Fire retardant	237
PP (Polypropylene) 30% Glass fibre coupled	238
PP (Polypropylene): 20% Glass fibre reinforced	239
PP (Polypropylene). Homopolymer	240
PP (Polypropylene). Homopolymer, UV stabilised ..	241
PP (Polypropylene): Structural foam ..	242
PP (Polypropylene): 20% Talc filled ..	243
PP (Polypropylene): 40% Talc filled ..	244

PPO (Polyphenylene Oxide - modified)	245
PPO (Polyphenylene Oxide - modified): Fire retardant	246
PPO (Polyphenylene Oxide - modified): 10% Glass fibre reinforced	246
PPO (Polyphenylene Oxide - modified): 10% Glass fibre reinforced; fire retardant	247
PPO (Polyphenylene Oxide - modified): 30% Glass fibre reinforced	248
PPO (Polyphenylene Oxide - modified): 30% Glass fibre reinforced, fire retardant	249
PPO (Polyphenylene Oxide - modified): Structural foam	250
PPO/PA Alloy (PPO/Nylon Alloy) (Polyphenylene Oxide/Polyamide Alloy)	250
PPS (Polyphenylene Sulphide)	251
PPS (Polyphenylene Sulphide): 30% Carbon fibre reinforced	252
PPS (Polyphenylene Sulphide): 40% Glass fibre reinforced	252
PPS (Polyphenylene Sulphide): Glass fibre and bead reinforced	253
PPS (Polyphenylene Sulphide): 20% PTFE lubricated	254
PPVC (Plasticised Polyvinyl Chloride) (Plasticised PVC)	255
PPVC (Plasticised Polyvinyl Chloride) (Plasticised PVC): 0 - 100% Elongation	255
PPVC (Plasticised Polyvinyl Chloride) (Plasticised PVC): 100 - 300% Elongation	256
PPVC (Plasticised Polyvinyl Chloride) (Plasticised PVC): >300% Elongation	257
PS (Polystyrene)	258
PS (Polystyrene): 30% Glass fibre reinforced	259
PS (Polystyrene): Medium impact	260
PS (Polystyrene): 2% Silicone lubricated	261
PS (Polystyrene): Structural foam	262
PS (Polystyrene): UV stabilised	263
PSul (Polysulphone)	264
PSul (Polysulphone): 30% Carbon fibre reinforced	265
PSul (Polysulphone): 10% Glass fibre reinforced	266
PSul (Polysulphone): 30% Glass fibre reinforced	266
PSul (Polysulphone): 15% PTFE lubricated	267
PTFE (Polytetrafluoroethylene)	268
PTFE (Polytetrafluoroethylene): 60% Bronze filled	269
PTFE (Polytetrafluoroethylene): 15% Glass fibre filled	270
PTFE (Polytetrafluoroethylene): 25% Glass fibre filled	271
PTFE (Polytetrafluoroethylene): 15% Graphite filled	271

PU (Polyurethane - thermoset)	272
PU (Polyurethane - thermoset): Hard cast elastomer	273
PU (Polyurethane - thermoset): Hard microcellular elastomer	273
PU (Polyurethane - thermoset): Reinforced microcellular elastomer	274
PU (Polyurethane - thermoset): Semi-rigid foam	275
PU (Polyurethane - thermoset): Soft microcellular elastomer	276
PU (Polyurethane - thermoset): Structural foam	277
PU TPE (Polyurethane Thermoplastic Elastomer)	278
PU TPE (Polyurethane Thermoplastic Elastomer): TPE 70A	278
PU TPE (Polyurethane Thermoplastic Elastomer): TPE 80A	279
PU TPE (Polyurethane Thermoplastic Elastomer): TPE 95A	280
PVDF (Polyvinylidene Fluoride)	281
PVDF (Polyvinylidene Fluoride): 20% Carbon fibre reinforced	282
PVF (Polyvinyl Fluoride)	282
SAN (Styrene Acrylonitrile)	283
SAN (Styrene Acrylonitrile): Fire retardant	284
SAN (Styrene Acrylonitrile) 30% Glass fibre reinforced	285
SAN (Styrene Acrylonitrile): High heat	286
SAN (Styrene Acrylonitrile) High impact	287
SAN (Styrene Acrylonitrile) UV stabilised	288
SB (Styrene Butadiene)	289
SBS TPE (Styrene-Butadiene-Styrene based Thermoplastic Elastomer)	290
SBS TPE (Styrene-Butadiene-Styrene based Thermoplastic Elastomer): TPE 35A	290
SBS TPE (Styrene-Butadiene-Styrene based Thermoplastic Elastomer): TPE 80A	291
SBS TPE (Styrene-Butadiene-Styrene based Thermoplastic Elastomer): TPE 35D	291
SEBS TPE (Styrene-Ethylene-Butylene-Styrene based Thermoplastic Elastomer)	292
SEBS TPE (Styrene-Ethylene-Butylene-Styrene based Thermoplastic Elastomer): TPE 45A	293
SEBS TPE (Styrene-Ethylene-Butylene-Styrene based Thermoplastic Elastomer): TPE 55A	293
SEBS TPE (Styrene-Ethylene-Butylene-Styrene based Thermoplastic Elastomer): TPE 95A	294
Silicones	295
Silicones Glass fibre & mineral filled	296

SMAc (Styrene Maleic Anhydride copolymer)	296
SMAc (Styrene Maleic Anhydride copolymer): 30% Glass fibre reinforced	297
SMAt (Styrene Maleic Anhydride terpolymer)	298
TPX (Polymethylpentene)	299
UF (Urea Formaldehyde) (Urea)	300
UF (Urea formaldehyde) (Urea): Cellulose filled	300
UF (Urea formaldehyde) (Urea): Foam	301
UHMWPE (Ultra-High Molecular Weight Polyethylene)	302
UPVC (Unplasticised Polyvinyl Chloride) (Unplasticised PVC)	303
UPVC (Unplasticised Polyvinyl Chloride) (Unplasticised PVC): Crosslinked	304
UPVC (Unplasticised Polyvinyl Chloride) (Unplasticised PVC): Structural foam	305
UPVC (Unplasticised Polyvinyl Chloride) (Unplasticised PVC): UV stabilised	305
UPVC (Unplasticised Polyvinyl Chloride) (Unplasticised PVC): High impact	306
XLPE (Crosslinked Polyethylene)	307
Trade Name Index	309
Company Listing	369
Materials Index	401