

# Contents

<b>I Polymers and Geopolymers</b>	<b>1</b>
<b>1 Introduction</b>	3
1.1 Geopolymer technology . . . . .	4
1.2 The scope of the book . . . . .	9
1.3 Early observations . . . . .	9
1.4 Phosphate-based geopolymers . . . . .	11
1.4.1 Phosphate geopolymers . . . . .	12
1.4.2 Silico-phosphate geopolymers . . . . .	13
1.5 Organic-mineral geopolymers . . . . .	13
1.5.1 Silicone . . . . .	13
1.5.2 Humic-acid based: kerogen geopolymer . . . . .	14
<b>2 The mineral polymer concept: silicones and geopolymers</b>	<b>19</b>
2.1 The polymeric character of silicones . . . . .	20
2.2 The dispute over ionic or covalent bonding in silicates . . . . .	21
2.3 Covalent bonding in alumino-silicates / silico-aluminates . . . . .	26
2.4 Tetra-coordinated Al or tetra-valent Al? . . . . .	27
2.5 Terminology . . . . .	28
2.5.1 Poly(siloxo) / poly(siloxonate) / poly(silanol) . . . . .	28
2.5.2 Poly(sialate) . . . . .	30
2.6 Polymeric character of geopolymers: geopolymeric micelle . . . . .	33
<b>3 Macromolecular structure of natural silicates and aluminosilicates</b>	<b>37</b>
3.1 Silicate ionic and covalent structural representations . . . . .	38
3.2 Ortho-silicate, 1[SiO <sub>4</sub> ], ortho-siloxonate, Zircon ZrSiO <sub>4</sub> . . . . .	40
3.3 Di-silicate, di-siloxonate, Epidote . . . . .	41
3.4 Tri-silicate, tri-siloxonate, ring silicate, Benitoite . . . . .	41
3.5 Tetra-silicate, 4[SiO <sub>4</sub> ], ring silicate [Si <sub>4</sub> O <sub>12</sub> ] . . . . .	42
3.6 Hexa-silicate, hexa-siloxonate, ring silicate, Beryl . . . . .	42
3.7 Linear poly-silicate, poly(siloxonate), chain silicate, Pyroxene, Wollastonite . . . . .	43
3.8 Branched poly-silicate, poly(siloxonate), ribbon structure, Amphibole [Si <sub>4</sub> O <sub>11</sub> ] <sub>n</sub> . . . . .	45
3.9 Sheet silicate, [Si <sub>2</sub> O <sub>5</sub> ] <sub>n</sub> , 2D-poly(siloxo), composite sheet . . . . .	46
3.9.1 Kaolinite, poly(siloxo-aluminumhydroxyl) . . . . .	47

3.9.2	Pyrophyllite $\text{Al}_4(\text{OH})_4[\text{Si}_8\text{O}_{20}]$ , poly(siloxo-intra-sialate)	47
3.9.3	Muscovite $\text{K}_2\text{Al}_4[\text{Si}_6\text{Al}_2\text{O}_{20}](\text{OH})_4$ , poly(siloxo-intra-sialate)	48
3.10	Other sheet silicates, Melilite, Gehlenite, Akermanite, pentagonal arrangement.	49
3.11	Framework silicate, Quartz, Tridymite, $\text{SiO}_2$	50
3.11.1	Structure of Quartz	50
3.11.2	Structure of Tridymite	51
3.12	Framework silicate, Nepheline $\text{Na}[\text{AlSiO}_4]$ and Kalsilite $\text{K}[\text{AlSiO}_4]$	52
3.13	Framework silicate, Leucite $\text{K}[\text{AlSi}_2\text{O}_6]$	52
3.14	Framework silicate, Feldspar double-crankshaft chain $[(\text{Si}, \text{Al})_4\text{O}_8]_n$	53
3.14.1	Anorthite $\text{Ca}[\text{Al}_2\text{Si}_2\text{O}_8]$	54
3.14.2	Sanidine $\text{K}[\text{AlSi}_3\text{O}_8]$	54
3.15	Framework silicate, Feldspathoid, Sodalite $\text{Na}[\text{AlSiO}_4]$	55
3.16	Framework silicate, zeolite group	56
<b>II</b>	<b>The synthesis of alumino-silicate mineral geopolymers</b>	<b>59</b>
<b>4</b>	<b>Scientific Tools, X-rays, FTIR, NMR</b>	<b>61</b>
4.1	X-ray diffraction	61
4.2	FTIR, infra-red spectroscopy	66
4.3	MAS-NMR spectroscopy	68
4.3.1	$^{27}\text{Al}$ MAS-NMR spectroscopy	68
4.3.2	$^{29}\text{Si}$ MAS-NMR Spectroscopy	71
<b>5</b>	<b>Poly(siloxonate) and polysilicate, soluble silicate, Si:Al=1:0</b>	<b>77</b>
5.1	History of soluble silicates	77
5.2	Chemical composition of soluble silicates	79
5.3	Manufacture of soluble ( $\text{Na}, \text{K}$ )–poly(siloxonate), soluble silicates	80
5.3.1	Chemical mechanism	80
5.3.2	Furnace route	82
5.3.3	Hydrothermal process	85
5.4	Structure of solid poly(siloxonate), ( $\text{Na}, \text{K}$ )–silicate glasses	85
5.4.1	Molecular structure of poly(siloxonate), alkali silicate glasses	87
5.4.2	Molecular structure of poly(siloxonate), alkali-tridymite glasses	89
5.5	Poly(siloxonate) in solution. Hydrolysis, depolymerization of solid silicates	95
5.6	Structure of poly(siloxonate) solutions, soluble alkali silicates	96
5.6.1	Early studies	96
5.6.2	NMR spectroscopy: identification of soluble species	97
5.6.3	Hydrolysis of poly(siloxonate) alkali-glass into water soluble molecules	100
5.7	Density, specific gravity	103
5.8	Viscosity	104
5.9	pH value and stability of alkali silicate solutions	105

5.10	Powdered poly(siloxonates), soluble hydrous alkali silicate powders	105
5.11	Poly(siloxonate) MR=1, Na-metasilicate . . . . .	107
5.12	Replacement of poly(siloxonate) solution with powdered equivalent product. . . . .	108
<b>6</b>	<b>Chemistry of (Na,K)-oligo-sialates: hydrous alumino-silicate gels and zeolites</b>	<b>111</b>
6.1	Zeolite Synthesis . . . . .	111
6.2	Hypothetical or real oligo-sialates: polymerization mechanism into poly(sialate) . . . . .	114
6.3	Examples of poly(sialate-multisiloxo) gels . . . . .	118
6.3.1	Poly(sialate-disiloxo) gel . . . . .	118
6.3.2	Poly(siloxonate-intra-sialate) gels . . . . .	120
<b>7</b>	<b>Kaolinite / Hydrosodalite based geopolymer, poly(sialate) with Si:Al=1:1</b>	<b>125</b>
7.1	Geopolymerization mechanism of kaolinite under ionic concept. . . . .	126
7.2	Ultra rapid in situ geopolymerization of kaolinite in hydrosodalite, Na-poly(sialate). . . . .	130
7.3	Geopolymerization mechanism of kaolinite under covalent bonding concept . . . . .	135
7.4	Hydrosodalite Na-poly(sialate) and Zeolite A formation with calcined kaolin . . . . .	139
<b>8</b>	<b>Metakaolin MK-750 based geopolymer, poly(sialate-siloxo) with Si:Al=2:1</b>	<b>145</b>
8.1	(Na,K)-poly(sialate-siloxo) . . . . .	145
8.2	Alumino-silicate oxide: dehydroxylated kaolinite, MK-750 . . . . .	152
8.2.1	Characteristic of kaolinite and dehydroxylated kaolinite .	153
8.2.2	IV-fold coordination of Al in dehydroxylated kaolinite, earlier studies. . . . .	154
8.2.3	MAS-NMR spectroscopy of dehydroxylated kaolinite . .	155
8.2.4	Dehydroxylation mechanism of kaolinite . . . . .	158
8.2.5	Reactivity of MK-750, geopolymerization into (Na,K)-poly(sialate-siloxo) . . . . .	162
8.2.6	Exothermic geopolymerization . . . . .	164
8.2.7	Geopolymerization into poly(sialate-siloxo), a function of Al(V) content . . . . .	167
8.2.8	Geopolymerization of poly(sialate-siloxo), function of SiO <sub>2</sub> :M <sub>2</sub> O MR ratio . . . . .	169
8.2.9	Geopolymerization of poly(sialate-siloxo), function of curing temperature . . . . .	170
8.3	Chemical mechanism: formation of ortho-sialate (OH) <sub>3</sub> -Si-O-Al-(OH) <sub>3</sub> . . . . .	170
8.3.1	Chemical mechanism with Al(V)-Al=O alumoxyl. . . . .	171
8.3.2	Chemical mechanism in Al-O-Al-OH geopolymerization .	172
8.4	Kinetics of chemical attack . . . . .	172
8.5	Chemical mechanism for Na-based sialate: poly(sialate), poly(sialate-siloxo) and poly(sialate-disiloxo) . . . . .	174

8.5.1	Nepheline framework Si:Al=1, Na-poly(sialate)	175
8.5.2	Albite framework with Q <sub>1</sub> di-siloxonate, Si:Al=3, Na-poly(sialate-disiloxo)	176
8.5.3	Phillipsite framework with Q <sub>0</sub> siloxonate, Si:Al=2, Na-poly(sialate-siloxo)	177
8.6	Chemical mechanism for K-based sialate: poly(sialate), poly(sialate-siloxo)	179
8.6.1	Kalsilite framework, Si:Al=1, K-poly(sialate)	182
8.6.2	Leucite framework with Q <sub>0</sub> siloxonate, Si:Al=2, K-poly(sialate-siloxo)	184
8.7	Simplified structural model for (Na,K)-based geopolymers	185
8.8	Al-O-Al bond formation in geopolymers	188
<b>9</b>	<b>Calcium based geopolymer, (Ca, K, Na)-sialate, Si:Al=1, 2, 3</b>	<b>193</b>
9.1	Ca-poly(alumino-sialate), gehlenite hydrate Ca <sub>2</sub> Al <sub>2</sub> SiO <sub>7</sub> , H <sub>2</sub> O	193
9.1.1	Opus Signinum	193
9.1.2	Ca-poly(alumino-sialate), gehlenite synthesis with MK-750	194
9.2	(Ca)-poly(alumino-sialate) + (Na,K)-poly(sialate)	197
9.3	Ca-poly(alumino-sialate), gehlenite based blast furnace slag	199
9.3.1	The manufacture of iron blast furnace slag glass	200
9.3.2	Chemical and mineral composition of gehlenite based slag	201
9.4	Alkalination of Ca-poly(alumino-sialate) glassy slag with NaOH and KOH	203
9.4.1	Alkalination mechanism study with MAS-NMR spectroscopy	203
9.4.2	Alkali-Activated slag	207
9.5	MK-750 / slag based geopolymer	208
9.5.1	Excerpt from Davidovits J. / Sawyer J.L. US Patent 4,509,985, 1985, filed February 22, 1984	208
9.5.2	Which chemical reaction for MK-750 / slag-based geopolymer?	214
9.5.3	Formation of soluble calcium disilicate?	215
9.6	Chemistry mechanism of MK-750 / slag Ca-based geopolymer matrix	223
9.6.1	MAS-NMR Spectroscopy	223
9.6.2	Electron microscopy	226
9.6.3	Chemistry mechanism, solid solution in Ca-based geopolymer matrix	227
9.6.4	Structural molecular model for Ca-based geopolymer matrix	230
<b>10</b>	<b>Rock-based geopolymer, poly(sialate-multisiloxo) 1&lt;Si:Al&lt;5</b>	<b>237</b>
10.1	Alkalination and dissolution of rock forming minerals	238
10.1.1	Congruent dissolution and ionic bonding concept	239
10.1.2	Incongruent dissolution and covalent bonding concept	239
10.2	(Na,K)-poly(sialate) matrix for rock based geopolymerization	242
10.3	(K,Ca)-poly(sialate-multisiloxo) matrix for rock-based geopolymers	246

<b>11 Silica-based geopolymer, sialate link and siloxo link in poly(siloxonate) Si:Al&gt;5</b>	255
11.1 A 5000 year-old technique . . . . .	255
11.2 Silica Flour . . . . .	258
11.3 Nano-silica, micro-silica, silica fume SiO <sub>2</sub> . . . . .	259
11.3.1 Fume silica SiO <sub>2</sub> . . . . .	260
11.3.2 Silica Fume / Microsilica . . . . .	260
11.4 Rice Husk Ash . . . . .	262
11.5 Applications of SiO <sub>2</sub> nano-particles . . . . .	263
11.6 Poly(siloxo) and poly(sialate) cross-links, nanocomposite geopolymer . . . . .	264
11.6.1 Nano-poly(siloxo) geopolymer . . . . .	264
11.6.2 <sup>29</sup> Si MAS-NMR studies on the transition nano-poly(silanol) to nano-poly(siloxo) . . . . .	266
11.6.3 <sup>1</sup> H MAS-NMR studies . . . . .	268
11.6.4 K-nano-poly(sialate) geopolymer composite . . . . .	269
11.7 Possible health hazards of SiO <sub>2</sub> nanoparticles . . . . .	271
<b>12 Fly ash-based geopolymer</b>	275
12.1 Production of fly ashes . . . . .	276
12.1.1 Types of fly ash, composition . . . . .	277
12.1.2 Morphology . . . . .	279
12.2 Alkalination, dissolution and zeolite formation . . . . .	280
12.3 Geopolymerization in high alkaline milieu (corrosive system) . . . . .	281
12.3.1 First production of fly ash-based cement . . . . .	281
12.3.2 Fly ash geopolymerization without soluble silicate? . . . . .	284
12.3.3 Fly ash geopolymerization with addition of soluble silicate. . . . .	286
12.4 Geopolymerization in low alkaline milieu (user-friendly) . . . . .	288
12.4.1 NMR spectroscopy . . . . .	289
12.5 The GEOASH research project . . . . .	292
12.5.1 Alkali-activation and geopolymerization . . . . .	293
12.5.2 Compressive strength . . . . .	295
12.5.3 X-ray diffraction . . . . .	298
12.5.4 Leaching properties . . . . .	300
12.5.5 (Ca,K)-based geopolymer matrix: composition and structure . . . . .	300
12.6 The future with gasifier slag technology . . . . .	302
<b>13 Phosphate-based geopolymers</b>	307
13.1 A 4500 year-old Egyptian technology! . . . . .	307
13.2 Brief survey of phosphate chemistry . . . . .	309
13.2.1 Ortho-, di-, tri- and poly-phosphoric acid . . . . .	309
13.2.2 Polyphosphate linear chains . . . . .	311
13.3 Low-molecular phosphate-based geopolymers . . . . .	312
13.4 Poly(sialate-siloxo) / phosphate composites . . . . .	313
13.5 Phospho-siloxonate geopolymer, -Si-O-P-O-Si- . . . . .	314
13.5.1 Ca-phospho-silicate . . . . .	315
13.5.2 (Na,K)-phospho-sialate-siloxo -P-O-Si-O-Al-O-Si-O- . . . . .	319

<b>14 Organic-mineral geopolymers</b>	<b>321</b>
14.1 Poly-organo-siloxanes / silicones . . . . .	321
14.1.1 Geopolymeric identity . . . . .	321
14.1.2 Two polymerization mechanisms: acidic and basic . . . . .	322
14.1.3 Depolymerization and cleavage . . . . .	324
14.1.4 Properties of technical silicones . . . . .	324
14.2 Kerogen-geopolymer . . . . .	327
14.3 Organo-geopolymer compounds . . . . .	329
14.3.1 Inclusion of hydrophilic polymers, poly(ethylene glycol) . . . . .	329
14.3.2 Reaction with isocyanate R-N=C=O . . . . .	331
14.3.3 Reaction with poly(acrylic acid) R-C(=O)-OH . . . . .	331
<b>III Properties</b>	<b>333</b>
<b>15 Physical properties of condensed geopolymers</b>	<b>335</b>
15.1 Density and softening temperature . . . . .	335
15.2 Thermal behavior, shrinkage on dehydroxylation . . . . .	336
15.2.1 DTA-TGA and Shrinkage on dehydration and dehydroxylation . . . . .	336
15.2.2 Yield of the conversion of kaolinite into Na-poly(sialate) Na-PS . . . . .	339
15.3 Thermal Expansion C.T.E. . . . .	340
15.3.1 C.T.E. Coefficient of Thermal Expansion . . . . .	341
15.3.2 Mean linear thermal expansion, the major role of ceramic fillers . . . . .	342
15.4 Moisture absorption . . . . .	344
15.5 Electrical values: resistivity and dielectric properties . . . . .	345
15.6 Adhesion . . . . .	346
15.6.1 Adhesion on natural stone; geopolymer with Si:Al=2 . . . . .	346
15.6.2 Adhesion on steel and glass, Geopolymer with Si:Al=2 . . . . .	347
15.6.3 Adhesion on metal, Geopolymer with Si:Al>20 . . . . .	348
15.7 Practical physical properties . . . . .	349
<b>16 Chemical Properties of condensed geopolymers</b>	<b>353</b>
16.1 Acid resistance . . . . .	355
16.1.1 Influence of acid on incompletely condensed Na-poly(sialate-siloxo) . . . . .	356
16.1.2 Acid resistance of geopolymer cement towards sulfuric acid . . . . .	358
16.1.3 Sulfate resistance of geopolymer cement . . . . .	361
16.2 Alkali-aggregate reaction . . . . .	361
16.3 Corrosion of metal bars . . . . .	363
16.4 Practical chemical properties . . . . .	363
16.4.1 pH values . . . . .	363
16.4.2 (K,Ca)-poly(sialate-siloxo) and (K,Ca)-poly(sialate-disiloxo) cements: . . . . .	364

<b>17 Long-term durability, archaeological analogues, geological analogues</b>	<b>367</b>
17.1 The oldest geopolymer artifact: 25000 year-old ceramic Venus from Dolní Věstonice . . . . .	368
17.2 Chemicals extracted from plant ashes . . . . .	369
17.3 Egyptian Pyramid stone, re-agglomerated limestone concrete, 2700 B.C. . . . .	370
17.3.1 Chemistry of the core blocks . . . . .	373
17.3.2 Chemistry of the casing stones . . . . .	374
17.3.3 The experimentation: manufacturing 14 tonnes of pyramid stones . . . . .	375
17.4 Ancient Roman cements and concretes . . . . .	376
17.4.1 Cements and concretes . . . . .	377
17.4.2 The second high-performance Roman cement, with Carbunculus. . . . .	378
17.4.3 Comparison between Roman and modern geopolymer cements . . . . .	379
17.5 Geological analogues . . . . .	384
<b>IV Applications</b>	<b>387</b>
<b>18 Quality control</b>	<b>391</b>
18.1 Raw-materials . . . . .	391
18.1.1 Solid elemental composition . . . . .	391
18.1.2 pH determination of the raw-materials . . . . .	394
18.1.3 Granulometry . . . . .	394
18.2 Determination of the geopolymeric reactivity . . . . .	396
18.3 Working time (pot-life), resin and paste . . . . .	398
18.3.1 Working time (pot-life) . . . . .	398
18.3.2 Role of additional water . . . . .	400
18.3.3 Control on the hardening paste: penetrometer . . . . .	400
18.4 Compressive strength and tensile strength . . . . .	402
18.4.1 Compressive strength . . . . .	402
18.4.2 Tensile strength . . . . .	405
18.5 Additional fast testing on hardened geopolymers . . . . .	405
18.5.1 Boiling water / steam . . . . .	405
18.5.2 Freeze-Thaw / Wet-Dry . . . . .	406
18.5.3 Thermal behavior, expansion at 250°C, thermal dilatometry . . . . .	407
<b>19 Development of user-friendly systems</b>	<b>409</b>
19.1 Definitions . . . . .	409
19.2 The need for user-friendly systems . . . . .	410
19.3 The position of civil engineers . . . . .	412
19.4 The pH values of geopolymers . . . . .	414
19.5 K <sup>+</sup> versus Na <sup>+</sup> . . . . .	416

---

<b>20 Castable geopolymers, industrial and decorative applications</b>	421
20.1 The 5000 year-old Egyptian stone vases . . . . .	421
20.2 K-poly(sialate-siloxo) for castable artifacts. . . . .	425
20.3 Tooling materials and techniques . . . . .	430
20.3.1 Advanced geopolymers tooling . . . . .	430
20.3.2 Instruction for use . . . . .	431
20.4 Modern geopolymers stone artifacts . . . . .	434
20.5 Decorative stone tiles for floor and wall . . . . .	435
<b>21 Geopolymer – fiber composites</b>	439
21.1 Fundamental remarks on heat and fire resistance . . . . .	440
21.1.1 Heat resistance applications in racing cars . . . . .	440
21.1.2 Review of carbon/geopolymer and other ceramic-ceramic composites . . . . .	442
21.2 The development of high performance geopolymers matrices . . . . .	444
21.2.1 K-poly(sialate) K-PS/K-PSS matrix . . . . .	444
21.2.2 Improvement of the matrices: K-PSDS, F,M-PSDS and K-nano-PSS . . . . .	447
21.3 Principles in geopolymer-composite manufacture . . . . .	449
21.3.1 Hand lay-up . . . . .	449
21.3.2 Vacuum bagging . . . . .	449
21.3.3 Filament winding . . . . .	450
21.3.4 Resin Transfer Molding, RTM (injection molding) . . . . .	451
21.3.5 Infusion (infiltration) process . . . . .	451
21.3.6 Autoclave curing . . . . .	452
21.4 Geopolymer-composite tools fabrication . . . . .	452
21.5 Fire resistance with K-nano-poly(sialate) laminates . . . . .	454
21.5.1 Fabrication of K-nano-poly(sialate) carbon composite for fire-resistance testing . . . . .	456
21.5.2 Flammability of organic and geopolymers composites . . . . .	457
21.5.3 Flashover temperature . . . . .	458
21.5.4 Residual strength after fire exposure . . . . .	459
21.6 Fatigue loading of K-nano-poly(sialate) / carbon composite . . . . .	460
21.7 K-nano-poly(sialate) / carbon / E-glass composite . . . . .	461
21.8 Geopolymer composite sandwiches for heat barrier . . . . .	462
21.9 Geopolymer composite for strengthening concrete structures . . . . .	463
21.10 Geopolymer composite for fire resistant structural elements . . . . .	466
<b>22 Foamed geopolymers</b>	471
22.1 Geopolymer foam fabrication . . . . .	472
22.1.1 Foaming with Na perborate . . . . .	472
22.1.2 Foaming with H <sub>2</sub> O <sub>2</sub> . . . . .	473
22.1.3 Insulating value of geopolymers foam . . . . .	474
22.2 High-temperature insulation . . . . .	474
22.3 Passive cooling of buildings in hot / arid climate . . . . .	476
<b>23 Geopolymers in ceramic processing</b>	479
23.1 Low Temperature Geopolymeric Setting of ceramic, LTGS . . . . .	479
23.1.1 Geopolymeric setting at room temperature below 65°C . . . . .	480

23.1.2	Geopolymeric setting at temperatures ranging between 80°C and 450°C . . . . .	481
23.1.3	Resistance to water . . . . .	481
23.2	Archaeological ceramics . . . . .	482
23.2.1	Evidence of LTGS in ancient ceramics . . . . .	483
23.2.2	The making of Etruscan Ceramic (Bucchero Nero) in 600–700 B.C. . . . .	484
23.2.3	The making of Ceramic with black or brown-black finish in a wood campfire, at temperature lower than 500°C . . . . .	487
23.2.4	User-friendly LTGS . . . . .	489
23.3	Low-energy modern ceramic processing and sustainable development . . . . .	490
23.4	The making of foamed clay bricks . . . . .	494
23.5	Ceramics with no clay? . . . . .	494
<b>24</b>	<b>The manufacture of geopolymer cements</b>	499
24.1	Greenhouse CO <sub>2</sub> mitigation fosters the development of geopolymers cements . . . . .	500
24.1.1	Cement CO <sub>2</sub> emissions in developing countries . . . . .	501
24.1.2	Comparison between CaO, Na <sub>2</sub> O and K <sub>2</sub> O cementitious systems . . . . .	503
24.1.3	Examples of low-CO <sub>2</sub> mitigation with geopolymers cements	505
24.2	Raw-Materials . . . . .	506
24.2.1	Muscovite based mine tailings . . . . .	506
24.2.2	Kaolinitic shale wastes . . . . .	507
24.2.3	Coal-waste mine tailings . . . . .	507
24.3	The need for dry mix geopolymers cement . . . . .	508
24.3.1	The use of solid silica + solid alkalis . . . . .	508
24.3.2	Manufacture of powdered K-silicate with MR SiO <sub>2</sub> :K <sub>2</sub> O < 2 . . . . .	509
24.3.3	Not realistic for mass production of geopolymers cements	510
24.4	Replacement of (Na,K) soluble silicates with synthetic lavas . . . . .	511
24.4.1	The manufacture of synthetic lavas . . . . .	511
24.4.2	Molecular structure of synthetic lava . . . . .	514
24.4.3	The molecular structure of lava-based geopolymers cement	516
24.4.4	Geopolymer cement mass production with synthetic lava?	518
<b>25</b>	<b>Geopolymer concrete</b>	523
25.1	Mixture proportions of fly ash-based geopolymers concrete . . . . .	523
25.2	Mixing, casting, and compaction of geopolymers concrete . . . . .	525
25.3	Curing of geopolymers concrete . . . . .	526
25.4	Design of geopolymers concrete mixtures . . . . .	528
25.5	Short-term properties of geopolymers concrete . . . . .	530
25.5.1	Behavior in compression . . . . .	530
25.5.2	Compressive strength of aggregates weaker than geopolymers matrix . . . . .	531
25.5.3	Indirect tensile strength . . . . .	532
25.5.4	Unit-weight . . . . .	533
25.6	Long-term properties of geopolymers concrete . . . . .	533

25.6.1	Compressive strength . . . . .	533
25.6.2	Creep and drying shrinkage . . . . .	535
25.7	Reinforced geopolymers concrete beams and columns . . . . .	538
25.8	Better than Portland cement concrete? . . . . .	543
<b>26</b>	<b>Geopolymers in toxic waste management</b>	<b>547</b>
26.1	Containment with barriers . . . . .	550
26.2	Waste encapsulation requires MK-750-based geopolymers . . . . .	551
26.2.1	Structural model for safe encapsulation . . . . .	551
26.2.2	Safe chemical bonding with MK-750-based geopolymers	552
26.3	Heavy metals in mine tailings . . . . .	553
26.3.1	Solidification procedure . . . . .	554
26.3.2	Leachate testing . . . . .	554
26.4	The use of geopolymers for paint sludge disposal . . . . .	557
26.4.1	Experimental . . . . .	557
26.4.2	Results . . . . .	558
26.5	Treatment of arsenic-bearing wastes . . . . .	559
26.5.1	Nature of the Problem . . . . .	559
26.5.2	Geopolymeric Solidification . . . . .	560
26.6	Uranium mining waste treatment . . . . .	562
26.6.1	Specificity of uranium immobilization . . . . .	563
26.6.2	The uranium waste sludge . . . . .	564
26.6.3	Two-Step solidification technology . . . . .	564
26.6.4	Results . . . . .	565
26.6.5	Pilot-scale experimentation . . . . .	568
26.7	Geopolymers in other toxic-radioactive waste management applications . . . . .	570