

# Contents

<i>List of Contributors</i>		<i>xiii</i>
<i>Preface</i>		<i>xvii</i>
<b>1</b>	<b>Synthesis of Siloles (and Germoles) that Exhibit the AIE Effect</b>	<b>1</b>
	<i>Joyce Y. Corey</i>	
1.1	Introduction	1
1.2	Background	2
1.3	Synthesis of Siloles	4
	1.3.1 Reductive dimerization of tolan	4
	1.3.2 Intramolecular cyclization of dialkynylsilanes	7
	1.3.3 Intramolecular cyclization of dialkynylsilanes utilizing borane reagents	10
	1.3.4 Synthesis of siloles using transition metal reagents	12
1.4	Modification of Preformed Siloles	14
	1.4.1 Reactions at silicon centers	14
	1.4.2 Reactions of a ring carbon center	15
1.5	Related Germole Methodology	15
	1.5.1 Germoles produced by metathesis and exchange reactions	15
	1.5.2 Germoles from other methods	16
	1.5.3 Photoluminescence and AIE of germoles	18
1.6	Metallaindenes and Metallafuorenes of Si and Ge	19
	1.6.1 Methods for the formation of silaindenes and germaindenes	19
	1.6.2 Methods for the formation of metallafuorenes	21
1.7	Oligomers and Polymers of Metalloles and Benzene-Annulated Metalloles	25
	1.7.1 Oligomers that contain silole units connected at the 1,1- and 2,5-positions	25
	1.7.2 Polysiloles and silole polymers connected through 2,5-positions	26
	1.7.3 Polymers with silole pendants and hyperbranched polymers	27
	1.7.4 Polybenzosiloles and ladder polymers	28
	1.7.5 Polymers that contain silafuorenes	29
	1.7.6 Germoles in oligomers and polymers	30
1.8	Summary and Future Directions	31
	References	33

<b>2</b>	<b>Aggregation-Induced Emission in Group 14 Metalloles (Siloles, Gerموles, and Stannoles): Spectroscopic Considerations, Substituent Effects, and Applications</b>	<b>39</b>
	<i>Jerome L. Mullin and Henry J. Tracy</i>	
2.1	Introduction	39
2.1.1	The group 14 metalloles	41
2.2	Characteristics of AIE in the Group 14 Metalloles	44
2.2.1	Aryl-substituted siloles	44
2.2.2	Aryl-substituted gerموles and stannoles	47
2.3	Origins of AIE in Group 14 Metalloles: Restricted Intramolecular Rotation	48
2.3.1	Effect of solvent viscosity	48
2.3.2	Effect of temperature	48
2.3.3	Room-temperature glasses	49
2.3.4	Effect of pressure	49
2.3.5	Excited-state lifetimes	49
2.3.6	Molecular geometry	50
2.3.7	Aggregate nanoparticle morphology	50
2.3.8	Internal structural control of intramolecular rotations	50
2.4	Polymer Films and Polymerized Siloles	51
2.5	Applications of AIE-Active Metalloles	53
2.5.1	Electrooptical devices	53
2.5.2	Chemical sensors	53
	References	54
<b>3</b>	<b>Aggregation-Induced Emission of 9,10-Distyrylanthracene Derivatives and Their Applications</b>	<b>61</b>
	<i>Bin Xu, Jibo Zhang and Wenjing Tian</i>	
3.1	Introduction	61
3.2	AIE Molecules Based on 9,10-Distyrylanthracene	63
3.2.1	Small molecules	63
3.2.2	Macromolecules	64
3.3	AIE Mechanism of 9,10-Distyrylanthracene Molecule Systems	65
3.4	Application of AIE Lumino gens Based on 9,10-Distyrylanthracene	67
3.4.1	Solid-state emitters	67
3.4.2	Piezochromism	72
3.4.3	Fluorescent sensors and probes	74
3.4.4	Bioimaging	75
3.5	Conclusion	80
	Acknowledgments	80
	References	80
<b>4</b>	<b>Diaminobenzene-Cored Fluorophores Exhibiting Highly Efficient Solid-State Luminescence</b>	<b>83</b>
	<i>Masaki Shimizu</i>	
4.1	Introduction	83
4.2	1,4-Bis(alkenyl)-2,5-dipiperidinobenzenes	86
4.3	1,4-Diamino-2,5-bis(arylethenyl)benzenes	89
4.4	2,5-Diaminoterephthalates	93

4.5	2,5-Bis(diarylamino)-1,4-diaroylbenzenes	95
4.6	Applications	99
4.7	Conclusion	102
	Acknowledgments	102
	References	103
<b>5</b>	<b>Aggregation-Induced Emission in Organic Ion Pairs</b>	<b>105</b>
	<i>Suzanne Fery-Forgues</i>	
5.1	Introduction	105
5.2	Historical Background	106
5.3	Preparation and Control of the Fluorophore Arrangement	107
5.3.1	Type of interactions	107
5.3.2	Preparation	107
5.3.3	Influence of the nature of the counterion on the fluorophore arrangement	108
5.3.4	Influence of stoichiometry on the AIE effect	111
5.4	AIE-Active Organic Ion Pairs in Nano- and Microparticles	111
5.4.1	Controlled preparation of nanoparticles	112
5.4.2	Nanoparticles for biomedical imaging	114
5.4.3	Preparation of nanocrystals, nanofibers, and reticulated materials	114
5.5	Applications as Fluorescent Probes and Sensors for Analytical Purposes	115
5.5.1	Detection of small electrolytes	115
5.5.2	Detection of polyelectrolytes	116
5.6	Perspectives	122
	Acknowledgments	122
	References	123
<b>6</b>	<b>Aggregation-Induced Emission Materials: the Art of Conjugation and Rotation</b>	<b>127</b>
	<i>Jing Huang, Qianqian Li and Zhen Li</i>	
6.1	Introduction	127
6.2	Rotation and Conjugation in AIE Molecules	128
6.3	Design of Functional Materials by Tuning the Conjugation Effect and Restricting Rotations	134
6.3.1	Some AIE molecules with blue emission through modification of the conjugation between the construction blocks	135
6.3.2	Some sensing systems by selectively controlling rotation	142
6.3.3	Some other systems utilizing the AIE concept	145
6.4	Outlook	151
6.5	References	152
6.6	Conclusion	152
<b>7</b>	<b>Red-Emitting AIE Materials</b>	<b>155</b>
	<i>Xiao Yuan Shen, Anjun Qin and Jing Zhi Sun</i>	
7.1	Introduction	155
7.2	Basic Principles of Molecular Design for Red-Emitting Materials	156
7.3	Acquirement of Red-Emitting AIE Materials by Reconstruction of Traditional Red-Emitting Molecules	158
7.4	Preparation of Red-Emitting Materials by Introduction of Electron Donors/Acceptors into AIE-Active Molecules	162

7.5	Outlook	164
	Acknowledgments	165
	References	165
<b>8</b>	<b>Properties of Triarylamine Derivatives with AIE and Large Two-Photon Absorbing Cross-Sections</b>	<b>169</b>
	<i>Jianli Hua, He Tian and Hao Zhang</i>	
8.1	Introduction	169
8.2	Design and Synthesis of Triarylamine Derivatives with AIE and 2PA	170
8.3	AIE Properties of Triarylamine Derivatives	170
8.3.1	AIE properties of diketopyrrolopyrrole (DPP)-based triarylamine derivatives	170
8.3.2	AIE properties of starburst triarylamine derivatives based on cyano-substituted diphenylaminestyrylbenzene	173
8.3.3	AIE properties of multibranched triarylamine end-capped triazines	174
8.4	One-Photon and Two-Photon Absorption Properties of Triarylamine Derivatives with AIE	176
8.5	Application of Triarylamine Materials with AIE and 2PA	180
8.5.1	Fluorescence switching	180
8.5.2	Organic light-emitting diodes	180
8.5.3	Fluorescence probes for Hg <sup>2+</sup>	180
8.6	Conclusion	181
	References	182
<b>9</b>	<b>Photoisomerization and Light-Driven Fluorescence Enhancement of Azobenzene Derivatives</b>	<b>185</b>
	<i>Mina Han and Yasuo Norikane</i>	
9.1	Introduction	185
9.2	Photoisomerization and Fluorescence of Azobenzene Derivatives	186
9.2.1	Ground-state structure of azobenzene	186
9.2.2	Reversible isomerization of azobenzene	187
9.2.3	Sterically hindered azobenzene derivatives	188
9.2.4	Fluorescence from azobenzene derivatives	190
9.3	Aggregation-Induced Emission (AIE)	191
9.4	Fluorescence from Azobenzene-Based Aggregates	193
9.4.1	Light-driven self-assembly and fluorescence enhancement	194
9.4.2	Factors affecting fluorescence enhancement of azobenzenes	195
9.4.3	Modulation of fluorescence color	196
9.4.4	Fluorescent organic films	198
9.5	Conclusion	199
	References	199
<b>10</b>	<b>Supramolecular Structure and Aggregation-Induced Emission</b>	<b>205</b>
	<i>Hongyu Zhang and Yue Wang</i>	
10.1	Introduction	205
10.2	Hydrogen Bonding-Based Molecular Dimer and AIE	206
10.2.1	The role of hydrogen bonds in AIE	206
10.2.2	AIE and single crystal structures	208

10.2.3	Relationship between supramolecular structures and AIE	209
10.2.4	Amplified spontaneous emission (ASE) property	210
10.3	Quinacridine Derivatives with 1D Aggregation-Induced Red Emission	210
10.3.1	Contradiction between 1D self-assembly and AIE	210
10.3.2	Design of novel QA with AIE and 1D self-assembly	211
10.3.3	AIE behavior	212
10.3.4	Morphology transition from 0D nanostructures to 1D microwires	214
10.3.5	1D self-assembly	214
10.3.6	Crystal structure	215
10.4	Multi-Stimuli-Responsive Fluorescence Switching of AIE/AIEE Luminogens	217
10.4.1	Mechanism of stimuli-responsive fluorescence switching	217
10.4.2	Design strategy towards stimuli-responsive AIE/AIEE molecules	218
10.4.3	AIE phenomenon in neutral and acid states	218
10.4.4	Molecular and supramolecular structures in crystal	220
10.4.5	Multi-stimuli-responsive AIE switching	220
10.4.6	Multi-stimuli-responsive fluorescence of other AIE/AIEE molecules	221
10.5	Pt···Pt Interaction-Induced Emissive and Conductive 1D Crystals	222
10.5.1	AIE of organometallic complexes	222
10.5.2	Pt···Pt interaction-induced luminescent crystals	223
10.5.3	1D nano-/micro aggregation and photophysical properties	223
10.5.4	Vapor-responsive emission behavior of nanowires	225
10.5.5	Pt···Pt interaction-induced 1D semiconductor	225
10.6	Conclusion	226
	References	227
<b>11</b>	<b>Aggregation-Induced Emission in Supramolecular <math>\pi</math>-Organogels</b>	<b>233</b>
	<i>Pengchong Xue and Ran Lu</i>	
11.1	Introduction	233
11.2	Organogels Based on Discotic Molecules with AIE	234
11.2.1	Triphenylbenzene-cored discotic molecules	234
11.2.2	Other discotic gelators	237
11.3	Organogels Based on Rod-Like Molecules with AIE	238
11.3.1	Styrene derivatives	238
11.3.2	Other linear molecules	241
11.4	Organogels Based on Banana-Shaped Molecules with AIE	242
11.4.1	Salicylideneaniline derivatives	242
11.4.2	Other banana-shaped gelators	245
11.5	Organogels Based on Dendritic Molecules with AIE	246
11.6	Conclusion	249
	References	250
<b>12</b>	<b>AIE-Active Polymers</b>	<b>253</b>
	<i>Rongrong Hu, Jacky W.Y. Lam and Ben Zhong Tang</i>	
12.1	Introduction	253
12.2	Polyolefins	254
12.3	Polyacetylenes	258
12.4	Polydiynes	259

12.5	Polyarylenes	263
12.6	Polytriazoles	269
12.7	Polysilylenevinylenes	271
12.8	Poly(Vinylene Sulfide)s	272
12.9	Other Systems	277
12.10	Conclusion	280
	References	280
<b>13</b>	<b>Enhanced Emission by Restriction of Molecular Rotation</b>	<b>285</b>
	<i>Jin-Long Hong</i>	
13.1	Background	285
13.2	Strategy to Restrict Molecular Rotation	286
13.2.1	Introduction of bulky substituents by chemical links	287
13.2.2	Introduction of bulky groups by complexation	290
13.2.3	Hindered molecular rotation by hydrogen bonding	292
13.2.4	Hindered molecular rotation by metal or metal ion chelation	296
13.3	Characterizations of Hindered Molecular Rotations	297
13.3.1	Solution fluorescence spectroscopy	297
13.3.2	<sup>1</sup> H NMR spectroscopy	298
13.4	Conclusion	302
	References	303
<b>14</b>	<b>Restricted Intramolecular Rotations: a Mechanism for Aggregation-Induced Emission</b>	<b>307</b>
	<i>Junwu Chen and Ben Zhong Tang</i>	
14.1	Introduction: 2,3,4,5-Tetraphenylsilole, the Prototype Molecule of Aggregation-Induced Emission (AIE)	307
14.2	Crystal Structures of 2,3,4,5-Tetraphenylsiloles	310
14.2.1	Twisted arrangements of phenyl groups on the silole core	310
14.2.2	Enlarged distance between silole cores: far beyond $\pi$ - $\pi$ interactions	311
14.3	Restricted Intramolecular Rotation (RIR)	312
14.3.1	Thickening-enhanced emission of silole solutions (viscochromism)	313
14.3.2	Piezochromism	313
14.3.3	Cooling-enhanced emission (thermochromism)	314
14.3.4	On-off fluorescence switching of silole thin films: activation of rotations in solvent vapors (vapochromism)	316
14.3.5	Fluorescence decay dynamics	317
14.3.6	Highly emissive silole solutions: restriction of rotation by internal structural tuning	318
14.4	Conclusion	320
	Acknowledgments	320
	References	320
<b>15</b>	<b>Crystallization-Induced Emission Enhancement</b>	<b>323</b>
	<i>Yongqiang Dong</i>	
15.1	Introduction	323
15.2	Traditional Luminogens	324

15.3	Crystallization-Induced Emission Enhancement (CIEE)	324
15.3.1	CIEE luminogens	325
15.3.2	Potential applications	330
15.4	Conclusion	333
	References	334
<b>16</b>	<b>Time-Resolved Spectroscopic Study of the Aggregation-Induced Emission Mechanism</b>	<b>337</b>
	<i>Bing-rong Gao, Hai-yu Wang, Qi-dai Chen and Hong-bo Sun</i>	
16.1	Introduction	337
16.2	Time-Resolved Spectroscopy	338
16.2.1	Femtosecond time-resolved fluorescence system	338
16.2.2	Femtosecond transient absorption system	339
16.2.3	Time-correlated single-photon counting (TCSPC) system	341
16.3	AIE Molecules Without Electron Donor–Acceptor Units	341
16.3.1	Time-resolved fluorescence study of HPS	341
16.3.2	Time-resolved fluorescence study of CNDPDSB	342
16.3.3	Transient absorption study of CNDPDSB	343
16.4	AIE Molecules with Electron Donor–Acceptor Units	344
16.4.1	Steady-state properties of CNDPASDB	344
16.4.2	Time-resolved fluorescence study of CNDPASDB	346
16.4.3	Transient absorption study of CNDPASDB	351
16.4.4	Discussion	353
16.5	Conclusion	353
	Acknowledgments	354
	References	354
<b>17</b>	<b>Theoretical Understanding of AIE Phenomena Through Computational Chemistry</b>	<b>357</b>
	<i>Qian Peng, Yingli Niu, Qunyan Wu, Xing Gao and Zhigang Shuai</i>	
17.1	Introduction	357
17.2	Fundamental Photophysics Relating to AIE Phenomena	358
17.2.1	Absorption and emission	358
17.2.2	Luminescence quantum efficiency	359
17.3	Computational Approaches to Investigate AIE Molecules	360
17.3.1	Molecular optical spectra formalisms	360
17.3.2	Molecular radiative and nonradiative rate formalisms	365
17.3.3	Computational details	367
17.4	Computational Results	370
17.4.1	Optical spectra	370
17.4.2	Excited-state decay processes	376
17.4.3	A nonadiabatic dynamic simulation	385
17.5	Summary and Outlook	389
	References	390

<b>18</b>	<b>Recent Theoretical Advances in Understanding the Mechanism of Aggregation-Induced Emission for Small Organic Molecules</b>	<b>399</b>
	<i>Jun-Ling Jin, Yun Geng and Zhong-Min Su</i>	
18.1	Introduction	399
18.2	Theoretical Methods	400
18.2.1	Main photophysical processes of organic molecules	400
18.2.2	Theoretical estimation of photophysical parameters	402
18.3	Recent Theoretical Advances in Understanding the Mechanism of Aggregation-Induced Emission	406
18.3.1	Restriction of intramolecular rotation (RIR)	406
18.3.2	Influence of molecular packing and intermolecular interactions on the photophysical properties and fluorescence efficiencies in the solid phase	411
18.4	Prospects	413
18.4.1	Other AIE mechanisms except for the conventional RIR mechanism	413
18.4.2	Design of multifunctional materials with AIE	413
	Acknowledgments	414
	References	414
<b>Index</b>		<b>419</b>



# Contents

<i>List of Contributors</i>		<i>xi</i>
<i>Preface</i>		<i>xiii</i>
<b>1 AIE or AIEE Materials for Electroluminescence Applications</b>		<b>1</b>
<i>Chiao-Wen Lin and Chin-Ti Chen</i>		
1.1 Introduction		1
1.2 EL Background, EL Efficiency, Color Chromaticity, and Fabrication Issues of OLEDs		2
1.3 AIE or AIEE Silole Derivatives for OLEDs		7
1.4 AIE or AIEE Maleimide and Pyrrole Derivatives for OLEDs		10
1.5 AIE or AIEE Cyano-Substituted Stilbenoid and Distyrylbenzene Derivatives for OLEDs		14
1.6 AIE or AIEE Triarylamine Derivatives for OLEDs		17
1.7 AIE or AIEE Triphenylethene and Tetraphenylethene Derivatives for OLEDs		17
1.8 White OLEDs Containing AIE or AIEE Materials		31
1.9 Perspectives		36
References		37
<b>2 Crystallization-Induced Phosphorescence for Purely Organic Phosphors at Room Temperature and Liquid Crystals with Aggregation-Induced Emission Characteristics</b>		<b>43</b>
<i>Wang Zhang Yuan, Yongming Zhang and Ben Zhong Tang</i>		
2.1 Crystallization-Induced Phosphorescence for Purely Organic Phosphors at Room Temperature		43
2.1.1 Introduction		43
2.1.2 Molecular luminogens with crystallization-induced phosphorescence at room temperature		44
2.2 Liquid Crystals with Aggregation-Induced Emission Characteristics		52
2.2.1 Luminescent liquid crystals		52
2.2.2 Aggregation-induced emission strategy towards high-efficiency luminescent liquid crystals		53
2.3 Conclusions and Perspectives		57
References		58
<b>3 Mechanochromic Aggregation-Induced Emission Materials</b>		<b>61</b>
<i>Zhenguo Chi and Jiarui Xu</i>		
3.1 Introduction		61
3.2 Mechanochromic Non-AIE Compounds		62
3.3 Mechanochromic AIE Compounds		64

3.4	Conclusion	82
	References	83
<b>4</b>	<b>Chiral Recognition and Enantiomeric Excess Determination Based on Aggregation-Induced Emission</b>	<b>87</b>
	<i>Yan-Song Zheng</i>	
4.1	Introduction to Chiral Recognition	87
4.2	Chiral Recognition and Enantiomeric Excess Determination of Chiral Amines	88
4.3	Chiral Recognition and Enantiomeric Excess Determination of Chiral Acids	91
	4.3.1 Enantiomeric excess determination of chiral acids using chiral AIE amines	91
	4.3.2 Enantiomeric excess determination of chiral acids using a chiral receptor in the presence of an AIE compound	98
4.4	Mechanism of Chiral Recognition Based on AIE	101
	4.4.1 Mechanism of chiral recognition by a chiral AIE monoamine	102
	4.4.2 Mechanism of chiral recognition by a chiral AIE diamine	102
4.5	Prospects for Chiral Recognition Based on AIE	104
	References	105
<b>5</b>	<b>AIE Materials Towards Efficient Circularly Polarized Luminescence, Organic Lasing, and Superamplified Detection of Explosives</b>	<b>107</b>
	<i>Jianzhao Liu, Jacky W.Y. Lam and Ben Zhong Tang</i>	
5.1	Introduction	107
5.2	AIE Materials with Efficient Circularly Polarized Luminescence and Large Dissymmetry Factor	107
	5.2.1 Aggregation-induced circular dichroism	108
	5.2.2 AIE, fluorescence decay dynamics and theoretical understanding	110
	5.2.3 Aggregation-induced circularly polarized luminescence	113
	5.2.4 Supramolecular assembly and structural modeling	115
5.3	AIE Materials for Organic Lasing	118
	5.3.1 Fabrication of nano-structures	118
	5.3.2 Lasing performances	119
5.4	AIE Materials for Superamplified Detection of Explosives	121
	5.4.1 Hyperbranched polymer-based sensor	122
	5.4.2 Mesoporous material-based sensor	127
5.5	Conclusion	127
	References	128
<b>6</b>	<b>Aggregation-Induced Emission and Applications of Aryl-Substituted Pyrrole Derivatives</b>	<b>131</b>
	<i>Bin Tong and Yuping Dong</i>	
6.1	Introduction	131
6.2	Luminescence Properties of Triphenylpyrrole Derivatives in the Aggregated State	132
6.3	Applications	136
6.4	Aggregation-Induced Emission of Pentaphenylpyrrole	147
6.5	AIEE Mechanism of Pentaphenylpyrrole	150
6.6	Conclusion	152
	References	152

<b>7</b>	<b>Biogenic Amine Sensing with Aggregation-Induced Emission-Active Tetraphenylethenes</b>	<b>157</b>
	<i>Takanobu Sanji and Masato Tanaka</i>	
7.1	Introduction	157
7.1.1	Biogenic amines	157
7.1.2	Sensing methods for biogenic amines	157
7.2	Fluorimetric Sensing of Biogenic Amines with AIE-Active TPEs	158
7.2.1	Design for fluorimetric sensing of biogenic amines	158
7.2.2	Sensing studies and statistical analysis	158
7.2.3	Determination of histamine concentration	162
7.2.4	Fluorimetric sensing of melamine with AIE-active TPEs	163
7.3	Summary and Outlook	163
	References	164
<b>8</b>	<b>New Chemo-/Biosensors with Silole and Tetraphenylethene Molecules Based on the Aggregation and Deaggregation Mechanism</b>	<b>165</b>
	<i>Ming Wang, Guanxin Zhang and Deqing Zhang</i>	
8.1	Introduction	165
8.2	Cation and Anion Sensors	166
8.3	Fluorimetric Biosensors for Biomacromolecules	169
8.4	Fluorimetric Assays for Enzymes	173
8.5	Fluorimetric Detection of Physiologically Important Small Molecules	180
8.6	Miscellaneous Sensors	183
8.7	Conclusion and Outlook	185
	References	185
<b>9</b>	<b>Carbohydrate-Functionalized AIE-Active Molecules as Luminescent Probes for Biosensing</b>	<b>189</b>
	<i>Qi Chen and Bao-Hang Han</i>	
9.1	Introduction	189
9.2	Carbohydrate-Bearing AIE-Active Molecules	190
9.2.1	Carbohydrate-bearing siloles	191
9.2.2	Carbohydrate-bearing phosphole oxides	192
9.2.3	Carbohydrate-bearing tetraphenylethenes	193
9.3	Luminescent Probes for Lectins	195
9.4	Luminescent Probes for Enzymes	199
9.5	Luminescent Probes for Viruses and Toxins	203
9.6	Conclusion	205
	Acknowledgments	205
	References	205
<b>10</b>	<b>Aggregation-Induced Emission Dyes for <i>In Vivo</i> Functional Bioimaging</b>	<b>209</b>
	<i>Jun Qian, Dan Wang and Sailing He</i>	
10.1	Introduction	209
10.2	AIE Dyes for Macro <i>In Vivo</i> Functional Bioimaging	210
10.2.1	AIE dye-encapsulated phospholipid-PEG nanomicelles	210
10.2.2	AIE dye-encapsulated nanomicelles for SLN mapping of mice	210
10.2.3	AIE dye-encapsulated nanomicelles for tumor targeting of mice	216

10.2.4	Other types of AIE-nanoparticles for <i>in vivo</i> functional bioimaging	221
10.3	Multiphoton-Induced Fluorescence from AIE Dyes and Applications in <i>In Vivo</i> Functional Microscopic Imaging	223
10.3.1	Two- and three-photon-induced fluorescence of AIE dyes	223
10.3.2	AIE dye-encapsulated nanomicelles for two-photon blood vessel imaging of live mice	227
10.3.3	AIE dye-encapsulated nanomicelles for two-photon brain imaging of live mice	230
10.4	Summary and Perspectives	232
	Acknowledgments	234
	References	234
<b>11</b>	<b>Specific Light-Up Bioprobes with Aggregation-Induced Emission Characteristics for Protein Sensing</b>	<b>239</b>
	<i>Jing Liang, Haibin Shi, Ben Zhong Tang and Bin Liu</i>	
11.1	Introduction	239
11.2	<i>In Vitro</i> Detection of Integrin $\alpha_v\beta_3$ Using a TPS-Based Probe	240
11.2.1	Detection mechanisms	241
11.2.2	Synthesis and characterization of the TPS-2cRGD probe	241
11.2.3	Detection of integrin in solutions	243
11.2.4	<i>In vitro</i> sensing of integrin in cancer cells	244
11.3	Real-Time Monitoring of Cell Apoptosis and Drug Screening with a TPE-Based Probe	245
11.3.1	Design principles	245
11.3.2	Synthesis and characterization of Ac-DEVEK-TPE probe	246
11.3.3	Detection of caspase and kinetic study of caspase activities in solutions	247
11.3.4	Imaging of cell apoptosis and screening of apoptosis-inducing agents	248
11.4	<i>In Vivo</i> Monitoring of Cell Apoptosis and Drug Screening with PyTPE-Based Probe	251
11.4.1	Working principles	251
11.4.2	Synthesis and characterization of DEVD-PyTPE probe	252
11.4.3	Monitoring of caspase activities in solutions	253
11.4.4	<i>In vitro</i> and <i>in vivo</i> imaging of cell apoptosis	253
11.5	Conclusion	255
	Acknowledgments	255
	References	256
<b>12</b>	<b>Applications of Aggregation-Induced Emission Materials in Biotechnology</b>	<b>259</b>
	<i>Yuning Hong, Jacky W.Y. Lam and Ben Zhong Tang</i>	
12.1	Introduction	259
12.2	AIE Materials for Nucleic Acid Studies	260
12.2.1	Quantitation and gel visualization of DNA and RNA	260
12.2.2	Specific probing of G-quadruplex DNA formation	262
12.3	AIE Materials for Protein Studies	263
12.3.1	Quantitation and PAGE staining of proteins	263
12.3.2	Fluorescence immunoassay by AIE materials	266
12.3.3	Monitoring of the unfolding/refolding process of human serum albumin	266
12.3.4	Monitoring and inhibition of amyloid fibrillation of insulin	267

12.4	AIE Materials for Live Cell Imaging	269
12.4.1	AIE bioprobes for long-term cell tracking	269
12.4.2	AIE nanoparticles for cell staining	269
12.5	Conclusion	271
	References	272

## List of Contributors

<i>Index</i>		275
--------------	--	-----

- [Faded text block containing names and affiliations of contributors, including institutions like Tsinghua University, Zhejiang University, and others.]*