

CONTENTS

Preface / xiii
Notations / xv

1. Introduction to Plastic Packaging of Microelectronic Devices / 1

- 1.1 Packaging and Interconnection Hierarchy / 2
 - 1.2 The Function of the Package / 2
 - 1.3 The Types of Second Level Interconnects (Packages) / 6
 - 1.3.1 Direct Chip Attach / 6
 - 1.3.2 Package Types / 8
 - 1.4 Package Materials / 13
 - 1.4.1 Ceramic Packages / 13
 - 1.4.2 Refractory Glass Packages / 13
 - 1.4.3 Plastic Packaging / 17
 - 1.5 Criteria for Selecting Among Different Types of Packages / 22
 - 1.5.1 Number of Leads Required / 22
 - 1.5.2 Reliability Criteria / 25
 - 1.5.3 Cost Criteria / 27
 - 1.5.4 Systems Criteria / 27
 - 1.6 Process Steps in Assembly and Packaging of IC Devices / 28
- References / 34

2. Polymer Science and Engineering for Microelectronics Packaging / 36

- 2.1 Thermosetting Polymers / 36
- 2.2 Thermoplastic Polymers / 38
- 2.3 Glass Transition Temperature / 38
- 2.4 Viscosity and Flow Behavior / 40
 - 2.4.1 Shear Rate Dependence / 40
 - 2.4.2 Time Dependent Viscosity / 43
 - 2.4.3 Molecular Weight Dependence / 44

- 2.4.4 Temperature Dependence / 46
- 2.4.5 Filled-System Rheology / 48
- 2.4.6 Viscometry / 48
- 2.4.7 Flow Behavior / 52
- 2.4.8 Shear-Induced Heating / 54
- 2.5 Viscoelasticity / 55
- 2.6 Other Physical Parameters Relevant to Plastic Packaging / 59
 - 2.6.1 Thermal Conductivity / 59
 - 2.6.2 Heat Capacity / 61
 - 2.6.3 Coefficient of Thermal Expansion / 62
 - 2.6.4 Dielectric Properties / 63
- References / 64

3. Materials For Molded Plastic Packaging / 66

- 3.1 Dielectric Layers on the Device / 66
 - 3.1.1 Polyimides / 67
- 3.2 Conformal Coatings on the Device / 71
 - 3.2.1 Polyimides / 73
 - 3.2.2 Silicone Rubber / 76
 - 3.2.3 Encapsulants (Potting and Glob/Top Materials) / 79
 - 3.2.4 Other Device Coatings and Encapsulants / 81
- 3.3 Die Attach Adhesives / 81
- 3.4 Reinforcement of Leadframes / 83
- 3.5 Dielectric Layers Within the Molded Body / 83
- 3.6 Molding Compounds / 84
 - 3.6.1 Epoxy Molding Compounds / 84
- 3.7 Leadframe Materials / 95
- References / 97

4. Testing and Evaluation of Thermoset Molding Compounds / 99

- 4.1 Using the Material Suppliers' Information / 99
 - 4.1.1 Coefficient of Thermal Expansion / 99
 - 4.1.2 Glass Transition Temperature / 100
 - 4.1.3 Flexural and Tensile Properties / 102
 - 4.1.4 Thermal Stress / 102
 - 4.1.5 Thermal Conductivity / 103
 - 4.1.6 Volume Resistivity / 103
 - 4.1.7 Hydrolyzable Ionics / 103

- 4.1.8 Uranium Content / 104
- 4.1.9 Pressure Cooker Tests / 104
- 4.1.10 Temperature Cycling / 104
- 4.1.11 High Temperature, Humidity, Bias (HTHB) / 105
- 4.1.12 Spiral Flow Length / 105
- 4.1.13 Gel Time / 107
- 4.2 Productivity Evaluation / 108**
 - 4.2.1 Assessing Flow Induced Stress Potential / 109
 - 4.2.2 Assessing Molding Compound Production Rate / 116
 - 4.2.3 Evaluating Molding Problem Potential / 120
- 4.3 Reliability Evaluation / 126**
 - 4.3.1 Mechanical Property Testing / 127
 - 4.3.2 Adhesion Property Evaluation / 129
 - 4.3.3 Cracking Potential Evaluation / 135
 - 4.3.4 Experimental Reliability Evaluation / 137
- 4.4 The Effect of Water on Molding Compound Properties / 139**
 - 4.4.1 Effect on Rheology and Processing / 139
 - 4.4.2 Effect on Kinetics and Ultimate Properties / 141
- 4.5 Material Selection Summary / 142**
- References / 144**
- Appendix 4A / 144**

5. Equipment and Facilities for Plastic Package Molding / 148

- 5.1 Molding Compound Storage Facilities / 148**
- 5.2 Molding Compound Conditioning Facilities / 149**
- 5.3 Preheaters / 150**
- 5.4 Transfer Molding Machinery / 152**
- 5.5 Molding Tools / 157**
 - 5.5.1 Cavity Chase Molds / 157
 - 5.5.2 Aperture Plate Molds / 161
 - 5.5.3 Multiplunger Molds / 164
 - 5.5.4 Design Considerations for Molding Tools / 166
 - 5.5.5 Mold Maintenance and Cleaning / 170
- 5.6 Postcure / 170**
- 5.7 Deflashing / 171**
- 5.8 Trim And Form / 174**
 - 5.8.1 Trim and Form Machinery / 174
 - 5.8.2 Trim and Form Tooling / 174
- 5.9 Solder Dipping, Solder Plating / 176**
- 5.10 Code Marking / 177**

x CONTENTS

- 5.11 Inspection / 177
- 5.12 Burn-In / 178
- 5.13 Testing / 178
- 5.14 Failure Mode Analysis / 179
- References / 181

6. Process Description / 182

- 6.1 Molding Compound Preform Volume and Size / 182
- 6.2 The Process Sequence / 183
- 6.3 Preheating / 185
- 6.4 Transfer of Molding Compound in the Mold / 187
 - 6.4.1 Transfer Pot / 187
 - 6.4.2 Flow in the Runner / 195
 - 6.4.3 Flow Through the Gates / 218
 - 6.4.4 Flow in the Cavities / 224
 - 6.4.5 Packing in the Cavity / 229
- 6.5 Polymerization in the Mold / 229
 - 6.5.1 Polymerization Kinetics / 231
 - 6.5.2 Analyzing the Cure in the Cavities / 231
 - 6.5.3 Gelation in the Gates (Gate Freeze-Off) / 235
 - 6.5.4 Hot Hardness / 240
- 6.6 Postmold Curing / 240
- References / 243

7. Process Optimization / 244

- 7.1 Reducing the Flow Induced Stress / 244
 - 7.1.1 Predicting the Extent of Wire Sweep and Paddle Shift / 244
 - 7.1.2 Reducing Viscosity / 248
 - 7.1.3 Reducing Velocity / 255
 - 7.1.4 Mold Filling Profile Modeling / 259
 - 7.1.5 Mold Filling Profile Dependence on Design, Process and Material Parameters / 265
- 7.2 Reducing Voids / 273
 - 7.2.1 Reducing Entrained Air / 274
 - 7.2.2 Optimizing the Packing Pressure / 276
 - 7.2.3 Preventing Gate Freeze-Off / 278

- 7.3 Optimizing the Polymerization / 279**
 - 7.3.1 The Importance of Moisture / 280
 - 7.3.2 Optimizing the Mold Temperature and Uniformity / 281
 - 7.3.3 Optimizing the Ejection Time / 282
- 7.4 Minimizing Assembly Problems / 284**
 - 7.4.1 Matching CTE of Leadframe and Molding Compound / 284
 - 7.4.2 Minimizing Package Warpage / 286
- References / 287**
- Appendix 7A / 288**

8. Package Reliability / 292

- 8.1 Failure Rate Analysis / 292**
 - 8.1.1 Weibull Distribution Function / 294
 - 8.1.2 Duane Plotting / 295
 - 8.1.3 Log/Normal Distribution / 297
- 8.2 Package Failures / 297**
 - 8.2.1 Shrinkage Stress Management / 298
 - 8.2.2 Package Cracking / 300
 - 8.2.3 Passivation Layer Cracking / 305
 - 8.2.4 Delamination of Interfaces / 308
 - 8.2.5 Metallization Deformation / 308
 - 8.2.6 Ball Bond Liftoff, Shearing and Fracture / 311
 - 8.2.7 Test Chip Evaluation of Thermomechanical Stresses / 312
 - 8.2.8 Effect of Molding Parameters on Thermomechanically Induced Failures / 313
- 8.3 Thermal Management / 315**
 - 8.3.1 Heat Transfer Analysis / 316
- 8.4 Finite Element Analysis of Thermal and Stress Gradients / 323**
 - 8.4.1 The Zero-Stress Condition / 328
 - 8.4.2 Mechanical Properties for Finite Element Analysis / 329
 - 8.4.3 Analysis of Interfaces / 329
 - 8.4.4 Photoelastic Verification of Finite Element Analysis / 331
 - 8.4.5 Strain Gauge Verification of Finite Element Analysis / 334
- References / 334**

9. Technology Trends in Plastic Packaging / 337

9.1 Integrated Circuits Trends / 337

- 9.1.1 Greater Number of I/O / 338
- 9.1.2 Power Dissipation / 339
- 9.1.3 Smaller Device Features / 341
- 9.1.4 Larger Chip Size / 342
- 9.1.5 Clock Rates / 343

9.2 Integrated Circuit Assembly Trends / 345

- 9.2.1 Hybrid Integrated Circuits / 346
- 9.2.2 Multichip Modules / 347
- 9.2.3 Wafer Scale Integration / 349
- 9.2.4 Tape Automated Bonding (TAB) / 350
- 9.2.5 Integrated Optics / 354
- 9.2.6 Leadframe Technology / 356

9.3 Molding Productivity Trends / 357

- 9.3.1 Low Viscosity at Low Shear Rates / 357
- 9.3.2 High Production Rate / 358
- 9.3.3 Automation / 358

9.4 Board Level Assembly Trends / 361

- 9.4.1 Surface Mount / 361
- 9.4.2 Circuit Board Materials / 363
- 9.4.3 Solvent Cleaning / 365
- 9.4.4 Water Soluble Flux / 365
- 9.4.5 Precision Alignment of Leads / 365
- 9.4.6 Conductive Polymers for Interconnection / 366

9.5 End/Use and Reliability Trends / 366

9.6 Molding Plastic Developments / 368

- 9.6.1 Epoxy Molding Compounds / 368
- 9.6.2 Liquid Crystal Polymers (LCP) / 368
- 9.6.3 Poly (Phenylene Sulfide) / 370
- 9.6.4 Liquid Injection Molding Materials / 370

References / 371

Index / 373