

# Contents and Subject Index

|  |             |
|--|-------------|
| <b>INTRODUCTION AND SUMMARY</b> . . . . .                | <b>1</b>    |
| Program Objectives . . . . .                             |             |
| Program Background and Schedule . . . . .                |             |
| <b>Program Approach</b> . . . . .                        | <b>3</b>    |
| Ceramic Material Behavior and Characterization . . . . . | 3           |
| Ceramic Component Design . . . . .                       | 3           |
| Ceramic Component Fabrication . . . . .                  | 4           |
| Ceramic Component Testing . . . . .                      | 4           |
| <b>Program Summary</b> . . . . .                         | <b>4</b>    |
| 1900°F-Configuration Summary . . . . .                   | 5           |
| 2070°F-Configuration Summary . . . . .                   | 5           |
| 2265°F-Configuration Summary . . . . .                   | 8           |
| Ceramic Technology Development . . . . .                 | 8           |
| <b>Conclusions and Recommendations</b> . . . . .         | <b>8</b>    |
| <br>   |             |
| <b>II ENGINE ASSEMBLY AND TEST</b> . . . . .             | <b>. 10</b> |
| <b>Summary</b> . . . . .                                 | <b>. 10</b> |
| <b>Objective</b> . . . . .                               | <b>. 11</b> |
| <b>Approach</b> . . . . .                                | <b>. 11</b> |
| <b>Discussion</b> . . . . .                              | <b>. 13</b> |
| 1900°F-Configuration . . . . .                           | . 13        |
| 2070°F-Configuration . . . . .                           | . 13        |
| Engine C-4, BU13 . . . . .                               | . 13        |
| Summary . . . . .  | . 13        |
| Objective . . . . .                                      | . 14        |
| Approach . . . . .                                       | . 14        |
| Discussion: Engine Test . . . . .                        | . 14        |
| Discussion: Foreign Object Damage . . . . .              | . 17        |
| Discussion: Gasifier Turbine Nozzle Failure . . . . .    | . 20        |

|  |           |
|--|-----------|
| Discussion: Gasifier Turbine Rotor . . . . .                               | 25        |
| Discussion: Engine Block Distortion. . . . .                               | 27        |
| Engine C-4, BU14 . . . . .   | 30        |
| Summary. . . . .   | 30        |
| Discussion: Engine Test . . . . .  | 33        |
| Discussion: Failure Investigation . . . . .                                | 34        |
| Discussion: Gasifier Turbine Blade Failure. . . . .                        | 35        |
| Discussion: Metal Turbine Tip Shroud . . . . .                             | 39        |
| Discussion: Foreign Object Damage . . . . .                                | 39        |
| Discussion: Gasifier Turbine Nozzle. . . . .                               | 40        |
| Discussion: Engine Block Distortion. . . . .                               | 44        |
| <br>   |           |
| <b>III. CERAMIC MATERIALS DEVELOPMENT . . . . .</b>                        | <b>49</b> |
| Summary. . . . .   | 49        |
| <b>Materials Behavior and Characterization. . . . .</b>                    | <b>49</b> |
| Summary. . . . .   | 49        |
| Objective. . . . .   | 49        |
| Approach. . . . .  | 49        |
| Discussion: Sintered Silicon Carbide. . . . .                              | 49        |
| Carborundum Sintered Alpha Silicon Carbide. . . . .                        | 49        |
| Annawerk CD-100 Sintered Silicon Carbide . . . . .                         | 50        |
| NGK Spark Plug EC-424. . . . .   | 51        |
| Discussion: Reaction-Bonded Silicon Carbide. . . . .                       | 52        |
| Carborundum KX-02 Silicon Carbide . . . . .                                | 52        |
| Norton NC-430 Reaction-Bonded Silicon Carbide . . . . .                    | 53        |
| Norton NC-433 Reaction-Bonded Silicon Carbide . . . . .                    | 59        |
| Pure Carbon Refel Reaction-Bonded Silicon Carbide . . . . .                | 59        |
| Kyocera SC-410 Reaction-Bonded Silicon Carbide. . . . .                    | 62        |
| NGK Spark Plug EC-414. . . . .   | 63        |
| Discussion: Sintered Silicon Nitride (NGK Spark Plug EC-129)               | 64        |
| <b>Component Characterization and Qualification. . . . .</b>               | <b>64</b> |
| Summary. . . . .   | 64        |
| Objective. . . . .   | 64        |
| Approach. . . . .  | 65        |
| Discussion: 1900°F-Configuration Vanes (Annawerk CS-600<br>RBSiC). . . . . | 66        |
| Discussion: 2070°F-Configuration Vanes. . . . .                            | 68        |
| Carborundum Sintered Alpha Silicon Carbide. . . . .                        | 68        |
| Pure Carbon Refel Reaction-Bonded Silicon Carbide . . . . .                | 69        |
| Discussion: Inner Vane Support Rings . . . . .                             | 69        |
| Pure Carbon Refel Reaction-Bonded Silicon Carbide . . . . .                | 69        |
| NGK-Locke SN-50 Sintered Silicon Nitride . . . . .                         | 70        |
| Kyocera SC-201 Sintered Silicon Carbide. . . . .                           | 73        |
| Discussion: Outer Vane Support Rings . . . . .                             | 74        |
| Carborundum Sintered Alpha Silicon Carbide. . . . .                        | 74        |
| Pure Carbon Refel Reaction-Bonded Silicon Carbide . . . . .                | 78        |
| NGK-Locke SN-50 Sintered Silicon Nitride . . . . .                         | 80        |
| Discussion: Vane Retaining Rings . . . . .                                 | 81        |

|  |                      |
|--|----------------------|
| NGK-Locke SN-50 Sintered Silicon Nitride . . . . .                   | . . . . . 82         |
| Discussion: Plenums (Norton NC-430 RBSiC) . . . . .                  | . . . . . 82         |
| <b>Ceramic Component Process Development . . . . .</b>               | <b>. . . . . 83</b>  |
| Summary . . . . .  | . . . . . 83         |
| Objective . . . . .  | . . . . . 83         |
| Approach . . . . .   | . . . . . 83         |
| Discussion . . . . .   | . . . . . 84         |
| GTE Laboratories Sintered Silicon Nitride—Blades . . . . .           | . . . . . 84         |
| Carborundum Sintered Alpha SiC—Blades . . . . .                      | . . . . . 89         |
| Carborundum RBSiC—Stationary Ring Components . . . . .               | . . . . . 94         |
| Carborundum Sintered Alpha Silicon Carbide—Plenums . . . . .         | . . . . . 99         |
| Carborundum RBSiC—2070°F-Configuration Vanes . . . . .               | . . . . . 100        |
| <b>Development of Nondestructive Evaluation Techniques . . . . .</b> | <b>. . . . . 106</b> |
| Summary . . . . .  | . . . . . 106        |
| Approach . . . . .   | . . . . . 106        |
| Discussion: High Frequency Ultrasonics . . . . .                     | . . . . . 107        |
| Discussion: Scanning Laser Acoustic Microscopy . . . . .             | . . . . . 110        |
| Evaluation of Step Penetrameters . . . . .                           | . . . . . 113        |
| Evaluation of Knoop Indented Specimens . . . . .                     | . . . . . 114        |
| Evaluation of the Type A Specimen . . . . .                          | . . . . . 115        |
| Evaluation of Type B Specimens . . . . .                             | . . . . . 117        |
| Discussion: Scanning Photoacoustic Microscopy (SPAM) . . . . .       | . . . . . 119        |
| Experimental Arrangement . . . . .                                   | . . . . . 119        |
| SPAM Cell Design . . . . .   | . . . . . 119        |
| SPAM Parameter Optimization . . . . .                                | . . . . . 120        |
| Detection of Surface Cracks . . . . .                                | . . . . . 121        |
| Detection of Subsurface Flaws . . . . .                              | . . . . . 121        |
| Characterization of Ceramic Turbine Blades . . . . .                 | . . . . . 123        |
| Discussion: Ultrasonic Velocity . . . . .                            | . . . . . 128        |
| <b>Turbine Tip Shroud Abradability . . . . .</b>                     | <b>. . . . . 131</b> |
| Summary . . . . .  | . . . . . 131        |
| Objective . . . . .  | . . . . . 132        |
| Approach . . . . .   | . . . . . 132        |
| Discussion . . . . .   | . . . . . 132        |
| Materials Development . . . . .                                      | . . . . . 133        |
| Materials Studies . . . . .  | . . . . . 135        |
| Component Development . . . . .                                      | . . . . . 137        |
| <b>Ceramic Component Machining Technology . . . . .</b>              | <b>. . . . . 137</b> |
| Summary . . . . .  | . . . . . 137        |
| Objective . . . . .  | . . . . . 138        |
| Approach . . . . .   | . . . . . 138        |
| Discussion . . . . .   | . . . . . 138        |
| <b>Ceramic Blade Process Development Experiment . . . . .</b>        | <b>. . . . . 140</b> |
| Summary . . . . .  | . . . . . 140        |
| Objective . . . . .  | . . . . . 140        |
| Approach . . . . .   | . . . . . 140        |
| Discussion . . . . .   | . . . . . 141        |

|                                   |     |
|-----------------------------------|-----|
| Laboratory Characterization . . . | 141 |
| Spin Testing . . . . .            | 142 |
| Data Reduction and Correlation    | 142 |

|  |            |
|--|------------|
| <b>IV. CERAMIC COMPONENT DESIGN AND DEVELOPMENT.</b> . . . | <b>143</b> |
| Summary . . . . .  | 143        |
| Conclusions . . . . .                                      | 143        |
| <b>Design Methodology</b> . . . . .                        | 143        |
| Summary . . . . .  | 143        |
| Objective . . . . .  | 143        |
| Approach/Discussion . . . . .                              | 144        |
| Weibull Equation. . . . .                                  | 145        |
| Regression Analysis . . . . .                              | 145        |
| Suspended Item Analysis . . . . .                          | 145        |
| <b>Gasifier Turbine Nozzle</b> . . . . .                   | 146        |
| 1900°F-Configuration. . . . .                              | 146        |
| Summary . . . . .  | 146        |
| Objective . . . . .  | 147        |
| Approach. . . . .  | 147        |
| Discussion: Design . . . . .                               | 147        |
| Vanes . . . . .  | 147        |
| Shroud . . . . .   | 148        |
| Shroud Analysis . . . . .                                  | 148        |
| Discussion: Process Development. . . . .                   | 150        |
| Vanes . . . . .  | 150        |
| Shrouds. . . . .   | 152        |
| Discussion: Rig Testing . . . . .                          | 152        |
| Cold Flow Rig . . . . .                                    | 152        |
| Hoop Pressurization Fixture . . . . .                      | 153        |
| Vibration Rig . . . . .                                    | 154        |
| Thermal Shock Rig . . . . .                                | 154        |
| 2070°F-Configuration. . . . .                              | 155        |
| Summary . . . . .  | 155        |
| Objective . . . . .  | 155        |
| Approach. . . . .  | 156        |
| Discussion: Design . . . . .                               | 156        |
| Discussion: Testing. . . . .                               | 158        |
| Discussion: Process Development. . . . .                   | 180        |
| Discussion: Rig Testing . . . . .                          | 182        |
| Cold Flow Rig . . . . .                                    | 182        |
| Hoop Pressurization Fixture . . . . .                      | 182        |
| Vibration Rig . . . . .                                    | 183        |
| Thermal Shock Rig . . . . .                                | 183        |
| 2265°F-Configuration. . . . .                              | 193        |
| Summary . . . . .  | 193        |
| Objective . . . . .  | 193        |
| Approach. . . . .  | 193        |
| Discussion: Design . . . . .                               | 193        |

|  |            |
|--|------------|
| Summary . . . . .  | 196        |
| Objective . . . . .  | 197        |
| Approach. . . . .  | 199        |
| Discussion: Design . . . . .                                 | 208        |
| Discussion: Test . . . . .                                   | 208        |
| Compliant Layer Materials . . . . .                          | 208        |
| GTE Spin Coupons . . . . .                                   | 211        |
| Prototype Blades. . . . .                                    | 211        |
| 2070°F-Configuration Blades, Follow-On Order No. 1 . . . . . | 211        |
| Gasifier Rotor No. 1 . . . . .                               | 213        |
| Blade Vibration Testing . . . . .                            | 215        |
| Gasifier Rotor No. 2 . . . . .                               | 215        |
| Gasifier Rotor No. 3 . . . . .                               | 217        |
| GTE Silicon Nitride Blades . . . . .                         | 218        |
| 2070°F Blades, Follow-On Order No. 2, Alpha SiC. . . . .     | 221        |
| Gasifier Rotor No. 4 . . . . .                               | 222        |
| Discussion: Alternate Blade Design . . . . .                 | 224        |
| <b>Ceramic Turbine Inlet Plenum . . . . .</b>                | <b>227</b> |
| Summary. . . . .   | 227        |
| Objective. . . . .   | 231        |
| Approach. . . . .  | 231        |
| Discussion . . . . .   | 232        |
| <b>Power Turbine Nozzle . . . . .</b>                        | <b>235</b> |
| Summary. . . . .   | 235        |
| Objective. . . . .   | 236        |
| Approach. . . . .  | 237        |
| Discussion . . . . .   | 237        |

|  |            |
|--|------------|
| <b>V. CATE CERAMIC REGENERATOR DEVELOPMENT . . . . .</b> | <b>238</b> |
| <b>Summary. . . . .</b>                                  | <b>238</b> |
| Regenerator Disk Development . . . . .                   | 238        |
| Regenerator Seal Development. . . . .                    | 238        |
| Conclusions . . . . .                                    | 238        |
| <b>Regenerator System Design and Analysis . . . . .</b>  | <b>239</b> |
| Regenerator Disk Development . . . . .                   | 239        |
| Corning AS Disks . . . . .                               | 239        |
| 1000°C (1832°F) AS Disk . . . . .                        | 239        |
| 1100°C (2012°F) AS Disk . . . . .                        | 239        |
| Drive Gear Adapter and Gear Coating . . . . .            | 239        |
| NGK-Locke MAS Disk Development. . . . .                  | 239        |
| Other Disk Materials . . . . .                           | 240        |
| Regenerator Seal Development. . . . .                    | 241        |
| 1900°F Engine Seal Configuration . . . . .               | 241        |
| 2070°F Engine Seal Configuration . . . . .               | 241        |
| Wearface . . . . .                                       | 242        |
| Sealing Leaf . . . . .                                   | 242        |
| Test Facilities . . . . .                                | 242        |

|   |            |
|---|------------|
| <b>Regenerator Core Materials Development . . . . .</b> | <b>242</b> |
| Summary . . . . .                                       | 242        |
| Objective . . . . .                                     | 244        |
| Approach . . . . .                                      | 244        |
| Discussion . . . . .                                    | 245        |
| As-Received Strength . . . . .                          | 245        |
| Steady-State Thermal Exposure . . . . .                 | 246        |
| Cyclic Thermal Exposure . . . . .                       | 246        |
| Disk Seal Chemical Reaction . . . . .                   | 257        |

|  |            |
|--|------------|
| <b>VI. GENERAL ENGINE DESIGN AND COMPONENT</b>                       |            |
| <b>AERODYNAMIC RESEARCH . . . . .</b>                                | <b>258</b> |
| Summary . . . . .  | 258        |
| <b>General Engine Design . . . . .</b>                               | <b>258</b> |
| Engine Block Cooling and Insulation . . . . .                        | 258        |
| Summary . . . . .  | 258        |
| Objective . . . . .  | 258        |
| Approach . . . . .   | 259        |
| Discussion . . . . .   | 259        |
| Engine Controls . . . . .  | 260        |
| Summary . . . . .  | 260        |
| Objective . . . . .  | 260        |
| Approach . . . . .   | 260        |
| Discussion . . . . .   | 260        |
| Two-Stage Metal Power Turbine Rotor . . . . .                        | 260        |
| Summary . . . . .  | 260        |
| Objective . . . . .  | 260        |
| Approach . . . . .   | 260        |
| Discussion . . . . .   | 261        |
| Metal Combustor Development . . . . .                                | 261        |
| Summary . . . . .  | 261        |
| Objective . . . . .  | 261        |
| Approach . . . . .   | 261        |
| Discussion . . . . .   | 261        |
| <b>Component Aerodynamic Research Gasifier Turbine Rig . . . . .</b> | <b>261</b> |

|                             |            |
|-----------------------------|------------|
| <b>REFERENCES . . . . .</b> | <b>262</b> |
|-----------------------------|------------|