

CONTENTS

- 1 Flow of Fluids** **1**
- Functions of the Conveying Fluid — Standard Air — Compressibility — Suspended Solids — Static, Velocity and Impact Pressures — Units of Pressure, Velocity and Volume — Static Pressure a Measure of Resistance — Measurement of Pressures — Relation of Velocity Pressure to Velocity — Bernouilli's Theorem — Nature of Fluid Flow — Critical Velocity — Empirical Friction Formulas — Reynolds' Dimensional Analysis — Reynolds Number — Critical Reynolds Number — Flow Always Turbulent in Exhaust Systems — Pipe Friction in Laminar and Turbulent States — Velocity Distribution — Flow of Mixtures
- 2 Hoods for Dust Control** **17**
- Hood Types — General Rules for Design of Machine Hoods — Dusts — Relative Dust Hazard — Dispersion of Dusts — Local Air Movements and Counteracting Velocities — Effectiveness of Suction Openings — Typical Hood Contours — Relation of Face Area to Velocity — Summary of Hood Face Characteristics — Effect of Hood Structure in Rear of Face — Flanged Hood Faces — Influence of Adjacent Planes — Hoods for the Capture of Coarse Particles — Some Typical Exhaust Hoods — Hoods for Woodworking Machinery — Saw Hoods — Shaper Hoods — Planer Hoods — Sander Hoods — Granite Cutting Hoods — Surface Cutter Hoods — Hoods for Hand Tools — Hoppers — Miscellaneous Machine Hoods
- 3 Hoods for Fume, Smoke and Vapor Control** **41**
- Canopy Hoods — Double Hoods — Face Velocities for Canopy Hoods — Multiple Suction Connections — Semi-Canopies — Rear Hoods — Lateral Tank Exhaust — Slot Velocities — Blow-and-Exhaust Hoods — Booths — Bench Hoods — Foundry Shake-Outs — Welding Fume Control
- 4 Air Flow Through Hoods** **63**
- Air Velocities Required at Dust Sources — Exploring Hoods — Hood Face Velocities — Pipe Sizes and Hood Suction — Air Volume Entering Hood — Coefficient of Entry — Typical Orifices and Nozzles — Static Pressures at a Suction Opening — Effect of Suppressed Contraction — Entry Coefficients of Hoods — Synthetic Entry Coefficients — Entry Coefficients of Typical Hoods — Typical Flow Calculations — Methods of Increasing Flow Through Hoods
- 5 Pipe Resistance** **90**
- Conveying Velocity — Special Considerations — Friction Loss in Rectangular Pipes — Friction Loss of Mixtures — "Velocity Head

Rule" for Pipe Friction — Friction Loss in Hose — Losses in Elbows — Influence of Aspect Ratio — Influence of Angle of Turn — Influence of Approach Velocity — Compound Elbows — Venturi Elbows — Equivalent Orifice — Throat Area of Venturi Elbow — Typical Application of Venturi Elbow — Enlargements — Losses in Abrupt Enlargements — Losses in Tapers — Losses in Contractions — Losses in Tees — Losses in Breechings — Vacuum Booster — Losses in Transformers

6 Piping Design

116

Outline of Piping Design Procedure — Necessity for Systematic Calculation — Data Sheets — Calculation of Typical Piping System — Methods of Increasing Hood Suction — Some Piping Fallacies — Checking Design of Purchased Systems

7 Dust Separators

125

Preferred Characteristics of Air Cleaning Plants — Cleaning Efficiency — Recirculation of Exhaust Air — Location of Cleaned Air Discharge — Types of Dust Separators — Characteristics of Dust Separators — Mechanics of Separation — Size Properties and Settling Rates of Dust — Gravity Chambers — Settling Chamber Velocities — Resistance of Chambers — Vortical Flow Through Cyclone — Factors Affecting Separation — Angular Travel During Separation — Field of Application of Large Diameter Cyclone — Pressure Drop Through Cyclones — Low-Loss Cyclones — Cyclone Shapes — Tangential Cyclones — Small Diameter Cyclones — Miniature Cyclones — Cyclone Inlets — Flow Through Cyclone Air Outlets — Cyclones in Tandem — Dust Bins — Axial Flow Separators — Inertial Separators — Scrubbing Towers — Fog Filters — Venturi Scrubbers — Cyclone Scrubbers — Filters — Air Velocity Through Filter Cloth — Filter Resistance — Continuously Cleaned Filters — Electrostatic Precipitators — Individual Exhaust Units

8 Low Pressure Conveyors

166

Conveying Velocities — Air Volume per pound of Conveyed Solids — Suction vs. Pressure Systems — Unloading and Feeding Devices — Venturi Tube Theory — Typical All-Pressure Conveying System — Tandem Fans — Double Fans in Tandem — Belt-Driven Fans — Economical Pipe Sizes — Relay Systems — Special Considerations for Conveying and Relay Systems

9 Centrifugal Exhaust Fans

180

Analysis of System Pressures — Fan Rating Pressures — Power Consumption — Effect of Air Density on Power Consumption — Performance Curves of Centrifugal Exhausters — Effect of Speed on Fan Characteristics — Effect of Size on Fan Performance — Fan Types — Wheel Types — Fan Drives — Noise and Vibration — Dust-Separating Fans

10	Axial Flow Fans	193
	Propeller Fans — Tubeaxial Fans — Vaneaxial Fans — Representative Installations — Axial Flow Fan Drives — Fan Characteristics — Sound Level — Axial Flow vs. Centrifugal Fans	
11	Structural Details and System Planning	204
	Tapers — Elbows — Tees — Equalizers — Blast Gates — Ball and Telescope or Slip Joints — Cleanouts — Back Pressures Dampers — Switches — Weather Caps — Pipe Supports — Reduction of Fire and Explosion Hazard — Ejector Systems — System Size — Self-Clearing Mains — Overhead, Floor Level and Under-Floor Piping — System Arrangement — Makeup Air	
12	Field Measurements and Their Interpretation	222
	Manometers — The Impact Tube — The Pitot Tube — Anemometers — Pitot and Impact Tube Traverses — Preferred Location of Pitot Tube Traverse — Static Pressure Holes in Pipe Walls — Estimating the Volume Rate of Flow — Testing Facilities for Measuring Hood Coefficients — Flow Direction Finder — Tests to Establish Conveying Velocities — Test to Check Design Assumptions — Tests of Systems for Maintenance Purposes — Locating and Diagnosing Trouble — Power Requirements of System Elements — Power Reduction	

INDEX