

Contents

INTRODUCTION	1
1 STEEL: MATERIAL PROPERTIES AND DESIGN	7
1.1 The Design Process: Concepts and Objectives	8
1.2 Specifications and Codes	14
1.3 Structural Steel Members	22
1.4 Behavioral Characteristics of Steel	27
1.5 Material Behavior in Structures	32
(a) Biaxial Stress Considerations	32
(b) Thermal Considerations	37
(c) Strain and Deformation Compatibility	38
(d) Fatigue	39
(e) Energy Absorption	39
1.6 Design and Behavior of Tension Members	40
(a) Constructibility—Stiffness Considerations	41
(b) Strength Limit State—Yielding	41
(c) Serviceability Considerations	42
(d) LRFD Specifications	44
(e) Analyzing the Objectives of LRFD Specification for Tension Members	44
(f) Fracture as a Result of Combined Tension and Shear	48
(g) Effect of Shear Lag on Connector Fracture	51
1.7 Bolted Connections	52
(a) Bolts in Tension	53
(b) Bolts in Shear	55
(c) Bolts in Bearing	56
(d) Slip-Critical Bolted Connections	58
(e) Bolts Subjected to Tension and Shear	59
(f) Effect of Connector Eccentricity on Member Strength	67
1.8 Welded Connections	68
(a) Connector Strength	74
(b) Development of Member by Welding	77
(c) Analysis of Eccentrically Loaded Weld Groups	78
(d) Design of Eccentrically Loaded Weld Groups	83
2 THE FLEXURAL BEHAVIOR OF STABLE BEAM SYSTEMS	93
2.1 Characterizing the Flexural Behavior of Beams	94
(a) Elastic Behavior	94
(b) Inelastic Behavior	96

(c)	Impact of Residual Stresses on Flexural Behavior	101
(d)	Idealization of the Moment Curvature Relationship	108
(e)	Predicting the Plastic Plateau by Elastic-Based Analysis	109
(f)	ASDE and ASDP Codification of Flexural Strength	115
(g)	LRFD Codification of Flexural Strength	117
(h)	LRFD Codification of Shear Strength	118
2.2	Idealizing the Flexural Behavior of Determinate Beam Systems	119
(a)	Strength	120
(b)	Elastic Deformation	127
(c)	Inelastic Deformation	132
(d)	Plastic Deformation	133
(e)	Codification of Plastic Behavior	144
2.3	Indeterminate Systems	150
2.3.1	Alternative Design Procedures	151
(a)	ASDE Specifications	151
(b)	ASDP Specifications	152
(c)	LRFD Specifications	152
(d)	A Comparison of Conclusions	153
2.3.2	Serviceability Considerations	154
(a)	A Methodology for Predicting the Postyield Behavior of a Beam at Mechanism	154
(b)	Predicting the Sequence of Hinge Formation and Postyield Deflection of a Beam	157
2.3.3	Estimating Mechanism Loads by Approximate Techniques	163
2.3.4	Multispan Beam System	166
(a)	Systems of Constant Strength	166
(b)	Systems of Variable Strength	170
2.3.5	Serviceability of Multispan Beam Systems	173
2.3.6	Stability Parameter for Indeterminate Systems	183
(a)	Actual Elastic Limit State for the Member	183
(b)	Idealized Elastic Limit State for the System	184
(c)	Plastic Limit State	184
(d)	The LRFD Strain-Based Capacity Criteria	185
2.4	Composite Beams	186
2.4.1	Determinate Beam Systems	189
(a)	Behavior of Composite Beam Systems	189
(b)	Nominal Strength of Composite Beam Systems	192
(c)	ASDE Composite Beam Design Procedures and Codification	193
(d)	A Constructibility/Serviceability-Based Design Procedure (ASDE)	195
(e)	LRFD Composite Beam Design Procedures and Codification	197
(f)	Horizontal Shear Transfer	200
2.4.2	Indeterminate Beam Systems	207
(a)	Continuous Composite Beam Systems	207
(b)	Mechanism Methods	211
2.5	Estimating Vibration Characteristics of Floor Systems	220

3 STABILITY	238
3.1 Axial Stability	239
(a) Elastic Systems—Euler Buckling Load	239
(b) Elastic Systems—Impact on Boundary Conditions	242
(c) Elastic Systems—Frame Stability	243
(d) Inelastic Behavior—Buckling Load	246
3.2 Codification of the Stability Limit State for Columns	249
(a) Terminology Used in the Codification Process	249
(b) The Codification Process	251
3.3 Design Aids	256
(a) Pinned/Pinned Boundary Conditions	256
(b) Unknown Boundary Conditions	259
(c) Impact of Inelastic Behavior on Boundary Conditions	264
(d) Impact of Secondary ($P\Delta$) Effects on Frame Stability	268
3.4 Stability of Plates	269
(a) Elastic Stability Theory	270
(b) Postyield Strain States $\epsilon > \epsilon_y$	274
(c) The Codification Process	275
(d) Postyield Stability—Columns	280
3.5 Torsion	281
3.5.1 Theory	281
(a) Circular Sections	281
(b) Saint–Venant Torsion—Noncircular Sections	283
(c) Warping Torsion	285
(d) Behavior of a Wide Flange Beam Subjected to a Uniform Torque	288
3.5.2 Predicting the Angle of Twist in a Wide Flange Beam	296
(a) Flange Bending Analogy	296
(b) Differential Equation Alternatives	299
3.6 Torsional Stability of Beams	302
(a) Elastic Flexural Stability Theory	303
(b) Codification Considerations—Elastic and Inelastic Behavior Range	307
(c) Codification Considerations—Plastic Behavior Range	317
(d) Objectives of Brace Development	321
(e) Codification in Summary	322
(f) The Development of Bracing Programs and Details	336
3.7 Combined Axial Load and Bending	346
3.7.1 Predicting Secondary Moment Effects	347
(a) Beam-Columns Subjected to Transverse Load	347
(b) Beam-Columns Subjected to End Moments	352
(c) Frames Subjected to Sidesway	357
(d) Summary	364
3.7.2 Predicting the Strength and Stability Limit States of the Beam-Column	365
(a) Strength Limit State	366
(b) Stability Limit States	370

3.7.3	Codification of Beam-Column Limit States	380
(a)	ASDE	380
(b)	ASDP	381
(c)	LRFD	381
(d)	Biaxial Bending Considerations	383
3.7.4	Example Problems	383
4	BEHAVIOR OF BRACING SYSTEMS	407
4.1	Concepts in Force Distribution—Frame Structures	409
4.2	Concepts in Drift Assessment—Frame Structures	419
(a)	Single-Story, One-Bay Frame	419
(b)	Multistory, Single-Bay Frames	426
(c)	Multistory, Multibay Frames	432
(d)	Impact of Nonuniform Interior Bays on Shear Distribution	435
4.3	Influence on Frame Drift of Special Conditions	441
4.3.1	Beam-to-Column Joint Considerations	441
(a)	Impact on Subassembly Stiffness	441
(b)	Contribution to Subassembly Drift	444
4.3.2	Influence of Distributed Loading on Frame Drift Prediction	448
4.3.3	Composite Construction—A Means of Controlling the Flexural Component of Frame Drift	451
(a)	Impact of Composite Construction on Frame Stiffness	452
(b)	Design Aids that Facilitate Frame Design Utilizing Composite Construction	453
4.3.4	The Conceptual Design of Frames to a Drift Criterion—Some Examples	455
4.4	Deflection of Axially Braced Systems	473
4.4.1	Diagonally Braced Systems with Exclusively Axial Load Paths	473
(a)	Single-Story, One-Bay Diagonal Braces	473
(b)	Multistory, Single-Bay, Diagonally Braced Systems	477
4.4.2	Eccentrically Braced Systems	478
(a)	Elastic Behavior—Single Brace	478
(b)	Elastic Behavior—Two Braces per Bay	482
4.5	Postyield Deflection Considerations	484
(a)	One-Story Frame	485
(b)	Multistory Frame—Story Ductility	488
(c)	Multistory Frame—System Ductility	490
4.6	Bracing Concepts for Very Tall Buildings	492
4.6.1	Core-Braced Stabilized Systems—Conceptual Design by Subassembly	492
(a)	Developing the Subassembly	492
(b)	Subassembly Drift Attributable to Frame Flexural Deformation	496
(c)	Subassembly Drift Attributable to Stabilizing Truss Deformation	497
(d)	Accounting for Panel Zone Deformation	501

4.6.2	Design Confirmation by Computer Component Influence Methods	504
4.6.3	Tube Structures	507
	(a) Effect of Beam Characteristics on Shear Lag	507
	(b) Effect of Beam Location on Shear Lag	508
	(c) Effect of Multiple Flange Columns	511
	(d) Parameters that Affect Load Redistribution	513
4.7	Dynamic Behavior of Buildings	513
4.7.1	Response of a Single Degree of Freedom System Subjected to Ground Motion	514
	(a) Numerical Procedures	514
	(b) Dynamic Signature, T	517
	(c) Damping	520
	(d) Inelastic Response	523
	(e) P Δ Effects	524
4.7.2	Response Spectra	526
	(a) Elastic Response Spectra	526
	(b) Characteristics of Response Spectra	528
	(c) Inelastic Spectra	530
4.7.3	Multidegree of Freedom Systems	533
	(a) Time History Analysis	533
	(b) Inelastic Response	534
	(c) Response Spectra as a Design Tool for Multistory Buildings	538
4.7.4	Estimating Building Periods	545
	(a) Customized Raleigh Approach	545
	(b) System Specific Period Confirmation	548
	(c) System Specific Methods	554
4.7.5	Quantification of Objective System Ductility	557
5	DEVELOPING THE DESIGN OF A DUCTILE FRAME	566
5.1	Criterion Development	567
5.1.1	The Use of Codified Procedures in the Development of an Earthquake Loading Criterion	569
	(a) 1985 UBC Criterion	569
	(b) 1992 UBC Criterion	574
5.1.2	The Use of a Response Spectra in the Development of an Earthquake Loading Criterion	577
5.1.3	The Development of a Wind Loading Criterion	579
5.1.4	A Behavior State Criterion	580
5.2	Conceptual Design of a Ductile Frame	582
5.2.1	Conceptual Design to an Earthquake Criterion	582
	(a) Frame Size	582
	(b) Beam and Interior Column Selection	592
	(c) Frame Flange (Exterior) Column Selection	595
	(d) Postyield Behavior Considerations	597
5.2.2	Conceptual Design of an Irregular Ductile Frame to a Wind Criterion	600
	(a) Shear Distribution—Unequal Bays	601
	(b) Column Selection	608

5.2.3	Design Optimization by Computer Component Influence Analysis	611
5.3	Design Development	618
5.3.1	Criterion Identification	618
	(a) Strength Criterion	618
	(b) Drift Criterion	620
	(c) Member Acceptability Criterion	620
5.3.2	Developing the Appropriate Beam Sizes	620
	(a) Strength	620
	(b) Drift Considerations	621
	(c) Panel Zone Deformations	622
5.3.3	Column Selection	623
	(a) Strength Criterion—Mechanism Basis	623
	(b) Strength Criterion—Prescriptive Basis	626
	(c) Column Selection Process—Lower Tiers	629
	(d) Column Selection Process—Uppermost Tier	632
5.3.4	Drift Criterion Compliance and Value Engineering Considerations	634
5.4	Connector Design and Detailing Considerations	640
5.4.1	Seismic Frame—Beam-to-Column Connectors	641
	(a) Shear Transfer from Beam to Column	641
	(b) Flexural Load Transfer	644
	(c) Panel Zone Shear	648
	(d) Detailing the Doubler Plate	655
5.4.2	Wind Frame—Beam-to-Column Connections	658
5.4.3	Stabilizing System Components	663
	(a) Selecting a Criterion for Stabilizing the Frame Beam	663
	(b) Detailing the Frame Beam Brace	668
	(c) Stabilizing the Frame Column	670
5.4.4	Column Connections	672
	(a) Column-to-Column Connections	672
	(b) Frame-to-Column Base Connections	677
5.5	Design Verification	684
5.5.1	Sequential Yield Analysis	685
	(a) Behavior Idealization	687
	(b) $P\Delta$ Effects	689
	(c) Predicting Component Strain Levels	691
5.5.2	Time History Analysis	693
	(a) Displacement Response—MPE	695
	(b) Ductility Demand—MPE	697
	(c) Displacement Response—MCE	699
	(d) Ductility Demand—MCE	700
	(e) Design Implications	702

6 THE ARTISTIC ASPECTS OF STRUCTURAL ENGINEERING 707

6.1	Single-Story Design Problem	708
	(a) Problem Description	708
	(b) Design Procedure	709

6.1.1	Single Bay—Ductile Frame Solution	710
	(a) Fixed Base	710
	(b) Pinned Base	717
6.1.2	Two Bay—Ductile Frame Solution	718
	(a) Three Seismic Column Frame	718
	(b) Single Seismic Column Frame	719
6.1.3	Braced System	723
6.2	Eccentrically Braced Frame—Two-Story Applications	727
6.2.1	Design Objectives	728
6.2.2	EBF Fundamentals	728
	(a) Characterizing Link Behavior	728
	(b) Predicting Subassembly Behavior	731
6.2.3	Two-Story Design—Problem	733
	(a) Ductile Frame Alternative	734
	(b) Flexure Dominant EBF Alternative	740
	(c) Pure Shear EBF Alternative	745
6.2.4	Development of the Design of an EBF	758
	(a) Mechanism Strength	758
	(b) Component Sizing	761
	(c) System Behavior	762
	(d) Beam-to-Brace Connector	765
	(e) Brace-to-Beam-to-Column Connection	767
	(f) Link Detailing	773
	(g) Stabilizing the EBF and its Components	774
6.3	Designing Axial Bracing Systems Which Are Not Brittle	774
6.4	Strengthening Existing Structures	781
6.4.1	Problem Statement	781
6.4.2	Design Procedure	782
6.4.3	System Identification	783
6.4.4	Conceptual Design	784
	(a) Ductile Frame Alternative	785
	(b) X-Braced Alternative	795
	(c) EBF Alternative	796
	(d) System Selection	800