

Contents

PREFACE	XIII
1 INTRODUCTION	1
Sewage treatment processes Ten state standards Population estimation Design period Hydraulic flow estimates	
Sewage composition Municipal treatment plants Suburban sewage systems Town sewage system Industrial complexes	
Recreation areas Roadside rest areas Rural restaurants	
Marinas Questions Problems References	
2 POLLUTION PARAMETERS	20
PRIMARY PARAMETERS Biochemical oxygen demand	
Chemical oxygen demand Dissolved oxygen Residue	
Total organic carbon Total solids Volatile solids	
SECONDARY PARAMETERS Acidity Alkalinity	
Bio-assays Chlorides Coagulation Color Hardness	
Nutrients Odor pH Refractory materials Thermal pollution	
Toxicity Questions Problems References	

3	MICROBIOLOGY	37
	Bacteria Fungi Richettsiae Viruses Bacteriophage	
	Protozoa Rotifer Algae Crustaceans Worms	
	Pathogens Pathogen survival Helminth parasites	
	References	
4	SOURCES AND TRANSMISSION OF POLLUTION	53
	POLLUTION TRAVEL IN GROUNDWATER Basic principles Permeability Hydraulic gradient Sorption	
	Vertical percolation of water containing bacteria Pollution from pit privies Pollution from privy vaults Movement of water from polluted trenches Bored hole latrine Envelope pit privy	
	Septic drainage fields Infiltration from waste stabilization ponds	
	Sewage irrigation Wastewater wells Leaching of ash dumps	
	Leaching of sanitary landfills Pollution by open dumps	
	SOURCES AND TRANSMISSION OF POLLUTION Farm wastes Pesticides and herbicides Birds as carriers of pathogens Fish as carriers of pathogens Pollution from motor boats	
	USEFUL EQUATIONS References	
5	SEWERS	75
	GENERAL Sanitary sewers Storm sewers Combined sewers ENGINEERING REPORT General DESIGN	
	OF SEWERS Type of sewers Design period Design factors	
	Design basis Minimum size Depth Slope Alignments	
	Increasing size High velocity protection Joints and infiltration Inverted siphons Sewer extensions Water supply interconnections Relation to waterworks structures	
	Relation to water mains Vertical separation HYDRAULICS	
	OF SEWERS AND DRAINS Flow characteristics chart	
	Hydraulic profile Important design requirements Accuracy in determining pipe sizes Velocity and discharge formulas	
	Kutter flow diagram for full flow Determination for part-full flow	
	Manning formula Determination of pipe sizes Typical computations Layout of system Include entire drainage system Location of trunk lines Location of lateral lines	
	Tributary areas outlines Review of design economy Acreage of each area is measured A convenient system for designation	
	Rational method of design for municipal storm water system	
	Rainfall rates are approximate Selection of rainfall frequency	

Determining surface runoff Time of concentration
 Application of rational method APPURTENANCES
 Manholes Manhole covers Drop inlet Appurtenances in
 general CORROSION OF SEWER MATERIALS Hydrogen
 sulfide and acid formation STRUCTURAL Marston formula
 Live loads Superimposed loads SEWER PIPE MATERIALS
 General Clay pipe Concrete pipe Cast iron Plastics
 Cost comparison LASER SYSTEM Definition Power
 used Safety precautions System description Problems
 References

6 SEWAGE TREATMENT—PART I

117

BASIC PLANT DESIGN Hydraulic flows Assimilation
 Arrangement of units Installation of mechanical equipment
 By-passes Drains Construction materials Painting
 Operating equipment Grading and landscaping Outfalls
 Emergency considerations Water supply Safety
 PRIMARY WASTE TREATMENT Bar screens Mechanical
 screens Data required for mechanical screen design Screen
 parameters Fine screens Screen types Grit removal
 facilities Grit chamber design Control weirs Grease and
 oil removal Air flotation Flocculation and preaeration
 Sedimentation Rectangular sediment tank design Width
 Tank length Tank depth Inlets Outlets Scum removal
 Submerged surfaces Multiple tanks Surface settling rates
 Sludge removal Rectangular sedimentation tank design aids
 Circular settling tank SECONDARY WASTE TREATMENT
 Activated sludge Temperature Loading Sludge age
 Sludge concentration factor (SCF) Sludge produced Recycle
 ratio Suspended solids control Hydrogen ion concentration
 Efficiency and removal Donaldson versus Mohlmann index
 Aeration Aeration devices Air application rates Total
 flow Freeboard Tank length Tank depth Tank width
 Tank discussion Contact stabilization Extended aeration
 Tapered aeration Step aeration Activated aeration
 Hatfield process Kraus process High rate process Complete
 mixing Ridge and furrow aeration Spiral roll aeration
 Swirl mix aeration Air system Minimum air Blowers
 Air diffusers Air piping Air cleaners Final settling tanks
 Trickling filters Trickling filter design Problems
 References

7 SEWAGE TREATMENT—PART II

185

ANAEROBIC DIGESTION Sludge digestion High loading
 rate digesters Detention time Sludge concentration
 Mixing Input-output balance Digester capacity
 Temperature Garbage digestion Volatile solids Fats and
 oils Gas production • Gas collection Digester gas lines
 Gas disposal Heating sludge Heat transfer Sampling
 pipes Controls Supernatant withdrawal Ferric chloride
 Heavy metals **AEROBIC SLUDGE DIGESTION** Aerobic
 digestion Size and number of tanks **SLUDGE** General
 Solids per capita pH of sludge Pathogen reduction
 Sludge conditioning agents Sludge compressibility Sludge
 Chemical composition Drainability of sludge Flotation
 Disc centrifuge Solid bowl centrifuge Elutriation Sludge
 concentration Filtration rates Vacuum filtration Sludge
 tanks Sludge drying beds Paved sludge drying beds
 Intensity of radiation Sludge lagoons Drainage and filtrate
 disposal Problems References

8 PACKAGE TREATMENT PLANTS

206

National sanitation foundation Extended aeration Contact
 stabilization Trickling filter Other package plant processes
 Package treatment plants compared to other system Package
 plant calculations Extended aeration calculations Contact
 stabilization calculations Summary Power cost Design
 standards Plant influent Aeration zone Settling zone
 Sludge tanks Chlorination Additional provisions
 Certification BOD and SS removal Diffused aeration
 Mechanical aeration Start-up and solids accumulation **BOD**
 removal Oxygen requirements Nitrification Solids
 separation Specifications Established manufacturer
 Blowers Service area on plant Grit removal channel
 Comminutor Froth control Aeration regulation
 Chlorinator Structural design Corrosion protection
 Problems References

9 OXIDATION DITCH SEWAGE WASTE TREATMENT PROCESS

235

Process flow sheet Process theory The ditch The rotor
 Clarifier The activated sludge Oxidation ditch calculations
 Design data Oxidation ditch size Rotor length Ditch
 dimensions Return sludge Weirs Sludge drying beds
 Excess sludge holding tank Excess sludge lagoon Plant photo
 Oxidation ditch design details Effluent weirs Rotor cross
 section Oxidation ditch lining Clarifier Excess sludge
 Maximum size New schemes Nitrates and nitrites
 Phosphates Altitude correction Problems

10 MECHANICAL AERATION

272

Aerated lagoon requirements BOD removal characteristics
 Multiple cell BOD removal characteristics Biological oxygen
 requirements Oxygen transfer rate Mixing requirements
 Basin geometry and aerator placement Sludge production
 Horsepower required for aeration Mixing requirements for liquid
 mix For solids suspension Aerated lagoon design example
 Mechanical aeration equipment "K" factor Alpha factor
 K factor determination Mechanical versus diffused air systems
 Extended aeration Design procedure Characteristics of
 extended aeration treatment Extended aeration design example
 Problems References

11 ADVANCE WASTE TREATMENT

300

Ultimate disposal Spray irrigation Ridge and furrow liquid
 waste disposal Microstraining Diatomite filtration
 Vertical sand filters Horizontal sand filters Mixed media
 filters Porous ceramic Adsorption Foam separation
 Electrodialysis Distillation Reverse osmosis Freezing
 Ion exchange Solvent extraction Oxidation References

12	SEWAGE LIFT STATIONS	334
	Applications for sewage lift stations Types of sewage lift stations Wet pit pump stations Determining pump capacity Determining pump discharge head Determining tank or basin capacities Calculating square pit capacities Submergence of sump pumps Lower bearing life Pressurization Dry pit pump stations Minimum pump capacity Determination of pumping rate Pump characteristic curves Sewage pump construction Sewage ejectors Discharge check valves Head variations Solids passing size of impellers Wet well design Flotation and sinking Self priming centrifugal trash pump Submersible pumps Problems References	
13	SEWAGE PUMP STATIONS	364
	Larger custom built pump stations Pump selection Multiple pump performance Characteristics Constant speed pumps Two-speed pumps Variable speed pumps Intakes and submergence Water seal unit Flexible shafting Pump accessories Electric motors and motor heaters Right angle drives Engine drives Engine drives for pumps Emergency start panels Useful calculations References	
14	DISINFECTION AND PATHOGEN REMOVAL	385
	Disinfection and pathogen removal Coliform bacteria Control of public water supplies Chlorination of water supplies Field investigation Vacuum chlorination systems Calculations for water treatment Chlorinator sizing guide Sewage chlorination Sewage chlorination design References	
	INDEX	407