

Contents

Series Preface XI

Preface of Volume 1 XV

List of Contributors XXI

Recommended Notation XXV

EFCE Working Party on Drying: Address List XXXI

- 1 Comprehensive Drying Models based on Volume Averaging: Background, Application and Perspective** 1
P. Perré, R. Rémond, I.W. Turner
 - 1.1 Microscopic Foundations of the Macroscopic Formulation 1
 - 1.2 The Macroscopic Set of Equations 6
 - 1.3 Physical Phenomena Embedded in the Equations 7
 - 1.3.1 Low-temperature Convective Drying 7
 - 1.3.1.1 The Constant Drying Rate Period 8
 - 1.3.1.2 The Decreasing Drying Rate Period 9
 - 1.3.2 Drying at High Temperature: The Effect of Internal Pressure on Mass Transfer 10
 - 1.4 Computational Strategy to Solve the Comprehensive Set of Macroscopic Equations 11
 - 1.4.1 The Control-volume Finite-element (CV-FE) Discretization Procedure 13
 - 1.4.2 Evaluation of the Tensor Terms at the CV Face 14
 - 1.4.3 Solution of the Nonlinear System 15
 - 1.4.3.1 Outer (Nonlinear) Iterations 16
 - 1.4.3.2 Construction of the Jacobian 17
 - 1.4.3.3 Inner (Linearized System) Iterations 17
 - 1.5 Possibilities Offered by this Modeling Approach: Convective Drying 19
 - 1.5.1 High-temperature Convective Drying of Light Concrete 19
 - 1.5.1.1 Test 1: Superheated Steam 20
 - 1.5.1.2 Tests 2 and 3: Moist Air, Soft and Severe Conditions 22

1.5.2	Typical Drying Behavior of Softwood: Difference Between Sapwood and Heartwood	25
1.6	Possibilities Offered by this Modeling Approach: Less-common Drying Configurations	29
1.6.1	Drying with Volumetric Heating	29
1.6.2	The Concept of Identity Drying Card (IDC)	32
1.6.3	Drying of Highly Deformable Materials	34
1.7	Homogenization as a Way to Supply the Code with Physical Parameters	37
1.8	The Multiscale Approach	42
1.8.1	Limitations of the Macroscopic Formulation	42
1.8.2	The Stack Model: An Example of Multiscale Model	43
1.8.2.1	Global Scale	46
1.8.2.2	Local Scale	46
1.8.2.3	Coupling Approach	46
1.8.2.4	Samples Simulations	47
1.8.2.5	Accounting for Wood Variability	49
1.8.2.6	Accounting for Drying Quality	50
	Conclusion	52
2	Pore-network Models: A Powerful Tool to Study Drying at the Pore Level and Understand the Influence of Structure on Drying Kinetics	57
	<i>T. Metzger, E. Tsotsas, M. Prat</i>	
2.1	Introduction	57
2.2	Isothermal Drying Model	58
2.2.1	Model Description	58
2.2.1.1	Network Geometry and Corresponding Data Structures	59
2.2.1.2	Boundary-layer Modeling	60
2.2.1.3	Saturation of Pores and Throats	62
2.2.1.4	Vapor Transfer	63
2.2.1.5	Capillary Pumping of Liquid	64
2.2.1.6	Cluster Labeling	65
2.2.1.7	Drying Algorithm	66
2.2.2	Simulation Results and Experimental Validation	68
2.2.3	Gravity and Liquid Viscosity – Stabilized Drying Front	71
2.2.3.1	Modeling Gravity	71
2.2.3.2	Modeling Liquid Viscosity	72
2.2.3.3	Dimensionless Numbers and Length Scales	75
2.2.3.4	Phase Distributions and Drying Curves	77
2.2.4	Film Flow	79
2.2.5	Wettability Effects	83
2.2.6	First Drying Period	85
2.3	Model Extensions	87

2.3.1	Heat Transfer	87
2.3.2	Multicomponent Liquid	92
2.4	Influence of Pore Structure	92
2.4.1	Pore Shapes	92
2.4.2	Coordination Number	94
2.4.3	Bimodal Pore-size Distributions	95
2.4.4	Outlook	100
2.5	Towards an Assessment of Continuous Models	100

3 Continuous Thermomechanical Models using Volume-averaging Theory 103

F. Couture, P. Bernada, M. A. Roques

3.1	Introduction	103
3.2	Modeling	105
3.2.1	Nature of Product Class	106
3.2.2	Averaged Internal Equations	107
3.2.2.1	State Equations and Volume Conservation	108
3.2.2.2	Mass-conservation Equations	109
3.2.2.3	Momentum-conservation Equations	109
3.2.2.4	Energy-conservation Equations	112
3.2.3	Boundary Conditions for Convective Drying	113
3.3	Simulation	114
3.3.1	Numerical Resolution Technique	114
3.3.2	Comparison between Real Viscoelastic and Assumed Elastic Behavior	115
3.4	Liquid Pressure as Driving Force	120
3.5	Conclusions	122

4 Continuous Thermohydromechanical Model using the Theory of Mixtures 125

S. J. Kowalski

4.1	Preliminaries	125
4.2	Global Balance Equations	126
4.3	Constitutive Equations in the Skeletal Frame of Reference	130
4.4	Rate Equations for Heat and Mass Transfer	132
4.5	Differential Equations for Heat and Mass Transfer	134
4.5.1	Differential Equation for Heat Transfer	134
4.5.2	Determination of the Microwave Heat Source \mathfrak{R}	135
4.5.3	Differential Equation for Mass Transfer	139
4.6	Thermomechanical Equations for a Drying Body	141
4.6.1	Physical Relations	141
4.6.2	Differential Equations for Body Deformation	143
4.7	Drying of a Cylindrical Sample made of Kaolin	144
4.7.1	Convective Drying of a Kaolin Cylinder	144
4.7.2	Microwave Drying of a Kaolin Cylinder	150

4.8	Final Remarks	152
	Acknowledgments	152
	Additional Notation used in Chapter 4	153
5	CFD in Drying Technology – Spray-Dryer Simulation	155
	<i>S. Blei, M. Sommerfeld</i>	
5.1	Introduction	155
5.1.1	Introduction to CFD	155
5.1.2	Introduction to Multiphase Flow Modeling	158
5.1.3	State-of-the-art in Spray-dryer Computations	160
5.2	The Euler–Lagrange Approach: an Extended Model for Spray-dryer Calculations	162
5.2.1	Fluid-phase Modeling	163
5.2.2	Fundamentals of Lagrangian Particle Tracking	166
5.2.2.1	Drag Force	167
5.2.2.2	Virtual Mass Force	168
5.2.2.3	Basset History Force	168
5.2.2.4	Forces Caused by Pressure Gradients in the Fluid	168
5.2.2.5	Magnus Force	168
5.2.2.6	Saffman Force	169
5.2.2.7	Gravitational Force	169
5.2.3	Particle Tracking	169
5.2.4	Particle Turbulent Dispersion Modeling	171
5.2.5	Two-way Coupling Procedure	173
5.3	Droplet-drying Models	173
5.3.1	Introduction	173
5.3.2	Review of Droplet-drying Models	175
5.3.3	Exemplary Drying Model for Whey-based Milk Products	176
5.3.4	Numerical Implementation	178
5.4	Collisions of Particles	181
5.4.1	Introduction	181
5.4.2	Extended Stochastic Collision Model	182
5.4.3	Modeling of Particle Collisions: Coalescence and Agglomeration	187
5.4.3.1	Surface-tension Dominated Droplets (STD Droplets)	187
5.4.3.2	Droplets Dominated by Viscous Forces (VD Droplets)	188
5.4.3.3	Dry Particles	189
5.4.4	Collisions of Surface-tension Dominated Droplets (STD–STD)	190
5.4.5	Collisions of Viscous Droplets	190
5.4.6	Collisions of Dry Particles	191
5.5	Example of a Spray-dryer Calculation	192
5.5.1	Geometry and Spatial Discretization of the Spray Dryer	192
5.5.2	Results for the Fluid Phase	193
5.5.3	Results of the Dispersed Phase	195
5.6	Prediction of Product Properties	200
5.6.1	Particle-size Distribution	200

5.6.2	Heat Damage	201
5.6.3	Particle Morphology	201
5.7	Summary	203
	Additional Notation used in Chapter 5	204

6 Numerical Methods on Population Balances 209

*J. Kumar, M. Peglow, G. Warnecke, S. Heinrich, E. Tsotsas, L. Mörl,
M. Hounslow, G. Reynolds*

6.1	Introduction	209
6.2	Pure Breakage	214
6.2.1	Population-balance Equation	214
6.2.2	Numerical Methods	214
6.2.2.1	The Cell-average Technique	216
6.2.2.2	The Finite-volume Scheme	222
6.3	Pure Aggregation	225
6.3.1	Population-balance Equation	225
6.3.2	Numerical Methods	226
6.3.2.1	The Fixed-pivot Technique	226
6.3.2.2	The Cell-average Technique	227
6.3.2.3	The Finite-volume Scheme	231
6.4	Pure Growth	233
6.4.1	Population balance Equation	233
6.4.2	Numerical Methods	233
6.5	Combined Aggregation and Breakage	239
6.6	Combined Aggregation and Nucleation	242
6.7	Combined Growth and Aggregation	244
6.8	Combined Growth and Nucleation	245
6.9	Multidimensional Population Balances	247
6.9.1	Reduced Model	247
6.9.2	Complete Model	250
	Additional Notation used in Chapter 6	256

7 Process-systems Simulation Tools 261

I. C. Kemp

7.1	Introduction	261
7.1.1	Summary of Contents	261
7.1.2	The Solids Processing Challenge	262
7.1.3	Types of Software for Dryers	263
7.2	Numerical Calculation Procedures	263
7.2.1	Categorization of Dryer Models	264
7.2.2	Equipment and Material Model	265
7.2.3	Parametric Models	266
7.3	Heat and Mass Balances	268
7.4	Scoping Design Methods	269
7.4.1	Continuous Convective Dryers	269

7.4.2	Continuous-contact Dryers	270
7.4.3	Batch Dryers	270
7.4.4	Simple Allowance for Falling-rate Drying	271
7.5	Scaling Methods	272
7.5.1	Basic Scale-up Principles	273
7.5.2	Integral Model	274
7.5.3	Application to Fluidized-bed Dryers	274
7.6	Detailed Design Models	276
7.6.1	Incremental Model	277
7.6.2	Application to Pneumatic Conveying, Rotary and Band Dryers	278
7.6.2.1	Pneumatic Conveying Dryers	278
7.6.2.2	Cascading Rotary Dryers	281
7.6.3	Advanced Methods – Computational Fluid Dynamics (CFD)	281
7.7	Ancillary Calculations	283
7.7.1	Processing Experimental Data	283
7.7.2	Humidity and Psychrometry	284
7.7.2.1	British Standard BS1339 for Humidity Calculations	284
7.7.2.2	Plotting Psychrometric Charts	286
7.7.3	Physical-properties Databanks	286
7.8	Process Simulators	287
7.8.1	Current Simulators and their Limitations	287
7.8.2	Potential Developments	288
7.9	Expert Systems and Decision-making Tools	289
7.9.1	Dryer Selection	289
7.9.1.1	Tree-search Algorithms	289
7.9.1.2	Matrix-type Rule-based Algorithms	289
7.9.1.3	Qualitative Information	292
7.9.1.4	Alternative Tree-search Approach	292
7.9.2	Troubleshooting and Problem Solving in Dryers	294
7.10	Knowledge Bases and Qualitative Information	295
7.10.1	Internet Websites	295
7.10.2	The Process Manual Knowledge Base	295
7.11	Commercialization of Drying Software	296
7.11.1	Barriers to Drying-software Development	297
7.11.1.1	Complexity of the Calculations	297
7.11.1.2	Difficulties in Modeling Solids	297
7.11.1.3	Limited Market and Lack of Replicability	298
7.11.1.4	Changes in Operating-system Software	298
7.11.2	The Future: Possible Ways Forward	300
7.12	Conclusions	301
7.12.1	Range of Application of Software in Drying	301
7.12.2	Overall Conclusion	302
	Additional Notation used in Chapter 7	303

Contents

Series Preface XIII

Preface of Volume 2 XVII

List of Contributors XXIII

Recommended Notation XXVII

EFCE Working Party on Drying: Address List XXXIII

1	Measurement of Average Moisture Content and Drying Kinetics for Single Particles, Droplets and Dryers	1
	<i>Mirko Peglow, Thomas Metzger, Geoffrey Lee, Heiko Schiffter, Robert Hampel, Stefan Heinrich, and Evangelos Tsotsas</i>	
1.1	Introduction and Overview	1
1.2	Magnetic Suspension Balance	2
1.2.1	Determination of Single Particle Drying Kinetics – General Remarks	2
1.2.2	Configuration and Periphery of Magnetic Suspension Balance	4
1.2.3	Discussion of Selected Experimental Results	6
1.3	Infrared Spectroscopy and Dew Point Measurement	10
1.3.1	Measurement for Particle Systems – General Remarks	10
1.3.2	Experimental Set-Up	12
1.3.3	Principle of Measurement with the Infrared Spectrometer	13
1.3.4	Dew Point Mirror for Calibration of IR Spectrometer	14
1.3.5	Testing the Calibration	17
1.3.6	A Case Study: Determination of Single Particle Drying Kinetics of Powdery Material	20
1.4	Coulometry and Nuclear Magnetic Resonance	24
1.4.1	Particle Moisture as a Distributed Property	24
1.4.2	Modeling the Distribution of Solids Moisture at the Outlet of a Continuous Fluidized Bed Dryer	25
1.4.3	Challenges in Validating the Model	27
1.4.4	Coulometry	28
1.4.5	Nuclear Magnetic Resonance	33
1.4.6	Combination of Both Methods	37

1.4.7	Experimental Moisture Distributions and Assessment of Model	37
1.5	Acoustic Levitation	41
1.5.1	Introductory Remarks	41
1.5.2	Some Useful Definitions	42
1.5.3	Forces in a Standing Acoustic Wave	43
1.5.4	Interactions of a Droplet with the Sound Pressure Field	47
1.5.4.1	Deformation of Droplet Shape	48
1.5.4.2	Primary and Secondary Acoustic Streaming	48
1.5.4.3	Effects of Changing Droplet Size	53
1.5.5	Single Droplet Drying in an Acoustic Levitator	55
1.5.5.1	Drying Rate of a Spherical Solvent Droplet	55
1.5.5.2	Drying Rate of an Acoustically Levitated Solvent Droplet	58
1.5.5.3	Drying Rate of Droplets of Solutions or Suspensions	58
1.5.6	A Case Study: Single Droplet Drying of Water and an Aqueous Carbohydrate Solution	59
1.5.6.1	A Typical Acoustic Levitator	60
1.5.6.2	Evaporation Rates of Acoustically-Levitated Pure Water Droplets	61
1.5.6.3	Evaporation Rates and Particle Formation with Aqueous Mannitol Solution Droplets	63
1.6	Concluding Remarks	66
	References	69
2	Near-Infrared Spectral Imaging for Visualization of Moisture Distribution in Foods	73
	<i>Mizuki Tsuta</i>	
2.1	Introduction	73
2.2	Principles of Near-Infrared Spectral Imaging	74
2.2.1	Near-Infrared Spectroscopy	74
2.2.2	Lambert–Beer Law	74
2.2.3	Hyperspectrum	76
2.2.4	Classification by Spectral Information Acquisition Technique	77
2.2.5	Classification by Spatial Information Acquisition Technique	78
2.3	Image Processing	79
2.3.1	Extraction of Spectral Images from a Hyperspectrum	79
2.3.2	Noise and Shading Correction	79
2.3.3	Conversion into Absorbance Image	80
2.3.4	Acquisition and Pretreatment of Spectral Data	81
2.3.5	Analysis of Absorbance Spectra	82
2.3.6	Visualization of Constituent Distribution	82
2.4	Applications of Near-Infrared Spectral Imaging for Visualization of Moisture Distribution	83
2.4.1	Specification of the Absorption Bands of Water and Ice	83
2.4.1.1	Imaging Apparatus	83
2.4.1.2	Acquisition of Hyperspectra of Water and Ice	84
2.4.1.3	Spectral Analysis	84

2.4.2	Visualization of Moisture Distribution inside Soybean Seeds	85
2.4.2.1	Sample	85
2.4.2.2	Acquisition of Hyperspectra	86
2.4.2.3	Spectral Analysis	86
2.4.2.4	Visualization of Moisture Distribution	87
2.5	Future Outlook	88
	References	89
3	Magnetic Resonance Imaging for Determination of Moisture Profiles and Drying Curves	91
	<i>Stig Stenström, Catherine Bonazzi, and Loïc Foucat</i>	
3.1	Introduction	91
3.2	Principles of MRI for Determination of Moisture Profiles	93
3.2.1	General Considerations	93
3.2.2	Basic NMR	94
3.2.2.1	Nuclear Magnetic Moment and Larmor Relation	94
3.2.2.2	Net Magnetization and Radio Frequency Excitation	94
3.2.2.3	Relaxation and NMR Signal	95
3.2.2.4	Factors Influencing Relaxation Times	97
3.2.3	Imaging Principles	97
3.2.3.1	Projection of an Object (1D Imaging)	98
3.2.3.2	Two-Dimensional Imaging	98
3.2.3.3	Slice Selection	99
3.2.3.4	Three-Dimensional Imaging	100
3.2.4	Imaging Sequences	101
3.2.4.1	The Spin-Echo (SE) Sequence	101
3.2.4.2	The Gradient-Echo (GE) Sequence	102
3.3	MRI Applications to Drying of Paper, Pulp and Wood Samples	102
3.3.1	Some General Data about the Materials	102
3.3.2	Overview of Previous Results	104
3.3.2.1	Pulp, Paper and Cellulose Samples	104
3.3.2.2	Wood	106
3.3.3	Determination of Moisture Gradients in Cardboard Samples	108
3.3.3.1	Experimental Conditions	108
3.3.3.2	Drying Experiments and MRI Parameters	109
3.3.3.3	Calibration Procedure	111
3.3.3.4	Results for Drying Profiles	114
3.3.3.5	Diffusion Measurements	119
3.4	MRI Applications to Drying of Agricultural and Food Samples	125
3.4.1	MRI and Transport Phenomena in Agricultural and Food Products	125
3.4.2	NMR for Characterization of Biological and Food Products	126
3.4.3	MRI for Measurement of Transient Moisture Profiles in Food and Biological Samples	128
3.4.3.1	General Data	128
3.4.3.2	Measurement of Moisture Profiles in a Gel during Drying	130

3.4.4	Non-Intrusive Measurement by MRI of Moisture Profiles in Paddy Rice Kernels during Drying	132
3.4.4.1	Experimental Set-Up	132
3.4.4.2	NMR Preliminary Experiments	132
3.4.4.3	NMR Imaging Experiments	134
3.4.4.4	Conversion of the MRI Signal to Water Content	135
3.4.4.5	Imaging Results and Moisture Profiles	135
3.5	Conclusion	137
	References	139
4	Use of X-Ray Tomography for Drying-Related Applications	143
	<i>Angélique Léonard, Michel Crine, and Frantisek Stepanek</i>	
4.1	Fundamentals and Principles	143
4.1.1	Introduction	143
4.1.2	Physical Principles	144
4.1.3	Reconstruction	148
4.2	Instrumentation	153
4.2.1	Geometry of CT Systems	153
4.2.2	X-Ray Macrotomography (or Industrial Tomography)	155
4.2.3	X-Ray Microtomography	156
4.2.4	Synchrotron X-Ray Microtomography	157
4.3	Image Processing	157
4.3.1	Algorithms for 3D Image Filtering and Segmentation	157
4.3.2	Calculation of Morphological Characteristics	163
4.3.2.1	Phase Volume Fraction	164
4.3.2.2	Cluster Volume Distribution	164
4.3.2.3	Percolation	165
4.3.2.4	Interfacial Area	166
4.3.2.5	Interface Curvature	166
4.4	Applications	167
4.4.1	Convective Drying of Sludge	167
4.4.1.1	Sludge Individual Extrudates	167
4.4.1.2	Sludge Packed Bed	170
4.4.2	Drying Optimization of Resorcinol-Formaldehyde Xerogels	173
4.4.3	Contact Drying of a Packed Bed	176
4.4.3.1	Experimental Set-Up	176
4.4.3.2	Spatio-Temporal Evolution of the Drying Front	177
4.5	Future Outlook	180
	References	182
5	Measuring Techniques for Particle Formulation Processes	187
	<i>Stefan Heinrich, Niels G. Deen, Mirko Peglow, Mike Adams, Johannes A.M. Kuipers, Evangelos Tsotsas, and Jonathan P.K. Seville</i>	
5.1	Introduction	187
5.2	Measurement of Particle Size	188

5.2.1	In-Line Particle Size Measurement	188
5.2.1.1	Measuring Principle	188
5.2.1.2	Instrumentation	189
5.2.1.3	Applications	190
5.2.2	Off-Line Particle Size Measurement	194
5.2.2.1	Measuring Principle	194
5.2.2.2	Measurement Results: Size and Shape	196
5.3	Measurement of Particle Concentrations, Velocities, and Hydrodynamic Stability	201
5.3.1	Introduction	201
5.3.2	Particle Detection	202
5.3.3	Particle Image Velocimetry	208
5.3.4	Spectral Analysis of Pressure Drop Fluctuations	218
5.3.5	Positron Emission Particle Tracking	223
5.3.5.1	Particle Circulation Time	224
5.3.6	Fiber Optical Probe Measurement Technique	228
5.3.6.1	Calibration	231
5.3.6.2	Experimental Results	232
5.4	Measurement of Mechanical Stability of Particles during Fluidized Bed Processing	236
5.4.1	Introduction	236
5.4.2	Measurement of Attrition Dust with an Isokinetic Sensor	237
5.4.2.1	Theory	237
5.4.2.2	Experimental Results	240
5.4.3	Measurement of Attrition Dust and Overspray with an On-Line Particle Counter	243
5.4.3.1	Lorentz–Mie Theory as Measuring Principle	243
5.4.3.2	Measurement in High Concentrations with Small Optical Measuring Volume	244
5.4.3.3	Calibration and Evaluation	246
5.4.3.4	Experimental Results	249
5.5	Characterization of the Mechanical Properties of Partially and Fully Saturated Wet Granular Media	251
5.5.1	Introduction	251
5.5.2	Interparticle Forces	252
5.5.2.1	Mechanical Interactions	252
5.5.2.2	Adhesive Interactions	254
5.5.2.3	Cohesive Interactions	256
5.5.2.4	Frictional and Lubrication Interactions	259
5.5.3	Mechanical Properties of Wet Granular Media	261
5.5.3.1	Elastoplastic Measurements	262
5.5.3.2	Failure Properties	266
5.6	Conclusions	269
	References	272

6	Determination of Physical Properties of Fine Particles, Nanoparticles and Particle Beds	279
	<i>Werner Hintz, Sergiy Antonyuk, Wolfgang Schubert, Bernd Ebenau, Aimo Haack, and Jürgen Tomas</i>	
6.1	Introduction to Common Particle Properties	279
6.2	Analysis of Particle Size Distribution	280
6.2.1	Image Analysis by Optical and Scanning Electron Microscopy	280
6.2.1.1	Optical Microscopy	281
6.2.1.2	Electron Microscopy	281
6.2.1.3	Image Analysis	282
6.2.2	Laser Light Scattering and Diffraction for Dilute Particle Dispersions	283
6.2.3	Ultrasonic Methods for Dense Particle Dispersions	291
6.2.3.1	Acoustic Attenuation Spectroscopy	291
6.2.3.2	Electrokinetic Sonic Amplitude Spectroscopy	292
6.3	Measurement of the Physical Properties of Particles	293
6.3.1	Solid Density Analysis by He-Pycnometry	293
6.3.1.1	Introduction	293
6.3.1.2	Volume Determination Using Gas Pycnometry	294
6.3.2	Specific Surface Area by Gas Adsorption Method	296
6.3.2.1	Physical Principles	296
6.3.2.2	Surface Area Determination using the BET-Model	298
6.3.3	Pore Size Distribution by Gas Adsorption Method	300
6.3.3.1	Introduction	300
6.3.3.2	Assessment of Microporosity	301
6.3.3.3	Assessment of Mesoporosity	302
6.3.3.4	Simplified Assessment of Pore Volume	304
6.3.3.5	Measurement Set-Up and Test Method	305
6.3.4	Measurement of Particle Adhesion	307
6.3.4.1	Particle Adhesion Effects	307
6.3.4.2	Comparison between Different Adhesion Forces	308
6.3.4.3	Survey of Adhesion Force Test Methods	309
6.3.4.4	Particle Interaction Apparatus According to Butt	310
6.3.5	Measurement of Particle Restitution Coefficient	312
6.3.6	Particle Abrasion and Breakage Tests	318
6.3.6.1	Survey of Test Methods and Principles	318
6.3.6.2	Compression Test	321
6.3.6.3	Impact Test	325
6.4	Testing of Particle Bed Properties	328
6.4.1	Bulk Density and Tapping Density	328
6.4.2	Angle of Repose of a Moving Particle Bed	329
6.4.3	Flow Behavior of Cohesive and Compressible Bulk Solids	329
6.4.4	Flow Criteria of Preconsolidated Cohesive Powders on a Physical Basis	332
6.4.5	Translational Shear Cell according to Jenike	335

6.4.5.1	The Shear Testing Technique SSTT according to ICE	337
6.4.6	Ring Shear Tester according to Schulze for Dry Powder	339
6.4.7	Press Shear Cell according to Reichmann for Wet Filter Cake	340
6.4.8	Survey of Selected Direct and Indirect Shear Testers	344
6.4.8.1	The Biaxial Shear Tester according to Schwedes	344
6.4.8.2	The Uniaxial Tester according to Enstad	344
6.4.8.3	Couette Device by Tardos	346
6.4.8.4	Powder Flow Analyzer ShearScan TS12 by AnaTec	346
6.4.8.5	Survey of Different Shear Testers	348
6.5	Measurement of Particle Bed Movement in Rotary Drums by High-Speed Camera	348
6.6	Conclusions	353
	References	356

Index	363
--------------	-----

Contents

Series Preface XIII

Preface of Volume 3 XVII

List of Contributors XXI

Recommended Notation XXV

EFCE Working Party on Drying: Address List XXXI

- 1 Quality Changes in Food Materials as Influenced by Drying Processes** 1
Catherine Bonazzi and Elisabeth Dumoulin
 - 1.1 Introduction 1
 - 1.2 Biochemical Reactions Induced by Drying 5
 - 1.3 Physical Transformations During Drying 9
 - 1.4 Mechanical Transformations Induced by Drying 14
 - 1.5 Storage and Rehydration of Food Products 16
 - 1.6 Conclusion 17
 - References 18

- 2 Impact of Drying on the Mechanical Properties and Crack Formation in Rice** 21
Catherine Bonazzi and Francis Courtois
 - 2.1 Introduction 21
 - 2.2 Impact of Drying Conditions on Head Rice Yield for Paddy and Parboiled Rice 24
 - 2.3 Characterization of Fissures Formation by Image Analysis Techniques 28
 - 2.4 Characterization of the Mechanical Properties of the Rice Material 33
 - 2.4.1 Stress–Strain Relationships for Linear Materials 34
 - 2.4.2 Failure Strength in Rice Grains 36
 - 2.5 Modeling the Impact of Drying on the Final Quality of Rice Grains 39
 - 2.6 Conclusion 45
 - References 46

3	Characterization and Control of Physical Quality Factors During Freeze-Drying of Pharmaceuticals in Vials	51
	<i>Julien Andrieu and Séverine Vessot</i>	
3.1	Introduction	51
3.2	Characterization Methods of the Key Quality Factors During Freeze-Drying of Pharmaceuticals in Vials	52
3.2.1	State Diagram, Melting Curves, Vitreous Transition, Collapse Temperature	54
3.2.2	Characterization Methods: DSC, MDSC, Freeze-Drying Microscopy	55
3.2.3	Ice Structure and Morphology: Cold Chamber Optical Microscopy	55
3.2.4	Heat Flux Heterogeneity in the Sublimation Chamber	57
3.2.5	Permeability of Freeze-Drying Cake: Pressure Rise Tests	59
3.2.6	Estimation of Mean Product Temperature	61
3.3	Influence of Freezing and Freeze-Drying Parameters on Physical Quality Factors	63
3.3.1	Influence of Freezing Protocol on Ice Morphology	63
3.3.1.1	Influence of Freezing Rate	64
3.3.1.2	Influence of Vial Type and Filling Height	66
3.3.1.3	Annealing	67
3.3.2	Controlled Nucleation	70
3.3.2.1	Controlled Nucleation by Ultrasound Sonication	70
3.3.2.2	Effect of Ultrasound on Structural and Morphological Properties	72
3.3.3	Relationship between Nucleation Temperatures and Sublimation Rates	73
3.3.4	Freeze-Dried Cake Morphology	74
3.3.4.1	Water Vapor Mass Transfer Resistance	74
3.3.4.2	Freeze-Dried Layer Permeability	76
3.3.5	Importance of Temperature Control	78
3.3.6	Influence of Operating Conditions on Sublimation Kinetics	79
3.4	Product Quality and Stability During Drying and Storage	83
3.4.1	Product Quality and Formulation	83
3.4.2	Product Quality and Polymorphism	84
3.5	Conclusions	85
	References	87
4	In-Line Product Quality Control of Pharmaceuticals In Freeze-Drying Processes	91
	<i>Antonello A. Barresi and Davide Fissore</i>	
4.1	Introduction	91
4.2	Control of the Freezing Step	94
4.3	Monitoring of the Primary Drying	96

4.3.1	Monitoring of Single Vials	99
4.3.2	Monitoring of a Group of Vials	103
4.3.3	Monitoring of the Whole Batch	106
4.3.3.1	Detection of the Endpoint of the Primary Drying	106
4.3.3.2	Monitoring the Primary Drying Using the Measurement of the Sublimation Flux	113
4.3.3.3	Monitoring the Primary Drying Using Methods Based on the PRT	114
4.4	Control of the Primary Drying	125
4.5	Monitoring and Control of Secondary Drying	135
4.6	Quality by Design	139
4.7	Continuous Freeze-Drying	142
4.8	Conclusion	143
	References	146
5	Understanding and Preventing Structural Changes During Drying of Gels	155
	<i>Thomas Metzger, Angélique Léonard, Wahbi Jomaa, and Hajime Tamon</i>	
5.1	Introduction	155
5.2	Gels and Their Applications – Quality Aspects	156
5.2.1	Preparation of Wet Gels	156
5.2.1.1	Silica Gels	156
5.2.1.2	Resorcinol-Formaldehyde (RF) Gels	157
5.2.2	Properties of Dry Gels	158
5.2.3	Applications of Dry Gels	160
5.3	Structural Characterization of Gels – Quality Assessment	162
5.3.1	Characterization of Wet Gels	162
5.3.1.1	Small Angle X-Ray Scattering (SAXS)	162
5.3.1.2	Thermoporometry	164
5.3.2	Characterization of Dry Gels	166
5.3.2.1	Nitrogen Adsorption	166
5.3.2.2	Mercury Porosimetry	168
5.3.2.3	Other Methods	171
5.3.3	Characterization of Gels During Drying	172
5.4	Drying Methods for Gels – Quality Loss	174
5.4.1	Convective Drying	174
5.4.1.1	Introduction	174
5.4.1.2	Shrinkage	175
5.4.1.3	Differential Shrinkage and Stress	177
5.4.1.4	Cracking	180
5.4.2	Freeze-drying	182
5.4.3	Supercritical Drying	185
5.4.3.1	Supercritical Drying of the Initial Solvent	185
5.4.3.2	Low-Temperature Process with CO ₂	187

5.5	Advanced Drying Techniques – Preserving Quality	189
5.5.1	Subcritical Drying	189
5.5.2	Freeze-Drying	190
5.5.2.1	General Remarks	190
5.5.2.2	RF and Carbon Cryogels	192
5.5.2.3	Ice Templating (for Silica Gels)	195
5.5.3	Vacuum Drying	197
5.5.4	Convective Drying	198
5.5.4.1	Preliminary Remarks	198
5.5.4.2	Preventing Shrinkage and Cracks by Aging (Silica Gels)	199
5.5.4.3	Making Shrinkage Reversible by Surface Modification (Silica Gels)	201
5.5.4.4	RF Gels – From First Results to a Systematic Investigation	204
5.5.4.5	Aging of RF Gels	208
5.5.4.6	Concluding Remarks	209
5.5.5	Microwave Drying	210
5.6	Advanced Modeling of Convective Drying – Understanding Quality	211
5.6.1	Macroscopic Models	211
5.6.1.1	General Remarks	211
5.6.1.2	Diffusion Model	211
5.6.1.3	More Rigorous Modeling	217
5.6.2	Development of A Pore-Scale Model	218
5.7	Summary	220
	References	223
6	Morphology and Properties of Spray-Dried Particles	231
	<i>Peter Walzel and Takeshi Furuta</i>	
6.1	Introduction	231
6.2	Morphology of Spray-Dried Particles	234
6.2.1	Classification of the Morphology of Spray-Dried Powders	234
6.2.2	Solutions of Low Molecular Weight Substances	236
6.2.3	Solutions of Polymers	240
6.2.4	Suspensions Containing Small Solid Particles	240
6.2.5	Suspensions Containing Large Solid Particles	244
6.2.6	Complex Dispersions Such as Emulsions and Other Formulations	244
6.2.6.1	Hard Shell Particles	244
6.2.6.2	Gelatinization	245
6.2.6.3	Microencapsulated Flavor Powders Formed from Emulsions	245
6.2.6.4	Particles from Proteins, Enzymes and Carrier Materials	247
6.2.7	Particles Obtained in Freeze Spray Drying	251

6.2.8	Particles Formed in Integrated Fluidized Beds	253
6.3	Retention of Flavor in Spray-Dried Food Products	253
6.3.1	General Remarks on Microencapsulation	253
6.3.2	Encapsulation of Flavor by Spray Drying	255
6.3.2.1	Theory and Mechanism	255
6.3.2.2	Microencapsulation of Hydrophilic Flavors	255
6.3.2.3	Spray Drying of Emulsified Hydrophobic Flavors	256
6.3.2.4	Factors Affecting the Retention of Emulsified Hydrophobic Flavors During Spray Drying	257
6.3.2.5	Stickiness of the Spray-Dried Powder	260
6.3.3	Release and Oxidation of the Encapsulated Flavor During Storage	261
6.3.3.1	Influence of Glass Temperature on the Storage Stability of the Encapsulated Flavor	261
6.3.3.2	Release of Flavor from Spray-Dried Powder During Storage	262
6.3.3.3	Oxidation of Encapsulated Flavor During Storage	267
6.3.3.4	Relaxation Process Correlation by Glass Transition Temperature	267
6.4	Encapsulation and Microencapsulation of Enzymes and Oil by Spray Drying	269
6.4.1	Microencapsulation of Enzymes by Spray Drying	269
6.4.2	Stress on Proteins During the Spray Drying Processes	270
6.4.2.1	Adsorption Stress	270
6.4.2.2	Shear Stress	271
6.4.2.3	Thermal and Dehydration Stress	271
6.4.3	Protein Encapsulation Theory by Spray Drying	272
6.4.4	Spray Drying of Protein Solutions	273
6.4.4.1	Drying of a Single Suspended Droplet	273
6.4.4.2	Stabilization of Enzymes During Spray Drying: Effects of Formulation Composition	274
6.4.4.3	Effect of Process Variables on the Stabilization of Enzymes During Spray Drying	275
6.4.5	Microencapsulation of Oil	278
6.4.5.1	Spray Drying of Oil Emulsions	278
6.4.5.2	Oxidation of Lipids Encapsulated in Spray-Dried Particles	279
6.5	General Quality Aspects	280
6.5.1	Porosity of Spray-Dried Particles and Species Distribution	280
6.5.2	Strength of Particles and Attrition	281
6.5.3	Bulk Density and Product Flowability	282
6.5.4	Residual Moisture	282
6.5.5	Reconstitution Behavior	283
6.6	Concluding Remarks	284
	References	286

7	Particle Formulation in Spray Fluidized Beds	295
	<i>Mirko Peglow, Sergiy Antonyuk, Michael Jacob, Stefan Palzer, Stefan Heinrich, and Evangelos Tsotsas</i>	
7.1	Introduction	295
7.2	General Principles of Particle Formulation in Spray Fluidized Beds	296
7.3	Influence of Material Properties	299
7.3.1	Adhesion Mechanisms and Mechanical Strength of Agglomerates	299
7.3.1.1	Material Structure and Properties	300
7.3.1.2	Van der Waals Forces	301
7.3.1.3	Capillary Forces Due to Liquid Bridges Between Particles	303
7.3.1.4	Viscous Forces in Sinter Bridges Between Amorphous Particles	304
7.3.1.5	Mechanical Strength of Agglomerates	308
7.3.2	Breakage of Agglomerates and of Granulated Products	315
7.3.2.1	Elastic–Brittle Breakage Behavior	316
7.3.2.2	Elastic–Plastic Breakage Behavior	317
7.3.2.3	Plastic Breakage Behavior	319
7.3.2.4	Breakage of Granules with Layered Structure	320
7.3.3	Consideration of Primary Particle Properties in Agglomeration	321
7.4	Influence of Operating Conditions	324
7.4.1	Mechanical Strength of Granulated Particles	324
7.4.1.1	Influence of Binder Content in the Sprayed Solution	325
7.4.1.2	Influence of the Particle Retention Time	326
7.4.1.3	Influence of Process Temperature	327
7.4.2	Catalyst Impregnation in Fluidized Beds	329
7.5	Influence of Apparatus Design	332
7.5.1	Apparatus Design Features with an Influence on Product Quality	332
7.5.2	Residence Time Distribution	338
7.5.3	Dispersive Growth in Batch Granulation	344
7.5.4	Discrete Particle Modeling of a Wurster Coater	349
7.5.4.1	Principles of the DPM	350
7.5.4.2	Parameters for the DPM Simulation	351
7.5.4.3	Influence of the Spout Velocity	352
7.5.4.4	Influence of the Wurster Gap Distance	355
7.6	Neural Networks, Encapsulation	357
7.7	Stochastic Discrete Modeling of Agglomeration	363
7.7.1	General Principles	363
7.7.2	Computational Method	364
7.7.3	Results	367

7.7.3.1	Effect of Liquid Flow Rate and Viscosity	367
7.7.3.2	Thermal Effects	367
7.7.3.3	Effect of Particle Porosity	369
7.8	Summary and Outlook	372
	References	374

Index	379
--------------	-----

Contents

Series Preface XI

Preface of Volume 4 XV

List of Contributors XIX

Recommended Notation XXIII

EFCE Working Party on Drying; Address List XXIX

1	Fundamentals of Energy Analysis of Dryers	1
	<i>Ian C. Kemp</i>	
1.1	Introduction	1
1.2	Energy in Industrial Drying	2
1.3	Fundamentals of Dryer Energy Usage	3
1.3.1	Evaporation Load	3
1.3.2	Dryer Energy Supply	4
1.3.3	Evaluation of Energy Inefficiencies and Losses: Example	5
1.3.3.1	Dryer Thermal Inefficiencies	6
1.3.3.2	Inefficiencies in the Utility (Heat Supply) System	8
1.3.3.3	Other Energy Demands	13
1.3.4	Energy Cost and Environmental Impact	14
1.3.4.1	Primary Energy Use	14
1.3.4.2	Energy Costs	14
1.3.4.3	Carbon Dioxide Emissions and Carbon Footprint	15
1.4	Setting Targets for Energy Reduction	16
1.4.1	Energy Targets	16
1.4.2	Pinch Analysis	17
1.4.2.1	Basic Principles	17
1.4.2.2	Application of Pinch Analysis to Dryers	19
1.4.2.3	The Appropriate Placement Principle Applied to Dryers	21
1.4.2.4	Pinch Analysis and Utility Systems	24
1.4.3	Drying in the Context of the Overall Process	25
1.5	Classification of Energy Reduction Methods	26
1.5.1	Reducing the Heater Duty of a Convective Dryer	28
1.5.2	Direct Reduction of Dryer Heat Duty	29
1.5.2.1	Reducing the Inherent Heat Requirement for Drying	29

1.5.2.2	Altering Operating Conditions to Improve Dryer Efficiency	30
1.5.3	Heat Recovery and Heat Exchange	31
1.5.3.1	Heat Exchange Within the Dryer	31
1.5.3.2	Heat Exchange with Other Processes	32
1.5.4	Alternative Utility Supply Systems	32
1.5.4.1	Low Cost utilities	33
1.5.4.2	Improving Energy Supply System Efficiency	33
1.5.4.3	Combined Heat and Power	34
1.5.4.4	Heat Pumps	36
1.6	Case Study	37
1.6.1	Process Description and Dryer Options	37
1.6.2	Analysis of Dryer Energy Consumption	38
1.6.3	Utility Systems and CHP	42
1.7	Conclusions	43
	References	45
2	Mechanical Solid–Liquid Separation Processes and Techniques	47
	<i>Harald Anlauf</i>	
2.1	Introduction and Overview	47
2.2	Density Separation Processes	51
2.2.1	Froth Flotation	51
2.2.2	Sedimentation	54
2.3	Filtration	61
2.3.1	Cake Filtration	61
2.3.2	Sieving and Blocking Filtration	72
2.3.3	Crossflow Micro- and Ultra-Filtration	73
2.3.4	Depth and Precoat Filtration	75
2.4	Enhancement of Separation Processes by Additional Electric or Magnetic Forces	80
2.5	Mechanical/Thermal Hybrid Processes	83
2.6	Important Aspects of Efficient Solid–Liquid Separation Processes	85
2.6.1	Mode of Apparatus Operation	85
2.6.2	Combination of Separation Apparatuses	87
2.6.3	Suspension Pre-Treatment Methods to Improve Separation Conditions	91
2.7	Conclusions	94
	References	95
3	Energy Considerations in Osmotic Dehydration	99
	<i>Hosahalli S. Ramaswamy and Yetenayet Bekele Tola</i>	
3.1	Scope	99
3.2	Introduction	100
3.3	Mass Transfer Kinetics	101
3.3.1	Pretreatments	101
3.3.2	Product	102

3.3.3	Osmotic Solution	103
3.3.4	Treatment Conditions	103
3.4	Modeling of Osmotic Dehydration	104
3.5	Osmotic Dehydration – Two Major Issues	105
3.5.1	Quality Issues	105
3.5.2	Energy Issues	106
3.5.2.1	Osmo-Convective Drying	107
3.5.2.2	Osmo-Freeze Drying	109
3.5.2.3	Osmo-Microwave Drying	111
3.5.2.4	Osmotic-Vacuum Drying	113
3.6	Conclusions	114
	References	116
4	Heat Pump Assisted Drying Technology – Overview with Focus on Energy, Environment and Product Quality	121
	<i>Sachin V. Jangam and Arun S. Mujumdar</i>	
4.1	Introduction	121
4.2	Heat Pump Drying System – Fundamentals	122
4.2.1	Heat Pump	122
4.2.2	Refrigerants	125
4.2.3	Heat Pump Dryer	127
4.2.4	Advantages and Limitations of the Heat Pump Dryer	130
4.3	Various Configurations/Layout of a HPD	131
4.4	Heat Pumps – Diverse Options and Advances	132
4.4.1	Multi-Stage Heat Pump	132
4.4.2	Cascade Heat Pump System	133
4.4.3	Use of Heat Pipe	134
4.4.4	Chemical Heat Pump (CHP)	135
4.4.5	Absorption Refrigeration Cycle	138
4.5	Miscellaneous Heat Pump Drying Systems	140
4.5.1	Solar-Assisted Heat Pump Drying	140
4.5.2	Infrared-Assisted Heat Pump Dryer	143
4.5.3	Microwave-Assisted Heat Pump Drying	143
4.5.4	Time-Varying Drying Conditions and Multi-Mode Heat Pump Drying	145
4.5.5	Heat Pump Assisted Spray Drying	147
4.5.6	Modified Atmosphere Heat Pump Drying	148
4.5.7	Atmospheric Freeze Drying Using Heat Pump	149
4.6	Applications of Heat Pump Drying	150
4.6.1	Food and Agricultural Products	150
4.6.2	Drying of Wood/Timber	150
4.6.3	Drying of Pharmaceutical/Biological Products	152
4.7	Sizing of Heat Pump Dryer Components	153
4.8	Future Research and Development Needs in Heat Pump Drying	156
	References	158

5	Zeolites for Reducing Drying Energy Usage	163
	<i>Antonius J. B. van Boxtel, Moniek A. Boon, Henk C. van Deventer, and Paul J. Th. Bussmann</i>	
5.1	Introduction	163
5.2	Zeolite as an Adsorption Material	164
5.2.1	Zeolite	164
5.2.2	Comparing the Main Sorption Properties of Zeolite with other Adsorbents	166
5.3	Using Zeolites in Drying Systems	168
5.3.1	Drying Systems	168
5.3.2	Direct Contact Drying	169
5.3.3	Air Dehumidification	170
5.4	Energy Efficiency and Heat Recovery	173
5.4.1	Defining Energy Efficiency	173
5.4.2	Energy Recovery for a Single-Stage System	174
5.4.3	Energy Recovery in a Multi-Stage System	176
5.4.4	Energy Recovery with Superheated Steam	178
5.5	Realization of Adsorption Dryer Systems	180
5.5.1	Adsorption Dryer Systems for Zeolite	180
5.5.2	Adsorption Wheel Versus Packed Bed	181
5.5.3	Zeolite Mechanical Strength	182
5.5.4	Long Term Capacity of Zeolite	183
5.5.5	Zeolite Adsorption Wheel	183
5.6	Cases	185
5.6.1	Zeolite-Assisted Drying in the Dairy Industry	185
5.6.2	Zeolite-Assisted Manure and Sludge Drying	189
5.6.3	Direct Contact Drying of Seeds with Zeolites	191
5.7	Economic Considerations	193
5.8	Perspectives	195
	References	196
6	Solar Drying	199
	<i>Joachim Müller and Werner Mühlbauer</i>	
6.1	Introduction	199
6.2	Solar Radiation	200
6.3	Solar Air Heaters	204
6.4	Design and Function of Solar Dryers	210
6.4.1	Classification of Solar Dryers	210
6.4.2	Solar Dryers with Natural Convection for Direct Solar Drying	212
6.4.3	Solar Dryers with Natural Convection for Indirect Drying	213
6.4.4	Solar Dryers with Forced Convection for Direct Drying	214
6.4.5	Solar Dryers with Forced Convection for Indirect Drying	218
6.4.6	Dryers with Roof-Integrated Solar Air Heaters	223
6.5	Solar Drying Kinetics	226
6.5.1	Empirical Drying Curves in Solar Drying	226

6.5.2	Equilibrium Model for Solar Drying Kinetics	227
6.6	Control Strategies for Solar Dryers	231
6.6.1	Airflow Management During the Night	231
6.6.2	Recirculation of Drying Air	232
6.6.3	Back-Up Heating Systems	232
6.7	Economic Feasibility of Solar Drying	234
6.7.1	Drying of Timber in Brazil	235
6.7.2	Drying of Tobacco in Brazil	237
6.8	Conclusions and Outlook	239
	References	242

7 Energy Issues of Drying and Heat Treatment for Solid Wood and Other Biomass Sources 245

Patrick Perré, Giana Almeida, and Julien Colin

7.1	Introduction	245
7.2	Wood and Biomass as a Source of Renewable Material and Energy	245
7.3	Energy Consumption and Energy Savings in the Drying of Solid Wood	254
7.3.1	Kiln-Drying of Solid Wood: A Real Challenge	254
7.3.2	The Conventional Drying of Wood	258
7.3.2.1	The Design of Conventional Kilns	258
7.3.2.2	Drying Time and Energy Efficiency	259
7.3.3	Theoretical Evaluation of the Kiln Efficiency	263
7.3.4	Two Case Studies of Kiln Efficiency	266
7.3.5	Rules for Saving Energy	269
7.3.5.1	Energy Savings in Conventional Kilns	269
7.3.5.2	Energy Saving by Alternative Technologies	270
7.4	Preconditioning of Biomass as a Source of Energy: Drying and Heat Treatment	271
7.4.1	Importance of Biomass Drying as a Preconditioning Step	271
7.4.1.1	Dryers for Biomass	273
7.4.1.2	Numerical Approach to the Continuous Drying of Woody Biomass	276
7.4.2	Interest of Heat Treatment as a Preconditioning Step	281
7.5	Conclusions	287
	References	289

8 Efficient Sludge Thermal Processing: From Drying to Thermal Valorization 295

Patricia Arlabosse, Jean-Henry Ferrasse, Didier Lecomte, Michel Crine, Yohann Dumont, and Angélique Léonard

8.1	Introduction to the Sludge Context	295
8.1.1	Origin, Production and Valorization Issues	295
8.1.2	Sludge: A Complex Material	297
8.1.3	Useful Properties for Energy Valorization	299

8.2	Sludge Drying Technologies	300
8.2.1	General Remarks	300
8.2.2	Convective Drying Methods and Dryer Types	301
8.2.3	Indirect Contact Drying Methods and Dryer Types	305
8.2.3.1	Rotor Design and Operation of the Drying Process	306
8.2.3.2	Drying Performances	308
8.2.4	Solar Drying and Dryer Types	310
8.2.5	Combined and Hybrid Drying	311
8.2.6	Sludge Frying, an Alternative to Conventional Drying	311
8.2.6.1	Heat and Mass Transfer During Fry-Drying	312
8.2.6.2	Energy and Environmental Aspects	313
8.2.7	Pathogen Reduction	314
8.3	Energy Efficiency of Sludge Drying Processes	315
8.3.1	Specific Heat Consumption of Sludge Dryers	315
8.3.2	Towards the Reduction of Energy Consumption Associated with Sludge Drying	316
8.3.3	Case Studies	316
8.4	Thermal Valorization of Sewage Sludge	318
8.4.1	General Description of the Thermal Processes Available for Sewage Sludge	318
8.4.2	Desired Water Content for Thermal Processes	319
8.4.3	Including a Drying Step Before Thermal Valorization	320
8.5	Energy Efficiency of Thermal Valorization Routes	321
8.5.1	Importance of Dryer Efficiency	321
8.5.2	Combining Sludge Drying and Thermal Valorization by Integrating on Site	322
8.6	Conclusions	324
	References	325

Index	331
--------------	-----