

Contents

Preface *XV*

List of Abbreviations *XVII*

1	Cross-Coupling Arylations: Precedents and Rapid Historical Review of the Field	1
1.1	Metal-Catalyzed Cross-Couplings: From Its Origins to the Nobel Prize and Beyond	1
1.2	Arylation: What Is So Special?	12
1.3	Recent New Developments	14
1.3.1	Arylations with the Heck–Mizoroki Reaction	14
1.3.2	Arylations with the Heck–Matsuda Reaction–Recent Developments	43
1.3.3	Hiyama–Hatanaka Cross-Coupling Reaction	46
1.3.4	Arylations with the Stille Reaction	48
1.3.5	Arylations with the Sonogashira–Hagihara Reaction	48
1.3.6	Arylations with the Suzuki–Miyaura Reaction	55
1.3.7	Tamao–Kumada–Corriu Cross Coupling	75
1.3.8	Negishi–Baba Cross-Coupling	78
1.3.9	Beyond the Ullmann and Suzuki–Miyaura Reactions, Other Newer Approaches to Functional Biaryl Synthesis: Pd, Fe, Co, and Other Metals	83
1.3.9.1	With Palladium	83
1.3.9.2	With Iron	84
1.3.9.3	With Nickel	84
1.3.9.4	With Cobalt	84
1.3.10	Conclusions	84
1.4	Selected Experiments from the Literature	85
1.4.1	The Heck–Mizoroki Reaction	85
1.4.1.1	Heterogeneous Catalytic Synthesis of (<i>E</i>)-Butyl Cinnamate Using a Palladium Nanosphere Catalyst	85
1.4.1.2	The Preparative Catalytic Synthesis of 5-(<i>p</i> -Trifluoromethylphenyl)-2,3-dihydrofuran in Continuous Flow	85
1.4.2	The Heck–Matsuda Reaction	85
1.4.2.1	Catalytic Synthesis of (<i>E</i>)-3-(4-Methoxyphenyl)acrylic acid Using Palladium Acetate in Water	85
1.4.2.2	Catalytic Synthesis of 2-Phenyl-1 <i>H</i> -Indene Using Copper Chloride	86
1.4.2.3	Catalytic Synthesis of (<i>E</i>)-Ethyl 3-(4-methoxyphenyl)acrylate Using Palladium Nanoparticles Supported on Agarose Hydrogel	86
1.4.3	The Heck–Hiyama Reaction	87
1.4.3.1	Catalytic Synthesis of <i>p</i> -Nitrobiphenyl: Ligand-Free Coupling Using Pd/C	87
1.4.4	The Stille Reaction	87

- 1.4.4.1 The Cu Catalyzed Stille Reaction – Synthesis of *N*-Ethyl-*N*-(phenyl-*p*-tolylmethyl)benzamide 87
- 1.4.5 The Sonogashira-Hagihara Reaction 87
- 1.4.5.1 The Copper-Free Catalytic Synthesis of Diphenylethyne 87
- 1.4.5.2 Sonogashira-Hagihara Cross-Coupling with Arenediazonium Salts – Synthesis of 1-(4-Methoxyphenyl)-2-phenylacetylene 87
- 1.4.6 The Suzuki–Miyaura Reaction 88
- 1.4.6.1 Synthesis of 4-(2,6-Dimethylphenyl)-3,5-dimethylisoxazole Using Pd-PEPPSI-IPENT 88
- 1.4.6.2 Synthesis *p*-Phenylanisole via the Suzuki–Miyaura Reaction with a FibreCat-1034 Catalyst 88
- 1.4.7 Tamao–Kumada–Corriu Cross-Coupling Reaction 88
- 1.4.7.1 Synthesis of 2-(4-Methoxyphenyl)pyridine 88
- 1.4.8 Negishi-Baba Cross-Coupling 89
- 1.4.8.1 Synthesis of 1-Mesitylnaphthalene 89
- 1.4.9 Biaryl Synthesis with the Hindered Aryllithium Reagent, 2,6-Dimethoxyphenyllithium: Catalytic Synthesis of 1,3-Dimethoxy-2-(1-naphthyl)benzene 89
- References 89

- 2 Amine, Phenol, Alcohol, and Thiol Arylation 95**
- 2.1 Introduction 95
- 2.2 Pd-Catalyzed Processes 98
- 2.2.1 Buchwald–Hartwig Arylations (C^{Ar} –NR Bond Formation) 98
- 2.2.2 Migita Thioether Synthesis (C^{Ar} –SR Bond Formation) 109
- 2.2.3 Arylether Synthesis (C^{Ar} –OR Bond Formation) 113
- 2.2.4 Phosphorous Arylations (C^{Ar} –P Bond Formation) 117
- 2.2.4.1 Pd-Catalyzed Phosphorous Arylations (C^{Ar} –P Bond Formation) 117
- 2.3 Cu-Catalyzed and Promoted Arylations: (C^{Ar} –N Bond Formation) 118
- 2.3.1 Arylamines (C–N Bond Formation) 118
- 2.3.1.1 The Modified Ullmann Reaction (Ullmann-Condensation-Type Arylations) 118
- 2.3.1.2 Use of Arylboronic Acids and Derivatives Instead of Arylhalides: Chan–Lam–Evans Coupling and Other Variants 123
- 2.3.2 Arylthioethers (C^{Ar} –S Bond Formation) 128
- 2.3.2.1 Use of Arylhalides 128
- 2.3.2.2 The Chan–Lam–Evans Variant (Use of Arylboronic Acids) 129
- 2.3.3 Arylethers (C^{Ar} –O Bond Formation) 129
- 2.3.3.1 The Copper-Catalyzed Ullmann Coupling Reaction 129
- 2.3.3.2 The Chan–Lam–Evans Reaction 131
- 2.3.4 Phosphorous Arylations (C^{Ar} –P Bond Formation) 133
- 2.4 Fe-Catalyzed Arylations 134
- 2.4.1 Fe-Catalyzed Aryl Amination: (C^{Ar} –N Bond Formation) 136
- 2.4.2 Arylethers (C^{Ar} –O Bond Formation) 136
- 2.4.3 Arylthioethers (C^{Ar} –S Bond Formation) 136
- 2.5 Ni-Catalyzed Reactions 137
- 2.5.1 Ni-Catalyzed Amine Arylation: (C^{Ar} –N Bond Formation) 137
- 2.5.2 Ni-Catalyzed Sulfide Arylation: (C^{Ar} –S Bond Formation) 138
- 2.5.3 Ni-Catalyzed Phosphorous Arylations (C^{Ar} –P Bond Formation) 138
- 2.6 Co-Catalyzed Arylations 139
- 2.6.1 Co-Catalyzed Amine Arylations: (C^{Ar} –N Bond Formation) 139
- 2.6.2 Co-Catalyzed Sulfide Arylation: (C^{Ar} –S Bond Formation) 139
- 2.7 Mn-Catalyzed Arylations 140

- 2.7.1 Mn-Catalyzed Amine Arylations: ($C^{Ar}-N$ Bond Formation) 140
- 2.7.2 Mn-Catalyzed Sulfide Arylation: ($C^{Ar}-S$ Bond Formation) 140
- 2.8 Cd-Catalyzed Arylations 140
- 2.8.1 Cd-Catalyzed Aryl Amination: ($C^{Ar}-N$ Bond Formation) 140
- 2.9 Bi(III) and Indium Oxide-Catalyzed Thiol Arylations 141
- 2.10 Conclusions and Final Comment 141
- 2.11 Selected Experiments from the Literature 141
- 2.11.1 Amine Arylations 141
- 2.11.1.1 The Buchwald–Hartwig Amine Arylation 141
- 2.11.1.2 Copper-Catalyzed Amine Arylations 142
- 2.11.1.3 Fe Arylations 143
- 2.11.2 Thiol Arylation 143
- 2.11.2.1 Palladium-Catalyzed Arylation 143
- 2.11.2.2 Copper-Catalyzed Thiol Arylation 144
- 2.11.2.3 Fe Catalysis 144
- 2.11.3 Etherification Cross-Coupling Reactions 144
- 2.11.3.1 With Palladium 144
- 2.11.3.2 With Iron 145
- References 145
- 3 Decarboxylative Coupling Techniques 151**
- 3.1 Introduction 151
- 3.2 Pd-Catalyzed Versions 152
- 3.2.1 Pd-Based Systems 152
- 3.2.2 Pd/Cu-Based Systems 159
- 3.3 Other Metal-Catalyzed Versions 163
- 3.3.1 Cu-Based Systems 163
- 3.3.2 Other Metal-Based Systems 165
- 3.4 Conclusions 166
- 3.5 Selected Experiments 169
- 3.5.1 Application of Pd Catalysts 169
- 3.5.1.1 Synthesis of 2-(3-Pyridyl)-1-methylpyrrole 169
- 3.5.1.2 Synthesis of 1-Methyl-2,3-bis(4-(trifluoromethyl)phenyl)-1*H*-indole 169
- 3.5.1.3 Synthesis of 2,6-Dimethoxybiphenyl 169
- 3.5.1.4 Synthesis of 7-(Diethylamino)-3-(4-methoxyphenyl)-2*H*-chromen-2-one 169
- 3.5.1.5 Synthesis of 4-(2-Nitrophenyl)benzophenone 170
- 3.5.1.6 Synthesis of 3,4'-Dimethyl-4-nitrobiphenyl 170
- 3.5.1.7 Synthesis of 4-Methylbenzophenone 170
- 3.5.1.8 Synthesis of N-[(1-Naphthyl)(phenyl)methylene]cyclohexanamine 170
- 3.5.1.9 Synthesis of 2,3,4,5,6-Pentafluoro-2'-methylbiphenyl 171
- References 171
- 4 C–H Bond Activation for Arylations 173**
- 4.1 Introduction 173
- 4.2 $C(sp^2)$ -H Activations 176
- 4.2.1 Involving Ar/Ar Couplings $C(sp^2)$ -H Activations 176
- 4.2.1.1 Directed Metalating Group (DMG)-Assisted $C(sp^2)$ -H Activations Direct Arylation 176
- 4.2.2 Involving Ar/C=X (X = C, O, N) Couplings $C(sp^2)$ -H Activations 194
- 4.2.2.1 DMG Ar/C=X (X = C, O, N) Couplings $C(sp^2)$ -H Activations 194
- 4.2.2.2 Non-DMG Ar/C=X (X = C, O, N) Couplings $C(sp^2)$ -H Activations 216

- 4.2.3 Involving Ar/Alkyne Couplings C(sp²)-H Activations 217
- 4.2.3.1 DMG Ar/Alkyne Couplings C(sp²)-H Activations 217
- 4.2.3.2 Non-DMG Ar/Alkyne Couplings C(sp²)-H Activations 229
- 4.2.4 Involving Ar/Alkyl Couplings 229
- 4.2.4.1 DMG Assisted Ar/Alkyl Couplings C(sp²)-H Activations 231
- 4.2.4.2 Non-DMG Assisted Ar/Alkyl Couplings C(sp²)-H Activations 235
- 4.2.5 Involving Ar/N Couplings C(sp²)-H Activations 239
- 4.2.6 Involving Ar/Other Heteroatom Couplings 240
- 4.3 Conclusions 240
- 4.4 Selected Experiments from the Literature 240
- 4.4.1 C^{Ar}-H Arylation 240
- 4.4.1.1 With Palladium 240
- 4.4.1.2 With Rhodium 241
- 4.4.1.3 With Ruthenium 242
- 4.4.2 C^{Ar}-H C=X (X = C, O, N) Cross-Coupling 242
- 4.4.2.1 With Rhodium 242
- 4.4.2.2 With Ruthenium 242
- 4.4.3 C^{Ar}-H Alkyne Cross-Couplings 243
- 4.4.3.1 With Rhodium 243
- References 243

- 5 Conjugate Additions 247**
- 5.1 Conjugate Additions: A Powerful Tool for Appending Organic Residues to Cyclic and Acyclic Substrates 247
- 5.2 Applications of Rh Catalysts 248
- 5.3 Applications of Pd Catalysts 270
- 5.4 Applications of Ru and Other Catalysts 279
- 5.4.1 Ruthenium 279
- 5.4.2 Copper 280
- 5.4.3 Nickel 285
- 5.5 Conclusions 286
- 5.6 Selected Experiments 287
- 5.6.1 Application of Rh Catalysts 287
- 5.6.1.1 Synthesis of (*S*)-3-Phenylcyclohexanone 287
- 5.6.1.2 Synthesis of a Bidentate Phosphoramidite Ligand: *N,N*-Dimethyl (*R,R*)-*O*-linked-phosphoramidite 287
- 5.6.1.3 Synthesis of (*R*)-3-(2-Naphthyl)cyclohexanone 287
- 5.6.2 Application of Pd Catalysts 287
- 5.6.2.1 Synthesis of (-)-2-(Biphenyl-4-yl)-4-oxo-piperidine-1-carboxylic acid *tert*-Butyl Ester 287
- 5.6.3 Application of Cu Catalysts 288
- 5.6.3.1 Synthesis of (*R*)-(+)-3-Ethyl-3-methylcyclohexanone 288
- References 288

- 6 Imine Arylations–Synthesis of Arylamines 292**
- 6.1 Arylation of C=N Bonds: Simple Access to Chiral Amine Units 292
- 6.2 Application of Rh Catalysts 292
- 6.3 Application of Pd Catalysts 305
- 6.4 Application of Ru and Other Catalysts 313
- 6.4.1 Ruthenium 313
- 6.4.2 Zinc 314

- 6.4.3 Copper 314
- 6.5 The Petasis– Akritopoulou Reaction 315
- 6.6 Conclusions 322
- 6.7 Selected Experiments 324
- 6.7.1 Application of Rh Catalysts 324
- 6.7.1.1 Synthesis of (*S*)-*N*-[(2-Furyl)phenylmethyl]-4-methylbenzenesulfonamide 324
- 6.7.1.2 Synthesis of *N*-(1-(4-Chlorophenyl)-1-phenylpropyl)-tosylamide 324
- 6.7.1.3 Synthesis of *N*-[(4-Methoxy-2-methylphenyl)(phenyl)methyl]-4-nitrobenzenesulfonamide 324
- 6.7.2 Application of Pd Catalysts 325
- 6.7.2.1 Synthesis of [(4-Fluorophenyl)phenylmethyl]carbamic acid *tert*-butyl ester 325
- 6.7.3 Application of Ru and Other Catalysts 325
- 6.7.3.1 Synthesis of *N*-[(2-chlorophenyl)(phenyl)methyl]-4-methylbenzenesulfonamide 325
- 6.7.3.2 Synthesis of Ethyl 2-(4-(dimethylamino)phenyl)-2 ((methoxycarbonyl)amino)acetate 325
- 6.7.4 The Petasis– Akritopoulou Reaction 326
- 6.7.4.1 Synthesis of (\pm)-*N*-(Diphenylmethyl)- α -phenylglycine 326
- 6.7.4.2 Synthesis of (*R*)-2-((4-(Benzyloxy)phenyl)(pyrrolidin-1-yl)methyl)phenol 326
- 6.7.4.3 Synthesis of Ethyl 2-phenyl-2-(pyrrolidin-1-yl)acetate 326
- References 326

7 Carbonyl Group Arylation 329

- 7.1 Introduction 329
- 7.2 Application of Rh Catalysts 329
- 7.2.1 Additions to Aldehydes 330
- 7.2.2 Addition to Ketones 342
- 7.3 Application of Pd Catalysts 349
- 7.4 Application of Ru and Other Catalysts 355
- 7.4.1 Ruthenium Catalysis 355
- 7.4.2 Nickel Catalysis 357
- 7.4.3 Copper Catalysis 361
- 7.4.4 Platinum Catalysis 362
- 7.4.5 Iron Catalysis 363
- 7.4.6 Zinc Catalysis 365
- 7.4.7 Titanium Catalysis 367
- 7.5 Conclusions 370
- 7.6 Selected Experiments 370
- 7.6.1 Application of Rh Catalysts 370
- 7.6.1.1 Synthesis of (*R*)-(1-Naphthyl)phenylmethanol 370
- 7.6.1.2 Synthesis of (*S*)-(2-Chlorophenyl)(mesityl)methanol 370
- 7.6.1.3 Synthesis of (*R*)-Benzo[*d*] [1,3]dioxol-5-yl(phenyl)methanol 371
- 7.6.1.4 Synthesis of 1-*p*-Tolyl-1,2,3,4-tetrahydronaphthalen-1-ol 371
- 7.6.1.5 Synthesis of (*S*)-5-Chloro-3-(3,5-dimethylphenyl)-3-hydroxy-1-(4-methoxybenzyl)indolin-2-one 371
- 7.6.2 Application of Pd Catalysts 371
- 7.6.2.1 Synthesis of 3-Phenyl-3-hydroxy-2,3-dihydrobenzofuran 371
- 7.6.3 Application of Ru Catalysts 372
- 7.6.3.1 Synthesis of (*S*)-(4-Chlorophenyl)phenylmethanol 372
- 7.6.4 Application of Cu Catalysts 372
- 7.6.4.1 Synthesis of (*S*)-(4-Chlorophenyl)(phenyl)methanol 372
- 7.6.5 Application of Zn Catalysts 372

- 7.6.5.1 Synthesis of (*R*)-(Cyclohexyl)phenylmethanol 372
- 7.6.5.2 Synthesis of (*R*)-2,2-Dimethyl-1-phenylpropanol 372
- 7.6.5.3 Synthesis of 1-(4'-Methylphenyl)-1-phenylethanol 373
- References 373

8 α -Arylation Processes 376

- 8.1 Introduction 376
- 8.2 Arylation of Enolates and Equivalents 377
 - 8.2.1 Arylation of Ketones and Aldehydes 377
 - 8.2.1.1 Ketones 377
 - 8.2.1.2 Aldehydes 397
 - 8.2.2 Arylation of Amides 399
 - 8.2.3 Arylation of Esters 412
- 8.3 Other Metal-Catalyzed α -Arylations 419
 - 8.3.1 Copper Catalysts 419
 - 8.3.2 Nickel Catalysts 425
- 8.4 Conclusions 427
- 8.5 Selected Experiments 428
 - 8.5.1 Arylation of Enolates and Equivalents 428
 - 8.5.1.1 Synthesis of 2-(4-Biphenyl)-4-methyl-3-pentanone 428
 - 8.5.1.2 Synthesis of α -(*o*-Tolyl)acetophenone 430
 - 8.5.1.3 Synthesis of 1-Benzyl-4-methyl-1,2,3,4-tetrahydro-4-quinolinol 430
 - 8.5.1.4 Synthesis of (*R*)-1,3-Dimethyl-3-phenylindolin-2-one 430
 - 8.5.1.5 Synthesis of *tert*-Butyl (6-methoxynaphthalen-2-yl)acetate 430
 - 8.5.1.6 Synthesis of *tert*-Butyl α -mesitylpropanoate 430
 - 8.5.2 Other Metal-Catalyzed α -Arylations 431
 - 8.5.2.1 Synthesis of 1-Benzyl-6-chloro-5-fluoro-3-(1-hydroxyethylidene)indolin-2-one 431
 - 8.5.2.2 Synthesis of (*S*)-2-Phenyl-1-octanol 431
 - 8.5.2.3 Synthesis of 2-Methyl-2-(4-(trifluoromethyl)phenyl)-2,3-dihydro-1*H*-inden-1-one 431
- References 432

9 Catalytic Cycloaddition Aromatization Processes 436

- 9.1 Introduction 436
- 9.2 Cycloaddition Events 436
 - 9.2.1 [2+2+2] Cycloadditions 436
 - 9.2.1.1 With Rhodium 437
 - 9.2.1.2 With Cobalt 443
 - 9.2.1.3 With Ruthenium 445
 - 9.2.1.4 With Palladium 448
 - 9.2.1.5 With Iron 452
 - 9.2.1.6 With Nickel 452
 - 9.2.1.7 With Titanium 452
 - 9.2.1.8 With Iridium 454
 - 9.2.1.9 With Copper 454
 - 9.2.2 [3+2]-Cycloadditions for the Synthesis of Aromatic Compounds 455
 - 9.2.2.1 The Huisgen's Reaction 455
 - 9.2.2.2 Tetrazole Synthesis 469
 - 9.2.2.3 Pyrrole Synthesis 472
 - 9.2.2.4 The Diels-Alder Reaction 474
- 9.3 Radical-Based Cycloaromatization Processes 474

9.3.1	The Catalytic Bergman Cyclization	474
9.3.2	The Catalytic Myers-Saito Cyclization	481
9.4	Conclusions	482
9.5	Selected Experiments from the Literature	482
9.5.1	[2+2+2]-Cycloaddition	482
9.5.1.1	Rhodium-Catalyzed Synthesis of 2, 4, 5, 7-Tetraphenylisoindoline	482
9.5.1.2	Cobalt Catalyzed Synthesis of 2-(2-Methoxy-1-naphthyl)-6-phenyl-7,8-dihydro-5H-cyclopenta-[c]pyridine	482
9.5.1.3	Palladium-Catalyzed Synthesis of an Aromatic Hexa-ester	483
9.5.1.4	Iron-Catalyzed Synthesis of 3,6-Dimethyl-2- <i>n</i> -butyl pyridine	483
9.5.2	[3+2]-Cycloaddition: Click-Chemistry	484
9.5.2.1	Cu-Catalyzed Synthesis of 17-[3-(1-(1,2,3-Triazolyl))]estradiol	484
9.5.2.2	Organocatalytic Synthesis of 1,5-Diphenyl-1 <i>H</i> -1,2,3-triazole	484
9.5.2.3	CuI-NBS-Mediated Synthesis of <i>N</i> -[5''-(Phenylthio)Phosphorylethoxyethyl]-2',3'- <i>O</i> - isopropylidene-5'-phosphoryl-5- <i>I</i> -1,2,3-triazole-4-amide-1- <i>D</i> -ribofuranoside	485
9.5.2.4	Ru-Catalyzed Synthesis of 1-Benzyl-5-phenyl-1 <i>H</i> -1,2,3-triazole	485
9.5.2.5	Synthesis of 1-(2-Methylbenzyl)-5-benzoyl tetrazole	485
9.5.2.6	Catalytic Synthesis of Dimethyl 3-Cyclopropyl-1 <i>H</i> -pyrrole-2,4-dicarboxylate	486
	References	486

Index 491