

Fragrance Oils and Extracts

Table of Contents

Chemical Composition of Patchouli Oil from Vietnam <i>N.X. Dung, P.A. Leclercq, T.H. Thai and L.D. Moi</i>	
The Production of <i>Pelargonium graveolens</i> Oil by Shoot and Plant Tissue Culture <i>S. Takemoto, H. Katagi, E. Takahashi, N. Naito, M. Inui and G. Okuyama....</i>	2
Extraction of Essential Oils. Part III. Two-Stage Production of the Oil of <i>Lavandula angustifolia</i> Mill. <i>T. Bernard, F. Perineau, M. Delmas and A. Gaset</i>	5
The Essential Oil of <i>Santolina chamaecyparissus</i> L. <i>M. Derbesy, J. Touche and A. Zola</i>	9
Headspace Analysis of <i>Osmanthus fragrans</i> Lour. <i>D. Ding, M. Zhu, Z. Huang and Z. Song.....</i>	13
Quantitative Genetical Aspects of <i>Chamomila recutita</i> (L.) Rauschert <i>H. Massoud and Ch. Franz</i>	15
Variation in Yields and Quality of Geranium (<i>Pelargonium graveolens</i> L'Her. Ex. Aiton) Under Varied Climatic and Fertility Conditions <i>B.R. Rajeswara Rao, K.P. Sastry, E.V.S. Prakasa Rao and S.I. Ramesh.....</i>	20
Chemical Composition of <i>Cymbopogon martinii</i> (Roxb.) Wats. Var. <i>Martinii</i> <i>N. Siddiqui and S.C. Garg</i>	24
The Effect of Water Stress on Yield Components and Essential Oil of <i>Pelargonium graveolens</i> L. <i>E. Putievsku, U. Ravid and N. Dudai</i>	25
Chemical Composition of Natural and Empyreumatic Oils and Extracts from <i>Juniperus oxycedrus</i> and <i>Juniperus phoenicea</i> Wood <i>J-C. Chalchat, R-P. Garry, A. Michet and L. Peyron.....</i>	28
Quantitative Genetical Aspects of <i>Chamomila recutita</i> (L.) Rauschert II. Genotype-Environment Interactions and Proposed Breeding Methods <i>H.Y. Massoud and Ch. M. Franz.....</i>	32
Volatile Constituents of the Essential Oil of <i>Santolina chamaecyparissus</i> L. <i>G. Vernin.....</i>	38
Essential Oil Profiles and their Possible Use in Hybridization of Some Common Scented Geraniums <i>M. Lis-Balchin</i>	41

New Volatile Constituents of the Flower Concrete of <i>Michelia champaca</i> L. <i>R. Kaiser</i>	45
The Chemical Composition of Spanish Myrtle Leaf Oils. Part I. <i>M.H. Boelens and R. Jimenez</i>	55
Differentiation between Resins <i>Boswellia carterii</i> and <i>Boswellia frereana</i> (Frankincense) of Somali Origin <i>G. Chiavari, G.C. Galletti, R. Piccaglia and M.A. Mohamud</i>	59
Comparison of Rose Extracts Produced by Different Extraction Techniques <i>G.K. Moates and J. Reynolds</i>	61
The Influence of Sowing and Harvest Time on the Essential Oils of <i>Chamomila recutita</i> (L.) Rausch. <i>O. Gasic, V. Lukic and D. Adamovic</i>	64
The Occurrence of 3-Phenylpropyl Isobutyrate in Roman Camomile Oil <i>F. Bassols and A.F. Thomas</i>	69
Volatile Leaf Oils of Caribbean Myrtaceae. I. Three Varieties of <i>Pimenta racemosa</i> (Miller) Moore of the Dominican Republic and the Commercial Bay Oil <i>A.O. Tucker, M.J. Maciarello, R.P. Adams, L.R. Landrum and T.A. Zanoni</i>	
Composition of the Essential Oil of <i>Cupressus sempervirens</i> L. Cones from Greece <i>A. Loukis, E. Tsitsa-Tzardi, M. Kouladi and Yuemei Ma</i>	77
Constituents of <i>Santalum spicatum</i> (R.Br.) DC Wood Oil <i>J.J. Brophy, C.J.R. Fookes and E.V. Lassak</i>	78
The Chemical Composition of the Flower Oil and the Leaf oil of <i>Michelia alba</i> D.C <i>Y. Ueyama, S. Hashimoto, H. Nii and K. Furukawa</i>	81
New Organoleptically Important Constituents from Narcissus Absolute (<i>Narcissus poeticus</i> L. <i>Ch. Ehret, P. Maupetit and M. Petrzilka</i>	86
The Chemical Composition of Spanish Myrtle Oils. Part II <i>M.H. Boelens and R. Jimenez</i>	91
Constituents of Rose Oil from Kangra Valley, H.P. India <i>R.P. Sood, B. Singhand and V. Singh</i>	
Chemical Composition of Niaouli Essential Oils from Madagascar <i>P.A.R. Ramanoelina, J.-P. Bianchini, M. Andriantsiferana, J. Viano and E.M. Gaydou</i>	
Contribution to the Study of the Essential Oil of <i>Thuja occidentalis</i> L. <i>P.D. Kamdem, J.W. Hanover and D.A. Gage</i>	99
High Pressure CO ₂ Extraction from Geranium Plants <i>A.S. Reis Machado, R. Gomes de Azevedo, R.M.A. Sardinha and N. Nunes da Ponte</i> .	
Composition of the Oil of Rose-Scented Geranium (<i>Pelargonium</i> sp.) Grown Under the Semiarid Tropical Climate of South India <i>A.K. Bhattacharya, P.N. Kaul, B.R. Rajeswara Rao, S.I. Ramesh and G.R. Mallavarapu</i>	101

Inter-Tree Variation of Essential Oil Composition of <i>Thuja occidentalis</i> L. <i>P.D. Kamdem and J.W. Hanover</i>	
Components of the Volatile Concentrate of Agarwood <i>M. Ishihara, T. Tsuneya and K. Uneyama</i>	
Changes in Profiles of Essential Oils of Rose-Scented Geranium (<i>Pelargonium</i> sp.) During Leaf Ontogeny <i>B.R. Rajeswara Rao, A.K. Bhattacharya, P.N. Kaoul, S. Chand and S.I. Ramesh</i>	116
Constituents of Brazilian Chamomile Oil <i>F.J.A. Matos, M.I.L. Machado, J.W. Alencar and A.A. Craveiro</i>	
Components of the Agarwood Smoke on Heating <i>M. Ishihara, T. Tsuneya and K. Uneyama</i>	
Chemical and Agronomical Investigations of a New Chemotype of Geranium <i>G.R. Mallavarapu, E.V.S. Prakasa Rao, S. Ramesh and M.R. Narayana</i> ..	
Pentane Extracts of the Roots of <i>Angelica archangelica</i> L. from France <i>J.C. Chalchat and R.Ph. Garry</i>	127
Mass Spectra and Kovats Indices of Some Phenylpropanoic Acid Esters Found in the Essential Oil of <i>Cistus ladaniferus</i> L <i>G. Vernin</i>	
Chemical Composition of Algerian Cypress Essential Oil <i>N. Chanegriha, A. Baaliouamer, B.-Y. Meklati, J. Favre-Bonvin and S. Alamercery</i>	
A New Drimane Sesquiterpene, Isomers of Manoyl Oxide and Other Volatile Constituents from the Resin "Ladano" of <i>Cistus incanus</i> subsp. <i>Creticus</i> (L.) Heywood <i>C. Demetzos, S. Mitaku, A. Loukis, C. Harvala and A. Gally</i>	1
Composition of the Volatile Fraction from Honduras Styrax, <i>Liquidambar styraciflua</i> L. <i>J.-C. Chalchat, R.-P. Garry and J.-P. Matthieu</i>	141
The Chemical Composition of the Essential Oil of <i>Cymbopogon flexuosus</i> (Steud) Wats. Growing in Northeast India <i>S.C. Nath, B.N. Saha, D.N. Bordoloi, R.K. Mathur and P.A. Leclercq</i>	
Essential Oil Components in Sawdust of <i>Cedrus atlantica</i> from Morocco <i>J.-C. Chalchat, R.-Ph. Garry, A. Michet and B. Benjilal</i>	145
Indole in Tuberose (<i>Polianthes tuberosa</i>) Varieties <i>M.V. Chandravadana, M. Srinivas and N. Murthy</i>	
Chemical Composition of the Essential Oil of <i>Rosa centifolia</i> L. Petals <i>J. Gora, A. Lis and D. Kalemba</i>	150
Two Commercial Oils of Ravensara from Madagascar: <i>R. anisata</i> Danguy and <i>R. aromatica</i> Sonn. (Lauraceae) <i>A.O. Tucker and M.J. Maciarelllo</i>	152
Chemical Composition of and Australian Geranium Oil <i>I.A. Southwell and I.A. Stiff</i>	154

Essential Oils of <i>Salvia sclarea</i> L. Produced from Plants Grown in Southern Uzbekistan <i>Kh.K. Dzumayev, I.A. Tsibulskaya, I.G. Zenkevich, K.G. Tkachenko and I.F. Satzyperova.</i>	
Leaf Oil of <i>Melaleuca quinquenervia</i> from Benin <i>M. Moudachirou, J.D. Gbenou, F.-X. Garneau, F.-I. Jean, H. Gagnon, K.H. Koumaglo and I. Addae-Mensah</i>	161
Aromatic Plants from Tropical West Africa. IV. Chemical Composition of Leaf Oil of <i>Pimenta racemosa</i> (Miller) J.W. Moore var. <i>racemosa</i> from Benin <i>A.M. Ayedoun, B.S. Adeoti, J. Setondji, C. Menut, G. Lamaty and J.-M. Bessiere</i>	
Chemical Composition of the Leaf Oil of <i>Pimenta dioica</i> L. from Cuba <i>J.A. Pino and A. Rosado</i>	165
Minor Compounds from <i>Cistus ladaniferus</i> L. Essential Oil from Esterel. 2. Acids and Phenols <i>I. Guy and G. Vernin</i>	167
Investigation of the Essential Oil of <i>Pandanus fascicularis</i> Lam. by GC/MS <i>A.A. Naqvi and S. Mandal</i>	
Composition of the Essential Oil of Lavender (<i>Lavandula angustifolia</i> Mill.) from Lithuania <i>P.R. Venskutonis, A. Dapkevicius and M. Baranauskiene</i>	177
Changes in Chemical Composition of Rose-Scented Geranium (<i>Pelargonium</i> sp.) Oil During Storage <i>P.N. Kaul, B.R. Rajeswara Rao, A.K. Bhattacharya, G.R. Mallavarapu and S.I. Ramesh</i>	180
Essential Oil of Sage (<i>Salvia officinalis</i> L.) Grown in Cuba <i>J.A. Pino, M. Estarron and V. Fuentes</i>	182
Chemical Composition of Myrtle Leaf Essential Oil from Corsica (France) <i>P. Bradesi, F. Tomi, J. Casanova, J. Costa and A.F. Bernardini</i>	
Essential Oils of Three <i>Angelica</i> L. species Growing in France. Part I. Root Oils <i>C. Bernard and G. Claire</i>	188
Essential Oil of Angelica Roots (<i>Angelica archangelica</i> L.): Optimization of Distillation, Location in Plant and Chemical Composition <i>J.-C. Chalchat and R.-P. Garry</i>	193
Inter-Specific and Inter-Cultivar Variations in the Essential Oil Profiles of Lemongrass <i>A.K. Bhattacharya, P.N. Kaul, B.R. Rajeswara Rao, S.I. Ramesh and G.R. Mallavarapu</i>	
Characterization of the Macrolide Fraction of Angelica Root Oil and Enantiomeric Composition of 12-Methyl-13-tridecanolide <i>K. Schultz and P. Kraft</i>	
GC and GC/MS Leaf Oil Analysis of Four Algerian Cypress Species <i>N. Chanegriha, A. Baaliouamer, B.-Y. Meklati, J.R. Chretien and G. Keravis</i>	205
Volatile Leaf Oil of the Curry Plant [<i>Helichrysum italicum</i> Roth G. Don subsp. <i>italicum</i>] and Dwarf Curry Plant [subsp. <i>Microphyllum</i> (Willd.) Nyman] in the North American Herb Trade <i>A.O. Tucker, M.J. Maciarello, D.I. Charles and I.E. Simon</i>	209

Solvent Extraction and Supercritical Carbon Dioxide Extraction of <i>Pimenta dioica</i> Merrill. Leaf J.A. Pino, J. Garcia and M.A. Martinez	
Comparison of Volatile Compounds from <i>Olibanum</i> from Various Countries S. Hayashi, H. Anemori, H. Kameoka, M. Hanafusa and K. Furukawa	214
Chemical Composition of the Essential Oil of <i>Tagetes minuta</i> L from Zambia E.H. Chisowa, D.R. Hall and D.I. Farman	
Aberrations in the Composition of the Herb Oil of Rose-Scented Geranium (<i>Pelargonium</i> species) P.N. Kaul, B.R. Rajeswara Rao and G.R. Mallavarapu	
GC/MS Analysis of Volatile Components of Everlasting (<i>Helichrysum stoechas</i> L.) Essential Oil G. Vernin and J.C. Poite.....	223
Study on Roman Chamomile (<i>Chamaemelum nobile</i> L. All.) Oil A. Antonelli and C. Fabbri.....	
Essential Oils of Myrtle (<i>Myrtus communis</i> L.) of the Mediterranean Littoral J.-C. Chalchat, R.-P. Garry and A. Michet.....	
Composition of the Essential Oils of Wild <i>Chamomila recutita</i> (L.) Rausch. Grown in Greece V. Papazoglou, T. Anastassaki, C. Demetzos and A. Loukis.....	234
Hinokitiol (B-Thujaplicin) from the Essential Oil of Hinoki [<i>Chamaecyparis obtusa</i> (Sieb. Et Zucc.) Endl.] K. Fujimori, A. Kaneko, Y. Kitamori, M. Aoki, M. Makita, N. Masuda and K. Hokari.....	236
Comparison of the Volatile Composition of Clary Sage Oil Obtained by Hydrodistillation and Supercritical Fluid Extraction E. Ronyai, B. Simandi, E. Lemberkovics, T. Veress and D. Patiaka.....	2
Chiral Excess: Measuring the Chirality of Geographically and Seasonally Different Geranium Oils L. Doimo, R.J. Fletcher and B.R. D'Arcy	240
A Comparison of the Oils of Rose-Scented Geranium (<i>Pelargonium</i> sp.) Propagated by Tissue Culture and Cuttings E.H. Chisowa, W.K. Chishimba, D.R. Hall and D.I. Farman	246
Essential Oil Composition of <i>Thuja occidentalis</i> L. samples from Slovakia E. Svajdlenska, P. Martonfi, I. Tomasko, D. Grancai and M. Nagy	249
Comminution of Plant Material and Its Effect on the Quantity of Rose-Scented Geranium (<i>Pelargonium</i> species) Oil B.R. Rajeswara Rao, P.N. Kaul, G.R. Mallavarapu and S. Ramesh	252
Esters in Australian Geranium Oil (<i>Pelargonium</i> Hybrid) L. Doimo, R.J. Fletcher and B.R. D'Arcy	
Chemical Composition of a Commercial Oil of <i>Ravensara aromatica</i> sonn. Used in Aromatherapy Y. Holm and R. Hiltunen	
The Composition of Commercial Manuka Oils from New Zealand F. Christoph, K.H. Kubeczka and E. Stahl-Biskup.....	260

The Impact of Wilt Disease on Oil Yield and Quality of Two Cultivars of Rose-Scented Geranium (<i>Pelargonium</i> Species) B.R. Rajeswara Rao, A.K. Bhattacharya, H.B. Singh and G.R. Mallavarapu	
Commercial "Rose of Cedar" Oil, the Wood Oil of Port Orford Cedar, <i>Chamaecyparis lawsoniana</i> (A. Murray) Parl. (Cupressaceae) A.O. Tucker, M.J. Maciarelloland and J.J. Karchesy	
A Comparative Study on the Needle Volatile Constituents of Three Abies Species Grown in South Balkans V. Roussis, M. Couladis, O. Tzakou, A. Loukis, P.V. Petrakis, N.M. Dukic and R. Jancic	271
Comparison Between the Essential Oil of <i>Myrtus communis</i> L. Obtained from Naturally Grown and In Vitro Plants K.P. Savikin-Fodulowic, V.M. Bulatovic, N.R. Menkovic and D.V. Grubisic	
Chemical Composition of Albanian Myrtle Oil (<i>Myrtus communis</i> L. U. Asslani	278
Chemical Composition of the Essential Oils of Kewda and Ketaki R. Misra, P.K. Dash and Y.R. Rao	280
Chemical Composition of The Essential Oil of <i>Cymbopogon citratus</i> (DC.) Stapf. from Cuba J.A. Pino and A. Rosado	283
Essential Oils of Cultivated <i>Cymbopogon winterianus</i> (Jowitt) and of <i>C. citratus</i> (DC) (Stapf.) from Zimbabwe L.S. Chagonda, C. Makanda and J.-C. Chalchat	285
Chemical Composition of Turkish Myrtle Oil T. Ozek, B. Demirci and K.H.C. Baser	287
Composition of Essential Oils of <i>Pinus sylvestris</i> L. from Different Locations in Lithuania P.R. Venskutonis, K. Vyskupaityte and R. Plausinaitis	290
The Volatiles of the Leaves and Wood of Lebanon Cedar (<i>Cedrus libani</i> A. Rich.) Aromatic Plants of the Holy Land and the Sinai. Part XIV A. Fleischer and Z. Fleischer	294
Essential Oil of Rose-Scented Geranium (<i>Pelargonium</i> sp.) from Cuba J.A. Pino, A. Rosado and V. Fuentes	
Azulenes, Costols and γ -Lactones from Cypress-Pines (<i>Callitris columellaris</i> , <i>C. glaucophylla</i> and <i>C. intratropica</i>) Distilled Oils and Methanol Extracts L. Doimo	
Aromatic Plants of Mali (IV): Chemical Composition of Essential Oils of <i>Cymbopogon citratus</i> (DC) Stapf and <i>C. giganteus</i> (Hochst.) Chiov. L. Sidibe, J.-C. Chalchat, R.-P. Garry, L. Lacombe and M. Harama	303
Volatile Constituents of the Essential Oil of <i>Santolina chamaecyparissus</i> L. from the Southern Hills of India S.N. Garg, D. Gupta, V.K. Mehta and S. Kumar	306
Essential Oils of Three <i>Angelica</i> L. Species Growing in France. Part II. Fruit Oils C. Bernard	308

Essential Oil Quantity and Composition from 10 Cultivars of Organically Grown Lavendar and Lavandin <i>E.N.C. Renaud, D.J. Charles and J.E. Simon</i>	
Essential Oil of <i>Abies alba</i> Mill., Pinaceae, from the Pilot Production in Montenegro <i>J.-C. Chalchat, L. Sidibe, Z.A. Maksimovic, S.D. Petrovic and M.S. Gorunovic.</i>	
Coumarin-Containing Grass: Volatiles from Sweet Vernalgrass (<i>Anthoxanthym odoratum</i> L. <i>A. Tava</i>	
Composition of the Essential Oil from Wild Carrot Umbels (<i>Daucus carota</i> L. ssp. <i>carota</i>) Growing in Poland <i>M. Staniszewska and J. Kula</i>	322
Volatile Constituents of <i>Acacia caven</i> (Mol.) Mol. Flower Concrete from Species Growing in Argentina <i>R.A. Malizia, D.A. Cardell, J.S. Molli and R.J. Grau</i>	325
Chemical Composition of <i>Melaleuca quinquenervia</i> (Cav.) S.T. Blake Leaf Oil from India <i>J. Philippe, P. Goeb, G. Suvarnalatha, R. Sankar and S. Suresh</i>	
Seasonal Variation in Essential Oil Compositions of <i>Cupressus sempervirens</i> L. <i>M. Milos, A. Radonic and J. Mastelic</i>	330
Comparative Study of Leaf, Fruit and Flower Essential Oils of Croatian <i>Myrtus communis</i> (L.) During a One-Year Vegetative Cycle <i>I. Jerkovic, A. Radonic and I. Borcic</i>	
Chemical Composition of the Colatiles of Angelica Root Obtained by Hydrodistillation and Supercritical CO ₂ Extraction <i>N. Paroul, L. Rota, C. Frizzo, A.C.A. dos Santos, P. Mopyna, A.E. Gower, A.A. Serafini and E. Cassel</i>	337
Essential Oil of Chamomile, <i>Chamomilla recutita</i> (L.) Rausch., from Iran <i>J.A. Pino, F. Bayat, R. Marbot and J. Aguero</i>	
Constituents of the Essential Oil of <i>Commiphora myrrha</i> (Nees) Engl. Var. <i>molmol</i> <i>K. Morteza-Semnani and M. Saedi</i>	343
Isolation of Anisyl Acetone from Agarwood Oil <i>M. Meier, B. Kohlenberg and N.A. Braun</i>	
Isolation and Chiral GC Analysis of B-Bisabolols - Trace Constituents from the Essential Oil of <i>Santalum album</i> L. (Santalaceae) <i>N.A. Braun, M. Meier and W. Pickenhagen</i>	348
Composition of the Essential Oil from the Flowerheads of <i>Chamaemelum nobile</i> (L.) All. (Asteraceae) Cultivated in Slovak Republic <i>P. Farkas, M. Holla, S. Vaverkova, B. Stahlova, J. Tekel and E. Havranek</i>	
Analysis of the Colatile Concentrate of the Leaves and Flowers of <i>Helichrysum italicum</i> (Roth) Don ssp. <i>microphyllum</i> (Willd.) Nymen (Asteraceae) by Supercritical Fluid Extraction and Their Essential Oils <i>B. Marongiu, A. Piras, E. Desogus, S. Porcedda and M. Ballero</i>	354
Western Australian Sandalwood Oil - New Constituents of <i>Santalum spicatum</i> (R. Br.) A. DC. (Santalaceae) <i>C. Valder, M. Neugebauer, M. Meier, B. Kohlenberg, F.-J. Hammerschmidt and N.A. Braun</i>	361

Interactive Use of Linear Retention Indices on Polar and Apolar Columns with an MS-Library for Reliable Characterization of Australian Tea Tree and Other <i>Melaleuca</i> sp. Oils <i>R. Shellie, P. Marriott, G. Zappia, L. Mondello and G. Dugo</i>	369
Vetiver DNA-Fingerprinted Cultivars: Effects of Environment on Growth, Oil Yields and Composition <i>R.P. Adams, R.N. Pandey, M.R. Dafforn and S.A. James</i>	377
<i>Santalum spicatum</i> (R.Br.) A. DC. (Santalaceae) - nor-Helifolenal and Acorenol Isomers <i>N.A. Braun, M. Meier, B. Kohlenberg, C. Valder and M. Neugebauer</i>	385
Geographical Location and Harvest Time Dependent Variation in the Composition of Essential Oils of <i>Jasminum sambac</i> (L.) Aiton <i>Y R Rao and P K Rout</i>	391