

---

# Contents

---

<i>About the authors</i>	xiv
<i>Preface</i>	xv
<i>Acknowledgments</i>	xvi
<b>1 Introduction to spray drying</b>	<b>1</b>
1.1 Introduction	1
1.2 Stage 1: Atomization	2
1.2.1 Principle of atomization	3
1.2.2 Classification of atomizers	4
1.2.2.1 Rotary atomizers	4
1.2.2.2 Pressure nozzle (or hydraulic) atomizer	6
1.2.2.3 Two-fluid nozzle atomizer	7
1.2.2.4 Ultrasonic atomizers	8
1.2.2.5 Electrohydrodynamic atomizers	9
1.3 Stage 2: Spray-air contact	11
1.4 Stage 3: Evaporation of moisture	13
1.5 Stage 4: Particle separation	15
1.5.1 Cyclone separator	15
1.5.2 Bag filter	15
1.5.3 Electrostatic precipitator	17
1.6 Morphology of spray dried particles	17
1.6.1 Skin-forming morphology with hollow internal structure	19
1.6.2 Blow-hole formation	20
1.6.3 Agglomerate	21
1.6.4 Formation of dented structure and presence of small particles within large particles	21
1.7 Spray-drying process parameters and their influence on product quality	22
1.7.1 Atomization parameters	22
1.7.1.1 Atomization pressure	22
1.7.1.2 Feed flow rate	23
1.7.1.3 Feed viscosity	23
1.7.1.4 Feed surface tension	23
1.8 Parameters of spray-air contact and evaporation	24
1.8.1 Aspirator flow rate (or speed)	24
1.8.2 Inlet temperature	24
1.8.3 Outlet temperature	25
1.8.4 Glass transition temperature ( $T_g$ )	27
1.8.5 Residence time of particles in the spray chamber	27
1.9 Types of spray dryer	27
1.9.1 Open cycle spray dryer	28
1.9.2 Closed cycle spray dryer	28

1.9.3	Semi-closed cycle spray dryer	28
1.9.4	Single-stage spray dryer	29
1.9.5	Two-stage spray dryer	29
1.9.6	Short-form	30
1.9.7	Tall-form	30
1.10	Applications and advantages of spray drying	31
	References	33
<b>2</b>	<b>Introduction to encapsulation of food ingredients</b>	<b>37</b>
2.1	Introduction	37
2.2	Encapsulation of food ingredients	37
2.3	The core and wall for encapsulation	40
2.3.1	Carbohydrates	42
2.3.2	Proteins	42
2.3.3	Lipids	43
2.4	Encapsulation techniques	43
2.4.1	Chemical encapsulation processes	44
2.4.1.1	Coacervation	44
2.4.1.2	Inclusion complexation	45
2.4.1.3	Liposome entrapment	47
2.4.2	Mechanical or physical encapsulation processes	48
2.4.2.1	Emulsification	48
2.4.2.2	Spray chilling, spray cooling and fluidized bed drying	50
2.4.2.3	Freeze drying	50
2.4.2.4	Extrusion	52
2.4.2.5	Electrohydrodynamic technique for microencapsulation: electrospraying and electrospinning	53
2.4.2.6	Spray drying	54
2.5	The lexicon of encapsulation	59
	References	60
<b>3</b>	<b>Spray drying for encapsulation</b>	<b>65</b>
3.1	Introduction	65
3.2	Principle of encapsulation by spray drying	65
3.3	Process steps and parameters of encapsulation by spray drying	67
3.3.1	Emulsion formation	67
3.3.1.1	Rationale of emulsification step	67
3.3.1.2	Emulsion parameters influencing encapsulation efficiency	68
3.3.2	Spray drying of emulsion	70
3.3.2.1	Atomization of the emulsion and influencing parameters	70
3.3.2.2	Drying of the emulsion droplets and influencing parameters	71
3.4	Food ingredients encapsulated by spray drying	71
3.4.1	Microorganisms	72
3.4.2	Flavors	72
3.4.3	Bioactive food components	73
	References	74

---

<b>4</b>	<b>Selection of wall material for encapsulation by spray drying</b>	<b>77</b>
4.1	Introduction	77
4.2	Characteristics of wall materials for encapsulation by spray drying	77
4.2.1	Solubility	77
4.2.2	Emulsification property	78
4.2.3	Film-forming ability	78
4.2.4	Viscosity	78
4.2.5	Glass transition	79
4.2.6	Degree of crystallinity	79
4.3	Approaches to choosing wall materials for encapsulation	80
4.3.1	Estimation of drying kinetics and drying curve analysis for wall material selection	81
4.3.1.1	Isothermal drying method	81
4.3.1.2	Estimation of drying kinetics under simulated conditions of spray drying	82
4.3.2	Estimation of emulsification capacity	84
4.3.3	Analysis of viscosity and rheological characteristics of wall material dispersion	85
4.3.4	Determination of thermal properties of wall materials	86
4.4	Commonly used wall materials for encapsulation of food ingredients by spray drying	88
4.4.1	Gum Arabic	88
4.4.2	Maltodextrin	89
4.4.3	Whey protein (concentrate or isolate)	91
4.4.4	Gelatin	91
4.4.5	Sodium caseinate	92
4.4.6	Modified starches	92
4.4.7	Chitosan	93
	References	98
<b>5</b>	<b>Encapsulation of probiotics by spray drying</b>	<b>101</b>
5.1	Introduction	101
5.2	Definition of probiotics and significance of probiotics encapsulation	101
5.3	Probiotic characteristics of importance to spray drying encapsulation	103
5.4	Criteria to decide suitability of wall material for encapsulation of probiotics	104
5.5	Selection of spray drying process parameters	106
5.5.1	Effect of atomization on probiotic cell viability	107
5.5.2	Effect of spray drying process conditions on probiotic cell survival	108
5.5.2.1	Thermal effect of spray drying process on cell viability	109
5.5.2.2	Dehydration effect of spray drying process on cell viability	112
5.6	Stability of spray dried probiotic microencapsulates to gastric environment	115
	References	122
<b>6</b>	<b>Encapsulation of flavors and specialty oils</b>	<b>126</b>
6.1	Introduction	126
6.2	Selective diffusion theory and mechanisms of volatile retention during spray drying	127

6.3	Performance parameters of flavor encapsulation by spray drying	132
6.3.1	Encapsulation efficiency	133
6.3.1.1	Total oil analysis	133
6.3.1.2	Surface oil analysis	134
6.3.2	Lipid oxidation	134
6.3.2.1	Peroxide value determination	134
6.3.2.2	Active oxygen determination	135
6.3.3	Morphology and particle size	135
6.4	Factors influencing encapsulation of flavors and oils by spray drying	137
6.4.1	Emulsion-related factors	137
6.4.1.1	Wall material	137
6.4.1.2	Core	140
6.4.2	Spray drying-related factors	142
6.4.2.1	Atomization factors	142
6.4.2.2	Inlet and exit air temperatures	143
6.4.2.3	Feed temperature	145
	References	153
<b>7</b>	<b>Encapsulation of bioactive ingredients by spray drying</b>	<b>156</b>
7.1	Introduction	156
7.2	Spray drying for encapsulation of polyphenols	156
7.2.1	Polyphenols and their functional properties	156
7.2.2	Rationale for encapsulation of polyphenols	157
7.2.3	Influence of core nature on encapsulation efficiency	157
7.2.4	Influence of wall material selection and spray drying process parameters on polyphenolic core retention	157
7.3	Spray drying encapsulation of vitamins	161
7.3.1	The functional benefits of vitamins	161
7.3.2	Vitamin stability and rationale for encapsulation of vitamins	161
7.3.3	Influence of wall material and feed composition on vitamin encapsulation	162
7.3.4	Influence of spray drying process parameters on vitamin encapsulation	163
7.4	Spray drying encapsulation of carotenoids	163
7.4.1	Carotenoids and their functional significance	163
7.4.2	Rationale for encapsulation of carotenoids	165
7.4.3	Effect of wall material selection and feed composition on encapsulation of carotenoids	165
7.4.4	Effect of spray drying process conditions on encapsulation of carotenoids	167
	References	176
<b>8</b>	<b>Spray drying for nanoencapsulation of food components</b>	<b>180</b>
8.1	Introduction	180
8.2	Introduction to food nanoparticles and nanoencapsulation	181
8.3	Nano spray dryer	183
8.3.1	Operation principle of nano spray dryer	183
8.3.1.1	Piezo-electric driven vibrating mesh atomization	183

8.3.1.2	Heating mode, hot air flow pattern in and configuration of spray chamber	184
8.3.1.3	Product separation by electrostatic precipitator	186
8.4	Nanoencapsulation of food bioactive compounds by nano spray dryer	188
8.5	Analytical methods to characterize nanoencapsulates in foods	189
8.5.1	Electron microscopy	190
8.5.1.1	Scanning electron microscopy	190
8.5.1.2	Transmission electron microscopy	191
8.5.1.3	Atomic force microscopy	191
8.5.1.4	Atmospheric scanning electron microscopy	192
8.5.2	Quantification of nanoparticles' size and mass by electron microscopy	193
	References	195
<b>9</b>	<b>Functional properties of spray dried encapsulates</b>	<b>198</b>
9.1	Introduction	198
9.2	Controlled release of encapsulated bioactive compounds	198
9.2.1	Controlled release by dissolution	199
9.2.2	Controlled release by diffusion	199
9.3	Masking of off-taste by spray drying encapsulation.	201
9.4	Improvement in stability of encapsulated bioactive compounds	202
	References	208
<b>10</b>	<b>Analysis of spray dried encapsulates</b>	<b>210</b>
10.1	Introduction	210
10.2	Analysis of physical characteristics of spray dried encapsulates	211
10.2.1	Moisture content	211
10.2.2	Particle size	211
10.3	Analysis of the efficiency of spray drying encapsulation process	214
10.3.1	Estimation of encapsulation efficiency	214
10.3.1.1	Encapsulation efficiency of specialty oils	214
10.3.1.2	Encapsulation efficiency of vitamins and polyphenolic compounds	215
10.3.1.3	Encapsulation efficiency of flavors and other volatile compounds	215
10.3.1.4	Encapsulation efficiency of probiotic cells	216
10.4	Analysis of the stability of spray dried microencapsulates	216
10.4.1	Analysis of probiotic cell stability under simulated <i>in vitro</i> gastrointestinal conditions	217
10.4.2	Analysis of oxidative stability for lipophilic core compounds	217
10.4.2.1	Estimation of peroxide value by spectrophotometry method	217
10.4.2.2	Rancimat method for estimation of peroxide value	218
10.4.2.3	Gas chromatography method for analysis of oxidative stability	219
10.4.3	Analysis of the functional properties of spray dried encapsulates	220
10.4.3.1	Study of core release from microencapsulates	220
10.4.3.2	Taste-masking effects	221
	References	222

<b>11</b>	<b>Modeling approach for spray drying and encapsulation applications</b>	<b>224</b>
11.1	Introduction	224
11.2	Computational fluid dynamics modeling	224
11.2.1	Conservation of mass equation	225
11.2.2	Conservation of momentum equation	225
11.2.3	Conservation of energy equation	225
11.3	Modeling of spray drying process – a theoretical perspective	229
11.3.1	Atomization	230
11.3.1.1	Boundary conditions for atomization models	230
11.3.2	Spray-air contact	232
11.3.2.1	Reference frames	235
11.3.2.2	Turbulence models	237
11.3.2.3	Droplet/particle trajectory	239
11.3.2.4	Droplet temperature	239
11.3.2.5	Droplet residence time	240
11.3.2.6	Particle impact position	241
11.3.3	Droplet drying and particle formation	243
11.4	Modeling of core release from encapsulates	245
	References	249
<b>12</b>	<b>Synergistic spray drying techniques for encapsulation</b>	<b>252</b>
12.1	Introduction	252
12.2	Spray fluidized bed coating for encapsulation	252
12.2.1	Theory of fluidization	253
12.2.2	Fluid bed encapsulation – process steps and influential factors	253
12.2.2.1	Atomization	254
12.2.2.2	Droplet-particle interactions	258
12.2.2.3	Drying of coating material on particle surface	261
12.2.2.4	Food ingredient applications of spray fluidized bed coating	261
12.2.2.5	Challenges associated with spray fluidized bed coating	262
12.2.2.6	Recent advancements in spray fluidized bed coating	263
12.3	Spray-freeze-drying for encapsulation	263
12.3.1	Spray freezing	265
12.3.1.1	Spray freezing into vapor (SFV)	265
12.3.1.2	Spray freezing into vapor over liquid (SFV/L)	265
12.3.1.3	Spray freezing into liquid (SFL)	269
12.3.2	Freeze drying	270
12.3.2.1	Conventional freeze drying	270
12.3.2.2	Atmospheric freeze drying	271
12.3.3	Factors affecting the encapsulation efficiency of SFD process	271
	References	273

---

<b>13 Industrial relevance and commercial applications of spray dried active food encapsulates</b>	<b>275</b>
13.1 Introduction	275
13.2 Applications of spray dried encapsulates in the food industries	276
13.2.1 Confectionery industry	276
13.2.2 Bakery industry	277
13.2.3 Other product categories	278
13.3 Cost analysis of the spray drying encapsulated active ingredient	278
13.4 Major industry players producing spray dried encapsulated food ingredients	281
13.4.1 Symrise	281
13.4.2 International Flavors & Fragrances (IFF)	281
13.4.3 Firmenich	281
13.4.4 Givaudan	282
13.4.5 Takasago International Corporation	282
13.4.6 TasteTech	282
13.4.7 Kievit	282
13.4.8 Synthite	282
13.5 Challenges and future scope of the spray drying encapsulation of food ingredients	283
References	284
<i>Index</i>	285