

Contents

<i>Contributor contact details</i>	ix
<i>Woodhead Publishing Series in Food Science, Technology and Nutrition</i>	xi
Part I Introduction	1
1 Verifying the origin of food: an introduction	3
<i>P. Brereton, The Food and Environment Research Agency, UK</i>	
1.1 Introduction: the importance of food origin	3
1.2 Historical context.....	3
1.3 The impact of the Common Agricultural Policy	4
1.4 Food assurance	6
1.5 Analytical procedures for verifying authenticity.....	6
1.6 Future trends	8
1.7 Conclusion.....	9
1.8 References.....	9
2 Food origin labelling legislation and standards	12
<i>M. Woolfe, Thames Ditton (Food Standards Agency-retired), UK</i>	
2.1 Introduction.....	12
2.2 International legislation and standards	13
2.3 European Union (Community) legislation and standards	17
2.4 European Community (EC) agricultural marketing standards.....	25
2.5 Organic standards and protected descriptions of geographic origin	29
2.6 Legislation and standards in other parts of the world	32
2.7 Conclusion and future trends.....	34
2.8 Sources of further information and advice.....	34
2.9 References.....	35

Part II Analytical methods.....	39
3 New approaches for verifying the geographical origin of foods.....	41
<i>A. Roßmann, Isolab GmbH Laboratory for Stable Isotopes, Germany</i>	
3.1 Introduction: the commercial importance of the geographical origin of foods	41
3.2 Stable isotope approaches for verifying the origin of foods.....	43
3.3 Stable isotope analysis of heavy ('geo') elements.....	52
3.4 Trace element approaches for verifying the origin of foods.....	53
3.5 Alternative new methods for verifying the origin of foods.....	54
3.6 Conclusion and future trends	55
3.7 Sources of further information and advice.....	56
3.8 References	57
4 Development and application of geospatial models for verifying the geographical origin of food	60
<i>G. van der Veer, RIKILT, Wageningen University and Research Centre, The Netherlands</i>	
4.1 Introduction.....	60
4.2 Conceptual framework and requirements.....	64
4.3 Geospatial modelling	67
4.4 Inference on geospatial models	72
4.5 Conclusion and future trends	78
4.6 References	79
5 New approaches for verifying food species and variety	81
<i>H. Broll, Federal Institute for Risk Assessment, Germany</i>	
5.1 Introduction: the commercial importance of food species and varieties	81
5.2 DNA-based methods for verifying food species and variety	84
5.3 DNA extraction from food samples	87
5.4 Developments in DNA-based methods	88
5.5 Conclusion.....	91
5.6 References.....	91
6 Vibrational spectroscopy in studies of food origin.....	94
<i>G. Downey, Teagasc, Ireland</i>	
6.1 Introduction.....	94
6.2 Types of vibrational spectroscopy	96
6.3 Use of infrared (IR) spectroscopy in food authentication	101

6.4	Applications	104
6.5	Future trends	109
6.6	Conclusions	110
6.7	References	110
7	Chemometrics in studies of food origin.....	117
	<i>B. Vandeginste, VICIM, The Netherlands</i>	
7.1	Introduction.....	117
7.2	Samples and data	118
7.3	The modeling step.....	120
7.4	Conversion of verification and classification models into specifications.....	127
7.5	Recent and future trends	132
7.6	Conclusion	138
7.7	Further reading.....	141
7.8	Acknowledgement.....	142
7.9	References	142
Part III	Applications to food commodities	147
8	Using new analytical approaches to verify the origin of wine.....	149
	<i>B. Médina, M. H. Salagoity, F. Guyon and J. Gaye, Service Commun des Laboratoires (SCL), France, P. Hubert, Centre Etudes Nucléaires de Bordeaux Gradignan, Université de Bordeaux, France and F. Guillaume, Institut des Sciences Moléculaires (ISM), Université de Bordeaux, France</i>	
8.1	Introduction.....	149
8.2	Wine authentication using wine tasting and standard analytical methods	150
8.3	Determining the geographical origin of wine	158
8.4	Verifying compliance with specific regulations	166
8.5	Contaminants	170
8.6	Wine dating.....	170
8.7	Analysis of packaging to identify counterfeit wines	173
8.8	Future trends	179
8.9	Conclusion.....	183
8.10	References	184
9	Using new analytical approaches to verify the origin of fish	189
	<i>J. Martinoehn, European Commission Joint Research Centre, Italy</i>	
9.1	Introduction: the commercial importance of fish and fish product origin	189
9.2	Legal standards for fish origin and problems of counterfeiting	190

viii Contents

9.3	Applications of new analytical approaches to verify fish origin	193
9.4	The need for capacity building	204
9.5	Conclusion and future trends	207
9.6	Acknowledgements	209
9.7	Sources of further information and advice	209
9.8	References	209
10	Using new analytical approaches to verify the origin of honey	216
	<i>K. McComb, University of Otago, New Zealand and R. Frew, University of Otago, New Zealand and FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Austria</i>	
10.1	Introduction	216
10.2	Chemical authentication of honey	221
10.3	Adulteration of honey	235
10.4	Conclusion and future trends	237
10.5	References	239
	<i>Index</i>	<i>243</i>

Index

- acousto-optical tunable filter (AOTF), 97
- ALLOC, 121, 136
- amplicon, 90
- ancillary information, 64
- animal products
schematic diagram of health marks, 19
- anthocyanin profile, 151
- Apis mellifera*, 216
- area of possible origin (APO), 61, 75
- ARTHUR, 137
- asymmetric case, 120
- attenuated total reflectance (ATR), 99
- Australian legislation and standards, 33–4
- authenticity, 6–8
crude frauds, 7
sophisticated frauds, 7
uncertainty, 7–8
- β -error, 128
- bagging, 136
- Basmati rice, 27–8
- Bayesian Maximum Entropy, 72
- beef
labelling, 19–20
schematic diagram, 20
- bio elements, 44, 45, 52, 53, 56
- Bonferroni correction, 130
- carbon-13, 65
- cellaring, 151
- cetyltrimethylammonium bromide (CTAB), 87, 88
- chaptalisation, 166–7
- chemical fingerprints, 64
- chemometrics, 117–41
conversion of verification and classification models into specifications, 127–32
interval specifications in latent space, 132
- modelling step, 61, 120–7
CART decision tree of mineral waters, 124
distribution (%) of mineral waters over the five nodes obtained in the CART tree, 125
misclassification or confusion matrix, 126
model performance, 125–7
plot of OD vs MD in SIMCA class modelling, 122
sensitivity and specificity of the classification of olive oils by CART, 127
verification of the origin of food by class modelling, 121–3
verification of the origin of food by classification models, 123–5
- recent and future trends, 132–8
Bayesian approach for decision-making, 137–8
coping with corrupt data, 134–5
data and model fusion, 135–6

- chemometrics (*cont.*)
- missing values in typical data set measured in TRACE project, 134
 - model maintenance and updating, 136–7
 - posterior probability of authenticity, 138
 - probabilistic classifiers, 132–3
 - robust classifiers, 133–4
 - samples and data, 118–20
 - specifications expressed in the original variables, 128–32
 - bivariate distributions of two classes with interval specifications for class, 130
 - box-plots of Mg and K concentrations in honeys from different regions, 129
 - classification tree obtained for discrimination of Italian olive oils by NIR, 131
 - interval specifications, 128–31
 - specifications in the format of mathematical expression, 131–2
 - work flow of traceability study, 139–40
- class-modelling, 101
- classification and regression trees (CART), 123
- CLASSY, 136
- Codex Alimentarius, 14
 - Codex Cheese Standards requiring country of origin labelling, 15
- CODEX STAN 1-1985, 14
- Commission Directive (EC) 1825/2000, 19
- Commission Implementing Regulation (EU) 404/2011, 25
- Commission Regulation 589/2008, 25
- Commission Regulation (EC) 275/2007, 19–20
- Commission Regulation (EC) 1221/2008, 26
- Commission Regulation (EC) 2065/2001, 21
- Commission Regulation (EC) No 543/2008., 25
- Commission Regulation (EC) No 972/2006, 28
- Commission Regulation (EC) No 1019/2002, 26
- Commission Regulation (EC) No 1234/2007, 28
- Commission Regulation (EC) No 1898/2006, 31
- Common Agricultural Policy (CAP), 4–6
 - refining process low grade virgin olive oil, 5
- Common Fisheries Policy, 206
- Competition and Consumer Act (CCA) (2010), 33
- consumers, 3–4
- Corsican honey, 82
- Council Directive 1997/74/EC, 26
- Council Directive 2000/13/EC, 17, 18
- Council Regulation 1224/2009, 25
- Council Regulation (EC) 104/2000, 21
- Council Regulation (EC) 1493/1999, 28
- Council Regulation (EC) 1760/2000, 19
- Council Regulation (EC) No 510/2006, 6, 30, 81
- Council Regulation (EC) No 834/2007, 29
- Council Regulation (EC) No 889/2008, 29, 30
- country of origin, 13
 - WTO definition, 15–16
- crude frauds, 7
- cytochrome oxidase I (COI), 198
- database approach *see* chemometric modelling
- Denaturing Gradient Gel Electrophoresis (DGGE), 9
- deoxyribonucleic acid (DNA), 84
- Directives 2000/13/EC, 82
- Directives 2003/89/EC, 82
- discriminant partial least-squares (D-PLS), 103, 105–6, 107, 109, 123
- DNA amplification, 89–90
- DNA barcoding, 198
- DNA-based methods
 - developments, 88–91
 - DNA amplification, 89–90
 - DNA hybridisation, 89

- whole genomic approaches, 90–1
- food species and variety verification, 84–7
- DNA Database of Japan (DDBJ), 206
- DNA extraction, 87–8
- DNA hybridisation, 89
- DNA-microarrays (DNA-Chips), 199
- EC No. 178/2002, 6
- EC No. 1829/2003, 18
- EEC No. 2568/91, 5
- EEC No. 2676/90, 5
- EN 45011, 29
- EU No. 1169/2011, 6
- Eurachem/Citac Guide, 120
- European Bioinformatics Institutes (EBI) database, 206
- European Community marketing standards, 25–9
 - Basmati rice, 27–8
 - egg, 25–6
 - fresh fruits and vegetables, 26
 - olive oil, 26–7
 - poultry meat, 25
 - wine labelling, 28–9
- European Regulation RCE 491/2009, 151
- European Regulation RCE 607/2009, 151
- European Union (EU) labelling and standards, 17–25
 - beef, 19–20
 - fish and fishery products, 21–5
 - food information regulation, 18–19
 - food labelling directive, 17–18
 - health or identification marks for animal products, 19
 - honey, 20–1
- extra virgin olive oil (EVOO), 5, 7
- factorial discriminant analysis (FDA), 103
- false discovery rate (FDR), 77, 79
- 'Farm to Fork' principle, 191
- fingerprinting of wines, 180
- fish, 189–209
 - applications of new analytical approaches, 193–204
 - fatty acid analysis, 194–5
 - fish ear-stones for origin assignment, 196
 - forensics for food authentication, 203–4
 - gene expression and proteomics, 202–3
 - genetic marker analysis, 197–200
 - genetic marker analysis to determine fish and fish products origin, 200–2
 - genetics and chemical analysis and forensics application, 204
 - microchemistry and stable isotope analysis, 195–7
 - stages involved in using the principle of individual origin assignment, 194
 - commercial importance of fish and fish product origin, 189–90
 - future trends, 207–9
 - key questions for new analytical technologies, 190
 - legal standards for origin an problems of counterfeiting, 190–3
 - need for capacity building, 204–7
 - degree of fish products processing, 205
- fish products labelling, 21–5
 - commercial designation, 21–2
 - fish and shellfish subject to labelling and description rules, 22
 - geographical origin, 23–5
 - production method, 23
- Fisher criterion, 127
- FishPopTrace, 197, 199
- Food and Agriculture Organisation (FAO), 192
- food assurance, 6
- food authentication, 96
 - IR spectroscopy, 101–3
 - completely separated and partially overlapped classes, 102
 - two-class discriminant model, 103
- food commodity, 4
- food information regulation, 18–19
- food isotope mapping, 63

- food labelling
 - directive, 17–18
 - European Community (EC) marketing standards, 25–9
 - European Union labelling and standards, 17–25
 - food origin legislation and standards, 12–35
 - future trends, 34
 - geographic origin, 29–32
 - international labelling and standards, 13–17
 - overview, 12–13
 - country of origin, 13
 - geographical indication, 13
 - world legislation and standards, 32–4
- food origin, 3–9
 - analytical procedures for verifying authenticity, 6–8
 - authentication, 73
 - chemometrics, 117–41
 - conversion of verification and classification models into specifications, 127–32
 - modelling step, 120–7
 - recent and future trends, 132–8
 - samples and data, 118–20
 - Common Agricultural Policy, 4–6
- fish, 189–209
 - applications of new analytical approaches, 193–204
 - commercial importance of fish and fish product origin, 189–90
 - future trends, 207–9
 - legal standards for origin and
 - problems of counterfeiting, 190–3
 - need for capacity building, 204–7
- food assurance, 6
- future trends, 8–9
 - databases and warehouses, 8
 - omic technology, 8–9
- history, 3–4
- honey, 216–39
 - adulteration, 235–7
 - chemical authentication, 221–35
 - definition, 218–20
 - fraud, 217–18
 - future trends, 237–9
 - New Zealand Manuka honey, 220–1
 - traceability, 220
- importance, 3
- labelling legislation and standards, 12–35
 - European Community (EC) marketing standards, 25–9
 - European Union labelling and standards, 17–25
 - future trends, 34
 - geographic origin, 29–32
 - international labelling and standards, 13–17
 - overview, 12–13
 - world legislation and standards, 32–4
- vibrational spectroscopy, 94–110
 - applications, 104–9
 - future trends, 109–10
 - IR spectroscopy in food authentication, 101–3
 - types, 96–101
- wine, 149–84
 - analysis of packaging to identify counterfeit wines, 173–9
 - authentication using wine tasting and standard analytical methods, 150–8
 - contaminants, 170
 - dating, 170–3
 - future trends, 179–83
 - geographical origin determination, 158–66
 - verifying compliance with specific regulations, 166–9
- food species
 - commercial importance, 81–4
 - DNA-based methods, 84–7
 - DNA-based methods developments, 88–91
 - DNA extraction from food samples, 87–8
 - new verification approach, 81–91
- food variety
 - commercial importance, 81–4
 - DNA-based methods, 84–7
 - DNA-based methods developments, 88–91
 - DNA extraction from food samples, 87–8

- new verification approach, 81–91
- foulbrood, 217
- Fourier-transform (FT) spectroscopy, 97–8
- Fourier-transform interferometer, 97
- fresh fruits and vegetables
 - standards, 26
 - information other than country of origin, 27
- Gadus morhua* L., 197
- GC column, 46
- gene expression, 202–3
- genetic programming (GP), 123, 125
- genetically modified (GM) food, 83
- genetically modified organisms (GMO), 18
- geo elements, 44–5, 56
 - stable isotope analysis, 52–3
- geographic marker compounds, 64–5
- geographical fingerprints, 64
- geographical markers, 64
- geographical origin of food, 23–5
 - alternative verification methods, 54–5
 - commercial importance, 41–3
 - improved methods, 43
 - designation of catch areas of World's oceans, 24
- FAO Map of Major Fishing Areas of the World, 24
- future trends, 55–6
- geospatial models development and application, 60–79
 - conceptual framework and requirements, 64–7
 - future trends, 78–9
 - inference, 72–8
 - spatial model for oxygen-18 isotope ratios, 62
- new verification approach, 41–56
- organic standards and protected descriptions, 29–32
 - new EU Organic logo and compulsory information, 30
 - products with registered or published PDO and PGI status, 32
- stable isotope analysis of heavy ('geo') elements, 52–3
 - stable isotope approaches, 43–52
 - trace element approach, 53–4
- geospatial interpolation, 70–2
 - techniques that provide an estimate of uncertainty, 71
- geospatial modelling
 - conceptual framework and requirements, 64–7
 - GIS maps, 66
 - development and application for geographical origin of food, 60–79
 - future trends, 78–9
 - geospatial interpolation, 70–2
 - inference, 72–8
 - sampling strategy, 68–70
 - spatial model for oxygen-18 isotope ratios, 62
- Global Fisheries Enforcement Training Workshop (GFETW), 208
- global meteoric water line (GMWL), 67
- Graphite Furnace Atomic Absorption (GFAA), 158
- high-performance liquid chromatography linked to isotope ratio mass spectrometry (HPLC-co-IRMS), 166
- High Resolution Time of Flight Mass Spectrometry (HR-ToF-MS), 9
- high value foods, 3–4
- honey
 - adulteration, 235–7, 238
 - score plots of the first two canonical discriminant functions, 238
 - botanical origin, 234–5
 - chemical authentication, 221–35
 - definition, 218–20
 - fraud, 217–18
 - future trends, 237–9
 - mineral content, 221–8
 - average concentrations of elements analysed in differing botanical origin, 225
 - average concentrations unless otherwise stated of elements analysed, 223
 - dendrogram of cluster analysis of Spanish honey, 225

- honey (*cont.*)
- groupings based upon the mineral element composition, 224
 - groupings of eucalyptus, orange, blossom, rosemary and heather, 226
 - groupings of honey, 228
 - mineral elements average concentrations, 222
 - plot of the first two discriminant functions derived using LDA, 227
 - sunflower honey elements average concentrations, 222
 - New Zealand Manuka honey, 220–1
 - stable isotope analysis, 228–34
 - authentication of three monofloral honeys produced in Slovenia, 232–3
 - average δ values of C, H, N and S for honey protein, 229
 - first two discriminant functions classifying geographic origin, 234
 - plot of the first two discriminant functions based upon isotope data, 231
 - traceability, 220
 - using new analytical approaches to identify origin, 216–39
 - value of imports into the US from selected countries (2000–2010), 219
- honeydew, 216
- inductively coupled plasma mass spectrometry (ICP-MS), 42, 52–3
- internal transcribed spacer (ITS), 86
- International MCS Network (iMCS), 208
- International Nucleotide Sequence Database Collaboration (INSDC), 206
- inverse distance weighting (IDW), 70
- IR spectroscopy
- food authentication, 101–3
 - completely separated and partially overlapped classes, 102
 - two-class discriminant model, 103
 - irradiated ingredient, 18
 - ISO 2476, 90
 - ISO 17025, 150, 151
 - ISO 21569, 90
 - ISO 21570, 90
 - ISO Guide 65, 29
 - ISO Standard 3166, 29
 - isoelectric focusing (IEF), 197
 - isoscapes, 56, 63, 239
 - isotope ratio mass spectrometry (IRMS), 50, 106
 - k-nearest neighbours (KNN), 103
 - Kohonen artificial neural networks, 125
 - kriging, 71, 73
 - Kunzea ericoides*, 220
 - Lacey Act, 191
 - Leptospermum scoparium*, 220
 - limit of detection (LOD), 85
 - linear discriminant analysis (LDA), 50, 103
 - Liquiface interface, 166
 - Mahalanobis distance (MD), 121
 - microsatellites, 198
 - mid-infrared (MIR) spectroscopy, 97–100
 - applications, 106–8
 - attenuated total reflectance (ATR), 99
 - model fusion, 136
 - monitoring, control and surveillance (MCS), 208
 - Monte Carlo, 72
 - moving window partial least-squares discriminant analysis (MWPLSDA), 105
 - multiplexing, 86
 - mycotoxins, 170
 - natural food, 4
 - near infrared (NIR) spectroscopy, 96–7, 110
 - applications, 104–6
 - NIR spectroscopic instrumentation, 98
 - nectar, 216
 - New Zealand Manuka honey, 220–1
 - Next Generation Sequencing (NGS), 9

- nitrogen-15, 65
 North Pacific Anadromous Fish
 Commission (NPAFC), 199
- ‘Ocean to Fork’ principle, 189
 ochratoxin A (OTA), 170
 orthogonal distance (OD), 121
 otoliths, 195
- pesticides, 170
 polymerase chain reaction (PCR), 9,
 84, 87
 population, 200–1
 potential functions techniques
 (POTFUN), 103
 POTFUN (PF), 121, 138
 prepackaged foods, 14
 principal component analysis (PCA), 50,
 104, 119
 protected designation of origin (PDO),
 13, 30–1, 42, 51, 60, 81–2
 protected geographical indication (PGI),
 13, 16–17, 30–1, 42, 60, 81–2
 protein profile, 151
 proteomics, 202–3
 Proton Induced X-ray Emission (PIXE),
 175
 pseudo-target area, 69
 Pyrosequencing, 91
- ‘Quick Easy Cheap Effective Rugged
 and Safe’ multiresidue method
 (QuEChERS), 170
- radio-frequency identification (RFID),
 205
 radio isotopes, 170
 radioactivity, 170–3
 Raman scattering, 175
 Raman spectrometers, 100
 Raman spectroscopy, 100–1, 175–9
 applications, 108–9
 random forests (RF), 136
 Rayleigh scattering, 175
 refined olive oil (ROO), 5, 7
 Regulation (EC) 104/2000, 191
 Regulation (EC) 178/2002, 191, 192
 Regulation (EC) 1760/2000, 191
- Regulation (EC) 1829/2003, 83
 Regulation (EC) 2065/2001, 191, 192
 Rhamnogalacturonan II (RGII), 173
 root mean square errors of cross-
 validation (RMSECV), 104
- Salmo salar*, 197
 sampling strategy, 68–70
 delineation of pseudo-target area for
 coffee, 69
 ‘satellite’ DNA, 89
 shikimic acid, 151–2
 short tandem repeats (STR), 198
 Sidak-Bonferroni approach, 77
 simple kriging, 71
 single nucleotide polymorphisms
 (SNPs), 198
 SNIF NMR, 5
 sodium dodecyl sulphate (SDS), 87, 88
 soft independent modelling of class
 analogy (SIMCA), 103, 107, 118,
 121, 136, 138, 152, 164
- Solea solea*, 196
 sophisticated frauds, 7
 spatial discrimination power, 67
 Spin Generated Fingerprint Profiling
 (SGF-Profiling), 54
 stable isotopes, 43–52
 analysis of heavy (‘geo’) elements,
 52–3
 data evaluation and databases, 50–2
 measurement and instrumentation,
 45–7
 working time for sample
 preparation and analysis, 47
 overview, 44–5
 methods for food quality control, 45
 reference materials and methods,
 47–50
 Inter-laboratory Comparison
 Materials (ICM), 48
 Inter-laboratory reproducibility for
 the freeze-dried lamb ICM, 49
 multi-element stable isotope
 analysis of food products, 50
 standard error of prediction (SEP), 105
 statistical inference, 72–8
t values, 76

250 Index

- stock, 200–1
- sulphur, 168–9
- support vector machines (SVM), 103, 123

- thermal ionisation mass spectrometry (TI-MS), 52–3, 56
- TRACE, 228
- trace elements, 53–4
- Trade-Related Aspects of Intellectual Property Rights (TRIPS), 16–17
- Traditional Speciality Guaranteed (TSG), 30–1
- transcriptomics, 202
- true target area, 69
- type I error, 74
- type II error, 74

- ultra-filtration, 237
- uncertainty, 7–8
 - effect of natural variation of a marker analyte, 8
- unequal class spaces (UNEQ), 103
- unequal covariance matrix classification (UNEQ), 121
- Unique Manuka Factor (UMF), 220
- United Nations Economic Commission for Europe (UNECE), 14–15
- US legislation, 32–3
 - US Country of Origin labelling requirements, 33
- US National Centre for Biotechnology Information GenBank, 206

- vessel monitoring systems (VMS), 208
- vibrational spectroscopy
 - applications, 104–9
 - food origin, 94–110
 - future trends, 109–10
 - IR spectroscopy in food authentication, 101–3
 - types, 96–101

- watering down, 168
- wine, 149–84
 - analysis of packaging to identify counterfeit wines, 173–9
 - glass, 174–5
 - label, cap and cork, 179
 - PIXE: experimental design for wine glass analysis, 176
 - PIXE: gold pigment analysis on a wine label, 177
 - PIXE: wine glass analysis, 176
 - potassium content of wine glass bottles, 174
 - Raman spectra recorded at various locations on a bottle of Bordeaux wine, 178
 - Raman Spectroscopy, 175–9
 - authentication using wine tasting and standard analytical methods, 150–8
 - classical wine parameter variation during the cellaring of wine with appellation, 152
 - comparison of two wines from very close ‘appellations,’ 153
 - traceability through cellaring and differentiation of close appellations, 151
 - wine tasting, 150
 - contaminants, 170
 - future trends, 179–83
 - C NMR analysis of varietal wine from different areas of France, 182
 - 1D and 2D NMR analysis of wine and polyphenolic wine extract, 181
 - Direct NMR analysis of wine bottle, 183
 - twenty-first century guarantee of authenticity, 179–80
 - unforgeable chemical identity cards for wine, 180
 - geographical origin determination, 158–66
 - carbon isotope ratios, 165–6
 - 2D discrimination of Southern hemisphere wines, 164
 - 3D pattern recognition of Southern hemisphere wines, 165
 - ¹⁸O concentration around the world, 164

- SIMCA classification of Southern hemisphere wines, 165
- use of ratios of light isotopes, 163–5
- grape varieties identification, 151–8
 - Beaujolais and Bourgogne, 153
 - Bordeaux varieties, 153
 - composition prediction of blended varietal red wines, 157
 - composition prediction of blended varietal white wines, 155
 - Languedoc and Rhône varieties, 154, 158
 - red grape varieties, 152–3
 - red wine varietal shikimic acid content and anthocyanin content, 156–7
 - white grape varieties, 151–2
 - white wine varietal protein profile, shikimic acid content and classification, 154–5
- trace elements and ‘heavy’ isotopes determination using ICP/MS, 158–63
- chromium concentration in wine over secular sequence of Bordeaux wines, 159
- ICP/MS schematic diagram, 159
- lead and strontium ^{16,17,18}, 158, 160–2
- lead concentration variation in wines, 160–1
- lead isotopic ratio vs strontium isotopic ratios and country origin of wines, 162
- Nd, Sm are in the sub ppb level, 162–3
- neodymium, samarium, uranium and thorium, 162
- values and ratios according to different types and geographical origin, 163
- verifying compliance with specific regulations, 166–9
 - botanical origin of alcohol, 167–8
 - chaptalisation, 166–7
 - control of vodka presented as pure grain, 168
 - deuterium and carbon-13, 167
 - deuterium NMR spectrum of wine ethanol, 167
 - sulphur, 168–9
 - use of ¹⁸O and (D/H)₁ data bank values, 169
 - using controls on production parameters to verify year of production, 169
 - watering down, 168
- wine dating, 170–3
 - ¹⁴C activity variation of ethanol in wine from 1960 to 2000, 171
 - lead speciation, 173
 - radio isotopes, 170
 - radioactivity, 170–3
 - ultra-low ¹³⁷Cs measurements of wines for the period 1950 to 2000, 172
 - ultra-low radioactivity non-destructive measurements of wines, 172
 - water tritium variation in wine over 25 years, 171
- wine tasting, 150
- World Trade Organisation (WTO)
 - definition of origin, 15–16
 - Protected Geographical Indications, 16–17
- X-ray fluorescence analysis, 175