

2013 Table of Contents and Index

Raw Sugar Methods

Polarisation of Raw Sugar by Polarimetry	GS1/2/3/9-1
Polarisation of Raw Sugar without Wet Lead Clarification	GS1/2/3-2
Reducing Sugars in Cane Raw Sugar by the Lane and Eynon Constant Volume Procedure.....	GS1/3/7-3
Glucose and Fructose in Raw and White Sugar using HPAEC	GS1/2/3-4
Reducing Sugars in Cane Raw Sugar by the Luff School Procedure.....	GS1-5
Solution Colours at pH 7.0 of Raw Sugar, Brown Sugars and Coloured Sugars	GS1/3-7
Sulphated Ash in Raw Sugar by Single Sulphation	GS1-10
Conductivity Ash in Raw Sugar	GS1/3/4/7/8-13
Dextran in Sugars by a Modified Alcohol Haze Method	GS1/2/9-15
Starch in Raw Sugar by the BSES method	GS1-16
Starch in Raw Sugar by the SPRI Test	GS1-17
Fine Grain in Raw Sugar by the BSES method	GS1-20
Determination of pH	GS1/2/3/4/7/8/9-23
<i>Sugar Moisture by Loss on Drying (<0.5%).....</i>	<i>see GS2/1/3-15</i>
<i>Lead in Raw Sugar by a Colorimetric Method</i>	<i>see GS2/1/3-27</i>
<i>Sulphite in White Sugar, Cane Sugar Juices and Syrups and Very Very High Pol (VVHP) Sugars by the Rosaniline Colorimetric Method</i>	<i>see GS2/1/7-33</i>
<i>ERH of Raw Sugar.....</i>	<i>see GS2/1/3-39</i>
<i>Total α-Galactosides and Raffinose in Beet Raw Sugar.....</i>	<i>see GS4/8/1/2/3-18</i>
<i>Sugar Solution Colour by the MOPS Method</i>	<i>see GS9/1/2/3-8</i>

White Sugar Methods

Polarisation of White Sugar by Polarimetry (Braunschweig Method).....	GS2/3-1
Glucose and Fructose in White Sugar by the Hexokinase Method.....	GS2-4
Reducing Sugars in Purified Sugar by the Knight and Allen EDTA Method	GS2/3/9-5
Reducing Sugars in White Sugar and Plantation White Sugar by the Modified Ofner Titrimetric Method.....	GS2/9-6
White Sugar Solution Colour at pH 7.0	GS2/3-9
White Sugar Solution Colour	GS2/3-10
Visual Appearance of White Sugars using Braunschweig Colour-Types	GS2-11
Reflectance of White Sugar	GS2-13
Sugar Moisture by Loss on Drying	GS2/1/3/9-15
Conductivity Ash in Refined Sugar Products and in Plantation White Sugar	GS2/3/9-17
Turbidity of White Sugar Solutions.....	GS2/3-18
Insoluble Matter in White Sugar	GS2/3/9-19
Arsenic in White Sugar by Atomic Absorption Spectroscopy	GS2/3-23
Lead in White and Specialty Sugars by a GFAAS Method	GS2/3-24
Arsenic in Refined Sugar Products by a Colorimetric Method.....	GS2/3/9-25
Lead in Sugar Products by a Colorimetric Method.....	GS2/1/3-27
Copper in Refined Sugar Products by a Colorimetric Method	GS2/3-29
Iron in Refined Sugar Products and Sugar Solutions by a Colorimetric Method	GS2/3/7/8-31
Sulphite in White Sugar, Cane Sugar Juices and Syrups, VVHP Raw Sugar and in Plantation White Sugar by the Rosaniline Colorimetric Method.....	GS2/1/7/9-33
Sulphite in Refined Sugar Products and Brown Sugars by an Enzymatic Method	GS2/3-35
Formaldehyde in White Sugar by a Colorimetric Method	GS2-36
Particle Size Distribution of White Sugar and Plantation White Sugar	GS2/9-37
ERH of Crystalline Sugar Products.....	GS2/1/3-39
A. The ICUMSA 10-Day Acid Beverage Floc Test for White Sugar.....	GS2/3-40
B. The ICUMSA 24-Hour Acid Beverage Floc Test for Beet White Sugar	GS2/3-40
Total Mesophilic Bacterial Count by the Pour Plate Method or the Membrane Filtration Method.....	GS2/3-41
Sampling of Refined Sugar Products for Microbiological Analyses	GS2/3-42
Slime-forming Bacterial Count.....	GS2/3-45

Yeast and Moulds.....	GS2/3-47
Thermophilic Spore-Forming Bacteria.....	GS2/3-49
Thermophilic Acidophilic Bacteria (TAB) and Guaiacol producing TAB (GP-TAB) in Sugar Products.....	GS2/3-50
<i>Polarisation of White Sugar requiring Clarification</i>	<i>see GS1/2/3/9-1</i>
<i>Polarisation of Raw Sugar without Wet Lead Clarification</i>	<i>see GS1/2/3-2</i>
<i>Glucose and Fructose in Raw and White Sugar using HPAEC</i>	<i>see GS1/2/3-4</i>
<i>Dextran in Sugars by a Modified Alcohol Haze Method</i>	<i>see GS1/2/9-15</i>
<i>Determination of pH</i>	<i>see GS1/2/3/4/7/8/9-23</i>
<i>Total α-Galactosides and Raffinose in Beet Sugars</i>	<i>see GS4/8/1/2/3-18</i>
<i>Calcium in Refined Sugar Products by EDTA Titration</i>	<i>see GS8/2/3/4-9</i>
<i>Sugar Solution Colour by the MOPS Method</i>	<i>see GS9/1/2/3-8</i>

Specialty Sugar Methods

Polarisation of the Sugar Component of Powdered Sugars Containing Anti-Caking Agents.....	GS3-1
Sulphated Ash in Brown Sugar, Juice, Syrup and Molasses.....	GS3/4/7/8- 11
Anti-Caking Agents in Powdered Sugars.....	GS3-21
Total Sugar Content of Invert Sugar Syrups by an HPLC Method.....	GS3-50
<i>Polarisation of Raw Sugar</i>	<i>see GS1/2/3/9-1</i>
<i>Polarisation of Raw Sugar without Wet Lead Clarification</i>	<i>see GS1/2/3-2</i>
<i>Reducing Sugars in Cane Raw Sugar by the Lane and Eynon Constant Volume Procedure</i>	<i>see GS1/3/7-3</i>
<i>Glucose and Fructose in Raw and White Sugar using HPAEC</i>	<i>see GS1/2/3-4</i>
<i>Solution Colours at pH 7.0 of Raw and Specialty Sugars</i>	<i>see GS1/3-7</i>
<i>Conductivity Ash in Raw Sugar</i>	<i>see GS1/3/4/7/8-13</i>
<i>Determination of pH</i>	<i>see GS1/2/3/4/7/8/9-23</i>
<i>Polarisation of White Sugar</i>	<i>see GS2/3-1</i>
<i>Reducing Sugars in Purified Sugar by the Knight and Allen EDTA Method</i>	<i>see GS2/3/9-5</i>
<i>White Sugar Solution Colour at pH 7.0</i>	<i>see GS2/3-9</i>
<i>White Sugar Solution Colour</i>	<i>see GS2/3-10</i>
<i>Sugar Moisture by Loss on Drying</i>	<i>see GS2/1/3/9-15</i>
<i>Conductivity Ash in Refined Sugar Products</i>	<i>see GS2/3-17</i>
<i>Turbidity of White Sugar Solutions</i>	<i>see GS2/3-18</i>
<i>Insoluble Matter in White Sugar</i>	<i>see GS2/3/9-19</i>
<i>Arsenic in White Sugar by Atomic Absorption Spectroscopy</i>	<i>see GS2/3-23</i>
<i>Lead in White and Specialty Sugars by a GFAAS Method</i>	<i>see GS2/3-24</i>
<i>Arsenic in Refined Sugar Products by a Colorimetric Method</i>	<i>see GS2/3/9-25</i>
<i>Lead in Sugar Products by a Colorimetric Method</i>	<i>see GS2/1/3-27</i>
<i>Copper in Refined Sugar Products by a Colorimetric Method</i>	<i>see GS2/3-29</i>
<i>Iron in Refined Sugar Products and Sugar Solutions by a Colorimetric Method</i>	<i>see GS2/3/7/8-31</i>
<i>Sulphite in Refined Sugar Products by an Enzymatic Method</i>	<i>see GS2/3-35</i>
<i>ERH of Crystalline Sugar Products</i>	<i>see GS2/1/3-39</i>
A. <i>The ICUMSA 10-Day Acid Beverage Floc Test for White Sugar</i>	<i>see GS2/3-40</i>
B. <i>The ICUMSA 24-Hour Acid Beverage Floc Test for Beet White Sugar</i>	<i>see GS2/3-40</i>
<i>Total Mesophilic Bacterial Count by the Pour Plate Method or the Membrane Filtration Method</i>	<i>see GS2/3-41</i>
<i>Sampling of Refined Sugar Products for Microbiological Analyses</i>	<i>see GS2/3-42</i>
<i>Slime-forming Bacterial Count</i>	<i>see GS2/3-45</i>
<i>Yeast and Moulds</i>	<i>see GS2/3-47</i>
<i>Thermophilic Spore-Forming Bacteria</i>	<i>see GS2/3-49</i>
<i>Reducing Sugars in Certain Refined Syrups by the Lane and Eynon Constant Volume Procedure</i>	<i>see GS4/3-3</i>
<i>Total Reducing Sugars in Refined Syrups after Hydrolysis by the Lane and Eynon Constant Volume Procedure</i>	<i>see GS4/3-7</i>
<i>Total Reducing Sugars in Refined Syrups after Hydrolysis by the Luff Schoorl Procedure</i>	<i>see GS4/3-9</i>

<i>Moisture in Speciality Sugars, Molasses, Cane Raw Sugars and Syrups by the Karl Fischer Procedure</i>	see	GS4/7/3-12
<i>Refractometric Dry Substance (RDS %) of Molasses, Very Pure Syrups (Liquid Sugars), Thick Juices and Run-Off-Syrups</i>	see	GS4/3/8-13
<i>Total α-Galactosides and Raffinose by an Enzymatic Method</i>	see	GS4/8/1/2/3-18
<i>Fructose, Glucose and Sucrose in Cane Juices, Syrups and Molasses by Gas Chromatography (GC)</i>	see	GS7/4/3-22
<i>Calcium by EDTA Titration</i>	see	GS8/2/3/4-9
<i>Sugar Solution Colour by the MOPS Method</i>	see	GS9/1/2/3-8

Molasses Methods

Apparent Sucrose in Molasses by a Double Polarisation Method.....		GS4/7- 1
Sucrose by GC in Molasses, Factory Products and Cane Juice.....		GS4/7/8/5-2
Reducing Sugars in Cane Molasses by the Lane & Eynon Constant Volume Procedure		GS4/3-3
Reducing Sugars in Beet Molasses by the Lane & Eynon Constant Volume Procedure		GS4/5
Total Reducing Sugars in Molasses and Refined Syrups after Hydrolysis by the Lane & Eynon Constant Volume Procedure.....		GS4/3-7
Total Reducing Sugars in Molasses and Refined Syrups after Hydrolysis by the Luff Schoorl Procedure.....		GS4/3-9
Dry Substance and Moisture in Molasses by Vacuum Oven Drying on Sand.....		GS4/7-11
Moisture in Speciality Sugars, Molasses, Cane Raw Sugars and Syrups by the Karl Fischer Procedure.....		GS4/7/3-12
Refractometric Dry Substance (RDS %) of Molasses, Very Pure Syrups (Liquid Sugars), Thick Juices and Run-Off Syrups.....		GS4/3/8-13
Apparent Dry Substance ($^{\circ}$ Brix) of Molasses using a Hydrometer.....		GS4-15
Total α -Galactosides and Raffinose by an Enzymatic Method.....		GS4/8/1/2/3-18
Raffinose in Beet Molasses by HPAEC.....		GS4/8-19
Betaine in Beet Molasses by a HPLC Method.....		GS4/8-21
Sucrose and Betaine in Beet Molasses by HPLC.....		GS4-22
Conductivity Ash in Molasses.....	see	GS1/3/4/7/8-13
Determination of pH.....	see	GS1/2/3/4/7/8/9-23
Sulphated Ash in Molasses.....	see	GS3/4/7/8-11
<i>Fructose, Glucose and Sucrose in Cane Juices, Syrups and Molasses by Gas Chromatography (GC)</i>	see	GS7/4/3-22
<i>Glucose, Fructose and Sucrose in Cane Juices, Syrups and Molasses and of Sucrose in Beet Molasses by HPIC</i>	see	GS7/8/4-24
<i>Glucose and Fructose in Beet Juices and Processing Products by an Enzymatic Method</i>	see	GS8/4/6-4
<i>Calcium by EDTA Titration</i>	see	GS8/2/3/4-9
<i>Chloride by a Potentiometric Method</i>	see	GS8/4/7-11
<i>Lactic Acid by an Enzymatic Method</i>	see	GS8/4/6-13
<i>Acetic Acid in Beet Juices and Processing Products by an Enzymatic Method</i>	see	GS8/4/6-14

Sugar Cane Methods

Pol (Polarisation), Brix and Fibre in Cane and Bagasse by the Wet Disintegrator Method with Lead Subacetate.....		GS5/7-1
Sampling of Sugar Cane by the Full Width Hatch Sampler.....		GS5-5
Sampling of Sugar Cane by the Corer Method.....		GS5-7
Pol (Polarisation), Brix and Fibre in Cane and Bagasse by the Wet Disintegrator Method with Aluminium Chloride.....		GS5/7-28
<i>Sucrose in Cane Juice by Gas Chromatography (GC)</i>	see	GS4/7/8/5-2
<i>Fructose, Glucose and Sucrose by Gas Chromatography (GC)</i>	see	GS7/4/3-22

Sugar Beet Methods

Polarisation of Sugar Beet by the Cold Aqueous Digestion Method using Lead Acetate as Clarifying Agent.....	GS6-1
Polarisation of Sugar Beet by the Cold Aqueous Digestion Method using Aluminium Sulphate as Clarifying Agent	GS6-3
α -Amino nitrogen in Sugar Beet by the Copper Method.....	GS6-5
Potassium and Sodium in Sugar Beet by Flame Photometry.....	GS6-7
<i>Glucose and Fructose in Beet Juices and Processing Products by an Enzymatic Method</i>	<i>see GS8/4/6-4</i>
<i>Lactic Acid by an Enzymatic Method.....</i>	<i>see GS8/4/6-13</i>
<i>Acetic Acid in Beet Juices and Processing Products by an Enzymatic Method.....</i>	<i>see GS8/4/6-14</i>

Cane Sugar Processing Methods

Milling train analyses:

Preparation Index of Cane	GS7-3
Moisture in Cane and Bagasse	GS7-5
<i>Cane Pol, Brix and Fibre in Cane and Bagasse by the Wet Disintegrator Method.....</i>	<i>see GS5/7-1</i>

Juice and filter products:

Pol (Polarisation) of Filter Cake by Polarimetry with Lead Subacetate.....	GS7-7
Moisture in Filter Cake.....	GS7-9
Mud Solids in Juice, Mud and Filter Cake.....	GS7-11
Cane Fibre in Juice, Mud and Filter Cake.....	GS7-13
Total and Soluble Phosphate in Cane Juice.....	GS7-15
Calcium and Magnesium in Cane Juice and Syrup by EDTA Titration	GS7-19
Turbidity in Clarified Cane Juice, Syrups and Clarified Syrups	GS7-21
<i>Determination of pH.....</i>	<i>see GS1/2/3/4/7/8/9-23</i>
<i>Iron by a Colorimetric Method.....</i>	<i>see GS2/3/7/8-31</i>
<i>Sulphite in Cane Juices and Syrups by the Rosaniline Colorimetric Method.....</i>	<i>see GS2/1/7-33</i>
<i>Moisture in Speciality Sugars, Molasses, Cane Raw Sugars and Syrups by the Karl Fischer Procedure</i>	<i>see GS4/7/3-12</i>
<i>Chloride by a Potentiometric Method</i>	<i>see GS8/4/7-11</i>

Pan stage products:

<i>Fructose, Glucose and Sucrose in Cane Juices, Syrups and Molasses by Gas Chromatography (GC)</i>	<i>GS7/4/3-22</i>
<i>Sucrose, Glucose and Fructose in Cane Molasses by HPLC.....</i>	<i>GS7/4/8-23</i>
<i>Glucose, Fructose and Sucrose in Cane Juices, Syrups and Molasses and of Sucrose in Beet Molasses by HPIC</i>	<i>GS7/8/4-24</i>
<i>Reducing Sugars by the Lane and Eynon Constant Volume Procedure.....</i>	<i>see GS1/3/7-3</i>
<i>Conductivity Ash in Juice and Pan Products.....</i>	<i>see GS1/3/4/7/8-13</i>
<i>Sulphated Ash in Brown Sugar, Juice, Syrup and Molasses.....</i>	<i>see GS3/4/7/8-11</i>
<i>Apparent Sucrose by a Double Polarisation Method</i>	<i>see GS4/7-1</i>
<i>Sucrose by Gas Chromatography (GC).....</i>	<i>see GS4/7/8/5-2</i>
<i>Dry Substance and Moisture by Vacuum Oven Drying on Sand.....</i>	<i>see GS4/7-11</i>

Miscellaneous:

Calcium Oxide in Lime	GS7-25
Sucrose-soluble Alkali in Quicklime.....	GS7-27
Pol by NIR Polarimetry and Brix for Sugarcane and Factory Product.....	GS7-31
Determination of the Relative Activity of Commercial α -Amylase as used in Sugar Cane Processing and Refining.....	GS7-33

Beet Sugar Processing Methods

Polarisation of Beet Sugar Syrups after Clarification according to Carrez	GS8-2
Glucose and Fructose in Beet Juices and Processing Products by an Enzymatic Method.....	GS8/4/6-4
Apparent Total Sugar Content of Beet Pulp by the Luff School Procedure	GS8-5
Beet Pulp Moisture and Dry Substance Analysis.....	GS8-6
Ash in Beet Pulp: Crude Ash and Sulphated Ash	GS8-7
Insoluble Ash in Beet Pulp	GS8-8
Calcium by EDTA Titration.....	GS8/2/3/4-9
Chloride by a Potentiometric Method	GS8/4/7-11
Mannitol in Beet Juices, Thin Juices and Syrups by an Enzymatic Method	GS8-12
Lactic Acid (L- and D-) by an Enzymatic Method	GS8/4/6-13
Acetic Acid in Beet Juices and Processing Products by an Enzymatic Method	GS8/4/6-14
Dextran in Beet Raw Juice and Thick Juice by a Modified Alcohol Haze Method ...	GS8-19
Pectic Acid in Beet Raw Juice by a 3-Hydroxy-Diphenyl Colorimetric Method	GS8-23
Pectic Acid in Beet Liquors by a Carbazole Colorimetric Method.....	GS8-25
Mannitol, Glucose, Fructose, Sucrose and Raffinose in Beet Brei and Beet Juices by HPAEC-PAD.....	GS8-26
Conductivity Ash.....	see GS1/3/4/7/8-13
Determination of pH.....	see GS1/2/3/4/7/8/9-23
Iron by a Colorimetric Method.....	see GS2/3/7/8-31
Sulphated Ash in Brown Sugar, Juice, Syrup and Molasses.....	see GS3/4/7/8-11
Sucrose by Gas Chromatography (GC).....	see GS4/7/8/5-2
Total α -Galactosides and Raffinose by an Enzymatic Method	see GS4/8/1/2/3-18
Raffinose in Beet Molasses by HPAEC.....	see GS4/8-19
Betaine in Beet Molasses by an HPLC Method	see GS4/8-21
Sucrose in Beet Molasses by HPLC	see GS7/4/8-23
Glucose, Fructose and Sucrose in Cane Juices, Syrups and Molasses and of Sucrose in Beet Molasses by HPIC.....	see GS7/8/4-24

Plantation White Sugars

Sugar Solution Colour by the MOPS Method.....	GS9/1/2/3-8
Copper in Plantation White Sugar by Flame Atomic Adsorption Spectroscopy	GS9-9
[Soluble] Iron in Plantation White Sugar by a Colorimetric Method	GS9-10
Polarisation of Raw Sugar.....	see GS1/2/3/9-1
Dextran in Sugars by a Modified Alcohol Haze Method.....	see GS1/2/9-15
Determination of pH.....	see GS1/2/3/4/7/8/9-23
Reducing Sugars in Purified Sugar by the Knight and Allen EDTA Method.....	see GS2/3/9-5
Particle Size Determination of Plantation White Sugar.....	see GS2/9-37
Reducing Sugars in Plantation White Sugar by the Modified Ofner Titrimetric Method	see GS2/9-6
Sugar Moisture by Loss on Drying.....	see GS2/1/3/9-15
Insoluble Matter in White Sugar.....	see GS2/3/9-19
Arsenic in Refined Sugar Products by a Colorimetric Method.....	see GS2/3/9-25

Specifications and Standards

Polarimetry and the International Sugar Scale	SPS-1
Solubility of Sucrose in Water.....	SPS-2
Refractometry and Tables	SPS-3
Densimetry and Tables.....	SPS-4
Viscometry and Tables.....	SPS-5