

# Contents

|  |             |
|--|-------------|
| <i>Preface</i> .....   | <i>xv</i>   |
| <i>Acknowledgements</i> .....  | <i>xvii</i> |
| <i>Disclaimer</i> .....  | <i>xix</i>  |
| <i>List of abbreviations</i> .....   | <i>xxi</i>  |
| <b>Part I Meat composition and additives</b> .....   | <b>1</b>    |
| <b>1 The protein and fat content of meat</b> .....   | <b>3</b>    |
| 1.1 Amino acids .....  | 4           |
| 1.2 Proteins .....   | 7           |
| 1.3 Collagen .....   | 9           |
| 1.4 Muscle physiology .....  | 10          |
| 1.5 Flavour of meat .....  | 15          |
| 1.6 Principles of muscle contraction and relaxation .....  | 18          |
| 1.7 Enzymes in meat .....  | 20          |
| 1.8 Fat .....  | 21          |
| 1.9 Rancidity of fat .....   | 27          |
| 1.10 Low-density lipoprotein and high-density lipoprotein<br>cholesterol .....   | 31          |
| 1.11 Nutritional value of meat and other protein-rich food ....  | 32          |
| <b>2 The biochemistry of meat</b> .....  | <b>33</b>   |
| 2.1 Biochemical processes in meat pre-slaughter .....  | 33          |
| 2.2 Biochemical processes in meat post-slaughter<br>(rigor mortis) .....   | 38          |
| <b>3 The tenderness of fresh meat</b> .....  | <b>42</b>   |
| 3.1 Ageing of meat for enhancing tenderness .....  | 42          |
| 3.2 Enzymes used for enhancing the tenderness of meat .....  | 45          |
| <b>4 Definitions of terms used in meat science and technology</b> ....   | <b>46</b>   |
| 4.1 Pale soft exudative (PSE) meat. red soft exudative (RSE)<br>meat. dry firm dark (DFD) meat and 'normal' meat ..... | 46          |

|           |  |            |
|-----------|--|------------|
| 6.20      | Blood-derived products for re-formed meat.....   | 139        |
| 6.21      | Allergens in meat products .....   | 139        |
| <b>7</b>  | <b>Colour in fresh meat and in cured meat products.....</b>  | <b>142</b> |
| 7.1       | Retention of colour in fresh meat and uncured meat products .....  | 142        |
| 7.2       | Nitrite and nitrate .....  | 147        |
| 7.3       | Mechanism of colour development in cured meat products .....   | 150        |
| 7.4       | Colour enhancers .....   | 153        |
| 7.5       | Measuring colour: the $L^*-a^*-b^*$ system .....   | 156        |
|           | <b>Part II Technologies for particular meat products .....</b>   | <b>159</b> |
| <b>8</b>  | <b>Whole-muscle brine-injected products .....</b>  | <b>161</b> |
| 8.1       | Selection and preparation of raw materials.....  | 162        |
| 8.2       | Selection of additives .....   | 166        |
| 8.3       | Calculating brine composition and injection levels.....  | 175        |
| 8.4       | Manufacturing technology .....   | 178        |
| 8.5       | Summary of critical production issues .....  | 209        |
| <b>9</b>  | <b>Opical whole-muscle brine-injected products from around the world .....</b>                             | <b>211</b> |
| 9.1       | Bacon (Australia) .....  | 211        |
| 9.2       | Bacon (New Zealand) .....  | 212        |
| 9.3       | Cooked ham on the bone (Australia) .....   | 213        |
| 9.4       | Champagne ham (Australia) .....  | 214        |
| 9.5       | Master ham (Austria) .....   | 214        |
| 9.6       | Kasseler (Austria and Germany) .....   | 215        |
| 9.7       | Virginia ham (Australia) .....   | 215        |
| 9.8       | Bacon (England) .....  | 216        |
| 9.9       | Bacon (USA) .....  | 217        |
| 9.10      | Pastrami (USA and Australia).....  | 217        |
| 9.11      | Roast pork (Australia) .....   | 218        |
| 9.12      | Beef bacon .....   | 219        |
| <b>10</b> | <b>Re-formed products: non-injection methods for adding brine.....</b>                                     | <b>220</b> |
| 10.1      | Selection and preparation of raw materials .....   | 221        |
| 10.2      | Selection of additives .....   | 222        |
| 10.3      | Manufacturing technology .....   | 224        |
| 10.4      | Summary of critical production issues .....  | 232        |
| <b>11</b> | <b>Typical re-formed products from around the world using non-injection methods for adding brine .....</b> | <b>234</b> |
| 11.1      | Sandwich ham (Australia) .....   | 234        |
| 11.2      | Chicken loaf .....   | 235        |
| 11.3      | Delicates ham (Austria) .....  | 237        |

|           |   |            |
|-----------|---|------------|
| 16.3      | Manufacturing technology .....  | 334        |
| 16.4      | Summary of critical production issues .....                               | 375        |
| <b>17</b> | <b>Typical raw fermented salami products from around the world .....</b>  | <b>376</b> |
| 17.1      | Hungarian salami .....  | 376        |
| 17.2      | Kantwurst (Austria) .....   | 377        |
| 17.3      | Lup cheong (PR China) .....   | 378        |
| 17.4      | Cacciatore (Italy) .....  | 379        |
| 17.5      | Milano salami (Italy) .....   | 379        |
| 17.6      | Summer sausage (USA) .....  | 380        |
| 17.7      | Sucuk (Turkey) .....  | 380        |
| 17.8      | Chorizo (Spain) .....   | 381        |
| 17.9      | Fuet (Spain) .....  | 381        |
| 17.10     | Pepperoni (USA) .....   | 381        |
| <b>18</b> | <b>Semicooked and fully cooked fermented salami .....</b>                 | <b>383</b> |
| 18.1      | Manufacturing technology for semicooked fermented salami .....            | 383        |
| 18.2      | Manufacturing technology for fully cooked fermented salami .....          | 384        |
| <b>19</b> | <b>Non-fermented salami .....</b>   | <b>386</b> |
| 19.1      | Selection and preparation of raw materials .....                          | 386        |
| 19.2      | Selection of additives .....  | 387        |
| 19.3      | Manufacturing technology .....  | 388        |
| 19.4      | Summary of critical production issues .....                               | 395        |
| <b>20</b> | <b>Typical non-fermented salami products from around the world .....</b>  | <b>396</b> |
| 20.1      | Polish salami (Austria) .....   | 396        |
| 20.2      | Cheese salami (Austria) .....   | 397        |
| 20.3      | Kransky (Slovenia) .....  | 397        |
| 20.4      | Vienna salami (Austria) .....   | 398        |
| 20.5      | Cabana (or cabanossi) (Austria and Australia) .....                       | 398        |
| <b>21</b> | <b>Spreadable raw fermented sausage .....</b>                             | <b>400</b> |
| 21.1      | Selection of raw materials .....  | 400        |
| 21.2      | Selection of additives .....  | 402        |
| 21.3      | Manufacturing technology .....  | 404        |
| 21.4      | Summary of critical production issues .....                               | 413        |
| <b>22</b> | <b>Typical raw fermented sausage products from around the world .....</b> | <b>414</b> |
| 22.1      | Teewurst (finely cut tea sausage) (Austria and Germany) .....             | 414        |
| 22.2      | Coarse onion mettwurst (Austria and Germany) .....                        | 415        |

|           |   |     |
|-----------|---|-----|
| <b>23</b> | <b>Cured air-dried meat products</b> .....  | 417 |
| 23.1      | Selection and preparation of raw materials .....  | 417 |
| 23.2      | Selection of additives .....  | 420 |
| 23.3      | Manufacturing technology .....  | 422 |
| 23.4      | Summary of critical production issues .....   | 441 |
| <b>24</b> | <b>Typical cured air-dried meat products from around the world</b> .....                    | 442 |
| 24.1      | Parma ham (Italy) .....   | 442 |
| 24.2      | Pancetta (Italy) .....  | 444 |
| 24.3      | Parma coppa (Italy) .....   | 444 |
| 24.4      | Black Forest ham (Germany) .....  | 445 |
| 24.5      | Serano ham (Spain) .....  | 445 |
| 24.6      | Biltong (South Africa) .....  | 446 |
| 24.7      | Pastirma (Turkey) .....   | 447 |
| 24.8      | Biindner fleisch (dried beef 'biindner style') (Switzerland) .....                          | 447 |
| 24.9      | Beef jerky (USA) .....  | 448 |
| 24.10     | Rou gan and shafu (PR China) .....  | 449 |
| <b>25</b> | <b>Spreadable liver sausage and liver pâté</b> .....  | 451 |
| 25.1      | Selection and preparation of raw materials .....  | 451 |
| 25.2      | Selection of additives .....  | 457 |
| 25.3      | Manufacturing technology using precooked hot materials (conventional method) .....          | 459 |
| 25.4      | Production of liver pke .....   | 472 |
| 25.5      | Summary of critical production issues for liver sausage ...                                 | 474 |
| <b>26</b> | <b>Typical spreadable liver sausage and liver pâté products from around the world</b> ..... | 476 |
| 26.1      | Fine veal liver sausage (Austria) .....   | 476 |
| 26.2      | Fine liver sausage (Austria and Germany) .....  | 477 |
| 26.3      | Coarse liver sausage (Austria and Germany) .....  | 477 |
| 26.4      | Fine liver sausage (Russia and South Africa) .....  | 477 |
| 26.5      | Coarse brandy liver pâté in a pastry cover .....  | 478 |
| 26.6      | Fine pepper–chicken liver pâté in a mould .....   | 478 |
| 26.7      | Pâté de campagne (France) .....   | 479 |
| 26.8      | Pâté de viande (France) .....   | 479 |
| 26.9      | Rillete porc et oie (France) .....  | 479 |
| 26.10     | Pâté de Bretons (France) .....  | 480 |
| <b>27</b> | <b>Burgers, patties and crumbed products</b> .....  | 481 |
| 27.1      | Selection of raw materials .....  | 482 |
| 27.2      | Selection of additives .....  | 483 |
| 27.3      | Manufacturing technology .....  | 486 |
| 27.4      | Summary of critical production issues .....   | 491 |
| 27.5      | Crumbed products .....  | 492 |

|           |   |            |
|-----------|---|------------|
| <b>34</b> | <b>Moisture-enhanced (case-ready) and marinated meat .....</b>                                  | <b>543</b> |
| 34.1      | Selection of raw materials .....  | 544        |
| 34.2      | Selection of additives .....  | 545        |
| 34.3      | Manufacturing technology .....  | 546        |
| 34.4      | Marination of meat .....  | 548        |
| <b>35</b> | <b>Casings and packaging material .....</b>   | <b>552</b> |
| 35.1      | Natural casings .....   | 552        |
| 35.2      | Cellulose casings .....   | 556        |
| 35.3      | Collagen casings .....  | 557        |
| 35.4      | Waterproof (non-permeable) casings .....  | 557        |
| 35.5      | Non-waterproof (permeable) casings .....  | 559        |
| 35.6      | Different packaging materials .....   | 561        |
|           | <b>Part III Quality and safety issues .....</b>   | <b>563</b> |
| <b>36</b> | <b>Sensory evaluation of meat products .....</b>  | <b>565</b> |
| 36.1      | Ways of evaluating meat products .....  | 565        |
| 36.2      | Triangular tests and competition evaluations .....  | 566        |
| <b>37</b> | <b>The hazard analysis critical control point (HACCP) in<br/>meat-processing companies.....</b> | <b>569</b> |
| 37.1      | Hazard analysis critical control point in the supply<br>chain .....                             | 570        |
| 37.2      | Key elements in hazard analysis critical control point<br>systems .....                         | 571        |
| <b>38</b> | <b>Introduction to the microbiology of meat and meat<br/>products .....</b>                     | <b>574</b> |
| 38.1      | Classification and naming of microorganisms .....   | 575        |
| 38.2      | Endotoxins versus exotoxins.....  | 576        |
| 38.3      | Temperature tolerance of microorganisms .....   | 577        |
| 38.4      | Oxygen tolerance of microorganisms .....  | 578        |
| 38.5      | Optimal pH value in meat for bacterial growth .....   | 580        |
| 38.6      | Minimum A, needed for bacterial growth .....  | 580        |
| 38.7      | Growth curve of bacteria .....  | 582        |
| 38.8      | Gram-positive and Gram-negative bacteria .....  | 583        |
| 38.9      | Microbiological spoilage of meat and meat products .....  | 583        |
| 38.10     | The hurdle principle in the production of meat and meat<br>products .....                       | 590        |
| <b>39</b> | <b>The microbiology of specific bacteria .....</b>  | <b>595</b> |
| 39.1      | Flagella in bacteria .....  | 595        |
| 39.2      | Spore formation in bacteria .....   | 596        |
| 39.3      | Family Micrococcaceae .....   | 597        |
| 39.4      | Family Streptococcaceae .....   | 600        |
| 39.5      | Family Enterobacteriaceae .....   | 601        |
| 39.6      | Family Pseudomonadaceae .....   | 604        |

|                    |   |            |
|--------------------|---|------------|
| 39.7               | Family Bacillaceae .....  | 604        |
| 39.8               | Family Lactobacillaceae.....  | 607        |
| 39.9               | Family Aeromonadaceae .....   | 608        |
| 39.10              | Family Spirillaceae .....   | 609        |
| 39.11              | Family Listeriaceae .....   | 609        |
| 39.12              | Fungi in meat products .....  | 610        |
| 39.13              | Bovine spongiform encephalopathy and other<br>transmissible spongiform encephalopathies ..... | 614        |
| <b>40</b>          | <b>Predictive microbiology for meat products .....</b>  | <b>616</b> |
| 40.1               | F-value calculations and shelf life .....   | 617        |
| 40.2               | F-value calculations for pasteurized products .....   | 621        |
| 40.3               | F-value calculations for retorted products .....  | 624        |
| <i>Index</i> ..... |   | 629        |