

## CONTENTS

Preface	ix
1. Sulfur Compounds in Foods: An Overview	1.

### ANALYSIS AND FLAVOR CHARACTERISTICS

2. Comparison of Gas Chromatographic Detectors for the Analysis of Volatile Sulfur Compounds in Foods	8
3. Chemiluminescence Detection of Sulfur Compounds In Cooked Milk	22
4. Sulfur volatiles in Cucumis melo cv. Makdimon (Muskmelon) Aroma: Sensory Evaluation by Gas Chromatography-Olfactometry	36
5. Sulfur-Containing Flavor compounds in Beef; Are They Really Present or Are They Artifacts?	49
6. Facts and Artifacts in <i>Allium</i> Chemistry	63
7. Effect of L-Cysteine and N-Acetyl-L-cysteine on Off-Flavor Formation in Stored Citrus Products	80
8. Modulation of Volatile Sulfur Compounds in Cruciferous Vegetables	90

### FORMATION

9. Thioglucosides of <i>Brassica</i> Oilseeds and Their Process-Induced Chemical Transformations	106
10. Kinetics of the Formation of Methional, Dimethyl Disulfide, And 2-Acetylthiophene via the Maillard Reaction	127
11. Kinetics of the Release of Hydrogen Sulfide From Cysteine and Glutathione During Thermal Treatment	138
12. Volatile Sulfur Compounds in Yeast Extracts	147

13. Generation of Furfuryl mercaptan in Cysteine-Pentose Model Systems in Relation to Roasted Coffee	160
14. Heat-Induced Changes of Sulfhydryl Groups of Muscle Foods	171
15. Important Sulfur-containing Aroma Volatiles in Meat	180
16. Volatile Compounds Generated from Thermal Interaction Of Inosine-5'-monophosphate and Alliin or Deoxyalliin	188
17 Thermal Degradation of Thiamin (Vitamin B <sub>1</sub> ): A Comprehensive Survey of the Latest Studies	199
18. Formation of Sulfur-containing Flavor Compounds From [ <sup>13</sup> C]-Labeled Sugars, Cysteine, and Methionine	224

#### **FUNCTIONAL PROPERTIES**

19. Sulfur Compounds in Wood Garlic ( <i>Scorodocarpus borneensis</i> Becc.) as Versatile Food components	238
20. Sulfur-Containing Heterocyclic Compounds with Antioxidative Activity Formed in Maillard Reaction Model Systems	247
21 Mechanisms of Beneficial Effects of Sulfur Amino Acids	258
21. Inhibition of Chemically Induced Carcinogenesis By 2- <i>n</i> -Heptylfuran and 2- <i>n</i> -butylthiophene from Roast Beef Aroma	278
<b>Author Index</b>	292
<b>Affiliation Index</b>	292
<b>Subject Index</b>	293