

CONTENTS

	Page	
I	INTRODUCTORY SURVEY OF THE NATURAL FATS	1
	Classification and nomenclature of natural derivatives of the higher fatty acids	2
	The component acids of natural fats	5
	The component glycerides of natural fats	14
II	THE COMPONENT ACIDS OF FATS OF AQUATIC FLORA AND FAUNA	23
	Fats of aquatic flora and micro-fauna	24
	Fats of larger aquatic invertebrates	28
	Fats of fish	29
	Marine Elasmobranch fish (liver fats)	31
	Marine Teleostid fish (liver fats)	34
	Marine Teleostid fish (body fats)	38
	Fresh-water fish	39
	Salmon	44
	Eel	48
	Sturgeon	49
	Tunny	50
	Groper	51
	South African marine fish	53
	Fats of marine mammalia :	
	Seal family	54
	Whale family	55
	Sperm whale family	57
	Dolphin and porpoise family	59
III	THE COMPONENT ACIDS OF FATS OF LAND ANIMALS	65
	Depot fats (glycerides) of land animals:	
	Invertebrata	66
	Insects	67
	Amphibia and reptiles	68
	Birds	70
	Bird eggs	74
	Rodents	78
	Herbivora	85
	Carnivora and Omnivora	102
	Animal depot fats (Summary)	104
	Lipids of animal organs	106
	Liver glycerides	106
	Liver phosphatides	107
	Other animal organs	110
	Ox blood lipids	111
	Milk fats	112
	Cow milk fats	113
	Milk fats of other animals	124
	Human milk fat	128
IV	THE COMPONENT ACIDS OF VEGETABLE FATS	134
	Cryptogam fats	134
	Bacteria	134
	Yeast, moulds and fungi	135
	Clubmoss	136

Ferns	136	
Phanerogam fats	137	
Leaf fats	139	
Bark and stem fats	141	
Root fats	142	
Fruit fats	143	
V	THE COMPONENT GLYCERIDES OF NATURAL FATS (MAINLY QUALITATIVE INVESTIGATIONS)	224
	Fractional crystallisation of solid natural fats	225
	Fractional crystallisation of completely hydrogenated fats	228
	Fractional crystallisation of brominated glycerides	228
VI	THE COMPONENT GLYCERIDES OF VEGETABLE FATS	231
	Fully saturated glyceride contents of vegetable fats	232
	Glycerides of seed fats in which oleic and linoleic acids are the major components	238
	More detailed determination of glyceride structure in seed fats	241
	Computation of proportions of chief component glycerides from fatty acid composition	249
	Component glycerides of some individual vegetable fats	256
	Seed fats of the palmæ, Lauracceæ and Myristicaceæ	256
	Seed fats containing 30-65 per cent. Saturated acids in their component acids	261
	Configuration of natural mixed triglycerides	271
	Optical rotatory power in natural fats	272
	Seed fats in which unsaturated acids predominate (liquid seed fats)	274
	Fruit-coat fats	279
	Fruit-coat fats Palm oils	281
	Fruit-coat fats Olive oils	284
VII	THE COMPONENT GLYCERIDES OF ANIMALS FATS	288
	Marine animal fats	288
	Land animal fats	297
	Fully-saturated glyceride contents of land animal fats	297
	Depot fats (general)	304
	Milk fats (general)	306
	Depot fats – Rat, rabbit, hen	311
	Depot fats – Herbivora	312
	Depot fats – Pig	313
	Depot fats – Ox, sheep, goat	315
	Detailed studies of “stearic-rich” depot fats	317
	Milk fats – Cow milk fats	326
	Milk fats – Camel, buffalo, sheep, goat milk fats	330
	Milk fats – Humal milk fats	334
VIII	SOME ASPECTS OF THE BIOSYNTHESIS OF FATS	338
	The biosynthesis of fats in plants	340
	The biosynthesis of fats in animals	347
	Liver fats	351
	Reserve fats	354
	Body temperature and composition of reserve fats	355
	Milk fats	356
	Possible mechanisms of the conversion of carbohydrates into fats	358
	Assimilation of preformed fats by animals	368
	Digestibility of ingested fats	372
	Ingested fatty acids essential to health	374
	Biochemical transformations of fats	375
	Mobilisation of reserve fats	375
	Rancidity in natural fats	379
IX	CONSTITUTION OF INDIVIDUAL NATURAL FATTY ACIDS	388
	Naturally occurring saturated fatty acids	388

Naturally occurring unsaturated fatty acids	396
Oleic acid	398
isoOleic acids	408
Decenoic, dodecenoic, tetradecenoic acids	410
Hexadecenoic acid	411
Petroselinic acid	413
Vaccenic acid	413
Gadoleic, cetoleic, erucic acids	414
Selacholeic (nervonic) acid	415
Hexacosenoic, tricosenoic acids	416
Ricinoleic acid	416
Chaulmoogric, hydnocarpic, gorlic acids	417
Tariric, octadecendiynoic acids	419
Linoleic and other octadecadienoic acids	419
Linolenic and other octadecatrienoic acids	427
Elæostearic acid	430
Licanic acid	431
Parinatic acid	432
Highly unsaturated acids of the (C ₁₆ , C ₁₈), C ₂₀ and C ₂₂ series	432
X	
SYNTHETIC GLYCERIDES : INDIVIDUAL NATURALLY OCCURRING FATTY	
ALCOHOLS AND ACYL ETHERS OF GLYCEROL	442
Synthetic glycerides	444
Thermal and X-ray data	447
Naturally occurring higher aliphatic alcohols	455
Saturated alcohols (cetyl, etc.)	455
Unsaturated alcohols (oleyl, etc.)	457
Glycerol ethers (chimyl, batyl and selachyl alcohols)	459
XI	
NOTES ON EXPERIMENTAL TECHNIQUE EMPLOYED IN THE QUANTITATIVE	
INVESTIGATION OF FATS	464
Quantitative investigation of component fatty acids	465
Preliminary separation of mixed fatty acids	467
Ester-fractionation (in vacuo)	474
Calculation of ester-fractionation data	484, 504
Typical ester-fractionation data	486 -503
Quantitative investigation of component glycerides	513
Determination of fully-saturated glycerides	513
Determination of tri-C ₁₈ glycerides by means of hydrogenation	517
Preliminary resolution of fats by systematic crystallisation from acetone	520
GENERAL INDEX OF SUBJECTS	530
INDEX OF INDIVIDUAL FATS AND WAXES	539
Aquatic (vegetable and animal)	539
Land (animal)	540
Land (vegetable)	542
INDEX OF PLANT FAMILIES	548
INDEX OF INDIVIDUAL FATTY ACIDS	549
INDEX OF INDIVIDUAL GLYCERIDES	553