

CONTENTS

| | Page |
|--|------|
| Introduction | xvii |
| CHAPTER 1. SAMPLING PETROLEUM PRODUCTS | |
| Sampling Methods | 1 |
| Significance | 1 |
| Applicable ASTM Standards | 1 |
| CHAPTER 2. MEASUREMENT AND CALCULATION OF VOLUME | |
| Methods | 3 |
| Significance | 4 |
| Applicable ASTM Standards | 4 |
| CHAPTER 3. VOLATILITY | |
| Flash and Fire Point | |
| Selection of Tester | 5 |
| Methods | 6 |
| Significance | 7 |
| Vapor Pressure | |
| Temperature Effect | 8 |
| Composition Effect | 8 |
| Methods | 8 |
| Significance | 9 |
| Distillation | |
| Basic Procedure | 10 |
| Fractionation | 11 |
| Temperature Readings | 11 |
| Data Observed | 11 |
| Methods | 12 |
| Significance | 13 |
| Evaporation | |
| Method | 18 |
| Significance | 18 |
| CHAPTER 4. COMBUSTION | |
| Antiknock Quality of Motor Gasolines | |
| Octane Number Scale | 22 |
| Methods | 22 |
| Significance | 23 |
| Antiknock Quality of Aviation Gasolines | |
| Performance Number Scale | 24 |
| Methods | 24 |
| Significance | 25 |
| Knock Inhibitors | 26 |
| Ignition Quality of Diesel Fuels | |
| Cetane Number Scale | 26 |
| Methods | 27 |

| | |
|---|----|
| Significance | 27 |
| Heat of Combustion | |
| Gross and Net Heats of Combustion | 28 |
| Methods | 28 |
| Significance | 29 |
| Autogenous Ignition Temperature | |
| Method | 30 |
| Significance | 30 |
| Burning Quality of Illuminating Oils | |
| Methods | 31 |
| Significance | 32 |
| Applicable ASTM Standards | 32 |
| Applicable ASTM Specifications | 33 |
| CHAPTER 5. OXIDATION CHARACTERISTICS | |
| Existent and Potential Gum in Gasoline | |
| Introduction | 35 |
| Methods | 36 |
| Significance | 37 |
| Insolubles in Used Lubricating Oils | |
| Method | 39 |
| Significance | 39 |
| Inhibited Steam Turbine Oils | |
| Method | 40 |
| Significance | 40 |
| Stability of Lubricating Greases | |
| Method | 40 |
| Significance | 40 |
| Applicable ASTM Standards | 41 |
| CHAPTER 6. FLOW CHARACTERISTICS AND SOLIDIFICATION | |
| Viscosity | |
| Introduction | 43 |
| Methods | 44 |
| Viscosity Conversion | 44 |
| Viscosity-Temperature Relations | 45 |
| Significance | 46 |
| Consistency | |
| Methods | 50 |
| Significance | 50 |
| Solidification | |
| Introduction | 51 |
| Methods | 52 |
| Significance | 53 |
| Oil Content of Petroleum Waxes | |
| Methods | 55 |
| Significance | 55 |
| Applicable ASTM Standards | 56 |
| Applicable ASTM Viscosity Tables | 56 |

CHAPTER 7. CORROSION

| | |
|---------------------------------------|----|
| Total Sulfur | |
| Methods | 57 |
| Significance | 58 |
| Hydrogen Sulfide and Mercaptan Sulfur | |
| Methods | 60 |
| Significance | 60 |
| Corrosive Sulfur | |
| Methods | 61 |
| Significance | 62 |
| Rust Prevention | |
| Method | 63 |
| Significance | 63 |
| Acidity and Neutralization Value | |
| Methods | 64 |
| Significance | 65 |
| Saponification | |
| Methods | 67 |
| Significance | 68 |
| Applicable ASTM Standards | 68 |

CHAPTER 8. OTHER PHYSICAL CHARACTERISTICS AND TESTS

| | |
|-------------------------------------|----|
| Gravity and Density | |
| Methods | 70 |
| Significance | 71 |
| Color | |
| Methods | 71 |
| Significance | 72 |
| Aniline Point | |
| Methods | 74 |
| Significance | 75 |
| Precipitation Number | |
| Methods | 75 |
| Significance | 75 |
| Gasoline Dilution of Crankcase Oils | |
| Methods | 76 |
| Significance | 76 |
| Interfacial Tension | |
| Methods | 76 |
| Significance | 77 |
| Water Tolerance of Aircraft Fuels | |
| Methods | 77 |
| Significance | 77 |
| Foaming | |
| Methods | 78 |
| Significance | 78 |

| | |
|---|-----|
| Emulsification | |
| Methods | 79 |
| Significance | 79 |
| Leakage of Wheel Bearing Greases | |
| Methods | 79 |
| Significance | 80 |
| Water Resistance of Greases | |
| Methods | 81 |
| Significance | 81 |
| Water and Sediment | |
| Methods | 81 |
| Significance | 82 |
| CHAPTER 9. CHEMICAL ANALYSES AND TESTS | |
| Tetraethyllead in Gasoline | |
| Methods | 85 |
| Significance | 85 |
| Ash | |
| Methods | 86 |
| Significance | 86 |
| Carbon Residue | |
| Methods | 87 |
| Significance | 87 |
| Inorganic Materials in Lubricating Oils and Greases | |
| Methods | 89 |
| Significance | 92 |
| Analysis of Grease | |
| Methods | 92 |
| Significance | 94 |
| Analysis of Petroleum Sulfonates | |
| Methods | 94 |
| Significance | 95 |
| Unulfonated Residue in Plant Spray Oils | |
| Methods | 96 |
| Significance | 96 |
| Carbonizable Substances in Mineral Oil and Wax | |
| Methods | 96 |
| Significance | 97 |
| Applicable ASTM Standards | 97 |
| CHAPTER 10. ANALYSIS FOR HYDROCARBON TYPES | |
| Hydrogen by Lamp Combustion | |
| Method | 99 |
| Significance | 99 |
| Unsaturated Light Hydrocarbons by Silver Mercuric Nitrate | |
| Method | 100 |
| Significance | 100 |

| | |
|--|-----|
| Bromine Number | |
| Method | 101 |
| Significance | 101 |
| Hydrocarbon Types by Acid Treat and Bromine Number | |
| Methods | 102 |
| Significance | 102 |
| Hydrocarbon Types by Adsorption | |
| Methods | 103 |
| Significance | 103 |
| Aromatic in Olefin-Free Gasolines by Adsorption | |
| Method | 104 |
| Significance | 104 |
| Benzene and Toluene by Ultraviolet Spectrophotometry | |
| Method | 105 |
| Significance | 105 |
| Purity by Freezing Point | |
| Methods | 105 |
| Significance | 105 |
| Refractive Index and Refractive Dispersion | |
| Method | 107 |
| Significance | 107 |
| Composition of Reference Fuel Blends by Infrared Spectrophotometry | |
| Method | 108 |
| Significance | 108 |
| Applicable ASTM Standards | 108 |
| CHAPTER 11. BUTADIENE ANALYSIS | |
| Purity of Butadiene | |
| Methods | 111 |
| Significance | 112 |
| Impurities and Inhibitor | |
| Methods | 113 |
| Significance | 114 |
| Butadiene Content of Hydrocarbon Mixtures | |
| Method | 115 |
| Significance | 115 |
| Applicable ASTM Standards | 115 |