

Contents

Preface	ix
Introduction	xi
GENERAL/OVERVIEW	
Research in Sweden on Dwell in Ceramics Patrik Lundberg	3
The Influence of Tile Size on the Ballistic Performance of a Ceramic-Faced Polymer Paul J. Hazell, Mauricio Moutinho, Colin J. Roberson, and Nicholas Moore	19
Static and Dynamic Indentation Response of Fine Grained Boron Carbide Ghatu Subhash, Dipankar Ghosh, and Spandan Maiti	29
Hierarchy of Key Influences on the Ballistic Strength of Opaque and Transparent Armor Andreas Krell and Elmar Strassburger	45
Concepts for Energy Absorption and Dissipation in Ceramic Armor Dong-Kyu Kim, Jonathan Bell, Dechang Jia, Waltraud M. Kriven, and Victor Kelsey	57
Some Practical Requirements for Alumina Armor Systems K. Sujirote, K. Dateraksa, and N. Chollacoop	71
GLASSES AND TRANSPARENT CERAMICS	
Limit Analyses for Surface Crack Instantaneous Propagation Angles in Elastic Hertzian Field Xin Sun and Mohammad A. Khaleel	93

Dynamic Failure of a Borosilicate Glass Under Compression/Shear Loading X. Nie and W. Chen	103
Ballistic Performance of Commercially Available Saint-Gobain Sapphire Transparent Armor Composites Christopher D. Jones, Jeffrey B. Rioux, John W. Locher, Vincent Pluen, and Mattias Mandelartz	113
OPAQUE CERAMICS	
Synthesis of Ceramic Eutectics Using Microwave Processing Anton V. Polotai, Jiping Cheng, Dinesh K. Agrawal, Elizabeth C. Dickey, and Sheldon Cytron	127
Hot Pressing of Boron Carbide Using Metallic Carbides as Additives Pedro Augusto de S.L. Cosentino, Célio A. Costa, Jose Brant de Campos, and Roberto Ribeiro de Avillez	135
Spatial Distribution of Defects in Silicon Carbide and its Correlation with Localized Property Measurements Memduh V. Demirbas, Richard A. Haber, and Raymond E. Brennan	143
Silicon Carbide Microstructure Improvements for Armor Applications Steven Mercurio and Richard A. Haber	155
The Effect of Si Content on the Properties of B ₄ C-SiC-Si Composites P. Chhillar, M. K. Aghajanian, D. D. Marchant, R. A. Haber, and M. Sennett	161
DAMAGE AND TESTING	
Preliminary Investigation of Damage in an Armor-Grade B ₄ C Induced by Quasi-Static Hertzian Indentation R.C. McCuiston, H.T. Miller, and J.C. LaSalvia	171
In-Situ Fragment Analysis with X-ray Computed Tomography, XCT J.M. Wells	181
Ballistically-Induced Damage in Ceramic Targets as Revealed by X-ray Computed Tomography H.T. Miller, W.H. Green, and J.C. LaSalvia	193
On Continuing the Evolution of XCT Engineering Capabilities for Impact Damage Diagnostics J.M. Wells	203

Elastic Property Mapping Using Ultrasonic Imaging	213
Raymond Brennan, Richard Haber, Dale Niesz, George Sigel, and James McCauley	
Author Index	223