

**666.443 FOR****CONTENTS**

<b>4.1 INTRODUCTION</b>	<b>1</b>
<b>4.2 PHASE EQUILIBRIUM SYSTEMS</b>	<b>4</b>
4.2.1 The Phase Rule	4
4.2.2 Phase-Equilibrium Data	5
4.2.3 Binary Systems	6
Solubility Relationship in a Simple Binary System	9
Binary System with Compound Formation	9
Incomplete Solid Solubility in Binary Systems	12
Complete Solid Solubility in Binary Systems	17
Liquid Immiscibility in Binary systems	17
4.2.4 Ternary Systems	19
Representation of Ternary Composition	20
Phase Distribution in the Solid State in Ternary Systems	20
Melting and Phase Relationships in a Simple Ternary Systems	21
Liquid Formation in a Simple Ternary System	27
Variations of Liquid Content with Temperature	31
Melting-and Phase-relationships in a Ternary System containing a Compound with a Congruent Melting Point	32
Melting-and Phase-relationships in a Ternary System containing a Compound with an Incongruent Melting Point	35
<b>4.3 KINETIC PROCESSES</b>	<b>42</b>
4.3.1 The Arrhenius Relationship	42
4.3.2 First-order Reactions	43
4.3.4 Sintering	46
4.3.5 Vitrification	53
4.3.6 Slag Attack	56
<b>4.4 THE FIRED CERAMIC BODY</b>	<b>60</b>
4.4.1 Microstructure	60
4.4.2 Strength	61
4.4.3 Thermal Stresses	62
4.4.4 Thermal Expansion Hysteresis	65
4.4.5 Oxidation-Reduction	67
4.4.6 Spalling and Thermal Shock	69

<b>4.5 EXPERIMENTAL TECHNIQUES</b>	<b>71</b>
4.5.1 Thermogravimetry	71
4.5.2 Differential Thermal Analysis	72
4.5.3 X-ray Diffraction	73
<b>4.6 SILICA</b>	<b>74</b>
4.6.1 New forms of Silica	75
4.6.2 The Quartz Inversion	76
4.6.3 Inversion of Cristobalite	77
4.6.4 Inversion of Tridymite	80
4.6.5 The Conversion of Quartz	82
4.6.6 The Kinetics of Quartz Conversion	85
4.6.7 Calcination of Flint	7
4.6.8 Changes on Firing Silica Brick	89
4.6.9 Microstructure	93
4.6.10 Thermal Expansion Characteristics	94
4.6.11 Polymorphic Changes during Use	95
4.6.12 The Devitrification of High Temperatures	96
4.6.13 Liquid Contents at High Temperature	97
4.6.14 Resistance to Corrosion by Slags	101
<b>4.7 CLAYS</b>	<b>102</b>
4.7.1 Adsorbed	104
4.7.2 Dehydration	105
4.7.3 Rehydration	108
4.7.4 Phase Changes on Decomposition	111
4.7.5 Phase Changes at Higher Temperatures	115
4.7.6 Effect of Silica on Melt Formation	117
4.7.7 Effect of Fluxes on Melt Formation	118
4.7.8 Oxidation	120
4.7.9 Vitrification	124
4.7.10 The Colour of Fired Clay	126
4.7.11 Constitution and Structure of Fired Clay	128
4.7.12 Spalling	129
4.7.13 Slagging	131
<b>4.8 ALUMINIUM SILICATES</b>	<b>136</b>
4.8.1 Decomposition	136
4.8.2 Melting Behaviour	137
4.8.3 Synthetic Mullite	138
4.8.4 Service Behaviour	140

<b>4.9 MAGNESIUM SILICATES</b>	<b>141</b>
4.9.1 Serpentine and Talc	141
4.9.2 Forsterite	144
4.9.3 Steatite Bodies	144
4.9.4 Cordierite Bodies	146
<b>4.10 VERMICULITE</b>	<b>147</b>
<b>4.11 CALCIUM SILICATES</b>	<b>149</b>
4.11.1 Wollastonite	149
4.11.2 Dicalcium Silicate	149
4.11.3 Tricalcium Silicate	151
<b>4.12 ZIRCONIUM SILICATE</b>	<b>152</b>
<b>4.13 ZIRCONIA</b>	<b>154</b>
<b>4.14 ALUMINA</b>	<b>158</b>
4.14.1 Melting Behaviour	159
4.14.2 Fusion-cast Product	160
4.14.3 Sintered Alumina	161
<b>4.15 MAGNESIA</b>	<b>162</b>
4.15.1 Dissociation	163
4.15.2 The Calcined Product	164
4.15.3 Hydration Behaviour	165
4.15.4 Sintering	166
4.15.5 Dead-burning	168
4.15.6 Constitution and Structure	170
4.15.7 Changes in Strength during Firing	172
4.15.8 Service Behaviour	173
<b>4.16 DOLOMITE</b>	<b>174</b>
4.16.1 Stabilization	175
4.16.2 Constitution	176
4.16.3 Solubilities	176
<b>4.17 CHROME ORE AND CHROME-MAGNESITE</b>	<b>177</b>
4.17.1 Dehydration	178
4.17.2 Oxidation	178
4.17.3 Dissociation of $\text{Fe}_2\text{O}_3$	180
4.17.4 Effect of Magnesite Additions to Chrome Ore	181
4.17.5 Iron-oxide Bursting	184