

CONTENTS AND SUBJECT INDEX

INTRODUCTION	1
TITANIUM DIOXIDE PIGMENTS.	3
Beneficiation of Titaniferous Ores.	3
Digestion with Hydrochloric Acid in Presence of Fluoride	3
Chlorination of Ores Containing Carbons in Fluidized Bed	5
Techniques for Improving Photostability of TiO_2	7
Posttreatment in Carrier Gas with Halides of Si, Al, and Ti	7
Aftertreatment with Basic Aluminum Salt and Metal Phosphate	8
Aftertreatment with Vinyl Polymer	10
TiO_2 of Reduced Photosensitivity	12
Starting Dispersion Containing TiO_2 and Water	12
Starting Dispersion Containing TiO_2 and Water-Soluble Phosphate	14
Starting Dispersion Containing TiO_2 , Phosphate and/or Silicate and Monoisopropanolamine	16
TiO_2 Pigments of Improved Hiding Power	18
Successive Precipitations of Silica and Alumina on TiO_2	18
Rutile TiO_2 Coated Successively with Titania and Alumina	19
Porous Inner Coating of Silica and Alumina and Dense Outer Coating of Silica	21
Dense Inner Coating and Porous Outer Coating of Silica and Alumina	22
Treatment with Organosilane	24
High Solids Slurry for High Gloss Water-Based Acrylic Paints	25
Coating TiO_2 to Enhance Durability	27
Coating with Hydrous Oxides of Silicon and Zirconium, Hafnium or Titanium	27
Coating with Hydrous Oxides of Silicon and Aluminum	29
Coating with Dense Silica and Alumina Under Controlled pH and Temperature	30
Coating with Colorless Vanadate	31
Encapsulated in Acrylic Polymers	32
Modifying Surface Properties of TiO_2 Pigments	34
Surface Coating of Aluminum Compound Having Acidic Sites	34

Polymer Coated Acidic TiO_2	36
Hydrophobizing TiO_2 by Treatment with Silane Coupling Agent	37
Improving Dispersibility and Other Properties.	38
Stabilized Alumina-Silica Coating.	38
Pigment Dry Milled in Presence of Diisopropanolamine	39
Dry Milled TiO_2 Rolled in Presence of Highly Dispersed Oxide.	41
Pigment Ground into Solution of Partially Neutralized Acrylic Copolymer	43
Use of Polyoxymethyleneoxazolidine Biocides.	44
Pretreatment with Organic Polyisocyanate	46
Other Processes.	48
Precalcination Treatment with Na_2SO_4 and Compounds of Li or Zn.	48
Polycrystalline, Fibrous, Rutile TiO_2	51
Stabilizing Aqueous Slurries of Chloride Process Anatase TiO_2 with Sodium Aluminate	52
Production of Lamellar Pigments by Vacuum Deposition.	54
Amorphous Alumina Coating plus Second Coating of Boehmite Alumina.	55
Hot Melt Microcapsular Coatings for Pressure Sensitive Copying Paper.	56
YELLOW AND GREEN PIGMENTS	59
Chromium Oxide Green Pigment.	59
Prepared by Heating Dry Mixture of Sodium Dichromate and Ammonium Salt	59
Prepared from Ammonium Dichromate and Sodium Salt	61
Prepared by Heating Dry Alkali Metal Chromate and Carbon in Inert Atmosphere	63
Aftertreatment with Alkoxylated Alkyl Sulfonamide to Reduce Flocculation	64
Reduction of Alkali Metal Chromate in Heated Hydrogen-Containing Reaction Zone.	65
Bright Primrose Yellow Monoclinic Bismuth Vanadate Pigment	67
Preparation of Bright Primrose Yellow Monoclinic Bismuth Vanadate	67
Heat-Stable Silica-Coated Monoclinic Bismuth Vanadate Pigment.	69
Extended Bismuth Vanadate Pigment.	70
Lead Chromate Pigment of Improved Thermal Stability.	71
Silica Treated Lead Chromate Pigment Coated with Dense Amorphous Silica	71
Boron Treated Chrome Yellow Pigment Coated with Dense Amorphous Silica	75
Hydrous Oxide Coated Primrose Type Chrome Yellow Pigment Encapsulated in Dense Amorphous Silica	78
Boron Treated Molybdate Orange Coated with Dense Amorphous Silica ..	81
Zirconium Coated Chromate Pigment.	83
Encapsulation in Polymeric Metal Phosphate Complex to Improve Stability	85
Lead Chromate Pigments of Improved Abrasion Resistance	86
Silica Coated Lead Chromate Treated with Polysiloxane.	86
Chrome Pigments Coated with Aromatic Carboxylic Acids.	88
Glass Coated Chrome Yellow Pigment of Improved Chemical Resistance.	90
Nonsticking Lead Chromate Pigments.	91
Treatment with Esters of Phthalic or Terephthalic Acids	91
Treatment with Low Molecular Weight Hydrocarbon Resin and Cationic Surfactant.	94
Other Lead Chromate Processes	96

Improving Dispersibility of Molybdate Red and Chrome Yellow	96
Lead Sulfochromate with Low Acid Soluble Lead Content	97
Pigment Precipitated in Presence of Ferromagnetic Solids	98
Additional Inorganic Yellow Pigments	99
Yellowish-Green Nontoxic Pigment—Rutile TiO_2 , Perovskite CaTiO_3 and Trigonal CoTiO_3	99
Antimony-Free Yellow Pigment	101
Zinc Sulfide Host and Dopant Binary Metal Sulfide	103
Double Phase Zinc Host and Manganese Oxide Dopant	105
Temperature Stable Inorganic Yellow Pigment— Fe_2TiO_5	106
Temperature Stable Pigment of Pseudobrookite-Titanium Dioxide Structure	107
IRON OXIDE PIGMENTS	110
Iron Oxide Pigments from Industrial Wastes	110
Use of Residue from Preparation of ZnSO_4 Solutions from Roasted Blende	110
From Leachings of Zinc Residues	111
Micaceous α -Iron Oxide from By-product of TiO_2 Production	112
Iron Oxide Pigments via Reduction of Aromatic Nitro Compounds by Ferrous Salts	114
Spherical Red Iron Oxide	114
First-Stage Nuclei Formation of Red Iron Oxide	115
Yellow Iron Oxide	116
Joint Production of Aromatic Amines and Yellow to Black Iron Oxide Pigments	118
Yellow Iron Oxide Pigments	119
Transparent Yellow Iron Oxide Prepared by Combustion of Iron Carbonyl	119
Easily Dispersed Transparent Iron Oxide	121
Hydrated α -Ferric Oxide Coated with Insoluble Metal Metaphosphate	122
Red Iron(III) Oxide (Hematite)	123
Preparation of Polycrystalline α -Iron Oxide	123
Red Iron Oxide of Low Goethite Content	125
Black Iron Oxide	128
Two-Stage Process Utilizing Metal Compound to Heighten Color	128
Insoluble Zinc Coating to Improve Resistance to Oxidation	130
Acicular Magnetic Iron Oxide Pigments for Use in Magnetic Recording Media	131
Improved Orientability by Aftertreatment of Acicular FeOOH with Organosilicon Compound	131
Improved Orientability by FeOOH Seed Formation in Presence of Zinc and Phosphate Ions	133
Silane-Coated Iron Oxide Magnetic Pigment	134
Hydrothermal Conversion of Iron(III) Oxide in Presence of Saccharide and Alkali Metal Hydroxide	135
Reduction of Acicular Iron Oxide Chelated with Barium Acetylacetonate	137
CARBON BLACK	139
Carbon Black from Oil Feedstocks for Xerographic Toner Compositions	139
Preparation of Feedstock Carbon Black	139
Oxygenation of Feedstock Carbon Black	142

Carbon Black Pigments for Waxless Carbon Paper and Printing Inks	145
Inseparable Carbon Black, Blue Pigment and Wetting Agent Mixture	145
Carbon Black Toned with Lake Forming Organic Dye	145
Carbon Black Reinforcing Agents for Rubber.	146
Furnace Process Type Black	146
Carbon Black of High Surface Area and Low Degree of Porosity	149
Scrap Rubber Ground at Elevated Temperatures with Sulfur	151
Other Processes.	152
Black Coloring Agent from Furnace Black	152
Particulate Silica Filler Coated with Elemental Carbon as Carbon Black Substitute	154
Dispersible Coloring Composition Containing Carbon Black, Rosin Resin and Polymerization Inhibitor.	155
Carbon Black Adsorbed on an Insoluble Metal Dithiocarbamate Salt	156
Carbon Black-Synthetic Resin Concentrate.	157
Grafting Polymers on Carbon Black Through Free Radical Mechanism.	159
LUSTROUS PIGMENTS.	161
Mica Flake-Based Pigments Suitable for Cosmetic Use	161
Mica Flake Coated with Iron Compound Which Is Convertible to Berlin Blue	161
Direct Precipitation of Iron Blue on Mica Substrate	162
Iron Layer on Mica Flake Pigment	164
Translucent Mica Flakes Coated with Tin Dioxide	166
Succession of Rutile-SnO ₂ -Rutile Layers.	166
Fe ₂ O ₃ Layer on TiO ₂ or ZrO ₂ Coated Translucent Mica	168
Carbon Black-Containing Metal Hydroxide on TiO ₂ Coated Mica Flake Substrate.	169
Improved Luster of Bismuth Oxychloride-Mica Nacreous Pigment.	170
Polymer Coated Pearlescent Pigment Resistant to Agglomeration and Luster Loss	172
Forming Aluminum Lake on a Micaceous Pigment Coated with Aluminum Hydroxide.	173
Lustrous Pigments for Plastics.	174
TiO ₂ or ZrO ₂ Coated Synthetic Micaceous Iron Oxides of Varying Colors	174
Interposed Layer of TiO ₂ or Al ₂ O ₃ Between Iron Oxide and Mica.	177
Rutile TiO ₂ Coated Mica Treated with Acidic Tin compound.	178
Coated Mica Platelets for Casein Plastics.	180
Nacreous Titanium Dioxide Supported and Unsupported Pigments	182
Zinc or Manganese Salt Templates.	185
Iridescent Pigments.	187
Enhancing Coloration with Solvent Soluble Dyes.	187
Use of Iridescent Pigments in Recording Compositions.	189
Other Pigments.	190
Exterior Grade Titanium Dioxide Coated Mica Pearlescent Pigment.	190
Manufacture of Nacreous α -Fe ₂ O ₃ Platelets.	191
Composite Metal Hydroxide Having Layer Crystal Structure and Endothermic Peak.	193
CLAY PIGMENTS	196
Improving Properties of Kaolin Clay.	196
Improving Brightness of Iron Contaminated Kaolin Clay	196

Removal of Quartz Impurity by Selective Flocculation.	197
Delamination of Coarse Fraction of Washed Secondary Kaolin Clay.	199
Selective Flocculation in Presence of Mica to Produce High Bulking Pigments	201
Calcined Clay Pigment.	202
Clay Pigments for Pressure Sensitive Record Material	204
Reduced Charge Montmorillonite Pigment Prepared by Ion Exchange Treatment	204
Use of Reduced Charge Montmorillonite Pigment for Sensitizing Record Material.	205
Acid Leached Clay Containing Ion Exchange Cupric Ions.	207
Other Clay Pigments	209
Buff Opacifier as Waste Product from Clay Ultraflotation Beneficiation.	209
Satin White-Kaolin Clay Composition for Paper Coating Pigment.	211
PIGMENT DISPERSION.	214
Facilitating Dispersion of Titanium Dioxide and Iron Oxide by Treatment with Organic Compounds	214
Coating with Aminoalkanols	214
Coating with Vicinal Aminoalkanols	217
Coating with Esters of Aliphatic Carboxylic Acids and Tertiary Alkylolamines.	218
Dispersing Agents	220
Organic Adducts for Dispersion of Pigments in Organic Liquids	220
Alkylene Oxide Adduct on Long-Chain Aliphatic Amine plus Anionic Surfactant	222
Addition Product of Ethylene Oxide and Castor Oil	223
Polypropoxylated-Polyethoxylated Compounds for Aqueous Emulsion Paints Containing Cellulose Ethers	224
Water-Soluble Oxalkylation Products	225
Complex of Nonionic Surfactant and Polymeric Carboxylic Acid.	226
Dispersants for High Solids Suspensions	228
Copolymer of Methyl Acrylate and Acrylic Acid	228
Alkali-Neutralized Terpolymers.	229
Hydroxylated Alkylene Diamines	230
Continuous Process for High Solids Content Suspension.	231
Dry Water-Dispersible Pigment Compositions	234
Pigment, Nonionic Dispersing Agent and Cellulose Ether	234
Pigment, Nonionic Dispersing Agent and Hydrolyzed Vinyl Acetate Polymer.	235
Predispersed Pigments	236
Pigment Encapsulated in Linear Polymer Resin.	236
Hydrocarbon Natural Resin-Coated Pigment.	238
Dispersion Stabilizers	240
Carboxy Ester Dispersion Stabilizer	240
Urethane Stabilizer	242
Amine Salts of Modified Esters of Unsaturated Fatty Alcohols and Ethylene Dicarboxylic Acids.	243
ANTICORROSION PIGMENTS	246
Iron Oxide Based Anticorrosion Pigments.	246
MgO, CaO, or ZnO, and (Fe,Cr) ₂ O ₃	246
MgO, ZnO, or CaO and (Fe,Al) ₂ O ₃	248

Iron Oxide-Calcium Oxide ($2\text{CaO}\cdot\text{Fe}_2\text{O}_3$) Sintered Composite	251
Molybdate Corrosion-Inhibiting Pigments.	252
Metal Molybdate Coating on Inert Talc or Silica Carrier	252
Chemically Bonded Coating of Metal Molybdate on Carbonate Carrier.	254
Sodium, Potassium or Ammonium Zinc Molybdate	256
Synergistic Effect of Metal Molybdate and Metal Phosphate Salts.	258
Other Anticorrosion Pigments.	260
$\text{CaZn}_2(\text{PO}_4)_2\cdot 2\text{H}_2\text{O}$ Pigments of Scholzite Lattice Structure.	260
Basic Zinc Phosphites	262
Spherical Zinc Dust Grains	264
Specific Silicon, Zirconium and Titanium Phosphates.	265
Calcium Silicofluoride	267
Chromium Chromate Complex	269
Corrosion-Inhibiting Primers.	271
Incorporation of Calcium-Silico-Zirconate into Primer	271
Nonaqueous Primer Containing Magnesium Phosphate	272
Prefabrication Primer for High Tensile Steel	273
Reaction Product of Styrene-Allyl Alcohol Polymer, Drying Oil Fatty Acids and Maleic Acid.	274
Nonferricyanide Chromate Conversion Coating for Aluminum Surfaces.	276
PIGMENTS FOR SYNTHETIC MATERIALS.	278
Coloring Plastics	278
Use of Polyethylene Coated TiO_2 in ABS Polymer and Polyamide	278
Use of Fatty Amide Coated Pigments	280
Pigment Concentrate for Use in Thermosettable Powder Coating Resins.	281
Pigmented Polymer Particles for Molding Applications.	283
Yellow and Red Pigments for Synthetic Resins.	284
Turquoise Pigments for Synthetic Resins	286
Solid Suspension of Pigment Within Film of Solid Hexahydric Alcohol	286
Titanium Phosphate as Whitening Pigment for Polyolefin Surfaces.	289
Use of Organotitanates to Form Hydrophobic Surface on Pigment.	291
Dispersion Vehicle Consisting of Inert Solid and Sorbitan Ester Surfactant	294
Pigment Fixed onto Surface of Organic Polymer Spheruloids.	295
Metal Pigmented Plastic Powder for Coatings	298
Pigment Composition for Plastics in Bead Form	299
Aqueous Dispersion of Pigment and Water-Insoluble Carrier.	299
Aqueous Dispersion of Pigment in the Presence of Protective Colloid.	300
Pigmentation of Synthetic Fibers	301
Use of Polypropylene Particles of Critical Diameter	301
Concentrate Mixture of Pigment, Polyethylene and Fiber Grade Polyester.	302
Color Concentrate Added After Fiber Forming Polymer Has Been Prepared	303
Pelletizable Pigment Concentrate Containing Pigment, Polyester Base and Hydrocarbon Dispersing Resin	305
Flocculated Concentrated Pigment Dispersion Added Prior to Completion of Polymerization	307
Use of Polyacrylonitrile Polymer as Support in Pigment Preparation	308
Decreasing Photosensitivity of TiO_2 to Be Used in Artificial Fibers	309
Coating of V_2O_5 , Al_2O_3 and SiO_2 and Thermal Drying	309
Treatment with Manganous, Cobaltous or Cerous Acetate	311

IMPROVING OPTICAL PROPERTIES OF PAINT AND PAPER	313
Paper Pigments	313
Expanded Magnesium Hydroxide Containing Calcium Ions in Solid Solution	313
Magnesium Hydroxide-Calcium Carbonate Pigment	315
Ultrafine Natural Calcium Carbonates	316
Composite Pigment of Clay and Metal Silicate	317
Coprecipitated Calcium. Trisulfoaluminate and Hydrated Silica	319
Easily Pumpable Calcium Carbonate Suspension	320
Titanium Dioxide-Containing Composites as Paper Opacifiers	322
Composite Pigment of Titanium Dioxide and Calcium Carbonate	322
Composite Titanium Dioxide (Predominantly Rutile)	323
Composite Containing Isometric Rutile Pigment Particles and Acicular Modified Potassium Hexatitanate	325
Aluminosilicate Pigments	327
Alkali Aluminum Silicate Particulates Containing Chemically Bound Alkaline Earth Metal	327
Reducing Structure of Pigment by Hard Media Grinding	331
Dry Blend Mixture of Pigment and Deliquescent Salt	332
Pigmented Microporous Silica Microsphere Opacifiers	333
Emulsion Process	333
Spray Process	336
Other Paint and Paper Pigments	338
Aluminum Monohydrate Pigments of Uniform Particle Size	338
High Solids Concentration Slurry of Mixed Metal Oxide Coated TiO_2 Pigment	340
Mixtures of TiO_2 and Porous Synthetic Magnesium Silicate	342
PIGMENTS FOR OTHER SPECIFIC NEEDS	344
Specialized Protective Coatings	344
High Temperature Coating for Supersonic Vehicles Based on Poly(Zinc Phosphinates)	344
Spacecraft Electrically Conductive Thermal Control Coating Containing Fired Oxide Pigment	345
Use of Zinc Orthotitanate for Spacecraft Thermal Control Coating	347
Detector Paint for Toxic Chemical Warfare Agents	348
Selective Black Particles for Solar Heat Receiver	349
Use of Recombination Center Additives to Prevent Pigment Discoloration in Vacuum Environment	351
Indoor-Outdoor Durable Coating Containing Colloidal Silica. Laminar Aluminum Oxide. Amino Alcohol and Zinc Component	352
High Build Coating Containing Glass or Ceramic Microspheres. Barytes or Clay and TiO_2	355
Coating Resistant to Weather. Chemicals and Abrasion Containing Fragmented Glass Bubbles	357
Silica Pigments for Rubber	358
Readily Dispersible Pelletized Silica	358
Finely Divided Precipitated Silica Prepared by Acidification of Aqueous Alkali Metal Silicate	360
Precipitated Silica with Polyethyleneimine and Methylene Donor Compounds Adsorbed on Surface	362
Ceramic Pigments	364
Praseodymium Containing Pigments of Intense Color	364

Firing-Stable Yellow to Red Glaze Mixtures Containing Cadmium Sulfide or Cadmium Sulfoselenide as Color Carrier.	365
Calcined Mixture of Zirconium Sand, Color Determining Agent and Mineralizer	367
Use of Hydrolyzable Titanium Compounds in Reducing Yellow "Color Shift"	369
Steam Settable Color Compositions Using Rosin Ester in Ethylene Glycol as Vehicle.	372
Improving Brightness of Cerium Oxide by Addition of Boron Compound Before Calcining	373
Manufacture of Granular Lead Oxides Without Formation of Harmful Dusts.	374
Annealed Pigments	376
Inorganic Pigment Based on Multiple Spinel Formed in Calcining Operation	377
Transparent Hydroperoxy-Group-Containing Aluminum Compound	378
Flattening Pigments for Use in Nitrocellulose Coating Compositions	380
Calcined Hydrated Silicas	380
Alkali Metal Aluminocarbonates.	382
Construction Elements	383
Pigment Concentrate for Concrete Prepared by Stirring in Rotating Electromagnetic Field.	383
Lightweight Foamed Concrete Using Aluminum Paste Composition.	384
Lightweight Concrete Using Expanded Calcium Silicate Beads.	386
Use of Fluorine-Containing Wetting Agent to Increase Weatherability of Carbon Black on Concrete.	387
Thermostable Black and Brown Pigments from Pyrolusite-Heptahydrated Ferrous Sulfate Mixture	389
Weather Resistant Vinyl Chloride Polymers Containing Both Rutile and Anatase Titanium Dioxide.	390
Solidified Red Mud Filler Material	392
Reinforcing Filler for Synthetic Polyester Resin Comprising Glass Spheres, Suzorite Mica Platelets and Aluminum Trihydrate Particles	394
Amorphous Precipitated Siliceous Pigments for Dentrifices	395
Acidulation of Salt-Polymerized Alkali Metal Silicates	395
Simultaneous Addition of Alkali Metal Silicate and Acid with Precipitation at Constant pH.	399
Aging Step During Acidulation of Alkali Metal Silicate.	401
Other Processes.	404
Speckled Toothpaste Containing Gel Agglomerates of Pigment Particles.	404
Fluorescent Pigment for Artificial Teeth Containing Manganese-Activated Yttrium Oxide.	405
Conductive Metal Pigment from Nonnoble Metals.	406
Stabilization of Chromium Dioxide Magnetic Pigment with Silane	408
Weldable Coatings Containing Electroconductive Zinc Pigment	409
Adhesive Generating Layer for Overcoated Photoreceptor Systems	411
Coating of Pigmented Layer for Photographic Products	412
Fluorocarbon Polymer-Pigment Composition Stabilized Against Discoloration with Cerium Compound.	414
Synergistic Primer for Fluoropolymer Coatings Containing Thermoplastic Fluorinated Polymer, Epoxy Resin, Mica, Metallic Pigment	416
Green Emitting Phosphor for Color TV Cathode Ray Tube	419
X-Ray Fluorescent Luminescent Cadmium Tungstate Pigment.	420

Method for Tinting Caulk	421
Cadmium Pigment with Reduced Physiological Effects	422
Color Film Coating of Tablets Using Pigment Suspension Dispersed in Polymer Solution	424
Pigmented Polyurethane Textile Coating Compositions Using Carbodi- imide Pigment Vehicle	425
Joint Suspension of Mixed Pigments Using Lecithin as Only Additive	427
Use of Finely Divided Silica and Colloidal Alumina Binder for Pigmented Light Bulb Envelope	429
Ink for Unglazed Paper Surfaces	430
OTHER PROCESSES	433
Berlin Blue	433
From Calcium, Magnesium or Sodium Ferrocyanide and Iron(II) Salt at pH Below 7	433
From Mixture of Sodium and Potassium Ferrocyanide Reacted with Iron(II) Salt	435
Improving Dispersion by Flushing with Tertiary Amine in Presence of Polyoxyethylene Type Surfactants	436
High Solids Pigment Press Cake Encapsulated in Ammoniacal Resin	438
Antimony Pigments	439
Light Stable Senarmontite Prepared by Controlled Hydrolysis of Antimony Trichloride	439
Light Stable Senarmontite from Hydrolysis of Antimony Trichloride in Presence of Complexing Agent	440
Hydrous Oxide Coated Antimony Oxide	441
Increasing Brilliance of Pigment by Comminution in Presence of Surface Active Agent	443
White Crystalline Compounds Useful as Pigments	444
Crystalline $\text{CaTiZr}_3\text{O}_9$	444
Crystalline $\text{CaTiHf}_3\text{O}_9$	447
Metal Pigments	448
Reflective Metal Flake Pigment	448
Metal-Leaf-Reflecting Pigment with Metal Deposition and Resinous Coating Layers	449
Aqueous Coating Composition Comprising Nonleafing Aluminum and Nonionic Surfactant Combination	451
Dense-Silica-Encapsulated Aluminum Flake Pigment Treated with Carboxylic Chromic Chloride	452
Metal Platelets Produced by Electroless or Vapor Deposition on Suitable Substrate	454
Metallic Particles Coated with Polymer for Resistance to Chemical Agents	455
Refractive Index Pigments	457
Inorganic Leuco Pigment Surrounded by Spheroid Bodies of Transparent Polymer Materials	457
Intrachromspheroid Pigment Affixed to Leuco Pigment	459
Composite of Organic Chromo and Inorganic Leuco Pigments	461
Hydrophobized Pigments and Fillers	462
Organosilane Deposited on Calcined Agglomerates Containing Silicates	462
Calcined Agglomerates Containing Silicates and Inorganic Opacifiers	464
Treatment with Volatilizable Organosilicon Compounds in Gas Phase	466
Modifying Rheological Properties	469

Use of Amine Modified Montmorillonite Clay, Swelling Agent and Wetting Agent	469
Thixotropized Pigmented Aqueous Dispersion Paints	470
Flame Hydrolysis Silicas	473
Pigment Treated with Colorless Compound Derived from Pyridine or Benzimidazole Compounds	476
COMPANY INDEX	478
INVENTOR INDEX	480
U.S. PATENT NUMBER INDEX	485