

CONTENTS AND SUBJECT INDEX

| | |
|---|-----------|
| INTRODUCTION | 1 |
| 1. RADIATION-CURABLE COMPOSITIONS | 3 |
| Epoxy Resins | 3 |
| Cured with Group V-A Onium Salts | 3 |
| Epoxy Acrylate Esters. | 5 |
| Unsaturated, Nitrogen-Containing Polyepoxides | 9 |
| Cured with Certain Dicarboxyl Chelates | 13 |
| Polyurethane Resins | 15 |
| For "Wet Look" Finishes | 15 |
| Cured by Addition Polymerization | 17 |
| For Overprint Coatings on Metal Before Forming Operations. | 20 |
| Wood Coating | 23 |
| With Improved Weather Resistance for Thermoplastics. | 24 |
| Ethylenically-Unsaturated Resins | 26 |
| Containing Two Photopolymerization Initiators | 26 |
| Diels-Alder Reaction Products. | 27 |
| Use of Aliphatic Saturated Ether as Promoter | 30 |
| For Use with Titanium Pigments. | 32 |
| Plus Unsaturated Photopolymerizable Compounds. | 34 |
| Opaque Coatings with Good Coverage. | 35 |
| Coatings Having Resistance to High Temperatures | 37 |
| Polyester plus Saturated Acid or Anhydride | 38 |
| Onium Salt as Photoinitiator | 40 |
| High T_g Solid Polymer Additive as Adhesion Promoter | 42 |
| Addition of 3-Acryloxypropionic Acid for Promoting Adhesion. | 43 |
| Photocurable Inks and Coatings | 44 |
| Epoxy Composition of Dimer Acid-Modified Vinyl Ester Resin | 44 |
| Addition of Rosin-Modified Epoxy Resins | 46 |
| Containing Certain Polymerizable Monomers for Fast Curing | 47 |
| Miscellaneous Resins. | 50 |
| Condensation Products of Aldehydes and Ketones | 50 |
| Cellulose Esters Containing Certain Amino Carboxylate Groups. | 52 |
| 2. COATINGS CURED WITH LOW ENERGY | 55 |
| Autoxidizable Compositions | 55 |
| From Dicyclopentenyl (Meth)Acrylate | 55 |
| Liquid Butadiene Polymers. | 57 |
| Polyurethanes Containing Esters of Glycol Monodicyclopentenyl Ethers | 59 |
| Containing an Epoxide and a Carboxyl Group-Containing Substance | 62 |
| Polyurethane from Dicyclopentenyl (Meth)Acrylate. | 64 |
| Baked at Low Temperatures | 66 |
| Glycidyl Esters with Certain Polyamines. | 66 |
| Glycidyl Ester-Based Binder Cured with Carboxylic Acid Anhydrides | 69 |
| Polyalkylaromatic Polysulfonic Acid Catalysts | 71 |
| Polyepoxides with Monocarboxylic Acid Initiator and Stannous Salt Catalyst. | 72 |

| | |
|--|------------|
| Alkoxyethylaminotriazines and Polyols | 74 |
| With Added Polyhydroxy Oligomers | 76 |
| With Added Polyether Triols | 78 |
| Epoxy Resins with Improved Cure Rates | 79 |
| 3. AUTOMOTIVE AND APPLIANCE FINISHES | 82 |
| Metallic Automobile Topcoats | 82 |
| Oligomeric Hydroxyphosphate Catalyst | 82 |
| Hydroxy Functional Acrylic Organophosphate Catalyst | 87 |
| Esters of Certain Phosphoric Acids as Catalysts | 89 |
| Hydroxyesters of Certain Phosphoric Acids as Catalysts | 92 |
| Other Automotive Topcoats | 95 |
| Polyurethane Compositions | 95 |
| Containing an Ester Diol Binder | 96 |
| Iron Pyrophosphate for Improved Gloss Retention | 98 |
| Based on Unsaturated Polyesters | 99 |
| Air-Drying Lacquers for Touch-Up Work | 103 |
| Automotive Primers | 105 |
| Acrylate and Epoxy Resins with Special Solvent | 105 |
| Polyisocyanate Coating | 106 |
| For Automotive Components- | 108 |
| For Corrosion- and Abrasion-Resistant Coatings on Vapor-Deposited Metal Trim | 108 |
| Crosslinkable Coatings Based on Hydroxyl-Containing Polymers | 111 |
| Highly Pigmentable Coatings Based on Aminoplasts and Polyesters | 113 |
| Organic Polymer Bonded to Steel for Automotive Ball Studs | 115 |
| Corrosion-Resistant Coatings | 116 |
| Asphalt-Based System with a Petroleum Sulfonate | 116 |
| Polyvinyl Chloride Plastisols with Good Adhesion to Metals | 117 |
| For Use as Automobile Undercoater | 121 |
| Appliance Coatings | 123 |
| Polyester-Modified Vinyl Polymer | 123 |
| Containing Tetrahydric Adduct | 126 |
| Based on Polyester, an Epoxy, and a Crosslinker | 127 |
| Containing Liquid Bishydroxy Ether of a Bisphenol | 128 |
| 4. COATINGS FOR ELECTRICAL APPLICATIONS | 130 |
| Thermoparticulating Coatings | 130 |
| Organosulfur Compositions | 130 |
| Carboxylic Acid Compositions | 133 |
| Cyanoethylated Compositions | 135 |
| N-Thiophthalimide Compositions | 137 |
| Insulating Coatings | 138 |
| Flame-Retardant Wax Compositions | 138 |
| Copolymers of Ethylene and Vinyl Acetate | 140 |
| Strippable Insulation Shielding for Electrical Conductors | 141 |
| Photosensitive, Oil-Free, Low Viscosity Compositions | 143 |
| Plasticized Vinyl Chloride Polymer Cable Sheathing | 145 |
| Coating for High Voltage Insulators | 147 |
| Wire Coatings | 148 |
| Containing Heat Crosslinkable Blocked Polyisocyanates | 148 |
| Lacquer Which Does Not Interfere with Soldering | 152 |
| Thermoplastic Ionomers | 152 |
| Miscellaneous Uses | 155 |
| PVC Additives for Sensor Conductors at Elevated Temperatures | 155 |
| Highly Crosslinked, Ladder-Type Polymeric Film | 158 |
| Organopolysiloxane Shrinkproof Coatings | 160 |

| | |
|---|------------|
| For Improving Adhesion of Photoresistant Polymers to Inorganic Oxides | 161 |
| Flame-Retardant Covercoats for Printed Circuits | 164 |
| Polybutadiene Resin Coating for Thin Film Resistor. | 165 |
| 5. MISCELLANEOUS COATINGS FOR METALS. | 168 |
| * Polyester-Based Compositions. | 168 |
| Coatings for Unprimed Coil and Can Stock | 168 |
| Rapid-Curing, Thermosetting Coil Coating | 172 |
| Tough, Flexible Coatings for Can Stock | 174 |
| Coatings with Excellent Peel- and Corrosion-Resistance. | 175 |
| Epoxy-Phenolic Systems | 177 |
| Having Low Viscosity at 25 Volume Percent Solvent | 177 |
| Showing Good Drawn and Ironed Formability | 179 |
| Epoxy-Based Compositions | 180 |
| Solid Epoxy Coating with Good Weatherability | 180 |
| Two-Package Anticorrosion Coating | 183 |
| Coating Having Good Metal Adhesion. | 186 |
| Other Compositions | 188 |
| Corrosion-Resistant Coating Containing an Organic Silicate | 188 |
| Polycaprolactone Derivatives plus Methylolated Melamine and Polyol | 190 |
| Aminoplast-Alkyd Can Coating. | 193 |
| Urethane-Phenolic Resin Coil Coating. | 194 |
| 6. SOLID AND HOT MELT COMPOSITIONS | 197 |
| Hot Melt Compositions | 197 |
| Wire Insulation Containing Fluorocarbon Polymers | 197 |
| Ethylene-Tetrafluoroethylene Copolymers plus Copper Compound | 198 |
| Diisocyanate-Modified Polyesters as Glass Coating. | 200 |
| Hot Melt Coatings for Carbonless Copy Paper. | 202 |
| Highly-Pigmented Coating for Cellulosic Substrates | 205 |
| Polystyrene-Polypropylene Compositions for Extrusion Coating | 207 |
| Solid Paints | 209 |
| For Decoration and Protection of Structural Components | 209 |
| 7. USE OF SPECIAL SOLVENTS. | 213 |
| Unreactive Diluents. | 213 |
| Monoalkyl Ethers of Mono- or Diethylene Glycol. | 213 |
| Low-Boiling Alcohol and/or Ketone Vehicle. | 217 |
| Orthosilicate Compounds | 219 |
| Alkoxyethanol as Part of Solvent | 221 |
| Ethoxyethyl Acetate. | 222 |
| Reactive Diluents | 224 |
| Uron Ether as Cosolvent. | 224 |
| Solvent Medium of Nonvolatile Trihydric Alcohol | 227 |
| Lactam-Hydroxyl Compound | 229 |
| 8. SPECIAL APPLICATIONS | 231 |
| Aircraft Coatings. | 231 |
| Finishes with Metallic Fibers. | 231 |
| Urethane Finishes with Good Weatherability | 233 |
| Polyurethane Topcoat. | 234 |
| Cookware Finishes | 236 |
| Coating Composition Requiring No Primer | 236 |
| Containing a Particulate Organic Modifier for Craze Resistance | 238 |
| Abrasion-Resistant Coatings | 241 |
| Epoxy-Terminated Silanes Cured with PF_6 , SbF_5 or $HSbF_6$ | 241 |
| Containing Epoxy-Terminated Silanes | 241 |

| | |
|--|-----|
| Containing Silane for Optical Plastics | 243 |
| Inks and Coatings | 245 |
| Polycaprolactone Derivatives plus a Polyepoxide Curing Agent | 245 |
| Radiation or Heat-Curable Resin | 247 |
| Synthetic Oil to Replace Drying Oil | 249 |
| Asphalt-Containing Compositions | 251 |
| Pipe Coating with Polyisocyanate | 251 |
| Pipe Coating with Synthetic Organic Fibers | 252 |
| Bitumen-Block Polymer Industrial Finishes | 254 |
| Laminated Insulation for Underground Pipelines | 256 |
| Other Uses | 259 |
| Metallic Coating | 259 |
| Curable Organopolysiloxanes for Silicone Substrates | 260 |
| Drag Reduction Coatings for Torpedoes | 262 |
| Intumescent-Ablator Coatings Using Endothermic Fillers | 264 |
| Flamboyant Finishes for Motorcycles and Bicycles | 266 |
| Protective Hydrophobic Coating for Aluminum | 269 |
| Low Surface Energy Coating for Metal or Oxide Surface | 270 |
| Coating for Rubberizing Steel Cords for Tires | 272 |
| Anticorrosive Paint for Oil Containers | 274 |
| Epoxy Coating for Highway Marking | 276 |
| 9. PROCESSES | 280 |
| For Coating Metal Sheets or Foils | 280 |
| Rust Preventing Coating for Sheet Steel | 280 |
| Injectable and Pressable Coating to Stabilize Foil | 281 |
| Hot Stamp Foil with Textured Surface | 281 |
| Gas-Barrier Coating | 284 |
| Textured Protective Coating for Metal Sheet | 288 |
| Special Apparatus | 290 |
| Apparatus for Ultraviolet Coating Processor | 290 |
| Method for Coating Wire with Liquid Polymer System | 293 |
| Safety Device for Use in Electrostatic Spraying | 295 |
| Atomizing Device for Liquid Paint | 298 |
| Extrusion Coating | 302 |
| Insulating the Central Core of a Submarine Coaxial Cable | 302 |
| Method of Extruding Enamel-Type Insulation | 303 |
| Coated Electrical Conductor Cable | 305 |
| Wire Coated with a Cellular Thermoplastic Resin | 308 |
| Photocuring Processes | 310 |
| Applying and Curing More than One Coating Simultaneously | 310 |
| Process for Wet-on-Wet Metal Coating System | 312 |
| Multistage Irradiation with Actinic Light | 315 |
| Two-Step Curing Process | 318 |
| For Special Applications | 321 |
| Coating for an Electrode for Arc Welding | 321 |
| Applying a Coating System to an Underwater Steel Surface | 323 |
| Method for Applying a Spectral-Selective Coating on a Plate | 327 |
| Thermoplastic Resinous Protective Wire Coating | 327 |
| Deposition of Aluminum on Lead Strips for Electronic Use | 330 |
| Mar- and Abrasion-Resistant Coatings of Low Gloss | 332 |
| Coating a Fiber Mat of Open Structure | 333 |
| COMPANY INDEX | 336 |
| INVENTOR INDEX | 338 |
| U.S. PATENT NUMBER INDEX | 341 |