## Contents

| 1 | Princ      | iples of Mold Design   | _  |
|---|------------|--|----|
|   | 1.1        | Types of Injection Molds   | 1  |
|   | 1.2        | Types of Runners and Gates   | 2  |
|   |            | 1.2.1 Solidifying Systems  | 2  |
|   |            | 1.2.2 Hot-Runner Systems   | 4  |
|   |            | 1.2.3 Cold-Runner Systems  | 5  |
|   | 1.3        | Temperature Control in Injection Molds   | 5  |
|   | 1.4        | Types of Ejectors  | 5  |
|   | 1.5        | Types of Undercuts   | 6  |
|   | 1.6        | Special Designs  | 6  |
|   |            | 1.6.1 Molds with Fusible Cores   | ő  |
|   |            | 1.6.2 Prototype Molds of Aluminum  | ő  |
|   |            | 1.6.3 Prototype Molds of Plastics  | 6  |
|   | 1.7        | Standard Mold Components   | 7  |
|   | 1.8        | Status of Standardization  | 7  |
|   |            | 1.8.1 Standard Components  | 7  |
|   |            | 1.8.2 Injection Mold for Producing Test Specimens of Thermoplastic Resins        | 7  |
|   | 1.9        | Material Selection   | 7  |
|   |            | 1.9.1 General  | 7  |
|   |            | 1.9.2 Tool Steels  | 8  |
|   |            | 1.9.2.1 Case-Hardening Steels  | 9  |
|   |            | 1.9.2.2 Heat-Treatable Steels  | 9  |
|   |            | 1.9.2.3 Through-Hardening Steels   | 9  |
|   |            | 1.9.2.4 Corrosion-Resistant Steels   | 9  |
|   | 1.10       | Surface Treatment Methods  | 9  |
|   |            | 1.10.1 Nitriding   | 9  |
|   |            | 1.10.2 Carburizing   | 10 |
|   |            | 1.10.3 Hard Chrome Plating   | 10 |
|   |            | 1.10.4 Hard Nickel Plating   | 10 |
|   |            | 1.10.5 Hardcoating   | 10 |
|   | 1.11       | Special Materials  | 11 |
|   |            | 1.11.1 High-Temperature Molybdenum Alloy   | 11 |
|   |            | 1.11.2 Metal-Carbide   |    |
|   |            | 1.11.3 Materials with High Thermal Conductivity                                  |    |
|   | 1.12       | Molds for Processing Thermosets  |    |
|   |            | 1.12.1 Mold Construction   | 11 |
|   |            | 1.12.2 Part-Forming Surfaces   | 12 |
|   |            | 1.12.3 Ejection/Venting  | 12 |
|   |            | 1.12.4 Heating/Insulation  | 12 |
|   |            | 1.12.5 Runner/Gate Design  | 12 |
|   | 1.13       | Molds for Processing Elastomers  | 14 |
|   |            |  |    |
| • | <b>G</b>   |  |    |
| 2 | Specia     | al Design Features of the Mold Examples  | 17 |
|   |            |  |    |
| 3 | Exam       | ples   | 20 |
|   | 2.1        | Similar Oracity Infrastion Model from Data of the O                              | •  |
|   | 2.1        | Single-Cavity Injection Iviola for a Cloge Elber Deinferred Debenit. There is in | 20 |
|   | 5.2        | Two-Cavity Unscrewing word for a Glass-Fiber-Keinforced Polyamide Infeaded       | 22 |
|   | 2 2        | Investion Mold for the Rody of a Tana Constant Holder Mode from II-1 Invest      | 22 |
|   | 5.5        | Delustriane  | 24 |
|   | 21         | FOLYSLYTCHE.   | 24 |
|   | 3.4<br>2.5 | Five-Cavity Injection Mold for a Delyamida Laint Flammet                         | 26 |
|   | 3.5        | Your-Cavity Injection Mola for a Polyamide Joint Element                         | 28 |
|   | 3.0<br>2.7 | Two Covity Potenty Core Mold for a Debugget Dire Ethern                          | 30 |
|   | 3.1<br>20  | Hot Dunner Injection Mold for Car Front Fonder                                   | 32 |
|   | J.0<br>2.0 | Interview Mold for Magnifiting Class France with Handle                          | 30 |
|   | 3.7        | injection word for waginging Glass Frame with Handle                             | 58 |

| 3.10  | Two-Cavity Injection Mold for a Glue Dispenser Made from High-Density Polyethylene       |
|-------|--|
| 3.11  | Four-Cavity Injection Mold for a Housing Made from Acrylonitrile-Butadiene-Styrene (ABS) |
| 3 12  | Four-Cavity Injection Mold for a Nozzle Housing Mode from Polyamide                      |
| 3 1 2 | Single split Cavity Mold for a Threaded Dive Mode from Debracket (DOA)                   |
| 2.14  | Made noin Foryacetal (FOM)   |
| 3.14  | Notaring a Container with External Undercuts   |
| 3.15  | injection Mold with Reduced Opening Stroke for Milk Crates                               |
| 3.16  | Two-Cavity Injection Mold for Recessed Refrigerator Handles Made from Polyamide          |
| 3.17  | Injection Mold for a Grass Catcher Made from Polypropylene                               |
| 3.18  | Injection Mold for Hose Connectors Made from Polyamide 6.6                               |
| 3.19  | Two-Cavity Injection Mold for the Coil Form of an Auxiliary Relay                        |
| 3.20  | Two-Cavity Injection Mold for a Housing Made from Polypropylene                          |
| 3.21  | Four-Cavity Injection Mold for Producing a Thrust Screw Made from Polyacetal             |
| 3.22  | Mold for a Pump Housing and Pump Piston Made from Polyacetal                             |
| 3 23  | Hot Runner Injection Mold for Two Film Spools Made from High Impact Polystrange          |
| 3.25  | Injection Mold for on Angle Sitting  |
| 2.25  | Mold for Duckings with Concerned Caking  |
| 3.25  | Note for businings with Concealed Gating.  |
| 3.20  | Injection Mold for the valve Housing of a Water-Mixing Tap Made from Polyacetal          |
| 3.27  | Mold for a Lid with Three Threads Made from Polyacetal                                   |
| 3.28  | Iwo-Cavity Injection Mold for Coupling Sleeves Made from Polyamide                       |
| 3.29  | Injection Mold for the Housing of a Polypropylene Vegetable Dicer                        |
| 3.30  | Two-Cavity Injection Mold for a Polypropylene Toy Tennis Racket                          |
| 3.31  | Two Injection Molds with Two-Step Ejection Process                                       |
| 3.32  | Injection Mold for a Polypropylene Container with a Threaded Neck                        |
| 3.33  | Three-Plate Injection Mold with Stripping Device for a Precision Magazine                |
| 3.34  | Three-Cavity Injection Mold for a Cosmetic Cream Container with a Threaded Lid           |
| 3 35  | Mold for a Polyamide V-Belt Pulley   |
| 3 36  | 8 + 8-Cavity Hot Runner Stack Mold for Vorburt Curs Made from Polymonylang               |
| 3 37  | 2 + 2-Cavity Stack Mold for Covery Mode for Polynomiano                                  |
| 2 29  | 2 + 2-Cavity Stack Mold for a Cost Made from Polypropylete                               |
| 2 20  | For a cavity stack more for a case made from polyplopylene.                              |
| 3.39  | from Polypropylene   |
| 3.40  | Hot-Runner Stack Mold for a Water Distribution Block Made from Polypropylene 106         |
| 3.41  | 8 + 8-Cavity Stack Mold for Lozenge Box Made from Polystyrene                            |
| 3.42  | Two-Cavity Injection Mold for a Back Light Casing Made from ABS                          |
| 3.43  | 2 + 2-Cavity Stack Mold with a Hot-Runner System for Runnerless Molding of               |
|       | Polystyrene Container Lids Using Direct Edge Gating                                      |
| 3 44  | 4 + 4-Cavity Hot-Runner Stack Mold for Dessert Curs Made from Polymonylene               |
| 3 45  | Hot Runner Mold for Runner Fascia Made from Thermoplestic Flast mer                      |
| 3 46  | Four Cavity Hot Pumper Mold for Threaded Covers Mode Sear SAN                            |
| 2 47  | Two Cavity Hor-Kumer Mold for The Deale Mode from APS                                    |
| 3.41  | Two-Cavity Hot-Runner Mold for Trim Bezels Made from ABS                                 |
| 3.40  | Four-Cavity Hot-Runner Mold for Control Flap Made from Polyacetal Copolymer 130          |
| 3.49  | 64-Cavity Hot-Kunner Mold for Seals Made from Thermoplastic Elastomer (TPE) 132          |
| 3.50  | Eight-Cavity Hot-Runner Mold for PP Toothpaste Dispenser                                 |
| 3.51  | Two-Cavity Hot-Runner Mold for Tubs Made from Polyethylene                               |
| 3.52  | Two-Cavity Hot-Runner Mold for Production of Connectors Made from Polycarbonate . 138    |
| 3.53  | Four-Cavity Hot-Runner Unscrewing Mold for Cap Nuts Made from Polyacetal (POM) 140       |
| 3.54  | Four-Cavity Hot-Runner Mold with a Special Ejector System for a Retainer Made from       |
|       | Polypropylene  |
| 3.55  | $2 \times 16$ Cavity Two-Component Injection Mold for Microswitch Covers Made from       |
|       | Polyamide and Thermoplastic Elastomer  |
| 3.56  | 32-Cavity Hot-Runner Mold for Production of Packings Made from Polyethylene 150          |
| 3.57  | 12-Cavity Hot-Runner Mold with Edge Gates for Bushings Made from Polyacetal              |
| -     | Copolymer  |
| 3.58  | Hot-Runner Mold for a Polycarbonate Sight Glass  |
| 3 50  | Two-Component Injection Mold for Drink Can Holders Made from Delymonylane and            |
| 2.22  | Fthylene-Pronylene Ternolymer  |
| 3 60  | Hot-Runner Mold for Polymonylane Clamping Ding with Internal Understation of the         |
| 5.00  | Circumference  |
| 2 6 1 | Investion Mold for Compact Diago Mode from D-1   |
| 5.01  | mjection molu for Compact Discs made nom Polycardonate                                   |

| 3.62  | Single-Cavity Injection Compression Mold for a Cover Plate Made from Unsaturated         |     |
|-------|--|-----|
|       | Polyester Resin.   | 164 |
| 3.63  | Two-Cavity Injection Compression Mold for a Housing Component Made from a                |     |
|       | Thermosetting Resin  | 166 |
| 3.64  | Injection Compression Mold for a Plate Made from Melamine Resin                          | 168 |
| 3.65  | Five-Cavity Unscrewing Mold for Ball Knobs Made from a Thermoset Resin                   | 169 |
| 3.66  | Four-Cavity Injection Mold for a Thin-Walled Housing Made from a Thermosetting Resin     | 170 |
| 3.67  | Thermoset Injection Mold for a Bearing Cover   | 173 |
| 3.68  | Eight-Cavity Injection Mold for Manufacturing Bellows Made from Silicone Rubber          | 176 |
| 3.69  | Two Injection Molds for Overmolding of Polyamide Tubing for Automobile Power             |     |
|       | Window Operators   | 178 |
| 3.70  | Single-Cavity Injection Mold for a Housing Base Made from Polycarbonate                  | 180 |
| 3 71  | Connector of Glass-Fiber-Reinforced Polyamide with Opposing Female Threads               | 182 |
| 3 72  | Cylindrical Thermonlastic Container with Reduced-Diameter Opening – A Study in Part      | 102 |
| 5.75  | Palease  | 184 |
| 3 73  | Single-Cavity Injection Mold for a Lighting Eixture Cover Made from                      |     |
| 5.15  | Single-Cavity injection work for a Lighting Private Cover Made nom                       | 186 |
| 2 74  | Injoint Mold for a Housing of Polycorbonate with a Thread Incert                         | 188 |
| 2.74  | Mold for Long This Tubular Date Made from Polystrane                                     | 100 |
| 3.75  | Mold for Long, 1 min, 1000ar Parts Made from Polystytele                                 | 102 |
| 3.70  | msulated Rumer Wold for Times Specifican Distance from Polystyletic                      | 104 |
| 3.77  | Single-Cavity injection Mold for a Polypropylene Entergency Button.                      | 194 |
| 3.78  | Eight-Cavity Injection Mold for Battery Caps with Undivided External Inread and          | 104 |
|       | Sealing Cone.  | 190 |
| 3.79  | Injection Mold for a Curved Pouring Spout  | 198 |
| 3.80  | Injection Mold for an ABS Spectacle Frame  | 200 |
| 3.81  | Two-Cavity Injection Mold for a Cover Made from Glass-Fiber Reinforced Polyamide         | 202 |
| 3.82  | Two-Cavity Two-Component Injection Mold for a PC/ABS Bezel with a PMMA Window.           | 204 |
| 3.83  | Two-Cavity Injection Mold for Runnerless Production of Polycarbonate Optical Lenses      | 206 |
| 3.84  | Injection Mold with Hydraulic Core Pull for a Cable Socket                               | 208 |
| 3.85  | Eight-Cavity Hot-Runner Injection Mold for Polyethylene Caps                             | 210 |
| 3.86  | Four-Cavity Injection Mold for Pipets  | 212 |
| 3.87  | Two-Cavity Mold for Water Tap Handles  | 214 |
| 3.88  | Two-Cavity Injection Mold for the Automatic Molding of Conveyor Plates onto a Wire       |     |
|       | Cable  | 216 |
| 3.89  | 20-Cavity Hot-Runner Mold for Producing Curtain-Ring Rollers Made from Polyacetal        |     |
| 0.07  | Copolymer  | 218 |
| 3.90  | Injection Mold with Attached Hydraulic Core Pull for Automatic Measuring Tube            |     |
| 0170  | Production   | 220 |
| 3 91  | Three-Cavity Injection Mold for Liquid-Measuring Cylinders                               | 222 |
| 3.92  | 24-Cavity Hot-Bunner Injection Mold for Polyacetal Spool Cores                           | 224 |
| 3 03  | Two-Cavity Hot-Runner Mold for Loudsneaker Covers Made from Polyacetal                   | 226 |
| 3.04  | Intercently inter-tennet hold to Educate Device made new respected interview             | 228 |
| 3.05  | Molds for Manufacturing Ontical Lenses   | 230 |
| 2.95  | Two Covity Injection Mold for a Polycarbonate Steam Iron Reservoir Insert                | 232 |
| 2.07  | Injection Mold with Braumotic Spring Bushing for a Headlight Housing Made from           | 232 |
| 5.91  | Delementario   | 235 |
| 2 00  | Folypiopylete  | 232 |
| 3.98  | mjection Mold for a Mounting Flate (Outset) reclimide (DRA) Migrahaving                  | 230 |
| 3.99  | I welve-Cavity Hot-Runner Mold for a Polyphinalamide (PPA) introducing                   | 240 |
| 3.100 | Iwo-Cavity Injection Mold for Handle Covers Made from Glass-riber-Reinforced Polyacetal. | 242 |
| 3.101 | Four-Cavity Injection Mold for Thin-Walled Sleeves Made from Polyester                   | 240 |
| 3.102 | Injection Mold for a Thermoplastic Microstructure  | 248 |
| 3.103 | Injection Mold for Production of Adjustable Climate Control Vents via 3-Shot Molding     | 250 |
| 3.104 | Two-Cavity Hot-Runner Injection Mold for an ABS Cover                                    | 254 |
| 3.105 | Six-Cavity Injection Mold for Retaining Nuts with Metal Inserts                          | 256 |
| 3.106 | Single-Cavity Injection Mold for a Switch Housing Made from Polyacetal                   | 258 |
| 3.107 | Single-Cavity Injection Mold for a Snap Ring Made from Polyacetal                        | 260 |
| 3.108 | Injection Mold for High-Density Polyethylene (PE-HD) Trash Can Lids                      | 262 |
| 3.109 | Single-Cavity Hot-Runner Injection Mold for an Air Vent Housing Made from Acrylonitrile  |     |
|       | Butadiene Styrene (ABS)  | 265 |
| 3.110 | Single-Cavity Hot-Runner Injection Mold for an ABS Housing                               | 268 |
| 3.111 | Single-Cavity Runnerless Injection Mold for a Polystyrene Junction Box                   | 270 |

## Contents

| 3.112 | Four-Cavity Hot-Runner Injection Mold for a Polyamide 6,6 Joining Plate             | 272 |
|-------|---|-----|
| 3.113 | 2 × 4-Cavity Hot-Runner Stack Mold for Hinged Covers                                | 274 |
| 3.114 | 6-Cavity Mold with Cold-Runner System for Liquid Silicone Rubber (LSR) Caps         | 276 |
| 3.115 | Two-Cavity Injection Mold for a Styrene-Acrylonitrile Safety Closure                | 278 |
| 3.116 | Four-Cavity Unscrewing Mold for Threaded Polypropylene Closures                     | 280 |
| 3.117 | Four-Cavity Injection Mold for Polyester Dispenser Heads                            | 282 |
| 3.118 | Two-Cavity Injection Mold for PMMA Lighting Fixture Cover                           | 284 |
| 3.119 | Two-Cavity Injection Mold for Polyacetal Hinges                                     | 286 |
| 3.120 | Eight-Cavity Injection Mold for PE-HD Threaded Caps                                 | 288 |
| 3.121 | Two-Cavity Cold-Runner Injection Mold for Thermoset Ashtrays                        | 290 |
| 3.122 | Single-Cavity Mold for a Polypropylene Cutlery Basket                               | 292 |
| 3.123 | Two-Cavity Injection Mold for Cover Plates  | 296 |
| 3.124 | Single-Cavity Injection Mold for Polystyrene Caps (Mold Frame with Interchangeable  |     |
|       | Inserts)  | 298 |
| 3.125 | Single-Cavity Injection Compression Mold for Thermoset V-Belt Pulley (Injection     |     |
|       | Transfer Mold)  | 300 |
| 3.126 | Eight-Cavity Cold-Runner Injection Mold for Thermoset Elastomer Strain Reliefs      | 302 |
| 3.127 | Single-Cavity Injection Mold for a PE-HD Clothes Hanger Produced via Gas-Assisted   |     |
|       | Injection Molding   | 304 |
| 3.128 | Single-Cavity Injection Mold for a Syringe Shield Produced via Metal Injection      |     |
|       | Molding (MIM)   | 306 |
| 3.129 | Three-Station Mold for a Handtool Handle  | 308 |
| 3.130 | Four-Cavity Injection Mold for Couplings Produced via Metal Injection Molding (MIM) | 312 |