

# Contents

<i>Foreword</i>	xvii
<i>Acknowledgements</i>	xix
1. Introduction to polymer foam microstructure	1
1.1 Open- and closed-cell foams	2
1.2 Relative density: wet and dry foams	3
1.3 Edges	5
1.4 Vertices	6
1.5 Faces	7
1.6 Cell geometry	8
1.7 Cells	9
1.8 Foam microstructural models	12
1.8.1 Lattice micromechanics models	12
1.8.2 Cell (bubble) growth	13
1.8.3 Irregular models	14
1.9 Bead foams	17
References	17
2. Polyurethane foams: processing and microstructure	19
2.1 Introduction	20
2.2 PU chemistry	20
2.3 PU foam processes	21
2.3.1 Slabstock foam	21
2.3.2 Moulded PU foam	24
2.3.3 Slow-recovery foams	25
2.4 PU microstructure	26
2.5 Effect of microstructure on mechanical properties	27
2.6 PU foam microstructure	29
2.6.1 Slabstock PU foams	30
2.6.2 Moulded foams	30
2.6.3 Rebonded PU foams	32
2.6.4 Slow-recovery PU foams	33
Summary	35
References	36
3. Foamed thermoplastics: microstructure and processing	39
3.1 Introduction	40
3.2 Polyolefins	41

## vi Contents

3.2.1	PEs and copolymers	41
3.2.2	Blends	44
3.2.3	Ethylene styrene 'interpolymers'	44
3.2.4	Ethylene-propylene-diene monomer	46
3.2.5	Polypropylenes	46
3.3	Processing	46
3.3.1	Extrusion of thermoplastic foam sheet	47
3.3.2	Melt rheology suitable for foaming	48
3.3.3	Stages in closed-cell foam development	53
3.3.4	Post-extrusion shrinkage	58
3.3.5	Oriented PP foams - Strandfoam	61
3.4	Foam crystallinity and crystal orientation	62
	Summary	64
	References	64
4.	Bead foam microstructure and processing	69
4.1	Introduction	70
4.2	Processing	70
4.2.1	Bead preparation	70
4.2.2	Steam moulding	71
4.2.3	Dimensional stability post-moulding	74
4.3	Microstructure	74
4.3.1	Bead shape and fusion	74
4.3.2	Density variations in large mouldings	75
4.3.3	The effects of processing on properties	75
4.3.4	Bead shape variation	79
4.3.5	Microstructural models	80
4.4	Specific bead foams	80
4.4.1	PP bead foam: EPP	80
4.4.2	PS bead foam: EPS	81
	References	82
5.	Simple mechanical tests	85
5.1	Introduction	86
5.2	Stiffness and strength of structures	87
5.3	Stress-strain responses and material parameters	88
5.3.1	Linearly elastic and isotropic	88
5.3.2	Elastically non-linear and isotropic	89
5.3.3	Anisotropic and elastic	89
5.3.4	Elastic-plastic	89
5.3.5	Elastic-brittle	90
5.3.6	Viscoelastic materials	90
5.3.7	Viscoelastic phenomena	91
5.3.8	Temperature-dependent properties	92

5.4	Test types	93
5.4.1	Uniaxial compressive tests	93
5.4.2	Simple shear tests	95
5.4.3	Bend tests	99
5.4.4	Torsion tests	105
5.5	Testing products with a density gradient	105
5.5.1	Tensile or compression tests on EPS	105
5.5.2	Bend tests on EPS	106
5.6	Test equipment	107
5.6.1	Compressive impact	108
5.6.2	Tensile or shear impact	110
5.6.3	Creep	110
5.6.4	Compression set	112
5.6.5	Poisson's ratio	112
5.6.6	Humidity and temperature control	113
	References	113
6.	Finite element modelling of foam deformation	115
6.1	Introduction	116
6.1.1	FEA packages	116
6.1.2	Static vs. dynamic FEA	116
6.1.3	FEA material models	117
6.2	Elastic foams	117
6.2.1	Curve fitting vs. strain energy functions	117
6.2.2	Strain energy function for rubbers	118
6.2.3	Ogden strain energy function for elastic foams	119
6.2.4	Validation of FEA: plane-strain indentation of flexible foams	125
6.3	Crushable foams	127
6.3.1	Yield surfaces	127
6.3.2	Crushable foam model in ABAQUS	128
6.3.3	Response of crushable foam model in simple deformations	130
6.3.4	Experimental data	131
6.3.5	Validation of FEA models	138
6.4	Dynamic FEA (explicit)	140
6.4.1	Computing issues	140
6.4.2	Simulation of foam compressive impact tests	141
	Summary	143
	References	144
7.	Micromechanics of open-cell foams	147
7.1	Introduction	148
7.1.1	Concepts and approaches	148
7.1.2	Observations of cell deformation	149

7.2	Edge geometry and stiffness	151
7.3	Regular polyhedral-cell models	153
7.3.1	Gibson and Ashby model	153
7.3.2	Kelvin cell model	156
7.4	Elastic moduli of the Kelvin foam	156
7.4.1	Uniform edge cross-sections	156
7.4.2	Non-uniform edge cross-sections	159
7.5	Compression of the Kelvin foam with uniform edges	160
7.5.1	History of modelling	160
7.5.2	Stress–strain response	160
7.5.3	Long range buckling	162
<b>7.6</b>	<b>FEA model of wet Kelvin foam</b>	<b>163</b>
7.6.1	[001] direction compression	163
7.6.2	[111] direction compression	164
7.7	Irregular foam models	167
7.8	Anisotropic cell shapes	169
7.9	Non-linear polymer response	170
7.10	Strain localisation	171
7.11	Modelling edge touching	171
7.12	Comparison with experiment	172
	References	173
<b>8.</b>	<b>Air flow in open-cell foams</b>	<b>177</b>
8.1	Introduction	178
8.2	Air-flow measurement	178
8.2.1	Equipment	178
8.2.2	Data treatment	179
8.2.3	Data for PU foams with fully open cells	179
8.2.4	Data for compressed PU foams with fully open cells	181
8.2.5	Data for PU foams with partly open cells	182
8.3	Models for air-flow resistance	184
8.3.1	Gent–Rusch model	184
8.3.2	Gent–Rusch model with distorted faces	186
8.3.3	Fourie and Du Plessis model	187
8.3.4	CFD of Kelvin foam model	187
8.3.5	CFD of bead foam channels	190
8.3.6	CFD of the Weaire–Phelan model	192
8.4	Air flow during foam impact compression	192
8.4.1	Air pressure changes during compressive impacts	192
8.4.2	Air-flow modelling	193
8.5	Sound absorption in foams	198
8.6	Filters	200
	References	201

9. Seating case study	205
9.1 Introduction	206
9.2 Biomechanics of sitting in chairs	206
9.2.1 Seating posture and mannikins	206
9.2.2 Pressure sores and ischaemia	207
9.2.3 Measuring seating pressure distributions	209
9.2.4 Comparative deformation of the thigh and foam cushion	210
9.2.5 Moisture and heat transmission to the seat	211
9.2.6 Design of wheelchair seats	212
9.2.7 Mattresses and sleep comfort	213
9.3 Car seats	214
9.3.1 Types of car seat	214
9.3.2 Comfort	214
9.3.3 Vibration transmission	215
9.3.4 Crash safety	216
9.4 Foam selection	217
9.4.1 Foam grades and the indentation force deflection test	217
9.4.2 FEA of IFD experiments	218
9.4.3 Comparison with experimental IFD pressure fields	221
9.4.4 Foam selection factors	222
9.4.5 High resilience PU foams	223
9.4.6 Ultra-low resilience PU foams	223
9.5 Seat design	225
9.5.1 Uniform uniaxial compression	225
9.5.2 Indentation with a rigid butt-form	225
9.5.3 Indentation with a compliant dummy	226
9.5.4 FEA of buttock and foam deformation	227
9.6 Other foam mechanical properties	228
9.6.1 Mechanical fatigue	228
9.6.2 Hydrolysis	229
9.6.3 Additives to provide fire resistance	230
Summary	230
References	230
10. Sport mat case study	235
10.1 Introduction	236
10.1.1 Mats used in sport	236
10.1.2 Foam materials	236
10.1.3 Head impacts	236
10.2 Modelling of impacts	237
10.2.1 Type of analysis	237
10.2.2 Hyperfoam model parameters for FEA	238

## **x** Contents

10.2.3	Static FEA model	239
10.2.4	Viscoelastic FEA model	241
10.3	Experimental impacts	243
10.3.1	Falling headform test	243
10.3.2	Effect of headform velocity	245
10.4	Fall mat design	246
10.5	Martial arts mats	246
10.5.1	Oblique foot impacts	247
10.5.2	FEA of mat deformation	248
	References	249
11.	Micromechanics of closed-cell foams	251
11.1	Introduction	252
11.2	Observations of cell deformation	253
11.3	Material responses	254
11.3.1	The gas and polymer in parallel	254
11.3.2	Polymer response	254
11.3.3	Air response	255
11.4	Air–polymer interactions	256
11.4.1	Face bulging due to cell pressure differentials	256
11.4.2	Foam diffusivity	257
11.4.3	Heat transfer from cell air to faces	259
11.5	Kelvin foam model for elastic moduli	262
11.5.1	Young's modulus	262
11.5.2	Bulk modulus	264
11.5.3	Young's modulus assuming wrinkled faces	265
11.6	Regular foam models for high strain compression	267
11.6.1	Introduction	267
11.6.2	Gibson–Ashby models	268
11.6.3	Kelvin foam elastic–plastic model	270
11.6.4	Wierzbicki plasticity model	271
11.6.5	Dynamic FEA of Kelvin foam model	272
11.6.6	Modelling unloading	273
11.7	Irregular foam models	274
11.8	Bead foams	275
11.8.1	Deformation mechanisms	275
11.8.2	Models for compression	276
11.9	Discussion	276
	References	277
12.	Product packaging case study	281
12.1	Introduction	282
12.2	Simple drops with the box parallel to the floor	283
12.2.1	Drop heights and fragility factors	283
12.2.2	Cushion curve tests	285
12.2.3	Cushioning provided by the cardboard box	286

12.2.4	Design using cushion curves	287
12.2.5	Calculating cushion curves from stress–strain responses	288
12.2.6	Cushion curves for specific stress–strain responses	291
12.2.7	Energy absorption diagrams and foam selection	292
12.3	Design of EPS mouldings	293
12.3.1	Moulding geometry	293
12.3.2	Stupak and Donovan's model for tapered ribs	293
12.3.3	FEA of truncated pyramids	296
12.3.4	Design rules for ribs	297
12.4	Other factors in packaging design	298
12.4.1	Foam creep during storage	298
12.4.2	Package vibration in transit	298
12.4.3	Temperature	299
12.4.4	Multiple impacts	299
12.5	In-package tests of shock absorption	301
12.5.1	Introduction	301
12.5.2	Corner and edge impacts	302
12.5.3	FEA of in-box PE foam packaging	303
	Summary	305
	References	305
13.	Running shoe case study	307
13.1	Introduction	308
13.1.1	Information sources	308
13.1.2	Foam shoe components	308
13.1.3	Patented features in shoes	308
13.2	Foam selection and properties	309
13.2.1	Material selection	309
13.2.2	Microstructure and processing of EVA foam	311
13.2.3	Alternatives to EVA foam	312
13.2.4	Grades of foam	313
13.3	Running biomechanics	313
13.3.1	Midsole foam pressure distribution	313
13.3.2	Foot strike forces	314
13.3.3	Foam flexure and heel stability	315
13.3.4	The effect of the shoe on running style	316
13.4	Stress analysis of the foam in the shoe	317
13.4.1	Uniaxial compressive response of EVA foam	317
13.4.2	FEA of the heelpad and the foam midsole	319
13.5	Durability	321
13.5.1	ASTM test for heel performance	321
13.5.2	Durability of EVA foams in repeated impacts	322
13.5.3	Foam temperature rise in running	323
13.6	Discussion	326
	References	326

14. Bicycle helmet case study	329
14.1 Introduction	330
14.2 Biomechanics criteria for head injuries	331
14.3 Bicycle helmet standards	333
14.4 Materials and process selection	335
14.4.1 Foam liner	335
14.4.2 Microshell	336
14.5 Thermal comfort and fit	337
14.5.1 Ventilation	337
14.5.2 Fit and retention	338
14.6 Design of helmets for impacts	339
14.6.1 Approximate model for direct impacts	339
14.6.2 FEA of direct impacts on unventilated helmets	341
14.6.3 FEA of direct impacts on ventilated helmets	344
14.6.4 FEA of oblique impacts on ventilated helmets	345
14.6.5 Experimental oblique impacts on ventilated helmets	346
14.7 Bicycle helmet effectiveness	348
14.8 The future	348
References	349
15. Indentation, cracking, and fracture	351
15.1 Introduction	352
15.2 Indentation	352
15.3 Plane strain indentation with a cube	353
15.4 Indentation with hemispheres	355
15.4.1 Large hemispheres impacting EPS foam	356
15.4.2 Small hemispheres impacting EPS and EPP	360
15.5 Crack growth in homogenous foams	361
15.5.1 Fast crack growth and fracture mechanics	361
15.5.2 Models for the fracture toughness of open-cell foams	363
15.5.3 Fracture toughness data for thermoplastic foams	364
15.6 Crack growth in bead foams	366
15.6.1 Fracture	366
15.6.2 Impact fracture toughness	367
15.6.3 Relating fracture toughness to fracture mechanisms	369
Summary	369
References	370
16. Motorcycle helmet case study	373
16.1 Introduction	374
16.2 Roles of components	376
16.2.1 The shell	376
16.2.2 The foam liner	378
16.2.3 The comfort foams	380
16.2.4 The retention system	380



16.3	Helmet test standards	381
16.4	Helmet design	382
16.5	Lumped-mass modelling of direct impacts	383
16.5.1	Lumped-mass models for helmets	383
16.5.2	Helmet deformation mechanisms	384
16.5.3	Computer model	389
16.5.4	Predicted effects of impact velocity on helmet performance	391
16.5.5	The effect of a second impact	392
16.6	Helmet design by FEA	393
16.6.1	FEA predictions for direct impacts	393
16.6.2	Validation	397
16.7	Helmet optimisation	398
	References	399
17.	Hip protector case study	403
17.1	Introduction	404
17.2	Types of hip protector	405
17.3	Biomechanics of falls	407
17.3.1	Factors affecting hip fracture	407
17.3.2	Fall energy	409
17.4	Protector test rigs	410
17.4.1	Choice of a flesh substitute	410
17.4.2	Effective mass of the thigh	412
17.4.3	Modelling of test rig designs	414
17.4.4	Test criteria	416
17.5	Experimental results	416
17.5.1	Ranking of protectors	416
17.5.2	The striker force–deflection relationship	416
17.5.3	Load sharing between the femoral head and surrounding flesh	418
17.5.4	Foam selection	420
17.5.5	Shell stiffness evaluation	421
17.6	Discussion	421
	References	422
18.	Sandwich panel case study	425
18.1	Introduction	426
18.2	Sandwich panel types	426
18.2.1	Sandwich panels for buildings	426
18.2.2	Sandwich panel cores for boat building	428
18.2.3	Skin materials	431
18.3	Elastic design of sandwich panels	431
18.3.1	Simple bending stiffness theory	431
18.3.2	Bending stiffness of finite length panels	432

18.3.3	Simple torsional stiffness theory	433
18.3.4	Elastic deformation due to localised forces on the skin	435
18.4	Failure modes	436
18.4.1	Core shear failure	437
18.4.2	Core crushing due to surface loads	437
18.4.3	Core cracking	439
18.4.4	Core creep	440
18.5	Sport applications	440
18.6	Thermal insulation panels	440
18.6.1	Insulation panel design	440
18.6.2	Thermal requirements	441
18.6.3	Aging of PU foam thermal insulation with skins	443
	Summary	445
	References	445
19.	Modelling of creep and viscoelasticity	449
19.1	Introduction	450
19.1.1	Viscoelasticity in foam applications	450
19.1.2	Viscoelastic models	450
19.2	Creep in solid polymers	452
19.2.1	Polyurethanes	452
19.2.2	Polyethylene, ethylene–vinyl acetate, and polypropylene	453
19.3	Creep in polymer foams	454
19.3.1	Open-cell flexible PU foams	454
19.3.2	Slow-recovery PU foam	455
19.3.3	LDPE and EVA closed-cell foams	455
19.3.4	Polystyrene bead foam	457
19.3.5	Polypropylene bead foam	458
19.4	Micromechanics of open-cell foam creep	460
19.4.1	Low strain creep	460
19.4.2	Analytical model of high strain creep	461
19.4.3	FEA of high strain creep	463
19.4.4	Non-linear viscoelasticity and cell anisotropy	465
19.5	Cyclic loading of open-cell foams	466
19.6	Creep in closed-cell foams	467
19.6.1	Time-dependent foam yield stress	468
19.6.2	Gas diffusion from the compressed foam	469
19.6.3	Modelling compressive creep	470
19.6.4	Data for closed-cell PE foams	473
19.6.5	Data for closed-cell EPP foams	475
19.7	Discussion	476
	References	477
20.	The effects of water	479
20.1	Introduction	480

20.2	Phenomena	480
20.2.1	Types of water absorption in open-cell polymer foams	480
20.2.2	Draining under gravity	480
20.2.3	Effect of pressure on the water content of flexible open-cell foams	481
20.2.4	Water absorbed by open-cell PU foam	481
20.3	Theory of water uptake kinetics	482
20.3.1	Driving mechanisms	482
20.3.2	Kinetics of mass change of a foam slab	482
20.3.3	Mass change of a foam cylinder or cube	484
20.3.4	Mass change of a Plateau border	484
20.3.5	Permeation theories for open-cell foams and bead foams	484
20.4	Open-cell foams and sponges	485
20.4.1	Sponges: natural and synthetic	485
20.4.2	Foams used in printer cartridges	485
20.4.3	Wound care products	487
20.4.4	Wipers	488
20.4.5	Rigid open-cell foams	489
20.5	Closed-cell bead foams	490
20.5.1	Water conditioning of EPS products	490
20.5.2	The advance of the water front	490
20.5.3	EPS mass increase on water immersion	490
20.5.4	The effect of water on the strength of EPS	494
20.5.5	Effect of water on thermal conductivity	494
20.6	Closed-cell foams	496
20.6.1	Water absorbed in rigid, closed-cell PU foam	496
20.6.2	Syntactic foams	497
20.6.3	Buoyancy aids for swimming	498
20.6.4	Lifejackets	499
	References	500
21.	Rugby and soccer protection case study	503
21.1	Introduction	504
21.2	Soccer shin guards	504
21.2.1	Threat evaluation	504
21.2.2	Injury biomechanics	505
21.2.3	Materials selection	505
21.2.4	Wearability and compliance rates	507
21.2.5	Product effectiveness	507
21.2.6	Standards and test rigs	508
21.2.7	Discussion	513
21.3	Soccer ankle protection	514
21.3.1	Materials	515
21.3.2	Ankle test rig	517
21.3.3	Impact tests	518
21.3.4	FEA modelling	518

## **xvi** Contents

21.4	Rugby goal padding	
21.4.1	Introduction	520
21.4.2	Risks and injuries	520
21.4.3	Foam	522
21.4.4	Finite element modelling	522
21.4.5	Experimental impacts	522
21.5	Protective headguards for Rugby	523
	References	526
		527
	<i>Index</i>	531