

Contents

Preface	<i>XI</i>
List of Contributors	<i>XV</i>
Abbreviations	<i>XVII</i>

1	Introduction	<i>1</i>
	<i>Raju Francis, Geethy P. Gopalan, and Anjaly Sivadas</i>	
1.1	Introduction	2
1.1.1	Why Recycling?	2
1.1.2	Sources of Waste	2
1.1.3	Plastics	3
1.1.4	Recycling of Plastics	3
1.1.5	Municipal Solid Waste	4
1.1.6	Various Stages of Recycling Plastic Wastes	6
1.1.7	Additives	6
1.1.8	Mixed Plastics	8
1.1.9	Composites	8
1.2	Conclusion	8
	References	9
2	Common Additives used in Recycling of Polymers	<i>11</i>
2.1	Review on Different Additives Used in Polymer Recycling	<i>11</i>
	<i>Sivasankarapillai Vishnu Sankar and Sivasankarapillai Anil Kumar</i>	
2.1.1	Introduction	<i>11</i>
2.1.1.1	Challenges in Recycling – Need for Additives	<i>11</i>
2.1.1.2	Equipment for Additive Processing	<i>12</i>
2.1.2	Different Types of Additives	<i>12</i>
2.1.2.1	Stabilizing Agents	<i>14</i>
2.1.2.2	Compatibilizers	<i>19</i>
2.1.2.3	Antioxidants	<i>21</i>
2.1.2.4	Impact Modifiers	<i>23</i>
2.1.2.5	Fillers and Modifiers	<i>25</i>
2.1.2.6	Antistatic Agents	<i>26</i>
2.1.2.7	Coloring Agents	<i>26</i>

2.1.2.8	Flame Retardants	27
2.1.2.9	Lubricants	28
2.1.2.10	Plasticizers	28
2.1.2.11	Antibacterial or Antimicrobial Additives	29
2.1.2.12	Coupling Agents	29
2.1.3	Conclusion	30
	References	30
2.2	Recent Trends and Future of Polymer Additives in Macromolecular Recycling Technology: A Brief Overview	31
	<i>Sivasankarapillai Vishnu Sankar and Sivasankarapillai Anil Kumar</i>	
2.2.1	Introduction	31
2.2.2	Miscellaneous Additives	32
2.2.2.1	Nucleating Agents	32
2.2.2.2	Reinforcing Agents or Fillers	33
2.2.2.3	Optical Brighteners	36
2.2.2.4	Surface Improvers	37
2.2.2.5	Antiblocking Additives	39
2.2.2.6	Blowing Agents (Foaming Agents)	39
2.2.2.7	Antifogging Agents	41
2.2.3	New Trends in Additives Technology	43
2.2.3.1	Advances in Stabilizers	46
2.2.3.2	Advances in Flame Retardants (FRs)	46
2.2.3.3	Advances in Plasticizers	47
2.2.3.4	Advances in Coloring Agents	47
2.2.3.5	Advances in Fillers	48
2.2.3.6	Advances in Other Additive Classes	48
2.2.3.7	Multifunctional Additives	49
2.2.4	Conclusion	49
	References	50
3	Methods of Recycling	55
3.1	Methods of Recycling of Polymers: Addition Polymers	55
	<i>Beena Sethi</i>	
3.1.1	Introduction	55
3.1.2	Primary Recycling	58
3.1.3	Mechanical Recycling (or Secondary Recycling)	58
3.1.4	Chemical or Feedstock Recycling (Tertiary Recycling)	59
3.1.5	Energy Recovery (Quaternary Recycling)	60
3.1.6	Chemical Recycling of Polyethylene (LDPE and HDPE)	62
3.1.6.1	Introduction	62
3.1.6.2	Thermolysis Schemes and Technologies	63
3.1.6.3	Reactor Types	65
3.1.7	Polyolefin Thermal Cracking	66
3.1.7.1	Catalytic Degradation	66
3.1.8	Chemical Recycling of Polypropylene	67

- 3.1.8.1 Introduction 67
- 3.1.8.2 Pyrolysis 69
- 3.1.8.3 Co-pyrolysis 70
- 3.1.8.4 Catalytic Cracking 71
- 3.1.9 Chemical Recycling of Polystyrene 75
 - 3.1.9.1 Introduction 75
 - 3.1.9.2 Recycling Methods for Polystyrene Products 76
 - 3.1.9.3 Future Prospects 83
- 3.1.10 Chemical Recycling of Poly(vinyl chloride) 83
 - 3.1.10.1 Introduction 83
 - 3.1.10.2 Mixed Plastic Recycling Processes 86
 - 3.1.10.3 Mixed PVC Wastes World Initiatives 88
 - 3.1.10.4 The BASF Feedstock Recycling Process 88
 - 3.1.10.5 Veba Combi Cracking Process 90
- 3.1.11 Chemical Recycling of Poly(methyl methacrylate) 90
 - 3.1.11.1 Introduction 90
 - 3.1.11.2 Dissolution/Reprecipitation 91
 - 3.1.11.3 Chemical/Feedstock Recycling 92
 - References 93
- 3.2 Methods of Recycling of Polymers: Condensation Polymers 101
Beena Sethi
 - 3.2.1 Introduction 101
 - 3.2.2 Chemical Recycling of Nylon 101
 - 3.2.2.1 Introduction 101
 - 3.2.2.2 Recycling Methods 101
 - 3.2.3 Chemical Recycling Involving Depolymerization of Nylons Which Can Be Carried Out by Hydrolysis or Ammonolysis of Nylon 6,6 and Nylon 6 102
 - 3.2.3.1 Hydrolysis of Nylon 6 102
 - 3.2.3.2 Hydrolysis of Nylon 6,6 and Nylon 4,6 103
 - 3.2.3.3 Ammonolysis of Nylon 6,6 103
 - 3.2.3.4 Recovery of Nylon 6,6 Monomers 104
 - 3.2.3.5 Catalytic Pyrolysis 105
 - 3.2.3.6 Applications of Depolymerized Nylon 6 105
 - 3.2.4 Chemical Recycling of Polycarbonate 105
 - 3.2.4.1 Introduction 105
 - 3.2.4.2 Recycling Techniques 106
 - 3.2.5 Advantages of Recycling and Reuse of Polymers 110
 - References 112
- 4 Recycling of Plastics 115**
Preetha Balakrishnan and Meyyappallil Sadasivan Sreekala
 - 4.1 Introduction 115
 - 4.2 Plastic Waste Management Scenario 117
 - 4.3 Ways of Recycling 119

- 4.3.1 Reuse 120
- 4.3.2 Mechanical Recycling 121
- 4.3.3 Chemical Recycling 121
- 4.4 Poly(Lactic Acid) 122
- 4.5 Poly(Vinyl Chloride) 125
- 4.6 Polyethylene 126
- 4.7 Polypropylene 128
- 4.8 Polystyrene 129
- 4.9 Poly(Ethylene Terephthalate) (PET) 129
- 4.10 Applications 134
- References 135

5 Recycling of Rubber 141

Valiya Parambath Swapna and Ranimol Stephen

- 5.1 Introduction 141
- 5.2 Rubber 142
- 5.3 Recycling of Rubber Products 143
 - 5.3.1 Chemical Process 143
 - 5.3.2 Physical Methods 145
 - 5.3.2.1 Mechanochemical Techniques 145
 - 5.3.2.2 Microwave Technique 146
 - 5.3.2.3 Ultrasonic Technique 146
 - 5.3.2.4 Twin-Screw Extruder 148
 - 5.3.3 Biological Process 148
- 5.4 Applications of Recycled Rubber 152
 - 5.4.1 Sound-Insulation Materials 152
 - 5.4.2 Civil Engineering Applications 153
 - 5.4.3 Oil Absorbent 154
 - 5.4.4 Energy Production 154
 - 5.4.5 Zinc Fertilizer 155
- 5.5 Concluding Remarks 155
- References 156

6 Fibers 163

Raju Francis, Nidhin Joy, Anjaly Sivadas, and Geethy P. Gopalan

- 6.1 Introduction 163
- 6.2 Natural Fibers 164
 - 6.2.1 Kenaf 165
 - 6.2.2 Cotton 167
 - 6.2.3 Sisal 170
 - 6.2.4 Asbestos 174
- 6.3 Synthetic Fibers 176
 - 6.3.1 Nylon 177
 - 6.3.2 Polyester 182
 - 6.3.3 Glass Fiber 187

- 6.3.3.1 Glass Fiber-Reinforced Plastics 188
- 6.3.3.2 Mechanical Process 188
- 6.3.3.3 Thermal Process 188
- 6.3.3.4 Chemical Recycling 190
- 6.3.4 Carbon Fiber 192
- 6.3.4.1 Mechanical Recycling 192
- 6.3.4.2 Thermal Recycling 193
- 6.3.4.3 Chemical Recycling 195
- 6.4 Conclusion 198
- References 198

- 7 Recycling of Polymer Blends and Composites (Epoxy Blends) 209**
Jyothi V. Sunny
- 7.1 Introduction 209
- 7.2 Polymer Blends and Composites 209
- 7.2.1 Methods of Recycling 213
- 7.2.1.1 Mechanical Recycling 213
- 7.2.1.2 Chemical Recycling 215
- 7.2.1.3 Thermal Recycling 216
- 7.3 Characterization and Application of Recyclates 218
- 7.4 Conclusions 219
- References 219

- 8 Recycling of Other Layered Mixed Plastics or Resins: Polyurethanes 223**
Jyothi V. Sunny
- 8.1 Introduction 223
- 8.2 Mechanical Recycling 226
- 8.3 Chemical Recycling 227
- 8.3.1 Glycolysis 228
- 8.3.2 Hydrolysis 229
- 8.3.3 Aminolysis 229
- 8.4 Thermochemical methods 230
- 8.4.1 Pyrolysis 230
- 8.4.2 Gasification 230
- 8.4.3 Hydrogenation 230
- 8.5 Energy Recovery by Incineration 231
- References 232

- 9 Ecoprofiles of Recycled Polymers at a Glance 235**
- 9.1 Advantages of Recycled Polymers on the Environment 235
Raju Francis and Anjaly Sivadas
- 9.1.1 Introduction 235
- 9.1.2 Poly(ethylene terephthalate) (PET) 236
- 9.1.3 High-Density Polyethylene (HDPE) 237

9.1.4	Poly(vinyl chloride) (PVC)	239
9.1.5	Polypropylene (PP)	240
9.1.6	Polystyrene (PS)	241
9.1.7	Other Polymers	242
9.1.8	Conclusion	245
	References	245
9.2	Toxic or Environmental Effects of Recycled Polymers	248
	<i>Raju Francis, Nidhin Joy, and Anjaly Sivadas</i>	
9.2.1	Introduction	248
9.2.2	Will Recycling Reduce the Amount of Waste?	249
9.2.2.1	Recycling of Waste Electrical and Electronic Equipment (WEEE)	250
9.2.2.2	Recycling of Tires	251
9.2.2.3	Recycling of Plastics	251
9.2.2.4	Recycling of Polymers	251
9.2.2.5	Health Problems	252
9.2.2.6	Recycling by Polymer Incineration	252
9.2.3	Conclusion	253
	References	253
	Index	257

Index

a

- abrasion 112
- acrylics 38
- additives 6
 - antibacterial additives 29
 - antiblocking additives 39
 - antifogging agents 41
 - antioxidants
 - – function of 21
 - – primary antioxidants 22
 - – secondary antioxidants 22
 - antistatic agents 26
 - blowing agent
 - – expanded polystyrene 40
 - – mechanism of 41
 - categorization 13
 - classes of 13
 - in colouring agents 47
 - compatibilizers 19
 - coupling agents 29
 - in fillers 48
 - fillers and modifiers 25
 - flame retardants 27, 46
 - impact modifiers 23
 - intermaterial competition 43
 - lubricants 28
 - multifunctional additives 49
 - nucleating agents
 - – coupled nucleating agents 33
 - – defining 32
 - – inorganic nucleating agents 32
 - – phosphates 33
 - – sorbitol compounds 33
 - optical brighteners
 - – chemical structure of 37
 - – enhancing stability of 37
 - – examples of 36
 - – inorganic brighteners 36
 - – organic brighteners 36
 - – selection of 36
 - plasticizers 28, 47
 - purpose of 13
 - reinforcing agents/fillers
 - – carbon blacks and carbon fibers 35
 - – carbon nanotubes 35
 - – inorganic/organic 33
 - – nanoclays 35
 - role of 13
 - stabilizing agents 46
 - – combinations for applications of polymers 19
 - – effectiveness of 14
 - – heat stability 18
 - – light stability 19
 - – photo stabilization 15
 - – processing stability 18
 - – testing 18
 - – thermal stabilization 15
 - surface improvers
 - – acrylics 38
 - – fluorocarbon compounds 38
 - – melt fracture 37
 - – organic salts 38
 - technical opportunities 43
 - technical threats 44
 - turnover of 14
- agricultural waste 2
- Akzo process 86
- Alicyclobacillus* sp. 151
- alkali catalyzed methanolysis 107
- aminolysis, polyurethanes 229
- ammonolysis, of nylon 6 6, 103
- antibacterial additives 29
- antiblocking additives 39, 40
- antifogging agents 41

- antioxidants 15, 45
 - consumption of 14
 - function of 21
 - secondary antioxidants 22
- antistatic agents 26
- aramid fiber 218
- asbestos containing materials (ACM) 175
- asbestos fibers 174
- Australian and New Zealand Environment and Conservation Council (ANZECC) 116
- b**
- Banbury mixers 38
- BASF feedstock recycling process 88
- batch reactors 65
- benzyltrimethylammonium bromide 103
- biocomposites, with biopolymer matrix 243
- biological process, rubber recycling 148
- bioplastics 122
- bis(2-hydroxyethyl) terephthalamide (BHETA) 131
- bis(2-hydroxyethyl) terephthalate (BHET) 131
- black pigment 27
- black plastics 116, 121
- blending system 12
- blocking 39
- blowing agent
 - expanded polystyrene 40
 - mechanism of 41
- bottle recycling, PET 236
- bulk molding compounds, mechanical properties 219
- c**
- cadmium 27
- caprolactam 105
- carbon blacks 35
- carbon fibers 35, 192
 - chemical recycling 195
 - mechanical recycling 192
 - pyrolysis process 193
 - thermal recycling 189
- carbon nanotubes 35
- catalytic pyrolysis 105
- catalytic cracking, polypropylene 71
- cellulose nanocrystals (CNC) 165
- Ceriporiopsis subvermispota* 152
- chemical depolymerization 60
- chemical process, rubber recycling 143
- chemical recycling 4, 59
 - fibers 190, 195
 - HDPE 238
 - of nylon 101–102
 - of polycarbonate, *see* polycarbonate
 - of polyethylene, *see* polyethylene
 - polymer blends and composite materials 215
 - poly (methylmethacrylate)
 - – chemical/feedstock recycling 92
 - – dissolution/reprecipitation 91
 - – thermal pyrolysis 91
 - of polypropylene
 - – catalytic cracking 71
 - – co-pyrolysis 70
 - – pyrolysis 69
 - of polystyrene
 - – catalytic degradation 77
 - – cracking mechanism 79
 - – dissolution technique 77
 - – municipal solid waste 76
 - – thermo-chemical recycling 79
 - polyurethanes 227
 - of polyvinyl chloride (PVC), *see* polyvinyl chloride (PVC)
 - PLA 124
 - plastics 119, 121
 - chlorinated fluorocarbons 48
 - chlorinated polyethylene (CPE) 20
 - civil engineering, rubber recycling 153
 - clinoptilolites 129
 - cobalt aluminates 27
 - colouring agents
 - advancement in 47
 - dyes 27
 - pigments 27
 - commercial waste 2
 - Commonwealth Environmental Protection Agency (CEPA) 116
 - compatibilizers 13, 19
 - composites 8
 - condensation polymerisation 101
 - conical spouted bed reactor (CSBR) 65
 - co-polymeric system 48
 - cotton fibers 167
 - Council for Textile Recycling 169
 - coupling agents 29
 - d**
 - Design for Environment (DFE) 76
 - desulfurisation of rubber 151
 - devulcanization method 145, 146
 - dibenzylidene sorbitol 33
 - dicumyl peroxide (DCP) 78
 - differential scanning calorimetry (DSC) 18
 - diphenyl disulphide (DD) 145
 - dissolution 77
 - poly(methyl methacrylate) 91

- dough molding compound (DMC) 214
- dyes 27
- dynamic thermal stability time (DTST)
 - 17, 18
- e**
- energy recovery 6, 60
- energy production, rubber recycling 154
- environmental scanning electron microscope (ESEM)
 - of *T ferrooxidans* 149
 - *Sphingomonas* sp. 150
- epoxy resins 211
 - cured 216
 - formation 211
- ethoxylated sorbitan ester 42
- ethylbenzene 78
- ethylene glycol, glycolysis in 108, 109
- ethylene-propylene rubber (EPR) 20
- expanded polystyrene (EPS) 40, 76, 77, 241
- external lubricants 28
- extruders 38
- extrusion process 128
- f**
- fatty acid amides 39
- feedstock recycling 59, 92
 - plastics 116, 120
 - sustainability benefits 117
- fiber reinforced plastics (FRPs) 7
- fiber reinforced polymer composites (FRPCs) 163
- fibers
 - aramid 218
 - carbon fiber-geethy 192
 - chemical recycling 190, 195
 - classification of 164
 - fluidized bed process 189
 - mechanical recycling 188, 192
 - natural 164
 - pyrolysis process 193
 - synthetic 176
 - thermal recycling 189
- fillers 13, 25
 - advancement in 48
 - carbon blacks and carbon fibres 35
 - carbon nanotubes 35
 - inorganic/organic 33, 34
 - nanoclays 35
- fixed bed reactor 66
- flame retardants (FRs) 45
 - additive types 27
 - advancement in 46
 - reactive types 28
- fluid catalytic cracking (FCC) 66, 69, 70, 82, 127
- fluidized bed process, fibers 189
- fluidized bed reactors 65
- fluidized-bed recycling process 216
- fluorocarbon compounds 38
- FRPCs, *see* fiber reinforced polymer composites (FRPCs)
- g**
- gasification 60
 - hermolysis 64
 - polyurethanes 230
- general rubber goods (GRG) sector 141
- glass fiber (GF) 187, 243
 - chemical recycling 190
 - fluidized bed process 189
 - mechanical properties of 25
 - mechanical recycling 188
- glass fibre reinforced plastics (GFRP) 188
- glass reinforced phenolic (GWP) 214
- glass-mat reinforced thermoplastics (GMT) 181
- glycolysis 228
 - of PET 131
- grinding 112
 - machines description 213
 - with water jet 243
- h**
- halogen systems 28
- HDPE, *see* high-density polyethylene (HDPE)
- health problems, in children 252
- heat distortion temperature (HDT) modifier 23
- heat stabilisers 45
- heat stability 18
- heterogeneous polymers 12
- hexamethylene diamine (HMDA) 104
- high-density polyethylene (HDPE) 19–21, 116, 121
 - chemical recycling 238
 - cotton fiber 168
 - degradation of 128
 - recycling 237
 - thermal cracking of 128
- hindered amine light stabilisers (HALS) 16
- hindered amine thermal stabilizers (HATS) 49
- homogeneous polymeric materials 12
- hydrate systems 28
- hydrocracking, thermolysis 64
- hydrocyclones 112

- hydrogenation 60
 - polyurethanes 230
 - thermolysis 64
 - hydrolysis
 - of nylon 4 6, 103
 - of nylon 6 102
 - of nylon 6 6, 103
 - polyurethanes 229
 - hydroxybenzophenone 15
 - hydroxyphenylbenzotriazole 15
 - hygrothermal ageing, effect of 124
- i**
- impact modifiers 13, 23, 45
 - incineration 115
 - for energy recovery 216, 231
 - polymer 252
 - inorganic brighteners 36
 - inorganic nucleating agents 32
 - internal lubricants 28
 - ionic liquids 106
 - iron oxides 27
- k**
- kenaf 165
- l**
- Level sensors 12
 - life-cycle analysis (LCA) study 236
 - life-cycle assessment (LCA) 117, 134
 - light stability 19
 - light stabilizers 45
 - consumption of 14
 - low-density polyethylene (LDPE) 126–127
 - lubricants 28
- m**
- mechanical recycling 4
 - fibers 188, 192
 - PLA 122, 124
 - plastics 116, 117, 119, 120, 121
 - polymer blends and composite materials 213
 - mechanochemical technique, rubber recycling 145
 - melt extrusion technique 37
 - melt flow index (MFI) 16, 17, 126, 127
 - melt fracture 37
 - methanolysis
 - alkali catalyzed methanolysis 107
 - ionic liquids 106
 - methylene diphenyl diisocyanate (MDI) 224
 - microcrystalline cellulose (MCC)
 - kenaf 165
 - PVC film 168
 - microwave pyrolysis 217
 - microwave technique, rubber recycling 146
 - mineral fillers 13
 - mixed plastic recycling processes 86
 - mixed plastics 8
 - modifiers 25
 - monomer methyl methacrylate (MMA) 91
 - municipal solid waste (MSW) 4, 76, 116, 119, 185
 - municipal waste 2
- n**
- nanoclays 35
 - nanofibrillated cotton 170
 - natural fibers 7, 164
 - asbestos 174
 - cotton 167
 - kenaf 165
 - natural rubber (NR) 141, 142
 - chemical oxidation reaction 143
 - chemical structure 142
 - drawbacks 142
 - world production/consumption 142
 - nitrous oxide, tyre recycling 144
 - N*-methylmorpholine *N*-oxide (NMMO) 169
 - noise reduction coefficient (NRC) process 86
 - NTK process 87
 - nucleating agents
 - coupled nucleating agents 33
 - defining 32
 - phosphates 33
 - sorbitol compounds 33
 - nylon 177
 - chemical recycling 101–102
 - thermal recycling 102
 - nylon 4, 6, hydrolysis of 103
 - nylon 6
 - depolymerization 105
 - hydrolysis of 102
 - nylon 6, 6
 - ammonolysis of 103
 - depolymerization of 104
 - hydrolysis of 103
 - recovery of monomers 104
- o**
- oil absorbent, rubber recycling 154
 - olefin metathesis, degradation 144
 - optical brighteners
 - chemical structure of 37
 - enhancing stability of 37
 - examples of 36

- inorganic brighteners 36
 - organic brighteners 36
 - selection of 36
 - organic antiblocking agents 39
 - organic brighteners 36
 - organic peroxides 45
 - organic phosphates 33
 - organic salts 38
 - oriented polystyrene (OPS) 76
- P**
- persistent organic pollutants (POPs) 55
 - phenol, thermal cracking of HDPE 128
 - phosphates 33
 - phosphites 15
 - photo stabilization
 - quenchers 15
 - radical traps 16
 - UV absorbers 15
 - pigments 27
 - plasticizers 45, 47, 28
 - plastics 2, 115
 - additives in 6
 - applications 134
 - chemical recycling 119, 121
 - classification 115, 120
 - composites 8
 - consumption of 14
 - durable 117
 - feedstock recycling 116, 120
 - mechanical recycling 116, 119–121
 - mixed plastics 8
 - MSW 4
 - PET 129
 - PLA 122
 - pollution 236
 - polyethylene 126
 - polymer in 3
 - polypropylene 128
 - polystyrene 129
 - prime grades 3
 - production of 3, 115
 - PVC 125
 - recycling of 3, 134, 235, 248, 251
 - reuse 120
 - thermoplastics 3
 - thermosets 3
 - waste handling 61
 - plastic solid waste (PSW) 244, 251, 252
 - plastic waste management scenario 117
 - poly(L-lactic acid) (PLLA) 124
 - polyamide (PA) 37, 101
 - polycarbonate (PC), chemical recycling 105, 106
 - alkali catalyzed methanolysis 107
 - glycolysis in ethylene glycol 108
 - hydrolysis 108
 - ionic liquids 106
 - methanolysis 106–107
 - polycarbonate wastes 106
 - pyrolysis 109
 - recycling problems 109
 - poly(methyl methacrylate) (PMMA), chemical recycling
 - chemical/feedstock recycling 92
 - dissolution/reprecipitation 91
 - thermal pyrolysis 91
 - polyester 182
 - polyether polyols 224, 225
 - polyethylene (PE) 126
 - polyethylene, chemical recycling
 - batch reactors 65
 - degradative extrusion 64
 - fixed bed reactor 66
 - fluidized bed reactors 65
 - gasification 64
 - hydrogenation 64
 - pyrolysis 63
 - thermolysis 63–64
 - polyethylene high density (PEHD) 237
 - polyethylene terephthalate (PET) 129, 182
 - bottle-to-bottle recycling 133
 - chain extending reaction 184
 - glycolysis of 131
 - mechanical properties 25, 26
 - pyrolysis 187
 - recycling 236
 - polyhydroxyalkanoates (PHA) 82
 - poly lactic acid (PLA) 122
 - chemical recycling 124
 - degradation of 124
 - mechanical properties 123
 - mechanical recycling 122, 124
 - zero viscosity of 123
 - polymer
 - classes of 209
 - recycling of 57, 251
 - polymer blends and composite materials 209
 - application of recyclates 218
 - chemical recycling 215
 - mechanical recycling 213
 - thermal recycling 216
 - polymeric materials, recyclability of 117
 - polymeric phenolic phosphites 15
 - polymer incineration systems 252
 - polymerization techniques 209
 - polymer recycling 11

- polyolefins
 - catalytic degradation 66
 - thermal cracking 66
 - polypropylene(PP) 128, 166, 167, 240
 - chemical recycling
 - – acid strength and textural properties 68
 - – catalytic cracking 71
 - – co-pyrolysis 70
 - – heterogeneous catalysis 68
 - – pyrolysis 69
 - – thermal cracking 68
 - mechanical properties 25, 26
 - moulding-grade 16
 - stabilization 16, 17
 - tensile strength of 20, 21
 - polystyrene (PS) 129, 231
 - catalytic degradation 77
 - cracking mechanism 79
 - dissolution technique 77
 - municipal solid waste 76
 - thermal degradation 81
 - thermo-chemical recycling 79
 - thermo-oxidative degradation 81
 - polyurethanes (PUR) 223
 - aminolysis 229
 - chemical recycling 227
 - energy recovery by incineration 231
 - foam applications 225
 - gasification 230
 - glycolysis 228
 - hydrogenation 230
 - hydrolysis 229
 - linkages in 232
 - mechanical recycling 226
 - particle size distribution 227
 - properties of 223
 - pyrolysis 230
 - thermo chemical 230
 - polyvinyl chloride (PVC) 17, 253, 125
 - chemical recycling 85
 - – BASF feedstock recycling process 88
 - – chlorine atoms of 83
 - – combustion of 84
 - – copyrolysis of 85
 - – corrosion of process equipment 85
 - – dehydrochlorination 84
 - – mechanochemical reaction 85
 - – mixed plastic recycling processes 86
 - – mixed PVC wastes world initiatives 88
 - – neutralization of HCl 83
 - – nucleophilic substitution 86
 - – oxidative degradation of 87
 - – steam pressure 83
 - – thermal cracking 84
 - – Veba Combi cracking process 90
 - mechanical properties 25, 26
 - recycling 18
 - stabilization 16, 239
 - tensile strength of 20, 21
 - thermal stability of 17
 - post-consumer plastic recycling stage 11
 - primary antioxidants 22
 - primary recycling 4
 - processing stability 18
 - protective charring systems 28
 - PSW, *see* plastic solid waste (PSW)
 - Pyrococcus furiosus* 148
 - pyrolysis 102, 217
 - catalytic pyrolysis 105
 - co-pyrolysis 70
 - fibers 193
 - of polycarbonate 109
 - polypropylene 69
 - polyurethanes 230
 - thermal pyrolysis 106
 - thermolysis 63
 - pyrolysis reactor 118
- q**
- quaternary recycling 60
 - quenchers 15
 - quinone 123
- r**
- radical traps 16
 - recycling 2
 - abrasion 112
 - advantages 110
 - automated techniques 111
 - challenges in 11
 - chemical recycling 4, 59
 - cleaning stage 6
 - codes 5
 - collection stage 6
 - density sorting methods 111
 - energy recovery 6
 - equipments for 12
 - feedstock recycling 59
 - fillers and modifiers 12
 - grinding 112
 - heavy medium separation 111
 - hydrocyclones 112
 - mechanical recycling 4, 58
 - of plastics 3
 - of polymers 57
 - primary recycling 4, 58
 - restabilization 12

- rubber 7
- size reduction stage 6
- reinforcements 13
- reinforcing agents
 - carbon blacks and carbon fibres 35
 - carbon nanotubes 35
 - inorganic/organic 33, 34
 - nanoclays 35
- reprecipitation, poly(methyl methacrylate) 91
- Resinicium bicolor* 149
- response surface methodology (RSM) 173
- rubber recycling 7
 - applications 152
 - biological process 148
 - chemical process 143
 - civil engineering applications 153
 - energy production 154
 - mechanochemical technique 145
 - MW technique 146
 - oil absorbent 154
 - sound insulation materials 152
 - twin screw extruder 148
 - ultrasonic technique 146
 - zinc fertilizer 155
- s**
- SEM
 - cotton fiber 169
 - Sisal fiber 173
 - supercritical fluids 198
- sheet molding compounds (SMC) 190, 213
 - manufacturing process 212, 213
- silicoaluminophosphate (SAPO) 67
- single screw extruder 122, 129
- solid state polycondensation (SSP) 133
- solid state post-condensation (SSP) reaction 133
- sorbitol compounds 33
- sound insulation materials, for rubber recycling 152
- spectroscopes methods 127
- Sphingomonas* sp. 150
 - ESEM 150
- stabiliser technology 46
- stabilizing agents
 - combinations for applications of polymers 19
 - heat stability 18
 - light stability 19
 - photo stabilization 15
 - processing stability 18
 - thermal stabilization 15
- structure reaction injection molding (SRIM) recycling 227
- styrene-butadiene rubber (SBR) 146, 151
- styrene-ethylene-propylene block copolymer (SEP) 20
- supercritical fluids (SCFs)
 - carbon fibers 196
 - glass fibers 190
- surface improvers
 - acrylics 38
 - fluorocarbon compounds 38
 - melt fracture 37
 - organic salts 38
- synthetic fibers 176
 - glass fiber-geethy 187
 - nylons 177
 - polyester 182
- synthetic rubbers (SR) 141, 142
 - examples 142
 - world production/consumption 142
- t**
- TDF, *see* tyre derived fuel (TDF)
- telechelic polymers 144, 145
- tensile stress 24
- tertiary recycling 59
- thermal cracking method 121
- thermal pyrolysis 106
- thermal recycling
 - fibers 189
 - nylon 102
 - polymer blends and composite materials 216
- thermal stabilization 15
- thermo chemical, PUR 230
- thermogravimetric analysis (TGA) 72
- thermolysis
 - gasification 64
 - hydrogenation 64
 - pyrolysis 63
- thermo-oxidative degradation 55
- thermoplastics 3, 115, 120
 - biocomposites 116
 - examples 115
- thermosets 3
 - chemical recycling 215
 - examples 115
 - matrix 116
 - melting point of 115
- Thiobacillus ferrooxidans* (*T ferrooxidans*) 149–150
- tire sector 141
- titanium pigments 36
- toluene 91

toluene Diisocyanate (TDI) 224
1,3,5-triphenylhexane (TPH) 77
twin screw extruder 121
– rubber recycling 148
tyre derived fuel (TDF) 244
tyre recycling 144

u

ultrasonic technique, rubber recycling 146
ultrasound-assisted extraction (UAE) 173
UV absorbers 15

v

Veba Combi cracking process 90
vinylidene fluoride homopolymers 38
volumetric devices 12

w

waste
– agricultural 2
– commercial 2

– municipal 2
– sources of 2
waste electrical and electronic equipment
(WEEE) 76, 250
waste-management strategy 249
water jet, grinding with 243
white pigments 27

x

X-ray photoelectron spectroscopy (XPS) 151
xylene 91

z

zero order recycling technique 60
zinc fertilizer 155
zinc salts 38