

CONTENTS

| | |
|---|-----------|
| 1. The Structure of Wood and the Wood Cell Wall. By WILFRED A. CÔTÉ, JR. | 1 |
| 1.0 Introduction | 1 |
| 1.1 Gross Structure of Wood | 1 |
| 1.1.1 Cellular Composition | 2 |
| 1.1.2 Wood Rays | 2 |
| 1.1.3 Planes of Wood | 3 |
| 1.1.4 Sapwood and Heartwood | 4 |
| 1.1.5 Growth Increments | 4 |
| 1.1.6 Axial Parenchyma | 6 |
| 1.1.7 Intercellular Canals | 8 |
| 1.1.8 Other Gross Features | 9 |
| 1.2 Microscopic Structure of Wood | 9 |
| 1.2.1 Major Cell Types | 10 |
| 1.2.2 Cell Sorting and Arrangement | 12 |
| 1.2.3 Cell Inclusions | 15 |
| 1.2.3.1 Tyloses | 15 |
| 1.2.3.2 Crystals | 16 |
| 1.2.3.3 Oil cells | 17 |
| 1.2.3.4 Gums and Resins | 18 |
| 1.3 Organization of the Cell Wall | 18 |
| 1.3.1 The Microfibril | 18 |
| 1.3.2 Generalized Structure and Terminology | 20 |
| 1.3.3 Microfibrillar Orientation | 21 |
| 1.3.4 Cell Wall Sculpturing | 27 |
| 1.3.4.1 Pit Structure | 27 |
| 1.3.4.2 Helical Thickenings | 37 |
| 1.3.4.3 Wart Structure | 39 |
| 1.3.4.4 Dentate Ray Trechoid Thickenings | 42 |
| 1.4 Reaction Wood Anatomy and Ultrastructure | 43 |
| 1.4.1 Compression Wood | 44 |
| 1.4.2 Tension Wood | 48 |
| Literature Cited | 52 |
| 2. Chemical Composition of Wood. By WILFRED A. CÔTÉ, JR. | 55 |
| 2.0 Introduction | 56 |
| 2.1 Chemical Constituents of Wood and their Determination | 56 |
| 2.2 Characteristics of the Principal Wood Constituents | 58 |
| 2.2.1 Cellulose | 58 |
| 2.2.1.1 Isolation from Wood | 58 |
| 2.2.1.2 Structure | 58 |
| 2.2.1.3 Properties | 60 |
| 2.2.2 Hemicellulose | 61 |
| 2.2.2.1 Hemicelluloses of Hardwoods | 61 |
| 2.2.2.2 Hemicelluloses of Softwoods | 63 |
| 2.2.3 Other Wood Polysaccharides | 64 |
| 2.2.4 Lignin | 64 |
| 2.2.4.1 Isolation from Wood | 67 |

| | |
|---|-----|
| 2.2.4.2 Structure | 67 |
| 2.2.4.3 Properties | 67 |
| 2.3 Wood Extractives | 70 |
| 2.4 Distribution of Chemical Constituents in Wood | 72 |
| Literature Cited | 75 |
| 3. Defects and Abnormalities of Wood. By WILFRED A. CÔTÉ, JR. | 79 |
| 3.0 Introduction | 79 |
| 3.1 Natural Defects | 79 |
| 3.1.1 Knots | 79 |
| 3.1.2 Reaction Wood | 81 |
| 3.1.2.1 Compression Wood | 83 |
| 3.1.2.2 Tension Wood | 83 |
| 3.1.3 Cross Grain | 84 |
| 3.1.4 Variations in Log Form | 85 |
| 3.1.5 Shaker | 86 |
| 3.1.6 Miscellaneous Natural Defects | 87 |
| 3.2 Defects due to Processing | 90 |
| 3.2.1 Manufacturing Defects | 90 |
| 3.2.2 Seasoning Defects | 90 |
| 3.2.2.1 Checks | 91 |
| 3.2.2.2 Warp | 92 |
| 3.2.2.3 Casehardening | 92 |
| 3.2.2.4 Collapse | 93 |
| 3.2.2.5 Honeycomb | 94 |
| 3.2.2.6 Washboarding | 94 |
| 3.2.2.7 Miscellaneous Seasoning Defects | 94 |
| 3.2.3 Raised Grain | 94 |
| 3.2.4 Loosened Grain | 95 |
| Literature Cited | 95 |
| 4. Biological Deterioration of Wood. By WILFRED A. CÔTÉ, JR. | 97 |
| 4.0 Introduction | 97 |
| 4.1 Fungi causing Wood Deterioration | 97 |
| 4.1.1 Characteristics of Wood-destroying Fungi | 98 |
| 4.1.1.1 Comparison of Brown Rot and White Rot | 98 |
| 4.1.1.2 Soft Rot | 104 |
| 4.1.2 Characteristics of Wood-staining Fungi | 105 |
| 4.1.3 Physiological Requirements of Wood-destroying and Wood-inhabiting Fungi | 107 |
| 4.1.3.1 Temperature | 107 |
| 4.1.3.2 Oxygen | 107 |
| 4.1.3.3 Moisture | 108 |
| 4.1.3.4 Nutrients | 109 |
| 4.1.3.5 Hydrogen Ion Concentration | 109 |
| 4.1.3.6 Natural Durability | 110 |
| 4.1.3.7 Relationship of Wood Preservation to Physiological Requirements | 110 |
| 4.1.4 Mechanism of Wood Decay | 110 |
| 4.1.5 Influence of Decay on Mechanical Properties | 111 |
| 4.2 Wood-boring Insects | 112 |
| 4.2.1 Termites | 112 |
| 4.2.1.1 Characteristics | 113 |
| 4.2.1.2 Control | 114 |
| 4.2.2 Powder-post Beetles | 115 |
| 4.2.2.1 Lyctidae | 115 |

| | | |
|-----------|--|------------|
| 4.2.2.2 | Wood-feeding Anobiidae | 118 |
| 4.2.2.3 | Cerambycidae. Long-horned Beetles or Round-headed Borers | 119 |
| 4.2.2.4 | Bostrichidae. Auger or Shot-hole Borers | 121 |
| 4.2.2.5 | Control Measures | 121 |
| 4.2.3 | Carpenter Ants | 124 |
| 4.2.4 | Carpenter Bees. Order Hymenoptera | 126 |
| 4.2.5 | Horntails. (Siricidae) | 126 |
| 4.3 | Marine Borers | 128 |
| 4.3.1 | Molluscan Borers | 129 |
| 4.3.2 | Crustacean Borers | 130 |
| 4.3.3 | Protection against Marine Wood Borers | 132 |
| | Literature Cited | 133 |
| 5. | Wood Preservation. By WILFRED A. CÔTÉ, JR. | 136 |
| 5.0 | Introduction | 136 |
| 5.1 | General Considerations | 136 |
| 5.1.1 | Effect of Structure on Treatment | 137 |
| 5.1.2 | Timber Preparation | 140 |
| 5.2 | Wood Preservation Processes | 140 |
| 5.2.1 | Non-pressure Processes | 141 |
| 5.2.1.1 | Brushing or Spraying | 141 |
| 5.2.1.2 | Dipping | 141 |
| 5.2.1.3 | Steeping and Cold Soaking | 142 |
| 5.2.1.4 | Hot-and-Cold Bath | 142 |
| 5.2.1.5 | Diffusion Method | 143 |
| 5.2.2 | Pressure Processes | 144 |
| 5.2.2.1 | Full-cell Processes | 145 |
| 5.2.2.2 | Empty-cell Processes | 146 |
| 5.2.3 | Miscellaneous Processes | 146 |
| 5.3 | Wood Preservatives | 147 |
| 5.3.1 | Characteristics of Preservatives | 147 |
| 5.3.2 | Preservative Materials Toxic to Insects, Fungi and Marine Borers | 148 |
| 5.4 | Fire Retardant Treatment | 149 |
| 5.4.1 | General Remarks about the Combustibility of Wood | 149 |
| 5.4.2 | Developed Heat and Strength | 150 |
| 5.4.3 | Course of Temperature and Chemical Phenomena in Combustion of Wood | 151 |
| 5.4.4 | Effects and Properties of Fire Retardants | 152 |
| 5.4.4.1 | Water Soluble Salts | 153 |
| 5.4.4.2 | Alkali Silicates | 154 |
| 5.4.4.3 | Foam Forming Organic Compounds | 154 |
| 5.4.4.4 | Other Fire Retardants | 154 |
| 5.4.5 | Testing of Fire Retardants | 155 |
| 5.5 | Dimensional Stabilization | 155 |
| 5.5.1 | Theory | 156 |
| 5.5.2 | Methods | 156 |
| | Literature Cited | 157 |
| 6. | Physics of Wood. By FRANZ F. P. KOLLMANN | 160 |
| 6.1 | Density and Specific Gravity | 160 |
| 6.1.1 | Density. Porosity. Specific Gravity of Wood Substance and of Wood Constituents | 160 |
| 6.1.2 | Effect of Moisture Content in Wood on its Density | 164 |
| 6.1.3 | Density of Green Wood | 165 |
| 6.1.4 | Variations in Density | 168 |

| | | |
|---------|---|-----|
| 6.1.5 | Density of Springwood and Summerwood. Correlation with Width of Annual Rings | 173 |
| 6.1.6 | Content of Solid Matter in Piles of Wood and Wood Residues | 179 |
| 6.2 | Wood-Liquid Relations | 180 |
| 6.2.1 | Moisture Content. Definition | 180 |
| (i.2.2) | Determination of Moisture Content | 181 |
| 6.2.2.1 | Oven-drying Method | 181 |
| 6.2.2.2 | Distillation Method | 181 |
| 6.2.2.3 | Titration According to K. Fischer (1935); Eberius (1952, 1958) | 183 |
| 6.2.2.4 | Hygrometric Methods | 183 |
| 6.2.2.5 | Electrical Moisture Meters | 184 |
| 6.2.3 | Sorption and Equilibrium Moisture Content | 189 |
| 6.2.4 | Recommended Moisture Content for Wood in Service | 195 |
| 6.2.5 | Fiber Saturation Point, Maximum Moisture Content of Wood | 198 |
| 6.2.6 | Thermodynamics of Sorption | 201 |
| 6.2.7 | Shrinkage and Swelling | 204 |
| 6.2.7.1 | Maximum Volumetric Shrinkage and Swelling, Influence of Drying Temperature | 204 |
| 6.2.7.2 | Anisotropy of Shrinkage and Swelling | 205 |
| 6.2.7.3 | Super-position of the Components of Swelling, Restrained Swelling | 214 |
| 6.2.7.4 | Swelling in Aqueous Solutions and Organic Liquids | 216 |
| 6.2.7.5 | Dimensional Stabilization of Wood | 218 |
| 6.3 | Capillary Movement and Diffusion in Wood | 219 |
| 6.3.0 | General Considerations on the Movement of Water in Wood Above and Below Fiber Saturation Point | 219 |
| 6.3.1 | Capillary Movement of Water in Wood | 221 |
| 6.3.2 | Diffusion of Water in Wood | 224 |
| 6.3.3 | Drying of Wood as a Diffusion Problem | 225 |
| 6.3.3.1 | Analogy to Fourier's Analysis for Heat Conduction | 225 |
| 6.3.3.2 | Approximated Calculation of the Drying Time | 226 |
| 6.3.3.3 | Stamm's Theoretical Drying Diffusion Coefficients | 232 |
| 6.4 | Physical Aspects of Wood Impregnation | 235 |
| 6.4.1 | Nonpressure Processes | 235 |
| 6.4.2 | Pressure Processes | 236 |
| 6.4.2.0 | General Considerations | 236 |
| 6.4.2.1 | Theory of Pressure Treatment of Wood | 236 |
| 6.5 | Thermal Properties of Wood | 240 |
| 6.5.1 | Thermal Expansion | 240 |
| 6.5.2 | Specific Heat of Wood | 245 |
| 6.5.3 | Thermal Conductivity of Wood | 246 |
| 6.5.3.0 | General Considerations | 246 |
| 6.5.3.1 | Influences of Structure and Density, Moisture Content and Temperature on the Thermal Conductivity of Wood | 246 |
| 6.5.4 | Diffusivity of Wood, Change of Temperature in Heated Wood | 250 |
| 6.5.5 | Radiation of Heat with Respect to Wood | 256 |
| 6.6 | Electrical Properties of Wood | 257 |
| 6.6.1 | Direct-current Properties: Electrical Resistance and Electrical Conductivity | 257 |
| 6.6.2 | Alternating-Current Properties of Wood | 262 |
| 6.6.2.1 | Resistivity | 262 |
| 6.6.2.2 | Dielectric Constant | 263 |
| 6.6.2.3 | Power Factor | 267 |
| 6.6.3 | Magnetic Properties of Wood and Wood Constituents | 271 |
| 6.6.4 | Piezoelectric Properties of Wood | 271 |
| 6.7 | Acoustical Properties of Wood | 274 |
| 6.7.0 | General Considerations | 274 |

| | | |
|----------|---|------------|
| 6.7.1 | Sound Transmission in Wood | 276 |
| 6.7.1.1 | Sound Velocity | 276 |
| 6.7.1.2 | Sound Wave Resistance, Damping of Sound Radiation and Internal Friction | 279 |
| 6.7.2 | Acoustics of Buildings | 281 |
| 6.7.2.1 | Sound Energy | 281 |
| 6.7.2.2 | Sound Transmission Loss for Various Types of Construction | 282 |
| 6.7.2.3 | Sound Absorption | 284 |
| | Literature Cited | 285 |
| 7 | Mechanics and Rheology of Wood By FRANZ F. P. KOLLMANN | 292 |
| 7.1 | Elasticity, Plasticity, and Creep | 292 |
| 7.1.1 | Hooke's Law, Modulus of Elasticity | 292 |
| 7.1.2 | Rhombic Symmetry of Wood, Systems of Elastic Constants | 293 |
| 7.1.3 | Poisson's Ratios | 297 |
| 7.1.4 | Compressibility (Bulk Modulus) | 299 |
| 7.1.5 | Determination of Elastic Constants | 300 |
| 7.1.5.1 | Determination by Static Tests | 300 |
| 7.1.5.2 | Determination by Dynamic Tests | 301 |
| 7.1.6 | Influences Affecting the Elastic Properties of Wood | 302 |
| 7.1.6.1 | Grain Angle | 302 |
| 7.1.6.2 | Density | 305 |
| 7.1.6.3 | Moisture Content | 309 |
| 7.1.6.4 | Temperature | 311 |
| 7.1.6.5 | Knots and Notches | 313 |
| 7.1.7 | Plasticity and Creep | 315 |
| 7.1.7.1 | Stress-strain Behavior | 315 |
| 7.1.7.2 | Creep and Creep Recovery | 317 |
| 7.1.7.3 | Rheological Models and Mathematical Considerations | 318 |
| 7.2 | Tensile Strength. | 321 |
| 7.2.1 | Tensile Strength of Cellulose Molecules, of Single Wood Fibers, and Breaking Length | 321 |
| 7.2.2 | Determination of Tensile Strength Along the Grain | 324 |
| 7.2.3 | Factors Affecting the Tensile Strength Along the Grain | 326 |
| 7.2.3.1 | Grain Angle | 326 |
| 7.2.3.2 | Density | 326 |
| 7.2.3.3 | Moisture Content | 327 |
| 7.2.3.4 | Temperature | 327 |
| 7.2.3.5 | Knots and Notches | 328 |
| 7.2.4 | Determination of Tensile Strength Perpendicular to the Grain, Cleavage | 330 |
| 7.2.5 | Fatigue in Tension Parallel to the Grain | 334 |
| 7.3 | Maximum Crushing Strength and Stresses in Wood Columns | 335 |
| 7.3.0 | General Considerations | 335 |
| 7.3.1 | Testing in Compression Parallel to Grain | 336 |
| 7.3.2 | Testing in Compression Perpendicular to Grain | 339 |
| 7.3.3 | Influences Affecting the Crushing Strength | 341 |
| 7.3.3.1 | Grain Angle | 341 |
| 7.3.3.2 | Density | 342 |
| 7.3.3.3 | Moisture Content | 346 |
| 7.3.3.4 | Temperature | 349 |
| 7.3.3.5 | Knots and Notches | 353 |
| 7.3.3.6 | Chemical Constituents | 355 |
| 7.3.4 | Fatigue in Compression Parallel to the Grain | 355 |
| 7.3.5 | Stresses in Solid Wood Columns | 356 |
| 7.4 | Bending Strength (Modulus of Rupture) | 359 |
| 7.4.0 | General Considerations | 359 |
| 7.4.1 | Testing of Small Wooden Beams under Static Center Loading | 363 |

| | | |
|-----------|---|------------|
| 7.4.2 | Influences Affecting the Bending Strength (Modulus of Rupture) | 365 |
| 7.4.2.1 | Grain Angle | 365 |
| 7.4.2.2 | Density | 367 |
| 7.4.2.3 | Moisture content | 368 |
| 7.4.2.4 | Temperature | 370 |
| 7.4.2.5 | Shape and Size of Beams, Knots and Notches | 370 |
| 7.4.2.6 | Fatigue in Bending | 376 |
| 7.5 | Shock Resistance or Toughness | 379 |
| 7.5.0 | General Considerations | 379 |
| 7.5.1 | Determination of Shock Resistance | 380 |
| 7.5.1.1 | Single Blow Impact Test | 380 |
| 7.5.1.2 | The Hatt-Turner Test (Successive Blows Impact Test) | 381 |
| 7.5.2 | Comparison of Impact Test Results | 383 |
| 7.5.3 | Influences Affecting the Shock Resistance | 383 |
| 7.5.3.1 | Shape and Size of Reams, Notches (Izod-test) | 383 |
| 7.5.3.2 | Grain Angle | 385 |
| 7.5.3.3 | Density | 386 |
| 7.5.3.4 | Moisture Content | 388 |
| 7.5.3.5 | Temperature | 389 |
| 7.5.3.6 | Anatomical Properties, Chemical Constituents, Decay | 390 |
| 7.5.3.7 | Types and Phenomena of Failures in Impact Bending | 393 |
| 7.6 | Torsional Properties and Shear Strength | 394 |
| 7.6.0 | General Considerations | 394 |
| 7.6.1 | Determination of Torsional Strength | 395 |
| 7.6.2 | Determination of Shearing Strength Parallel to Grain | 397 |
| 7.7 | Hardness and Abrasion Resistance | 403 |
| 7.7.0 | General Considerations | 403 |
| 7.7.1 | Hardness Tests | 403 |
| 7.7.2 | Factors Influencing the Hardness of Wood | 406 |
| 7.7.3 | Abrasion Resistance | 409 |
| 7.7.4 | Some Aspects of Nondestructive Testing of Wood and Timber Grading | 413 |
| | Literature Cited | 414 |
| 8. | Steaming and Seasoning of Wood. By FRANZ F. P. KOLLMANN | 420 |
| 8.0 | General Considerations | 420 |
| 8.1 | Air-drying | 420 |
| 8.1.1 | Moisture Content of Green Wood | 420 |
| 8.1.2 | Course of Air-drying | 422 |
| 8.1.3 | Yard Seasoning | 424 |
| 8.1.3.1 | Lumberyard Layout | 424 |
| 8.1.3.2 | Seasoning Periods | 427 |
| 8.1.4 | Accelerated Air-drying, Predrying | 429 |
| 8.1.4.1 | Fan Air-drying | 429 |
| 8.1.4.2 | Air-drying by Means of Swings or Centrifuges | 432 |
| 8.1.4.3 | Air-drying by Solar Heat | 433 |
| 8.1.4.4 | Predriers | 433 |
| 8.2 | Steaming | 434 |
| 8.2.1 | Reasons For Steaming | 434 |
| 8.2.2 | Methods of Steaming and Heat Consumption | 434 |
| 8.2.3 | Effects of Steaming on Wood | 436 |
| 8.3 | Kiln Drying | 438 |
| 8.3.0 | General Considerations | 438 |
| 8.3.1 | Fundamental Drying Factors | 438 |
| 8.3.2 | Defects in Wood due to Kiln Drying | 451 |

| | | |
|-----------|---|-----|
| 8.3.2.0 | General Considerations | 451 |
| 8.3.2.1 | Staining | 451 |
| 8.3.2.2 | Deformations (Warping, Twisting, Cupping) | 452 |
| 8.3.2.3 | Casehardening | 452 |
| 8.3.2.4 | Collapse | 453 |
| 8.3.3 | Types of Kilns and Instruments | 456 |
| 8.4 | Special Seasoning Methods | 460 |
| 8.4.1 | High Temperature Drying | 460 |
| 8.4.2 | Drying by Boiling in Oily Liquids | 464 |
| 8.4.3 | Solvent Seasoning | 465 |
| 8.4.4 | Vapor Drying | 466 |
| 8.4.5 | Vacuum Drying | 467 |
| 8.4.6 | Chemical Seasoning | 468 |
| 8.4.7 | Drying by Direct Application of Electricity | 469 |
| 8.4.7.1 | Drying by Joule's Heat | 469 |
| 8.4.7.2 | High-frequency Dielectric Drying | 470 |
| 8.4.8 | Drying by Infrared Radiation | 471 |
| | Literature Cited | 471 |
| 9. | Wood Machining , By FRANZ F. P. KOLLMANN | 475 |
| 9.1 | Introduction | 475 |
| 9.2 | Technology of Sawing | 475 |
| 9.2.1 | Sash Gang Sawing | 475 |
| 9.2.1.1 | Cutting Velocity | 475 |
| 9.2.1.2 | Chip Thickness and Average Cutting Resistance | 476 |
| 9.2.1.3 | Consumption of Energy | 478 |
| 9.2.1.4 | Effects of Tooth Geometry, Tooth Height and Pitch | 479 |
| 9.2.1.5 | Influence of Setting | 481 |
| 9.2.1.6 | Strain and Stresses in Gang Saw Blades; Thermal Effects. | 482 |
| 9.2.1.7 | Surface Quality | 483 |
| 9.2.1.8 | Yield | 484 |
| 9.2.2 | Band Sawing | 486 |
| 9.2.2.1 | General Considerations, Saw Blade Dimensions | 486 |
| 9.2.2.2 | Cutting Velocity and Cutting Resistance | 487 |
| 9.2.2.3 | Influence of Feed Speed | 488 |
| 9.2.2.4 | Effect of Depth of Timber Cut and of Grain Orientation | 489 |
| 9.2.2.5 | Effect of Tooth Geometry and Pitch | 489 |
| 9.2.2.6 | Band Tension and Stability | 490 |
| 9.2.3 | Circular Sawing | 490 |
| 9.2.3.1 | Introduction, Saw Blade Geometry, Kinematics | 490 |
| 9.2.3.2 | Effect of Cutting Velocity on the Cutting Resistance | 492 |
| 9.2.3.3 | Cutting Force and Cutting Power, Effect of Feed Rate or Feed per Tooth | 494 |
| 9.2.3.4 | Specific Cutting Energy | 496 |
| 9.2.3.5 | Effect of Depth of Timber Cut and of Grain Orientation | 497 |
| 9.2.3.6 | Effect of Blade Diameter and Blade Thickness | 499 |
| 9.2.3.7 | Effect of Tooth Geometry and Pitch | 500 |
| 9.2.3.8 | Chip Formation | 505 |
| 9.2.3.9 | Thermal Effects, Stresses, and Stability of Circular Saw Blades | 506 |
| 9.2.3.10 | Special Types of Circular Saw Blades | 508 |
| 9.2.4 | Chain sawing | 510 |
| 9.2.4.1 | Introduction | 510 |
| 9.2.4.2 | Machine Types | 511 |
| 9.2.4.3 | Chip Formation, Power Requirements | 511 |

| | |
|---|------------|
| 9.3 Proposed Methods of Chipless Wood-Cutting | 313 |
| 9.3.1 Peeling and Slicing | 513 |
| 9.3.2 Cutting with Vibration Cutters | 513 |
| 9.3.3 Cutting with High-energy Jets | 314 |
| 9.3.4 Cutting with the Laser | 517 |
| 9.4 Technology of Jointing, Planing, Moulding and Shaping | 517 |
| 9.4.1 General Considerations | 517 |
| 9.4.2 Geometry of Cutterhead-knives | 518 |
| 9.4.3 Cutting Velocity and Cutting Force | 519 |
| 9.4.3.1 Effect of Cutting Velocity on the Cutting Force | 519 |
| 9.4.3.2 Effect of Cutting-Circle Diameter, Feed Speed, and Number of Knives | 519 |
| 9.4.3.3 Effect of Grain Orientation, Inclination of the Cutting Edge, and Chip Thickness | 520 |
| 9.4.3.4 Effect of Wood Species, Moisture Content and Temperature | 524 |
| 9.4.3.5 Effect of Cutter Materials | 525 |
| 9.4.3.6 Effect of Cutting Depth | 525 |
| 9.4.3.7 The Blunting of Cutter Head Knives | 526 |
| 9.4.4. Formation of Chips through Knife-cutting | 527 |
| 9.4.4.1 Influence of Wood Moisture Content on Chip Formation | 527 |
| 9.4.4.2 Influence of Knife Geometry on Chip Formation | 527 |
| 9.4.4.3 Other Cutting Factors and their Effect on Chip Formation and Quality | 527 |
| 9.5 Sanding | 528 |
| 9.5.1 General Considerations | 528 |
| 9.5.2 Abrasives | 528 |
| 9.5.3 Technology of Sanding Process | 529 |
| 9.6 Turning | 534 |
| 9.6.1 General Considerations | 534 |
| 9.6.2 Effects on the Turning of Wood | 534 |
| 9.6.3 Quality of Turned Surfaces | 537 |
| 9.7 Trimming, Mortising and Boring | 537 |
| 9.8 Bending of Solid Wood | 541 |
| 9.8.1 General Considerations | 341 |
| 9.8.2 Strains and Stresses in Wood Bending | 542 |
| 9.8.3 Pretreatment of the Wood Prior to Bending | 545 |
| 9.8.4 Methods and Machines for Wood Bending | 546 |
| 9.8.5 Properties of Bent Wood | 548 |
| 9.8.5.1 Sorption Properties | 548 |
| 9.8.5.2 Mechanical Properties | 549 |
| 9.9 Laminated Bending | 549 |
| Literature Cited | 551 |
| Author Index | 555 |
| Subject Index | 560 |