

CONTENTS OF 1983 ISWPC PROCEEDINGS

Volume I

---PLENARY LECTURE---

| | | |
|------|---|---|
| 13P1 | The Research and Development Projects on Biomass of the Ministry of International Trade and Industry, Japan. J.Kato | 1 |
| 13P2 | Some Recent Topics in Wood and Pulping Chemistry. D.A.I.Goring | 3 |

I. CHEMICAL STRUCTURE OF WOOD

I-1 Morphological Organization of Wood Components

| | | |
|------|--|----|
| 14A1 | Deposition of Cellulose, Hemicelluloses and Lignin in the Differentiating Tracheids. M.Fujita, K.Takabe and H.Harada | 14 |
| 14A2 | Ultraviolet and Fluorescence Microscopic Studies of Lignin. K.Fukazawa and H.Imagawa | 20 |
| 14A3 | The Distribution of Lignin in Hardwood as Determined by Bromination with TEM-EDXA. S.Saka, S.Hosoya and D.A.I.Goring | 24 |

1-2 Chemistry of Cellulose

| | | |
|----------|--|----|
| 14A5(IS) | An Aspect on the Structural Irreversibility between Cellulose I and II Families. J.Hayashi and M.Takai | 30 |
| 14A6 | Measurements of Three Dimensional Orientation Distributions of Cellulose Crystallites in <i>Pinus densiflora</i> Woods. F.Tanaka and T.Koshijima | 35 |
| 14P1 | Electron Staining of Reducing Ends on Cellulose Microfibrils. S.Kuga, K.Hieta and M.Usuda | 38 |
| 14P2(IS) | Polymorphy in Cellulose: Recent Development. R.H.Atalla | 42 |
| 14P3 | Heat Capacity of Cellulose-Water System. T.Hatakeyama and H.Hatakeyama | 48 |
| 14P4 | Synthesis of Cellulose Derivatives Containing Amino Acid Residues and Their Application. T.Sato, K.Karatsu and Y.Ohno | 52 |
| 14P5 | Grafting of Acrylonitrile or Styrene on Hardwood Pulp. B.V.Kokta C.Daneault and J.L.Valade | 58 |
| 14P6 | Studies on Structure and Property of Cellulose Graft Copolymer. Gao Jie, Wang Rui, Qi Qing-hui and Fu Shu-ren | 64 |
| 14P7(IS) | Preparation of Cellulose Derivatives by the Use of Non-aqueous Cellulose Solvents. A.Ishizu, A.Isogai, T.Ishii and J.Nakano | 70 |

I-3 Chemistry of Lignins

| | | |
|----------|--|----|
| 15A1 | Molecular Motion of Lignin in Solid State. S.Yano, T.Hatakeyama and H.Hatakeyama | 76 |
| 15A2 | Nuclear Magnetic Relaxation of ^{23}Na in Aqueous Solutions of Lignosulfonate. H.Hatakeyama, T.Hatakeyama and H.Uedaira | 81 |
| 15A3 | ^{13}C Photosynthetically Labelled Poplar Lignins: Preparation and ^{13}C NMR Characterization. C.Lapierre and B.Monties | 85 |
| 15A4(IS) | Mild Hydrolysis of β -O-4 Linkages in Lignin. H-H.Nimz, U.Tschirner and M.Roth | 90 |

| | | |
|-------------|--|----|
| 15P1 | Qualitative and Quantitative Structural Analysis of Lignins by ^{13}C NMR. | |
| 15P2 | D.Robert and D.Gagnaire Quantitative Estimation of Hydroxyl Groups in Lignin by ^{13}C NMR and Its Use for the Study of Benzylic Reactivity. | 91 |
| 15P3 | G.Brunow and D.Robert Chemical Structures of New Lignols with Ether Linkage. | 92 |
| | B.-H.Hwang | 95 |

I-4 Wood Extractives

| | | |
|------------------|---|-----|
| 16A1 | Chemosystematic Study on heartwood Extractives of <i>Cryptomeria japonica</i> D.Don. | |
| | K.Ogiyama, M.Yasue and K.Takahashi | 101 |
| 16A2 | Identification of Wax Components of Ether Extracts from Siberian Larch (<i>Larix dahurica</i> Turcz) Bark. | |
| | M.Fujii and S.Nagamine | 107 |
| 16A3 | The Structural Characteristics of Polyflavanols from the Callus Cells of <i>Cryptomeria japonica</i> D.Don. | |
| | M.Samejima and T.Yoshimoto | 111 |
| 16A4 (IS) | Behaviors of the Phenolic Wood Extractives in Pulping and Bleaching. | |
| | M.Sumimoto, S.Tachibana and Y.Ohtani | 115 |
| 16A5 | On the Termite-Resistance of Okinawa Timbers. | |
| | S.Yaga | 120 |
| 16A6 | Light-induced Discoloration of Black Walnut (<i>Juglans nigra</i> Linne.) | |
| | Y.Kai and F.Teratani | 124 |
| 16A7 (IS) | The Risk of Cancer of the Nasopharynx in Woodworkers. | |
| | B.M.Hausen | 129 |

I-5 Structures of Hemicellulose and Lignin-Carbohydrate Complex

| | | |
|------------------|---|-----|
| 17A1 | Conformational and Packing Analysis of Glucans. | |
| | K.Okamura, K.Ogawa and A.Sarko | 132 |
| 17A2 | Cell Wall Polysaccharides of <i>Nicotiana tabacum</i> . | |
| | S.Eda Y.Akiyama M.Mori and K.Kato | 138 |
| 17A3 (IS) | Lignin-Polysaccharide Complexes-- Compounds or Associations? | |
| | D.Fengel and G.Wegener | 144 |
| 17A4 | Contribution of Pectic Substances to Lignin-Carbohydrate Bonding. | |
| | G.Meshitsuka Z.-Z.Lee S.Eda and J.Nakano | 149 |
| 17A5 | Chemical Linkage of Polysaccharides to Residual Lignin in Pine Kraft Pulps. | |
| | J.L.Minor | 153 |
| 17A6 (IS) | Lignin Carbohydrate Compounds from Softwood, Hardwood and Bagasse. | |
| | T.Koshijima, A.Kato and J.Azuma | 159 |

Volume 2

II. CHEMISTRY OF HIGH YIELD PULPING

| | | |
|------------------|--|----|
| 24A1 | Hydrothermolysis - A New Way for the Production of Pulp. | |
| | R.Concin, H.Binder and O.Bobleter | 1 |
| 24A2 | Energy Saving in Mechanical Pulping. | |
| | T.Kano, T.Iwamida and Y.Sumi | 5 |
| 24A3 | Relation Between Morphological Changes and Strength Properties During Refining and Beating of CTMP. | |
| | Y.Kojima and T.Kayama | 11 |
| 24A4 | Effects of Chemical and Thermal Pretreatment on the Energy Requirement in Chem-mechanical Pulping of Birch Wood. | |
| | G.Bengtsson and R.Simonson | 17 |
| 24A5 (IS) | Recent Advances in Chemimechanical Pulping. | |
| | D.Attack and C.Heitner | 22 |

| | | |
|--|---|-----|
| 24P1 | Jack Pine as Pulpwood for Newsprint Manufacture. Part II. Removal of Extractives during Ultra-High Yield Pulping. | 28 |
| C.H.Tay, R.S.Fairchild and D.F.Manchester | | |
| 24P2 | Dynamic Mechanical Properties of Sulphite Treated Aspen. | 36 |
| C.Heitner and D.Attack | | |
| 24P3 | Pressurized Refining on the Property of Bisulfite High Yield Pulp. | |
| N.S.Cho | | 42 |
| IV. New Developments in Pulping and Bleaching | | |
| 24P4 | Studies on Urea-Alkali Cooking. | 48 |
| J.O.Koo and P.C.Chun | | |
| 24P5 (IS) | Experiences in Industrial Applications of Quinone Additive Cooking. | |
| Y.Nomura | | 51 |
| 25A1 | Influence of Cooking Conditions on Rejects. | |
| J.Fuda and S.Inoue | | 56 |
| 25A2 | Effect of Mechanical Treatment at the End of Cooking Stage on the Physical Properties of Sulfate Pulp. | |
| H.Sotobayashi, E.Suzuki, H.Iwase and T.Naito | | 62 |
| 25A3 | Methyl Mercaptan can be removed with Polysulfide or Polythionate. | |
| A.Teder and D.Tormund | | 68 |
| 25A4 (IS) | Industrial Perspectives on Pulp and Paper Research. | |
| R.B.Phillips | | 74 |
| 25A5 (IS) | Ultra-rapid Chemical Cooking: New Concept and New Performances. | |
| P.Monzie, D.Lachenal and C.de Choudens | | 75 |
| 25A6 (IS) | The Evaluation and Utilization of Fiber Resources for Pulping. | |
| F.H.Phillips | | 80 |
| 25P1 | A Bleaching Mill can be an Ammunition Warehouse-- Organic Peroxide Explosion Warning. | |
| D.N.-S.Hon | | 86 |
| 25P2 | Sodium Sulfite and DTPA. A Brightening Mixture for High Yield Pulps. | |
| G.Gellerstedt, I.Pettersson and S.Sundin | | 90 |
| V. Non-Wood Pulp | | |
| 25P3 | Kinetics of Water Prehydrolysis of Bagasse. | |
| H.-y.Zhan and J.-s.Chen | | 97 |
| 25P4 | Alkaline Enzymatic Pulping of Kozo (<i>Paper Mulberry</i>) Bast for Japanese Fine Paper Making. | |
| Y.Kobayashi, R.Matuo, K.Komae, A.Okawa and E.Ebuchi | | 102 |
| 26A1 | Study on the Fiber Structure of Flax for Paper-Making. | |
| H.Hara and R.Oye | | 108 |
| 26A2 | High Consistency Refining of Dry Cut Non Wood Pulp. | |
| M.Jo, A.Takatsu, M.Sakurai and T.Takagi | | 114 |
| 26A3 | Studies on Improvement of Tensile Strength of Bamboo Pulp. | |
| Y.V.Sood, S.K.Kapoor, A.K.Kohli, K.S.Moorthy and R.Pant | | 119 |
| III. Chemistry of Alkaline Pulping | | |
| 26A4 | Reaction Kinetics in Kraft Pulping-Effect of Chip Thickness- | |
| M.Kojima, J.Aoi, H.Tsuchiya and T.Nagasawa | | 125 |
| 26A5 | A Kinetic Model of Delignification in Kraft Pulping. | |
| M.Kubo, H.Yoshioka, M.Tamao and T.Ueno | | 130 |
| 26A6 | The Role of Hydroxyl-ion Concentration in Alkaline Delignification. | |
| Y.-Z.Lai and A.R.Czernies | | 136 |
| 26A7 | Kinetics of Delignification: Molecular Theory versus Power Law. | |
| J.F.Yan | | 141 |
| 26P1 (IS) | Kinetics and Chemistry of Alkaline Delignification. | |
| H.I.Bolker | | 145 |

| | | |
|--|---|-----|
| 26P2 | Preliminary Results of a Study of the Delignification of Western Hemlock Wood Using a 'Flow-Through' Reactor. | 145 |
| M Dolk D.Woerner D.Lai R.Kondo and J.L.McCarthy | | |
| 26P3(IS) | Radiotracer Experiments on the Reaction of Hardwood Lignin During Pulping. | 146 |
| N.Terashima, S.Tsuchiya and T.Kimura | | 150 |
| 27A1 | Kinetics of Lignin and Hemicellulose Dissolution and Formation of Coniferyl Alcohol during the Initial Stage of Alkaline Pulping. | 155 |
| R.Kondo and K.V.Sarkanen | | |
| 27A2(IS) | Recent Contributions to the Chemistry of Alkaline Delignification. | 155 |
| J.Gierer and I.Noren | | 161 |
| 27A3 | Chemistry of Phenolic β -aryl Lignin Structures in Alkaline Pulping. | 161 |
| R.G.Hise, C.-L.Chen and J.S.Gratzl | | 166 |
| 27A4 | Redox Catalysis of Alkaline Pulping by Organometallic Complexes. | 172 |
| T.J.Fullerton and L.J.Wright | | |
| 27A5 | Extending Delignification in Kraft-Oxygen Pulping of Softwood by Treatment with Sodium Sulfide Liquors. | 177 |
| E.K.Andrews H.-m.Chang A.G.Kirkman and R.C.Eckert | | |
| 27A6 | Kraft Pulping and Paper Making Characteristics of Some Indian Tropical Hardwoods. | 183 |
| S.Maheshwari, S.Sah, A.Y.Kulkarni, Jivendra, B.L.Bihani and S.C.Jain | | 183 |
| 27A7 | Effect of Anthraquinone upon the Alkaline Delignification of Wood and the Structure of Pulp Fiber Walls. | 188 |
| A.P.Treinianis, V.S.Gromov, L.T.Purina, Yu.A.Gugnina and I.S.Ivanova | | |

Volume 3

VI. BIOLOGICAL DEGRADATION OF LIGNIN

| | | |
|--|--|----|
| 34A1 | Metabolism of Lignin-Related Aromatic Compounds by <i>Fusarium</i> Species. | 1 |
| S.Iwashara | | |
| 34A2(IS) | What have Studies of Model Compounds Revealed about the Fungal Degradation of Lignin? | 1 |
| T.K.Kirk | | 7 |
| 34A3 | Chemistry of Birch Lignin Biodegradation by <i>Phanerochaete chrysosporium</i> . | 13 |
| C.-L.Chen D.Tai, M.Terazawa, H.-m.Chang and T.K.Kirk | | |
| 34A4 | Extracellular Enzymes Produced by <i>Coriolus versicolor</i> in Relationship to the Degradation of Lignin. | 19 |
| J.M.Palmer and C.S.Evans | | |
| 34A5 | Degradation Pathway of β -ethers Model Compounds for Lignin by <i>Pseudomonas cepacia</i> 122. | 25 |
| E.Odier C.Rolando and B.Monties | | |
| 34P1 | Degradation of Lignin by the Extracellular Enzymes of <i>Coriolus versicolor</i> . | 25 |
| N.Morohoshi, H.Wariishi and T.Haraguchi | | 26 |
| 34P2(IS) | Biodegradation Pathways for Dilignols and Lignin. | 32 |
| T.Higuchi F.Nakatsubo, Y.Kamaya and T.Umezawa | | |

VII. NEW APPROACHES FOR TOTAL WOOD UTILIZATION

| | | |
|--|--|----|
| 34P3 | Recent Developments in Solvent-Sulfite Pulping. | 38 |
| W.J.Bublitz, J.E.Hull, K.Wilson and P.Gidlof | | |
| 34P4(IS) | Solvolytic Pulping with Lignin degradation Products. | 44 |
| A.Sakakibara, Y.Edashige Y.Sano and H.Takeyama | | |
| 34P5 | High Efficiency Acid Catalyzed Organosolv Saccharification of Wood. | 50 |
| L.Paszner and P.-C.Chang | | |
| 35A1 | Changes of Amounts and Compositions of Lipids in Fungi of <i>Pellicularia gerneriae</i> from Cellulose by Cultural Conditions. | 50 |
| O.Suzuki, T.Yokochi and S.Nakasato | | |
| 35A2(IS) | Production of Chemicals from Wood as an Integrated Part of the Pulping Process. | 51 |
| E.Sjostrom | | 57 |

| | | |
|------------------|--|-----|
| 35A3 | Studies on Saccharification Kinetics for the Utilization of Agricultural Residues. C.S.Seshadri and S.Basu | 63 |
| 35A4 | Enzymatic Saccharification of Autohydrolysed Woods. K.Shimizu, M.Ishihara, K.Sudo, S.Nagasawa, T.Fujii and K.Yamamoto | 67 |
| 35A5 | Hydrolysis of Cellulosics to Fermentable Sugars and Lignin. M.Wayman | 73 |
| 35P1 | Integrated Approaches to Biomass Utilization: A Cellulose- Particleboard Synfuels Model. J.R.A.Young and Y.Suleman | 79 |
| 35P2 (IS) | Heat Resistant Polymers from Lignin. J.J.Lindberg B.Hortling and J.Turunen | 85 |
| 35P3 | Synthesis and Characterization of Several Different Hydroxyalkyl Lignin Derivatives. W.Glasser, C.Barnett, T.Rials and S.Kelley | 89 |
| 36A1 | Some Physical and Chemical Properties of Membrane Treated Lignosulfonate. H.Fujiwara, M.Matsukura, K.Hata, K.Izumi and K.Hattri | 95 |
| 36A2 | Amphiphilic Styrene Copolymers having Sugar as the Pendant Group: A Model Polymer of Lignin-Carbohydrate Complex. K.Kobayashi H.Sumitomo and Y.Ina | 101 |
| 36A3 | Direct Wood Liquefaction Under CO Pressure ---Mass and Energy Balances-- X.Deglise, H.Kafrouni, D.Masson and A.Ladousse | 107 |
| 36A4 (IS) | Recent Advances in Lignin Technology. S.Y.Lin | 108 |
| 36A5 | Wood Decomposition Product Derivatives and Application. V.Karlivan R.Pernikis, A.Alksnis and U.Stirna | 114 |

VIII. CHEMICAL ASPECTS OF PAPER MAKING

| | | |
|------------------|---|-----|
| 36P1 | Changes of Chemical Pulp Fibers During Recycling. T.Kitayama, T.Okayama and R.Oye | 118 |
| 36P2 | Mechanism and Character of the Dual Polymer System on Fines Retention. M.Kitamura H.Tanaka and M.Sumimoto | 124 |
| 36P3 | Principles of Network Flocculation. T.Lindstrom | 129 |
| 36P4 (IS) | The Roles of Shear, Charge, and Molecular Size in Affecting the Retention of Titanium Dioxide Using Cationic Starch. R.L.Janes and N.S.Chen | 132 |
| 36P5 | Applications of the Colloid Titration Technique in Wet End Chemistry. F.Onabe | 138 |

IX. NEW DEVELOPMENT IN EFFLUENT TREATMENT

| | | |
|------------------|---|-----|
| 37A1 | Influence of Polymeric Nature of Organic Constituents on Physico-chemical Properties of Hardwood Spent Liquors. A.G.Kulkarni and R.Pant | 144 |
| 37A2 | Pyrolysis and Combustion Behavior of Chlorinated Organics in Bleach Plant Effluent. N.Sasaki, H.Araki, M.Suzuki and T.Nagasawa | 150 |
| 37A3 | New Recovery and Reuse System for Magnesium Base Sulfite Liquors with Magnesia Absorbent. Y.Ikari, S.Yokoyama, M.Miyakawa, T.Kano and H.Inoue | 156 |
| 37A4 | Research on Deodorization of Kraft Malodorous Effluent by Activated Sludge Process. M.Hashimoto and T.Imai | 162 |
| 37A5 | A New Approach to the Fungal Treatment of Pulping Waste Liquors. K.Sameshima and N.Takamura | 168 |
| 37A6 (IS) | Toxic Compounds Formed in the Bleaching of Pulp. K.P.Kringstad and L.M.Stromberg | 173 |

Volume 4

---- POSTER SESSION ----

| | | |
|-------------|--|-----|
| P501 | Cell Wall Structure of Non-wood Plant Fibers. H.Nanko, Y.Kobayashi, H.Harada and H.Saiki | 1 |
| P502 | Structure of Cellulose Microfibrils in Wood. H.Harada, K.Kishi and J.Sugiyama | 6 |
| P503 | Polymorphic Aspects of Wood Celluloses. T.Okano and H.Nishimura | 11 |
| P504 | Study on the Distribution of Methanesulfonyl Groups Introduced into Cellulose Fibers by X-ray Photoelectron Spectroscopy. A Sawatari | 17 |
| P505 | Oxydation of Kraft Pulp Cellulose by Tetroxide of Ruthenium. C.Daneault, B.V.Kokta and H.Cheradame | 23 |
| P506 | ¹³ C-NMR Spectra of Cellulose in polar. Aprotic Solvents. T Ishii | 28 |
| P507 | Preparation of Tri-0-substituted Cellulose Ethers in Non-aqueous Solvents. A.Isozai, A.Ishizu and J.Nakano | 33 |
| P508 | Studies on Xylans of Tropical Hardwoods. J.Y.Lee | 39 |
| P509 | Oligosaccharides Obtained by Enzymatic Degradation of Acetyl Glucomannan from <i>Pinus densiflora</i> S. and Z. R Tanaka, F.Yaku and T Koshijima | 45 |
| P510 | Wood Hemicellulose as a Carrier of Antibody-Conjugated Antitumor Agent. M Hashi and T Takeshita | 51 |
| P511 | Formation and Structure of Sulfuric acid lignin. S Yasuda, N.Terashima and T.Ito | 56 |
| P512 | Characterization of Autohydrolysis Lignin from Beech. K Sudo, K.Sakurai and K Shimizu | 62 |
| P513 | Studies on Chemical Structure of Lignin by Ozonation. Y.Matsumoto A.Ishizu and J.Nakano | 68 |
| P514 | Synthesis and Physical Properties of Poly(4-hydroxy-3,5 -Dimethoxystyrene) and Related Derivatives. K.Nakamura, T.Hatakeyama and H.Hatakeyama | 72 |
| P515 | Formation of Alkali-stable C-C-Bonds between Lignin and Carbohydrate Fragments during Kraft Pulping. J Gierer and S.Wannstrom | 76 |
| P516 | The Nuclear Exchange Method for Estimation of Lignin Structure. M Funaoaka and I Abe | 79 |
| P517 | Structural Differences in LCC Isolated from Soft Woods and Hard Woods. J.Azuma, A.Kato, T.Watanabe and T.Koshijima | 85 |
| P518 | Molecular Dynamics and Polychronic Kinetics of Wood Delignification. A.I.Michaylov, L.P.Belkova, V.S.Gromov and V.J.Gol'danskii | 91 |
| P519 | Ozonation of Structural Elements of Residual Lignin. T Eriksson and J Gierer | 94 |
| P520 | Properties of Residual Lignin in the Kraft Pulp. Y Shinoda M.Inaba and T Tajima | 99 |
| P521 | Formation of Chlorinated Compounds in Bleaching Process. K.Shimada | 103 |
| P522 | Studies on the Degradation of Lignin by Oxygen in Acidic Media. J Gierer and N.-O.Nilvebrant | 109 |
| P523 | The Mechanism of β -Aryl Ether Cleavage in Lignin Model Compounds with Anthrone. K.Poppius and G.Brunow | 113 |
| P524 | Manufacturing of Logwood Extracts in Japan. A Sato | 116 |

| | | |
|------|---|-----|
| P525 | Characteristics of Tropical Wood Extractives. M.Yatagai, J.Tanaka and T.Takahashi | 118 |
| P526 | Diaryl heptanoids in <i>Alnus</i> Species (<i>Betulaceae</i>). T.Sasaya | 124 |
| P601 | Chemical Properties of Non-pored Hardwoods. H Kawakami and T.Fukuda | 130 |
| P602 | An Improvement for the Determination of Holocellulose by the Acid Chlorite Method. E.Maebara and T.Koshijima | 136 |
| P603 | Enzymatic Hydrolysis Products from Lignin or Lignin Carbohydrate in Wood. T Fukuzumi | 140 |
| P604 | Characterization of Biodegraded Lignins Isolated from Birch Wood Decayed by <i>Phanerochaete chrysosporium</i> by ^{13}C NMR Spectroscopy. D.Tai, M.Terazawa, C.-L.Chen, H.-m.Chang and T.K.Kirk | 144 |
| P605 | Identification of the Constituents of Low Molecular Weight Fractions Obtained from Birch Wood degraded by <i>Phanerochaete chrysosporium</i> . M.Terazawa, D.Tai, C.-L.Chen, H.-m.Chang and T.K.Kirk | 150 |
| P606 | Degradation of Wood Components by White-rot Fungi. T Hiroi and A Tamai | 156 |
| P607 | Degradation of Wood Components in Aspen Poplar by <i>Fomes igniar</i> , White-rot Fungi. E.O-LeClair and N Cyr | 161 |
| P608 | Degradation of Lignin and Lignin Model Compounds by Several Radical Generating Systems and by <i>Phanerochaete chrysosporium</i> . M.H.Gold, H.Kutsuki, M.A.Morgan and R.M.Kuhn | 165 |
| P609 | Polysaccharidases of a Brown Rotting Fungus, <i>Tyromyces palustris</i> . M.Ishihara, K.Shimizu and T.Ishihara | 169 |
| P610 | Degradation of Dimeric Lignin Model Compounds by Bacterial Cultures. J.Pellinen, E.Vaisanen, M.Salkinoja-Salonen and G.Brunow | 174 |
| P611 | Pulping of Fast-Growing Leucaena in Taiwan. Y.-c.Ku | 179 |
| P612 | Hydrogen Peroxide - Alkaline Pulp (PAP). A.Mita, K.Kanazawa and S.Kashiwabara | 182 |
| P613 | Characteristics of Kraft Pulp from Burmese Bamboo. N.N.Wai and K.Murakami | 188 |
| P614 | Delignification with Sulfites and an Organic Solvent --Semicommercial and Chemical Pulping of Sugi (Japanese Cedar). K Sakai, S.P.Mun, T.Fukuda and H.Imamura | 194 |
| P615 | Pitch Problems in Making Japanese Paper. Y-C Su, H.Tanaka and M.Sumimoto | 198 |
| P616 | Bleaching of High Yield Pulp with Hypochlorite-peroxide and Characteristic Properties of the Bleached Pulps. K Okubo and H.Ishikawa | 204 |
| P617 | Modified Bleaching of Bamboo (<i>Dandrocalamus strictus</i>) Pulps. N.R.M.Rao, Y.V.Sood, T.K.Roy, R.M.Mathur and R.Pant | 209 |
| P618 | Tamarix Grown in Southern IRAQ: An Excellent Soil Reclaimer, is a Promising Pulpwood. T.B.Kashmoula, S.A.Tahir and T.M.Singh | 215 |
| P619 | Thermosetting Resin from Wood-Tar. J Tanaka | 221 |
| P620 | Reactions of Lignin with Organo-silicon Compounds. G-M.Telysheva and V.N.Sergeyeva | 225 |
| P621 | Chemically Modified Woods as Scavengers for Heavy Metal Ions. M.Morita, M.Higuchi and I.Sakata | 228 |
| P622 | Saccharification of Cellulosic Materials from Municipal Refuse. H.Ogawa and T.Kazama | 234 |
| P623 | Properties of Polybenzalazine Derivatives Synthesized from Vanillin. S.Hirose, H.Hatakeyama and T.Hatakeyama | 238 |

| | | |
|------|---|-----|
| P624 | Synthesis and Liquid Crystalline Properties of Vanillic Acid Derivatives. K.Kasuga and H.Hatakeyama | 242 |
| P625 | Preparation of Wood for Enzymatic Hydrolysis. T.Yamashita and F.Teratani | 246 |
| P626 | Prevention of Vessel Picking Trouble in Tropical Hardwood Pulps. J.Ohsawa, M.Wakai, Y.Komatsu, Y.Yoneda and T.Nagasaki | 250 |