

Contents

Foreword	iii
Preface	xv
Acknowledgment	viii

CHAPTER 1

Introduction—by John Dick	
1.1 History	1
1.2 ASTM D11 Standards	
1.3 Purpose	2
1.4 Economic Savings for Users and Producers Through Test Method Rationalization	2
1.5 Importance of Quality	4
1.6 Standard Target Values and “Tolerance Stack-up”	5
1.7 Testing Bias	7
1.8 What Makes for a Good Standard Test Method?	8
1.8.1 Accuracy	9
1.8.2 Repeatability	9
1.8.3 Reproducibility	9
1.8.4 Stability	10
1.8.5 Linearity	
1.9 The Rubber Process	12
1.10 Raw Rubber and Compounding Ingredients	13
1.11 The Recipe	13

CHAPTER 2

General Test Methods—by John Dick	
2.1 Introduction to the Rubber Test Laboratory	17
2.1.1 Compounding Ingredient Storage System	17
2.1.2 Weighing Systems	18
2.1.3 Mixer Systems	19
2.1.4 Curing Procedure	20
2.2 General Methods	20
2.2.1 Mooney Viscometer ASTM D 1646	20
2.2.1.1 Mooney Viscosity	22

2.2.1.2	Mooney Stress Relaxation Test	26
2.2.1.3	Measuring Pre-Vulcanization Characteristics	30
2.2.2	Oscillating Disk Curemeter ASTM D 2084	30
2.2.2.1	ODR Cure Test Parameters	34
2.2.3	Rotorless Curemeter ASTM D 5289	38
2.2.4	Rotorless Shear Rheometer ASTM D 6204	40
2.2.4.1	Elastic Torque (S')	42
2.2.4.2	Viscous Torque (S'')	42
2.2.4.3	Tangent δ (Delta)	43
2.2.4.4	Storage (Elastic) Modulus (G')	43
2.2.4.5	Loss (Viscous) Modulus (G'')	43
2.2.4.6	Dynamic Viscosity η' , η'' , η^*	43
2.2.5	Tensile Properties ASTM D 412	47
2.2.6	After-Cure Dynamic Properties for Quality Assurance and Development ASTM D 6601	49
2.2.7	Other Cured Physical Property Measurements	50
2.2.7.1	Tear Resistance ASTM D 624	50
2.2.7.2	Air Oven Aging ASTM D 573	51
2.2.7.3	Goodrich Flexometer Heat Buildup ASTM D 623	52
2.2.7.4	Flex Cracking Resistance	53
2.2.7.5	Liquid Immersion Properties ASTM D 471	53
2.2.7.6	Compression Set ASTM D 395	54
2.2.7.7	Rubber Hardness ASTM D 2240	55
2.2.7.8	Abrasion Resistance ASTM D 2228	55
2.2.7.9	Low Temperature Properties ASTM D 1053	55
2.2.7.10	Ozone Resistance D 1171	56
2.2.8	The Standard Classification System for Rubber Products used in Automotive Applications ASTM D 2000	57

CHAPTER 3

Testing Natural Rubber—by Alek Vare	61
3.1 Introduction and History	61
3.2 Sampling and Sample Preparation by ASTM D 1485	63
3.3 Technical Grades and Basis for Classification by ASTM D 2227	64
3.4 Methods for Chemical Analysis of Natural Rubber by ASTM D 1278	65
3.4.1 Percent Dirt	66
3.4.2 Volatile Matter	66
3.4.3 Copper Content	66
3.4.4 Manganese Content	67

CHAPTER 5

Testing Carbon Black—by Jeffery A. Melson	89
5.1 Introduction	89
5.1.1 How is Carbon Black Used?	89
5.1.2 What are Surface Area, Structure and Surface Activity—Why are they important?	89
5.2 Classification	91
5.2.1 Basis for Classification (D 1765)	91
5.3 Standard Reference Blacks	92
5.3.1 Validation of Test Method Precision and Bias (D 4821)	95
5.3.2 Improving Test Reproducibility Using ASTM Reference Blacks (D 3324)	95
5.4 Tests that Relate to Surface Area (Particle Size)	95
5.4.1 Iodine Adsorption Number (D 1510)	95
5.4.2 Nitrogen Adsorption	97
5.4.3 CTAB (Cetyltrimethylammonium Bromide) Surface Area (D 3765)	98
5.4.4 Primary Aggregate Dimensions from Electron Microscope Image Analysis (D 3849)	98
5.5 Tests which Relate to Structure (Aggregates and Agglomerates)	98
5.5.1 Oil Absorption Number (D 2414)	98
5.5.2 Oil Absorption Number of Compressed Sample (D 3493)	99
5.5.3 Compressed Volume Index (D 6086)	99
5.6 Pellet Quality	100
5.6.1 Pour Density (ASTM D 1513)	100
5.6.2 Pellet Size Distribution (ASTM D 1511)	100
5.6.3 Pelleted Fines and Attrition (ASTM D 1508)	101
5.6.4 Sieve Residue (ASTM D 1514)	101
5.6.5 Individual Pellet Hardness	101
5.6.5.1 Individual Pellet Hardness (ASTM D 3313)	102
5.6.5.2 Automated Individual Pellet Hardness (ASTM D 5239)	102
5.6.5.3 Mass Strength (D 1937)	102
5.7 Rubber Test Recipes and Properties	102
5.7.1 Carbon Black in Styrene-Butadiene Rubber—Recipe and Evaluation Procedure (ASTM D 3191) and Carbon Black Evaluation in Natural Rubber (ASTM D 3192)	102

CHAPTER 6

Testing Silica and Organosilanes—by Jeffery A. Melson	105
6.1 Introduction	105
6.2 Silica Types	105
6.2.1 Silica Applications versus Carbon Black	106
6.2.2 Classification	106
6.3 Surface Area	107
6.3.1 Surface Area by BET Nitrogen Adsorption	107
6.3.1.1 Surface Area by Single Point B.E.T. Nitrogen Adsorption (D 5604)	107
6.3.1.2 Surface Area by Multipoint B.E.T. Nitrogen Adsorption (D 1993)	108
6.3.2 Surface Area by CTAB (Cetyltrimethylammonium Bromide)	108
6.3.2.1 CTAB (Cetyltrimethylammonium Bromide) Surface Area (D 6845)	108
6.4 Structure (Aggregates and Agglomerates)	108
6.4.1 n-Dibutyl Phthalate Absorption Number (D 6854)	108
6.5 General Methods	109
6.5.1 Volatiles (D 6738)	109
6.5.2 pH Value (D 6739)	109
6.6 Organosilanes	109
6.6.1 Determination of Residue on Ignition (D 6740)	109
6.6.2 Determination of Sulfur in Silanes (D 6741)	109
6.6.3 Silanes used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Characterization by High Performance Liquid Chromatography—(D 6843)	110
6.6.4 Silanes used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Characterization by Gas Chromatography (D 6844)	110

CHAPTER 7

Testing Mineral Fillers for Use in Rubber—by John Dick	111
7.1 Ground Coal	111
7.1.1 Particle Size	111
7.1.2 Sieve Testing	113
7.1.3 Ash	113
7.1.4 Alpha Quartz	113
7.1.5 Heat Loss (moisture)	114

CONTENTS

7.1.6	Acidity	114
7.1.7	Volatile Matter	114
7.1.8	Density	115
7.2	Titanium Dioxide	116
7.2.1	Titanium Dioxide Purity	117
7.2.2	pH Measurements	117
7.2.3	Coarse Particles	117
7.2.4	Moisture Content	118
7.2.5	Rutile Content	118
7.2.6	Tint Strength and Brightness	118
7.3	Clay	119
7.4	Natural Calcium Carbonate	121

CHAPTER 8

Oils, Plasticizers, and Other Rubber Chemicals—by John Dick	124
8.1 Rubber Processing and Extender Oils	124
8.1.1 Aromaticity	124
8.1.2 Average Molecular Weight	126
8.1.3 Volatility	126
8.1.4 Polar Compounds	126
8.1.5 Asphaltenes	126
8.1.6 Wax Content	127
8.1.7 ASTM Oil Classification	127
8.1.8 ASTM Oil Tests	127
8.1.8.1 Clay-Gel Analysis, A Column Chromatographic Method (D 2007)	127
8.1.8.2 Viscosity-Gravity Constant (D 2501)	128
8.1.8.3 Kinematic Viscosity (D 445)	129
8.1.8.4 Aniline Point and Mixed Aniline Point (D 611)	129
8.1.8.5 Pour Point (D 97)	129
8.1.8.6 Acid and Base Number by Titration (D 974)	129
8.1.8.7 API Gravity (D 1298)	130
8.1.8.8 Color (D 1500)	132
8.1.8.9 UV Absorbance (D 2008)	132
8.1.8.10 Flash Point Open Cup (D 92)	132
8.2 Synthetic Plasticizers	132
8.2.1 Standard Abbreviations	132
8.2.2 Standard Test Methods	134
8.2.2.1 Specific Gravity (D 70, D 891, and D 2111)	134
8.2.2.2 Color (D 1209 and D 1544)	134
8.2.2.3 Refractive Index (D 1218)	135

8.3.4.3	Acid Value (D 1980)	157
8.3.4.4	Saponification Value (D 1962)	157
8.3.4.5	Percent Ash (D 1951)	158
8.3.4.6	Unsaponification Matter (D 1965)	158
8.3.4.7	Trace Metal (D 4075)	158
8.4	Antidegradants	158
8.4.1	Class I: <i>p</i> -Phenylenediamine (PPDs)	158
8.4.1.1	Type I: N,N'-dialkyl- <i>p</i> -phenylenediamines	159
8.4.1.2	Type II: N-alkyl-N'aryl- <i>p</i> -phenylenediamines	159
8.4.1.3	Type III: N,N'-diaryl- <i>p</i> -phenylenediamines	160
8.4.2	Class 2 Trimethyl-dihydroquinolines (TMQs)	160
8.4.3	Class 3, Phenolics	160
8.4.3.1	Type I: Monofunctional Phenols	160
8.4.3.2	Type II: Bifunctional Phenols	160
8.4.3.3	Type III: Multifunctional Phenols	160
8.4.4	Class 4, Alkylated Diphenylamines	160
8.4.5	Class 5, Aromatic Phosphites	161
8.4.6	Class 6, Diphenylamine-Ketone Condensates	161
8.4.7	Standard Abbreviations	161
8.4.8	Test Methods for Antidegradants	161
8.4.8.1	Purity of <i>p</i> -Phenylenediamine Antidegradant by Gas Chromatography (D 4937)	161
8.4.8.2	Purity of Phenolic Antioxidants	161
8.4.8.3	Purity of TMQs, Alkylated Diphenylamines and Phosphite Antidegradants	163
8.4.8.4	Volatile Materials for PPDs	163
8.4.8.5	Percent Ash	163
8.4.8.6	Softening Point	163
8.4.8.7	Hydrolysis Stability	163
8.5	Protective Waxes	163
8.5.1	Test Methods	164
8.5.1.1	Boiling Point, Determination by GC Distillation (D 2887)	164
8.5.1.2	Melting Point and/or Congealing Point (D 87, D 938, D 3944, D 4419)	164
8.5.1.3	Refractive Index (D 1747)	165
8.5.1.4	Percent Oil (D 721)	165
8.5.1.5	Viscosity (D 445)	166
8.5.1.6	Color (D 1500)	166
8.5.1.7	Needle Penetration (D 1321)	166

CHAPTER 9

Recycled Rubber—by Krishna C. Baranwal	169
9.1 Definition and Rubber Recycling Processes	169
9.1.1 Reclaiming	169
9.1.2 Ground Rubber	169
9.1.3 Cryogenic Ground Rubber	170
9.1.4 Wet Ground Rubber	170
9.1.5 “Devulcanization” Process	170
9.1.6 Need for Standards	170
9.2 Storage, QA Sampling and Test Plans	171
9.2.1 Material and Safety Data Sheets (MSDS)	171
9.2.2 Crumb Rubber Storage	171
9.2.3 Sampling and Test Plans	172
9.3 Test Methods	172
9.3.1 Particle Size (PS) and Particle Size Distribution (PSD)	172
9.3.2 Particle Size Classification (ASTM D 5603)	174
9.3.3 Chemical Analysis (ASTM D 5603)	174
9.3.3.1 Percent Extractables (ASTM D 297, Section 19)	174
9.3.3.2 Percent Ash (ASTM D 297, Section 35)	174
9.3.3.3 Percent Carbon Black (ASTM D 297, Section 39)	175
9.3.3.4 Percent Moisture Content (ASTM D 1509) or Heating Loss	175
9.3.3.5 Percent Natural Rubber Content (ASTM D 297, Section 53)	175
9.3.3.6 Percent Rubber Hydrocarbon (ASTM D 297)	175
9.3.3.7 Iron and Fiber Content (ASTM D 5603, Section 7)	176
9.4 Evaluation of Recycled Rubber in Compounds	176

CHAPTER 10

Standard Test Methods—Insuring High-Quality Output— by Alan G. Veith	178
10.1 Introduction	178
10.2 Part 1: Fundamentals of Testing Operations	179
10.2.1 Step 1—Planning	180
10.2.2 Step 2—Measurement Methodology: Selecting Test Methods	180
10.2.2.1 Precision	180

10.2.2.2	Sensitivity	181
10.2.2.3	Calibration	181
10.2.2.4	Traceability	181
10.2.3	Step 3—Basic Sampling Principles	182
10.2.3.1	Sampling	182
10.2.3.2	Intuitive Sampling	182
10.2.3.3	Statistical Sampling	182
10.2.3.4	Protocol Sampling	182
10.2.4	Step 4—Measurement, Data Reporting and Analysis	183
10.2.4.1	Reference Materials: ASTM D 4678 and D 5900	184
10.2.4.2	Reference Materials: D 3324, D 4122	187
10.3	Part 2: Testing—Using Specific Standards	187
10.3.1	Natural and Synthetic Rubber, Carbon Black	187
10.3.2	Process Performance and Capability Indexes	188
10.4	Part 3: Recent Developments in Test Method Technical Merit	188
10.4.1	Test Method Precision: D 4483	188
10.4.1.1	Background	188
10.4.1.2	Outlier Detection	190
10.4.1.3	Outlier Rejection	190
10.4.1.4	Outlier Deletion or Replacement	191
10.4.2	Test Sensitivity: D 6600	207
10.4.2.1	Background	207
10.4.2.2	The Measurement Process	207
10.4.2.3	Test Sensitivity Concepts	208
Appendix—ASTM Test Methods		213
Index		229