

Contents

	Page
Abstract	II
Foreword	III
Preface	IV
Editor's Note	V

1. Spectrophotometry

Foreword	XIV
Papers	
1.1. Glass filters for checking performance of spectrophotometer-integrator systems of color measurement. Keegan, Harry J., Schleter, John C., and Judd, Deane B., J. Res. NBS—A. Phys. and Chem. 66A , 203 (1962). Key words: Filters, glass; spectrophotometer-integrator systems; spectrophotometer errors	1
1.2. Recalibration of NBS glass standards of spectral transmittance. Keegan Harry J., Schleter, John C., and Belknap, Marion A., J. Res. NBS—A. Phys. and Chem. 67A , 577 (1963). Key words: Filters, glass; spectral transmittance stand- ards; spectrophotometers	20
1.3. Reflectance spectrophotometry. Judd, Deane B., Encyclopedia of industrial chemical analy- sis, F. D. Snell, Ed., 3 , 376, Interscience (Wiley), New York (1966) Key words: Kubelka-Munk model; light- scattering; opacity spectrophotometers	28
1.4. Terms, definitions, and symbols in reflectometry. Judd, Deane B., J. Opt. Soc. Am. 57 , 445 (1967). Key words: Photometry; radiometry; reflection nomen- clature; reflectometry	45
1.5. Standards for checking for calibration of spectrophotometers (200 to 1000 nm). Schleter, John C., NBS Letter Circular LC-1017, Jan. 1967. Key words: Absolute reflectance of MgO ; photometric scales; spectral-line sources; standards for spectropho- tometers; wavelength scales	53

Contents

2. Color Vision

	Page
Foreword	80
Papers	
2.1. Fundamental studies of color vision from 1860 to 1960. Judd, Dean B., Proc. N. Acad. Sci. 55 , 1313 (1966). Key words: Color blindness; color vision theories; chromatic adaptation; retinal receptors	81
2.2. Physiological optics at the National Bureau of Standards. Judd, Dean B., Applied Opt. 6 , 13 (1967). Key words: Color contrast; color difference; colorimetry; photometry; physiological optics	99
2.3. Colorimetry in parafoveal fields: I. Color matching functions. Nimeroff, Isadore, J. Opt. Soc. Am. 54 , 824 (1964). Key words: Color matching functions; fundamental response curves; parafoveal-field colorimetry	113
2.4. Colorimetry in parfoveal fields: II. Additivity failure. Nimeroff, Isadore, J. Opt. Soc. Am. 54 , 833 (1964). Key words: Additivity failure; parafoveal-field colorimetry; retinal illuminance	122
2.5. Field trial of the 1959 CIE supplementary standard observer proposal. Nimeroff, Isadore, J. Opt. Soc. Am. 54 , 696 (1964). Key words: Additivity failure; Donaldson colorimeter; large-field colorimetry	128
2.6. Lightness change of grays induced by change in reflectance of gray surround. Takasaki, H., J. Opt. Soc. Am. 56 , 504 (1966). Key words: Background influence; lightness; reflectance; vision	137
2.7. Chromatic changes induced by changes in chromaticity of background of constant lightness. Takasaki, H., J. Opt. Soc. Am. 57 , 93 (1967). Key words: Background influence; color; color vision ----	143
2.8. Relation between normal trichromatic vision and dichromatic vision representing a reduced form of normal vision. Judd, Deane B., Acta Chromatica 1 , 89 (1964). Key words: Color blindness; dichromatic color vision; trichromatic color vision	147
2.9. Twenty-two colors of maximum contrast. Kelly, Kenneth L., Color Eng. 3 , No. 6, 26 (1965). Key words: Color blindness; color charts; maximum contrast for color deviants	151

Contents

3. Color Specification and Order Systems

	Page
Foreword	154
Papers	
3.1. Colorimetry.	
Nimeroff, Isadore, NBS Mono. 104 (1968).	
Key words: Color dictionaries; color vision; colorimeters; photoelectric tristimulus colorimetry; spectrophotometric colorimetry; visual colorimetry	155
3.2. The ideal Lovibond color system.	
Judd, Deane B., Chamberlin, G. J., and Haupt, Geraldine W., J. Res. NBS—C. Eng. and Instr. 66C, 121 (1962).	
Key words: Glass filters; Lovibond color system	204
3.3. A universal color language.	
Kelly, Kenneth L., Color Eng. 3, No. 2, 2 (1965).	
Key words: CIE color system; color names; color-order systems; Munsell color system	220
3.4. Colors of signal lights: Their selection, definition, measure- ment, production, and use.	
Breckenridge, F. C., NBS Mono. 75 (1967).	
Key words: Color coordinate systems; colorimetric instru- mentation; signal-color recognition; signal light colors --	226

4. Light Sources and Color Instrumentation

Foreword	286
Papers	
4.1. Blue-glass filters to approximate the blackbody at 6500 K.	
Judd, Deane B., Die Farbe 10, 31 (1961).	
Key words: Blackbody at 6500 K ; color-temperature- altering filters; daylight	287
4.2. Lines of constant correlated color temperature based on Mac- Adam's (<i>u.v.</i>) uniform chromaticity transformation of the CIE diagram.	
Kelly, Kenneth L., J. Opt. Soc. Am. 53, 999 (1963).	
Key words: Correlated color temperature; CIE chroma- ticity; uniform chromaticity	293
4.3. Spectral distribution of typical daylight as a function of cor- related color temperature.	
Judd, Deane B.; MacAdam, David L., and Wyszecki, Gunter, J. Opt. Soc. Am. 54, 1031 (1964).	
Key words: Characteristics vector method; correlated color temperature; daylight chromaticities; daylight spec- tral distribution	297

Contents

	Page
4.4. A colorimeter for pyrotechnic smokes. Nimeroff, Isadore and Wilson, S. W., J. Res. NBS 52, 195 (1954). Key words: Filter design; mosaic optical filter; photoelectric tristimulus colorimeter~; pyrotechnic smoke colors -----	307
4.5. Development of filters for a thermoelectric colorimeter. Emara, Sayeda H. and Teele, Ray P., J. Res. NBS—C. Eng. and Instr. 67C. 319 (1963). Key words: Filter design; thermoelectric colorimeter ---	312
4.6. Mechanized conversion of colorimetric data to Munsell renotations. Rheinboldt, Werner C. and Menard, John P., J. Opt. Soc. Am. 50, 802 (1960). Key words: Intersystem chromaticity-coordinate conversion; high-speed digital computer; Munsell renotations --	319

5. Color Spacing and Metamerism

Foreword -----	326
Papers	
5.1. Spectral tristimulus values for the CIE (u, v, w) uniform spacing system. Nimeroff, Isadore, J. Opt. Am. 54, 1365 (1964). Key words: Large-field uniform spacing system; Planckian radiator chromaticity locus; small-field uniform spacing system; spectrum locus -----	327
5.2. Interval scales, ratio scales, and additive scales for the sizes of differences perceived between members of a geodesic series of colors. Judd, Deane B., J. Opt. Soc. Am. 57, 380 (1967). Key words: Color: color difference; colorimetry; uniform color scales; vision -----	330
5.3. Degree of metamerism. Nimeroff, I. and Yurow, J. A., J. Opt. Soc. Am. 55, 185 (1965). Key words: Chromaticity errors; index of metamerism; uniform color scales -----	337
5.4. A survey of papers on degree of metamerism. Nimeroff, Isadore, Color Eng. 6, No. 6, 44 (1968). Key words: Colorimetric metamerism index; metamerism degree; spectral metamerism index -----	343

Contents

6. Variabilities and Uncertainties in Colorimetry

	Page
Foreword	348
Papers	
6.1. Propagation of errors in tristimulus colorimetry. Nimeroff, Isadore, J. Opt. Soc. Am. 47 , 697 (1967). Key words: Propagation of errors; tristimulus colorimetry errors; uncertainty ellipses	349
6.2. Variability of spectral tristimulus values. Nimeroff, Isadore; Rosenblatt, Joan R., and Dannemiller, Mary C., J. Res. NBS—A. Phys. and Chem. 65A , 475 (1961). Key words: Complete observer system for colorimetry; variability of spectral tristimulus values; variances and variances in arbitrary transformations	355
6.3. Comparison of uncertainty ellipses calculated from two spectrophotometric colorimetry methods by an automatic-computer program. Nimeroff, Isadore, J. Opt. Soc. Am. 56 , 230 (1966). Key words: Actual-observer uncertainty; spectrophotometric colorimetry; standard-observer variability; uncertainty ellipses of chromaticity	394
6.4. The variability of color measurement. Nimeroff, Isadore, Color Eng. 5, No. 2, 24 (1967). Key words: Color measurement variability; variable object; variable receptor response; variable source	372

7. Appearance and Gloss

Foreword	380
Papers	
7.1. Status of ASTM methods and standards for appearance evaluation. Nimeroff, Isadore, ASTM, STP No. 258, 3 (1959). Key words: Appearance evaluation; ASTM methods; color; gloss; haze; opacity; standards; turbidity	381
7.2. A five-attribute system of describing visual appearance. Judd, Deane B., ASTM, STP No. 297 (1961). Key words: Appearance modes; five-attribute system; visual appearance	390
7.3. Specular-gloss measurement of ceramic materials. Nimeroff, I., Hammond, H. K. III, Richmond, J. C., and Crandall, J. R., J. Am. Ceram. Soc. 39 , 103 (1956). Key words: Ceramic materials; geometric factors in glossmeters; gloss scales; specular glossimetry	407

Contents

	Page
7.4. Two-parameter gloss methods. Nimeroff, Isadore, J. Res. NBS 58 , 127 (1957). Key words: Fractional reflectance; goniophotometer; scatterers; subjective gloss evaluation; two-parameter glossimetry -----	414
7.5. Gloss standards and glossmeter standardization. Hammond, Harry K. III, Official Digest 36, 343, 1964). Key words: Gloss standards; glossmeter tolerance specifi- cation -----	423
 8. List of Publications on Colorimeter and Spectrophotometry	
8.1. List of publications on colorimetry and spectrophotometry by the Staff of the National Bureau of Standards, January 1957 through August 1969, NBS List of Pubs. LP 39 , Aug. 1969 -----	429
Authbr index (for this volume) -----	438
Subject index (for this volume) -----	441
SI physical units (inside back cover)	