

## Contents

**List of Contributors** *XXIII*

**Preface** *XXVII*

<b>Part I</b>	<b>Laboratory Building and Laboratory Equipment – Subjects of Laboratory Design of Building and Equipment</b> <i>1</i>
	<i>Egbert Dittrich</i>
<b>1</b>	<b>Introduction: Laboratory Typologies</b> <i>3</i>
	<i>Christoph Heinekamp</i>
1.1	Purpose <i>4</i>
1.2	Science Direction <i>5</i>
1.3	Fields of Activities <i>6</i>
1.4	Working Methods <i>8</i>
1.5	Physical Structure <i>8</i>
1.5.1	What is the Conclusion Resulting from the Evaluation of the Lab Allocation Tree? <i>8</i>
1.5.2	Use-Specific and Building-Related Needs and Requirements <i>9</i>
1.5.3	Determination of the Areas for Independent Buildings or Special Components <i>10</i>
1.5.4	Determination of the Areas as Restricted Areas <i>10</i>
1.5.5	Areas with Locks and Access Area <i>10</i>
1.5.6	Determination of Areas with Special Requirements Regarding Fire and Explosion Protection <i>11</i>
1.5.7	Determination of Areas for the Laboratory Equipment <i>11</i>
1.5.8	Determination of Areas for Special Laboratories <i>11</i>
1.5.9	Determination of Standard Laboratory Areas <i>11</i>
1.5.10	Conception Laboratory Building <i>11</i>
1.6	Conclusion <i>12</i>
<b>2</b>	<b>Requirements and Determination of Requirements</b> <i>13</i>
	<i>Christoph Heinekamp</i>
2.1	Area Misuse through Wrong Grids <i>16</i>

2.1.1	Determination of Requirements of Workplaces and Storage Space for Extra Equipment	16
2.1.2	Flexible Laboratory Space	20
<b>3</b>	<b>Laboratory Concept and Workstations</b>	<b>21</b>
	<i>Christoph Heinekamp</i>	
<b>4</b>	<b>Determination of User Needs – Goal-Oriented Communication between Planners and Users as a Basis for Sustainable Building</b>	<b>31</b>
	<i>Berthold Schiemenz and Stefan Krause</i>	
4.1	Work Areas	33
4.2	Work Flows and Room Groups	34
<b>5</b>	<b>Corporate Architecture – Architecture of Knowledge</b>	<b>37</b>
	<i>Tobias Ell</i>	
5.1	Image-The Laboratory as a Brand	38
5.2	Innovation- The Laboratory as the Origin of Knowledge	39
5.3	Excellence: The Laboratory as a Magnet for High Potentials	40
<b>6</b>	<b>Scheduler Tasks in the Planning Process</b>	<b>43</b>
	<i>Markus Hammes</i>	
6.1	Project Preparation	44
6.2	Integral Planning Teams	44
6.3	User Participation	45
6.4	Planning Process	45
6.5	Execution Phase	46
6.6	Commissioning	46
6.7	Conclusion	47
6.8	Best Practice	47
6.8.1	Project: Center for Free-Electron Laser Science CFEL, Hamburg-Bahrenfeld	47
6.8.2	Project: Max Planck Institute for Aging Biology, Cologne, Germany	50
<b>7</b>	<b>Space for Communication in the Laboratory Building</b>	<b>55</b>
	<i>Markus Hammes</i>	
7.1	Definition of Terms	55
7.2	Historical Development	56
7.3	Development in the Modern Age- Why and When Were These Ideal Conceptions Lost?	57
7.3.1	Why Is Communication Important in the Laboratory Building?	60
7.3.1.1	Communication Promotes Knowledge and Innovation	60
7.3.1.2	Communication and Safety in the Laboratory is Not a Contradiction	61

7.3.2	How Does Space for Communication Evolve?	61
7.4	Conclusion for Future Concepts	61
<b>8</b>	<b>Fire Precautions</b>	<b>63</b>
	<i>Markus Bauch</i>	
8.1	Preventive Fire Protection	63
8.1.1	Scope	63
8.1.1.1	Fire Protection	63
8.1.2	Legal Framework – Construction Law	64
8.1.3	Model Building Code	64
8.1.3.1	Walls, Ceilings, and Roofs	65
8.1.3.2	Ceilings, Roofs	65
8.1.3.3	Section 33 (MBC)	66
8.1.4	Special Building Codes	67
8.1.5	Other Rules and Regulations Including Structural Fire Protection Requirements for Laboratories	67
8.1.5.1	TRGS 526/BGR 120/BGI 850-0	67
8.1.5.2	Escape and Rescue Routes	68
8.1.5.3	Doors	68
8.1.5.4	Shut-Off Valves	68
8.1.5.5	Fire Alarm Systems	68
8.1.5.6	Air Ventilation Units	69
8.2	Fire Protection Solution for Laboratory Buildings	69
8.3	Fire Protection Solutions for Laboratory Buildings – Examples	70
8.3.1	Classic Laboratory	70
8.3.2	Laboratory Units	71
8.3.3	Open Architecture Laboratories	72
8.3.4	Particular Cases	73
8.3.5	Problem of Existing Buildings	74
<b>Part II</b>	<b>Layout of Technical Building Trades</b>	<b>77</b>
	<i>Egbert Dittrich</i>	
<b>9</b>	<b>Development in Terms of Building Technology and Requirements of Technical Building Equipment</b>	<b>81</b>
	<i>Hermann Zeltner</i>	
9.1	Field of Research	82
9.2	Required Flexibility of Laboratory Areas	83
9.3	Number of Floors, Height of the Floor, and Development Extent of the Laboratory Area (Laboratory Landscape)	85
9.4	Plumbing Services	86
9.5	Electrical Installation	88
9.6	Ventilation	89

- 9.7 Determination and Optimization of the Air Changes Quantities and Definition of Air Systems Required 90
- 9.8 Creation of an Energy-Optimized Duct System 93
  
- 10 Ventilation and Air Conditioning Technology 95**  
*Roland Rydzewski*
- 10.1 Introduction 95
- 10.1.1 General Note 96
- 10.2 Air Supply of Laboratory Rooms 96
- 10.2.1 Extract Systems 97
- 10.2.2 Removal of Room Cooling Load 98
- 10.2.3 Supply Air 99
- 10.3 Air-Flow Routing in the Room 99
- 10.3.1 Mixed Ventilation 101
- 10.3.2 Displacement Ventilation 101
- 10.4 Numerical Flow Simulation (Computational Fluid Dynamics (CFD)) 102
- 10.4.1 Case Example 1: Comparison of Supply-Air Systems: Swirl Diffuser + Ceiling Sail/Textile Diffuser 104
- 10.4.2 Case Example 2: Comparison of Supply-Air Systems: Swirl Diffuser, Flush with the Ceiling/Displacement Diffuser on the Ceiling 104
- 10.4.3 Case Example 3: Ventilation Optimization of a Model Lab Room 105
- 10.4.4 Case Example 4: Laboratory for Laser Physics (Fritz-Haber-Institute Berlin) 108
- 10.5 Energy-Efficient Systems Engineering 110
- 10.5.1 Fans 110
- 10.5.2 Heat Recovery 111
- 10.5.3 Humidity Treatment of Supply Air 113
- 10.6 Installation Concepts for Laboratory Buildings from the Point of View of Ventilation and Air-Conditioning Planning 114
- 10.6.1 Arrangement of the Central Ventilation Unit in the Building 114
- 10.6.2 Central Units 116
- 10.6.3 Vertical Access 116
- 10.6.4 Horizontal Access 117
  
- 11 Electrical Installations 119**  
*Oliver Engel*
- 11.1 Power Supply 119
- 11.1.1 General Distribution 119
- 11.1.2 Shutdowns 120
- 11.1.2.1 Emergency Shutdown 120
- 11.1.3 Consumers 120
- 11.1.3.1 Plug Connections 120
- 11.1.3.2 Switches and Sockets 120

- 11.1.3.3 Motors 121
- 11.1.3.4 Rotational Speed Control with Frequency Converter 121
- 11.1.3.5 Pumps 121
- 11.1.3.6 Vacuum Pumps 121
- 11.1.4 Routes 122
- 11.1.4.1 Air Ducts 122
- 11.1.5 Hazard Analysis 124
- 11.1.5.1 Equipment with Special Risks 124
- 11.1.5.2 Danger Symbols and Sources of Danger 124
- 11.1.5.3 Explosion Danger through Electrostatic Charge and Protection Measures 124
- 11.1.5.4 EMC 124
- 11.1.5.5 Regulations for Access to High-Voltage Laboratories 124
- 11.1.5.6 Noise Protection 125
- 11.1.5.7 Explanation: Trained Electrician 125
- 11.1.6 Instruction 125
- 11.1.6.1 Explanation: Electrotechnically Instructed Person 125
- 11.1.7 Behavior in Case of Electrical Accidents 125
- 11.2 Lightings 126
- 11.2.1 Lighting Systems 126
- 11.2.2 Illuminance Level 126
- 11.2.3 Lighting Control 126
- 11.2.4 Lighting Regulation 126
- 11.2.5 Emergency Lighting 127
- 11.3 Data Networks 127
- 11.3.1 Data Systems Technology 127
- 11.3.2 Fire Alarm System 128
- 11.3.3 Telephone System 128
- 11.3.4 Access Control 128
- 11.3.5 Miscellaneous 128
- 11.4 Central Building Control System 129
- 11.4.1 Nodal Points 129
- 11.4.1.1 Planning and Coordination across Trades and Disciplines 129
- 11.4.1.2 Signaling Devices and Warnings 129
- 11.4.2 Regulation 129
- 11.4.2.1 Air Volumes 130
- 11.4.3 Operating Modes 130
- 11.4.3.1 Operation 130
- 11.4.4 Monitoring 130
- 12 Service Systems via Ceiling 133**  
*Hansjürg Lüdi*
- 12.1 General Discussion 133
- 12.2 Flexible Laboratory Room Sizes/Configuration 134
- 12.2.1 Planning 134

12.2.2	Height	135
12.2.3	Width	135
12.2.4	Depth	136
12.2.5	Analytic/Composition Areas	136
12.2.6	Room within Room Solutions	137
12.2.7	Flexible Separation Walls	137
12.2.8	Reconfiguration due to Change in Work Content or Process	138
12.3	Major Differentiating Components	139
12.3.1	Ventilation	139
12.3.2	Lighting	140
12.3.3	Other Services	141
12.3.4	Prefabrication and Installation of Service Ceiling	141
12.3.5	3D CAD Design versus 2D Planning	142
<b>13</b>	<b>Laboratory Logistics</b>	<b>145</b>
	<i>Ines Merten</i>	
13.1	Classic Systems	145
13.1.1	Drawbacks of Classic Systems	146
13.2	Centralization and Implementation of Logistics Systems in the Building	146
13.2.1	Centralization	146
13.2.2	Vertical Linking of Several Laboratory Rinsing Rooms	147
13.2.3	Material Flow Systems	147
13.2.3.1	Consignment and Concentration of the Flow of Goods	147
13.3	Consignment and Automatic Storage Facilities	148
13.4	Solvents – Supply and Disposal Systems	150
13.4.1	Solvents Disposal Systems in the Pharmaceutical Sector	150
13.5	Laboratory Work 2030 – Objective?	152
13.6	From Small Areas to the Big Picture	153
13.7	Local Transport Systems	153
13.8	Supply and Disposal of Chemicals at the Workplace	153
13.9	Perspective	154
<b>14</b>	<b>Animal Housing</b>	<b>157</b>
	<i>Ina-Maria Müller-Stahn</i>	
14.1	General Points	157
14.2	Planning of an Animal Facility	158
14.3	SPF Management of Animals	159
14.4	Animal Management under SPF Status	164
14.5	Decentralized Connection of IVC	165
14.6	Central Connection	165
14.7	Extract Air	165
14.8	Supply through the Barrier	166
14.9	Quarantine	167
14.10	Open Animal Management without Hygiene Requirements	167

- 14.11 Experimental Animal Facility 168
- 14.12 Sustainability – An Issue in an Animal Facility? 168
- 15 Technical Research Centers – Examples of Highly Sophisticated Laboratory Planning Which Cannot be Schematized 171**  
*Thomas Lischke and Maike Ring*
- 16 Clean Rooms 175**  
*Thomas Lischke*
- 16.1 Wall materials 178
- 16.2 Ceilings 179
- 16.3 Fixtures and fittings 179
- 17 Safety Laboratories 181**  
*Michael Staniszewski*
- 17.1 General Remark 181
- 17.2 Types of Safety Laboratories 182
- 17.2.1 Biological Safety Laboratory 182
- 17.2.2 Safety Laboratory for Radioactive Material = Isotope Laboratory 185
- 17.2.3 Safety Laboratories for Active and Highly Active Substances 187
- 17.3 Building Structures 190
- 17.3.1 Technical Equipment: Ventilation, Electrics, Media 192
- 17.3.2 Fittings 193
- Part III Laboratory Casework and Installations 195**  
*Egbert Dittrich*
- 18 Laboratory Casework 197**  
*Egbert Dittrich*
- 18.1 Design 197
- 18.2 Functionality and Flexibility 200
- 18.3 Trends 201
- 19 Work Benches, Sinks, Storage, Supply- and Disposal Systems 203**  
*Egbert Dittrich*
- 19.1 Benches 203
- 19.1.1 Major Bench Frames 203
- 19.1.2 Laboratory Work Bench Material 204
- 19.2 Sinks 204
- 19.3 Under Bench Units, Cabinets, Storage Cabinets 208
- 19.4 Supply and Disposal Systems 211
- 19.4.1 Supply System for Combustible Liquids 211
- 19.4.2 Cyclic Supply 212
- 19.4.3 Continuous Supply 212

19.4.4	Monitoring System for Continuous Supply	212
19.4.5	Disposal of Combustible Liquids	213
19.4.6	Electronic or Mechanical Level Indicators	214
19.4.7	Connection for Liquid Chromatograph	214
19.4.8	Filling by Funnel in the Under Bench Safety Unit	214
19.4.9	Mechanical Gauge	214
19.4.10	Filling by Funnel in the Containment of the Fume Cupboard	214
19.5	Service Carrying Frames	215
19.5.1	Service Spine	217
19.5.2	Service Boom	217
19.5.3	Service Columns	218
19.5.4	Wall-Mounted Service Channel	218
19.5.5	Service Wing	218
19.5.5.1	Configurations of the Service Wing	219
19.5.6	Bench-Mounted Service Duct	221
19.5.7	Service Ceiling	222
<b>20</b>	<b>Fume Cupboards and Ventilated Units</b>	<b>225</b>
	<i>Egbert Dittrich</i>	
20.1	Technical Data and Selection Criteria	225
20.2	Fume Cupboards and Sustainability	231
20.3	Ventilation Control and Monitoring	231
20.4	Fume Cupboard Monitoring, -Control and Room Control	234
20.5	Laboratory Control	235
20.6	Sash Controller	238
<b>21</b>	<b>Laboratory Furniture Made from Stainless Steel – for Clean-Rooms, Labs, Medical-, and Industry Applications</b>	<b>241</b>
	<i>Eberhard Dürr</i>	
21.1	Areas for Stainless Steel Equipment	241
21.2	Hygienic Requirements of Surfaces	242
21.3	How to Clean and Disinfect Stainless Steel Surfaces	243
21.4	Cleanliness Classes for Sterile Areas	245
21.5	Microorganisms	246
21.5.1	Microbial Decontamination	247
21.5.2	Bacterial Spores	247
21.5.3	Coccioid Bacteria (Round Shape)	248
21.5.4	Bacilli (Rod-Shaped Bacteria)	248
21.5.5	Other Forms of Bacteria	248
21.5.6	Fungi	248
21.5.7	Viruses	249
21.5.8	Protozoans	249
21.5.9	Waterborne Pathogenic Germs	249
21.5.10	Individual Cleaning Concepts and Hygiene Regulations Plus Decontamination Measures	249



21.5.11	Surface Configuration	250
21.5.12	Hospital Hygiene	250
21.5.13	Biological Sciences	251
21.5.14	Relevance	251
21.5.15	Why Stainless Steel?	253
21.6	Summary	253
<b>22</b>	<b>Clean Benches and Microbiological Safety Cabinets</b>	<b>255</b>
	<i>Walter Glück</i>	
22.1	Laboratory Clean Air Instrument, in General and Definition(s)	255
22.2	Possible Joint Possession of “Clean Benches” and “Microbiological Safety Cabinets”	256
22.2.1	Minor Turbulent Purified Air Stream/Purified Laminar Air Stream	256
22.2.2	Purified Air Quality inside Experimental Chamber	257
22.3	Laboratory Clean Air Instruments Intended to Protect the Samples – “Clean Benches”	258
22.3.1	Functional Principles of “Clean Benches”	259
22.3.2	Clean Benches: Upsides and Downsides of Design Principles	259
22.4	Microbiological Safety Cabinets	261
22.4.1	Definition of Protective-Functions	262
22.4.2	Personal Protection	262
22.4.3	Protective Function of Different Cabinet Classification	263
22.5	Microbiological Safety Cabinet Class 1	263
22.6	Microbiological Safety Cabinets Class 2	265
22.7	Enhanced Microbiological Safety Cabinets Class 2	266
22.7.1	Enhanced Safety by Means of Class 2 Cabinet “Extract Connection” on the Building Extract System	266
22.8	Enhanced Safety of Safety Cabinet Class 2 by Means of Redundant HEPA Filter(s)	269
22.8.1	Redundant (Second) HEPA Exhaust Filter	269
22.9	Microbiological Safety Cabinet Class 3	271
22.10	Inactivation of Cabinet and Filters	271
<b>23</b>	<b>Safety Cabinets</b>	<b>273</b>
	<i>Christian Völk</i>	
23.1	History – the Development of the Safety Cabinet	273
23.2	Safety Cabinets for Flammable Liquids	274
23.2.1	Definition – Safety Cabinets for Flammable Liquids	274
23.2.2	Fire Protection, Fire Resistance	275
23.2.3	Pipe Penetration	276
23.2.4	Door Technology	276
23.2.5	Interior Fittings	278
23.2.6	Bottom Tray	280
23.2.7	Ventilation	281

- 23.2.8 Earthing, Equipotential Bonding 283
- 23.2.9 Marking and Operating Instructions 284
- 23.3 Safety Cabinets for Pressurized Gas Cylinders 285
  - 23.3.1 Definition – Safety Cabinet for Pressurized Gas Cylinders 285
  - 23.3.2 Fire Protection, Fire Resistance 285
  - 23.3.3 Ventilation 287
  - 23.3.4 Insertion and Restraint of Pressurized Gas Cylinders 287
  - 23.3.5 Installing Pipes and Electrical Cables 287
  - 23.3.6 Marking and Operating Instructions 289
- 23.4 Safety Cabinets for Acids and Lyes 289
  - 23.4.1 Definition – Safety Cabinet for Acids and Lyes 289
  - 23.4.2 Collection Trays 289
  - 23.4.3 Ventilation 290
  - 23.4.4 Marking and Operating Instructions 291
- 23.5 Test Markings for Safety Cabinets 291
- 23.6 Special Solutions for the Storage of Flammable Liquids 292
  - 23.6.1 Active Storage 292
  - 23.6.2 Cooled Storage 292
  - 23.6.3 Clean Room Cabinets 294
- Abbreviations 296

## **24 Laboratory Service Fittings for Water, Fuel Gases, and Technical Gases 297**

*Thomas Gasdorf*

- 24.1 Medium 297
- 24.2 Temperature 297
- 24.3 Dosing Task 298
- 24.4 Safety 298
- 24.5 Place of Installation 298
- 24.6 Ease of Installation 298
- 24.7 Materials 299
  - 24.7.1 Brass 299
  - 24.7.2 Stainless Steel 299
  - 24.7.3 Plastics 299
  - 24.7.4 Brass Plus Plastics 299
- 24.8 Headwork 300
- 24.9 Seals 300
- 24.10 According to Standard 300
- 24.11 Water 300
  - 24.11.1 Brass 301
  - 24.11.2 Stainless Steel 302
  - 24.11.3 Plastics 302
  - 24.11.4 Shut-Off and Dosing 302
  - 24.11.5 Lubricated Headwork 303

24.11.6	Ceramic Disc Cartridge	303
24.11.7	Diaphragm Headwork	303
24.11.8	Plastic Headwork with Overwind Protection	303
24.11.9	Ceramic Disc Cartridge	304
24.11.10	Potable Water	304
24.11.11	Free Draining	304
24.11.12	Pipe Interrupter	304
24.11.13	Backflow Preventer	305
24.12	Conclusion	305
24.12.1	Cooling Water	305
24.12.2	Circuits	305
24.12.3	Temperatures and Volume Flow	306
24.12.4	Pressure	306
24.12.5	Quick Connects	306
24.12.6	Treated Waters	306
24.12.7	Vapor	306
24.13	Burning Gas	307
24.13.1	Quick Couplings	310
24.14	Technical Gases up to 4.5 Purity Grade	310
24.14.1	Several Types	313
24.14.2	Normative Framework	313
24.15	Vacuum	313
<b>25</b>	<b>Gases and Gas Supply Systems for Ultra-Pure Gases up to Purity 6.0</b>	<b>317</b>
	<i>Franz Wermelinger</i>	
25.1	Gases and Status Types	317
25.1.1	System Explanation	318
25.1.2	Examples	318
25.1.3	Basic Principles	318
25.2	Material Compatibility	319
25.3	Connection Points	319
25.4	Impurities	319
25.4.1	Particle	320
25.5	Supply Systems: Central Building Supply/Local Supply and Laboratory Supply	320
25.6	Central Building Supply (CBS)	323
25.7	Pipe Networks and Zone Shut-Off Valves with Filter	324
25.8	Fitting Supports and Tapping Spots	325
25.9	Local Laboratory Gas Supply	327
25.10	Surfaces – Coatings	327
25.11	Inspections	328
25.12	Operation Start-Up and Instruction of the Operating Staff	328

<b>26</b>	<b>Emergency Devices</b>	<b>333</b>
	<i>Thomas Gasdorf</i>	
26.1	General	333
26.1.1	Where and how?	333
26.1.2	Special Fittings	333
26.1.3	Identification	334
26.2	Body Showers	334
26.3	Eye-Washer	334
26.4	Emergency Shower Combinations	334
26.5	Hygiene	335
26.6	Testing and Maintenance	335
26.7	Complementary Products	335
<b>Part IV</b>	<b>Sustainability and Laboratory Operation</b>	<b>339</b>
<b>27</b>	<b>Sustainability Certification – Assessment Criteria and Suggestions</b>	<b>341</b>
	<i>Egbert Dittrich</i>	
27.1	Certification Systems	342
27.2	Individual Strategies to Implement Sustainability	345
27.2.1	Planning, Design, and Simulations	345
27.2.2	Benchmarking	346
27.2.3	Measuring and Control	347
27.2.4	Ventilation and Cooling Concept	347
27.2.5	Working Conditions	348
27.2.6	Consumables	349
<b>28</b>	<b>Reducing Laboratory Energy Use with Demand-Based Control</b>	<b>351</b>
	<i>Gordon P. Sharp</i>	
28.1	Reducing Fume Cupboard Flows	351
28.2	Reduce Thermal Load Flow Drivers	352
28.3	Vary and Reduce Average ACH Rate Using Demand-Based Control	353
28.4	A New Sensing Approach Provides a Cost-Effective Solution	354
28.5	Demand-Based Control (DBC) Improves Beam Use	355
28.6	A Few Comments on New Lab Ventilation Standards and Guidelines	356
28.7	Case Studies	357
28.7.1	Case Study 1: Arizona State University's Biodesign Institute	357
28.7.2	Case Study 2: Masdar Institute of Science and Technology (MIST)	358
28.7.3	MIST (Abu Dhabi) Energy Savings Analysis Example	359
28.8	Capital Cost Reduction Impacts of Demand-Based Control	361
28.9	Conclusions on Lab Energy Efficient Control Approaches	362
	References	362

<b>29</b>	<b>Lab Ventilation and Energy Consumption</b>	<b>363</b>
	<i>Peter Dockx</i>	
29.1	Introduction	363
29.2	Step 1: Minimize Demand!	365
29.2.1	Fume Cupboard Control	365
29.2.2	Biosafety Cabinets	366
29.2.3	Temperature Control	367
29.2.4	Minimum Amount of Air Changes	367
29.2.5	How to Integrate the Lab-Controller in a Smart Way in Our Ventilation System	367
29.3	Step 2: Design Energy Friendly Systems	369
29.3.1	Energy Recovery	369
29.3.2	Rotary Wheel Heat Exchangers	369
29.3.3	Plate Heat Exchangers	370
29.3.4	Twin Coil Heat Exchangers	370
29.3.5	Adiabatic Cooling System	370
29.3.6	Extract Systems	371
29.4	Step 3: Install and Proper Commission the Installation	374
29.5	Step 4: Maintain the Installation and Monitor	374
29.6	Step 5: Use of Alternative Energy	375
29.6.1	Importance of Energy Modeling	375
29.6.2	Using Heat-Pump	377
29.6.3	Phase Change Materials (PCMs)	377
29.7	Conclusion	378
<b>30</b>	<b>Consequences of the 2009 Energy-Saving Ordinance for Laboratories</b>	<b>379</b>
	<i>Fritz Runge and Jörg Petri</i>	
30.1	The Task Force	379
30.2	Energy Certificates for Laboratory Buildings	380
30.2.1	Issue of Demand-Based Energy Certificates	381
30.2.2	Issue of Consumption-Based Energy Certificates	382
30.3	Special Energy Characteristics of Laboratory Buildings	385
30.4	Reference Values for the Energy Consumption of Laboratory Buildings	386
30.5	Energy Consumption Values	387
30.6	Reference Quantities	387
30.7	Groups with Homogeneous Characteristics	391
30.8	Conclusions from the Results of the Investigations	392
30.9	Example for the Issue of a Consumption-Based Energy Certificate for a Laboratory Building	394
30.10	Summary	396
<b>Part V</b>	<b>Standards and Test Regulations</b>	<b>399</b>
	<i>Egbert Dittrich</i>	

<b>31</b>	<b>Legislation and Standards</b>	<b>401</b>
	<i>Burkhard Winter</i>	
31.1	Introduction	401
31.2	Laboratory Planning and Building	402
31.2.1	General	402
31.2.2	Regulations for Energy Efficiency	403
31.2.2.1	Legislative Requirements	403
31.2.2.2	Voluntary Certification	404
31.3	Regulations for Labor Safety and Occupational Health	406
31.3.1	Minimum Safety and Health Requirements	407
31.3.2	Chemicals and Hazardous Substances Regulations	409
31.3.3	Biological Agents and Safety	410
	References	410
<b>32</b>	<b>Examination, Requirements, and Handling of Fume Cupboards</b>	<b>413</b>
	<i>Bernhard Mohr and Bernd Schubert</i>	
32.1	Introduction	413
32.2	Principle of Operation	414
32.3	Types of Fume Cupboards	417
32.3.1	Standard Fume Cupboard	417
32.3.2	Walk-In Fume Cupboards	418
32.3.3	Fume Cupboards for Thermal Loads	418
32.3.4	Special Constructions	418
32.3.4.1	Hand Over Fume Cupboards	418
32.3.4.2	Pharmacy Fume Cupboards	419
32.3.4.3	Fume Cupboards for Radioactive Substances	419
32.3.4.4	Safety Benches with Air Recirculation	419
32.3.4.5	Individual Constructions	420
32.3.4.6	Fume Cupboards with Auxiliary Air	420
32.3.5	Control Systems	421
32.3.6	Window Closing System	423
32.4	Standards	424
32.4.1	U.S. Standard (ASHRAE)	424
32.4.1.1	Flow Visualization	424
32.4.1.2	Measurements of Air Velocity	425
32.4.1.3	Measurements with Test Gas	425
32.4.1.4	Additional Measurements for Fume Cupboards with VAV Systems	425
32.4.2	European Standard	425
32.4.3	Other Standards	427
32.4.3.1	France	427
32.4.3.2	Australia/New Zealand	427
32.4.3.3	Germany – Standard for Special Fume Cupboards	427
32.4.4	Comparison	427
32.5	Safety Criterion	427

32.6	Fume Cupboard Testing	429
32.6.1	Type Test	429
32.6.1.1	Containment	429
32.6.1.2	Other Requirements	430
32.6.2	Examination in the Laboratory	430
32.6.2.1	Commissioning Testing	431
32.6.2.2	Periodic Inspection and Testing	431
32.7	Influences of Real Conditions	432
32.7.1	Changes to Fume Cupboards	433
32.7.2	Ventilation System	434
32.7.3	User Behavior	435
<b>Part VI</b>	<b>Safety in Laboratories</b>	<b>437</b>
	<i>Egbert Dittrich</i>	
<b>33</b>	<b>Health and Safety – An Inherent Part of Sustainability</b>	<b>439</b>
	<i>Thomas Brock</i>	
33.1	Scope	439
33.2	Legal Foundations	441
33.3	Laboratory Guidelines	443
33.4	Hazardous Substances	446
33.5	Biological Agents	446
33.6	Other Hazards	447
33.7	Occurrence of Accidents and Illnesses	448
33.8	Risk Assessment and Measures	449
	References	454
<b>34</b>	<b>Operational Safety in Laboratories</b>	<b>455</b>
	<i>Norbert Teufelhart</i>	
34.1	Safety Principles	455
34.2	Safety Management	456
34.2.1	Occupational Health and Safety Organization	456
34.2.2	Occupational Health and Safety Management System and Audits	456
34.2.3	Hazard Assessment	458
34.3	Regulation of Internal Processes	459
34.3.1	Skilled Trained Personnel	459
34.3.2	Laboratory Rules and Regulations and Safety Information	460
34.3.2.1	Work and Operating Instructions	460
34.3.2.2	Working Substance Registry	461
34.3.2.3	Outside Company Coordination	461
34.4	Functional Efficiency of Systems and Equipment	462
34.5	Occupational Medical Care	463
34.5.1	Preventive Measures	463
34.5.1.1	Optional and Mandatory Medical Care	463

34.5.1.2	Vaccination	464
34.5.2	Health Monitoring	464
34.6	Employment Restrictions	465
34.6.1	Protection of Minors and Mothers	465
34.7	Access Regulations and Protection against Theft	466
34.7.1	Identification and Access Control	466
34.7.2	Protection against Burglary and Theft	467
34.8	Cleanliness and Hygiene	467
34.8.1	Minimum Hygiene Standards	468
34.8.1.1	Cleaning and Hygiene Measures	468
34.8.1.2	Microbiological Requirements	469
34.8.2	Disinfection Measures and Hygiene Plan	469
34.8.3	Personal Protective Measures	471
34.9	Operation of Safety Systems According to Regulations	472
34.9.1	Structural Barriers	472
34.9.1.1	Containment	472
34.9.1.2	Hygiene Barriers	473
34.9.1.3	Inactivated Lock Systems	473
34.9.2	Technical Barriers	474
34.9.2.1	Extraction Equipment	474
34.9.2.2	Fume Hoods	475
34.9.2.3	Barrier Systems	476
34.9.2.4	Local Extraction Devices	476
34.9.2.5	Insulators	477
34.9.2.6	Aerosol-Preventing Systems	477
34.9.2.7	Microbiological Safety Cabinets	477
34.9.2.8	Retaining Basins	478
34.9.3	Storage and Disposal Systems	478
34.9.3.1	Solvent Waste	478
34.9.3.2	Hazardous Substance Waste	479
34.9.3.3	Biological Liquid and Solid Waste	479
34.10	Operational Safety in Laboratories – Conclusion	479
34.11	Laboratory Rules and Regulations (Sample)	480
34.11.1	General	480
34.11.2	Working Hours	480
34.11.3	Work and Protective Clothes	481
34.11.4	Order at the Workplace	481
34.11.5	Maintaining Safety Systems	481
34.11.6	Conduct during Hazardous Work	482
34.11.7	Conduct in Hazardous Situations	482
34.11.8	Handling Hazardous Substances and Pressurized Gases	482
34.11.9	Correct Handling of Storage Equipment	483
34.11.10	Collection and Disposal of Hazardous Waste	483
34.11.11	People in Charge of Occupational Health and Safety Protection	483
34.12	Testing Equipment Registry (Sample)	486



- 34.13 Screening Examinations for Laboratory Activities  
(Selection) 488
- 34.14 Skin Protection Plan (Sample) 492  
References 495
  
- Part VII Laboratory Operation 497**  
*Helmut Martens*
  
- 35 Facility Management in the Life Cycle of Laboratory Buildings 499**  
*Andreas Kühne and Ali-Yetkin Özcan*
- 35.1 Self-Understanding and Background 499
- 35.2 Process Optimization 500
- 35.3 FM in the Life Cycle of a Laboratory Building 500
- 35.4 Concept Phase Laboratory Building 502
- 35.4.1 Rough Building Concept 502
- 35.4.2 Concept Finding 502
- 35.4.3 Project Preparation 503
- 35.4.4 Basic Evaluation 503
- 35.4.5 Design Phase 503
- 35.5 Construction Phase 504
- 35.6 Use Phase 504
- 35.7 Revitalization Phase 505
- 35.8 Deconstructing Phase 507
- 35.9 Benefits of FM 507
  
- 36 Laboratory Optimization 509**  
*Helmut Martens*
- 36.1 The Procedure 510
- 36.2 The Actual Recording 511
- 36.3 Determination of the Optimization Potential 512
- 36.4 Planning and Implementation 513
- 36.5 Permanent Need for Optimization 514
- 36.6 An Example 515
- 36.6.1 Another Example 516
- 36.7 Utilization of Staff 516
- 36.8 Utilization of Equipment 517
- 36.9 Employee Retention, Employee Retention Time, Device  
Runtime 518
- 36.10 Another Example 518
- 36.11 Cost 518
- 36.12 Logistics 519
- 36.13 Quality 520
- 36.14 Customer Satisfaction and Customer Loyalty 520
- 36.15 Laboratory Indicators 521

<b>37</b>	<b>Quality Management</b>	<b>523</b>
	<i>Helmut Martens</i>	
37.1	Quality Control	523
37.2	Quality Assurance	523
37.3	Quality Management	523
37.4	Creation and Maintenance of a Quality Management System	524
37.5	The Purpose of Systematic Quality Management	525
37.6	Integrated Management Systems	525
37.7	Certification or Accreditation	526
37.8	International Recognition of Accreditation	527
37.9	Central Functions of Quality Management	527
37.10	Responsibilities of the Quality Manager in Practice	529
37.11	Implementation of a Quality Management System in the Laboratory	529
37.12	Documents	530
37.13	Expiration of Accreditation Project	532
<b>38</b>	<b>Data</b>	<b>535</b>
	<i>Helmut Martens</i>	
38.1	Data Systems	536
38.2	Data Systems at the Corporate Management Level	536
38.3	LIMS	537
38.4	LIMS Selection and Procurement	537
38.5	Requirements for a Specification	540
38.5.1	Content and Classification	540
38.5.2	Conditions	540
38.5.3	Descriptions of Function	541
38.6	Selection of Suitable Suppliers	541
38.7	Data Privacy and Data Security	542
38.8	Risk Assessment	543
38.9	Safety Management	544
38.10	System Documentation	546
38.11	Emergency Plan	547
	<b>Index</b>	<b>549</b>