

CONTENTS

| | |
|--|-----------|
| <i>Preface</i> | vii |
| <i>About the Author</i> | ix |
| <i>Books by Ronald Eisler</i> | xi |
| <i>List of Tables</i> | xiii |
| <i>List of Figures</i> | xvii |
| | |
| 1 Acrolein | 1 |
| 1.1 Introduction | 1 |
| 1.2 Sources and Uses | 1 |
| 1.2.1 Sources | 1 |
| 1.2.2 Uses | 3 |
| 1.3 Environmental Chemistry | 3 |
| 1.3.1 Chemical Properties | 4 |
| 1.3.2 Persistence | 5 |
| 1.3.3 Metabolism | 5 |
| 1.4 Lethal and Sublethal Effects | 6 |
| 1.4.1 Terrestrial Plants and Invertebrates | 7 |
| 1.4.2 Aquatic Organisms | 8 |
| 1.4.3 Birds | 9 |
| 1.4.4 Mammals | 10 |
| 1.5 Recommendations | 12 |
| 1.6 Summary | 14 |
| | |
| 2 Arsenic | 17 |
| 2.1 Introduction | 17 |
| 2.2 Sources, Fate, and Uses | 18 |
| 2.3 Chemical and Biochemical Properties | 20 |
| 2.4 Essentiality, Synergism, and Antagonism | 23 |
| 2.5 Concentrations in Field Collections | 24 |
| 2.5.1 Abiotic Materials | 25 |
| 2.5.2 Biological Samples | 26 |
| 2.6 Lethal and Sublethal Effects | 28 |
| 2.6.1 Carcinogenesis, Mutagenesis, and Teratogenesis | 28 |
| 2.6.2 Terrestrial Plants and Invertebrates | 29 |
| 2.6.3 Aquatic Biota | 31 |
| 2.6.4 Birds | 34 |
| 2.6.5 Mammals | 34 |
| 2.7 Recommendations | 36 |
| 2.8 Summary | 42 |
| | |
| 3 Atrazine | 45 |
| 3.1 Introduction | 45 |
| 3.2 Environmental Chemistry | 45 |
| 3.3 Concentrations in Field Collections | 48 |

Contents

| | | |
|----------|--|-----------|
| 3.4 | Effects | 49 |
| 3.4.1 | Terrestrial Plants and Invertebrates | 49 |
| 3.4.2 | Aquatic Plants | 51 |
| 3.4.3 | Aquatic Animals | 53 |
| 3.4.4 | Birds | 54 |
| 3.4.5 | Mammals | 54 |
| 3.5 | Recommendations | 55 |
| 3.6 | Summary | 56 |
| 4 | Boron | 59 |
| 4.1 | Introduction | 59 |
| 4.2 | Environmental Chemistry | 59 |
| 4.2.1 | Sources and Uses | 60 |
| 4.2.2 | Chemical Properties | 61 |
| 4.2.3 | Mode of Action | 62 |
| 4.3 | Concentrations in Field Collections | 64 |
| 4.3.1 | Nonbiological Materials | 64 |
| 4.3.2 | Plants and Animals | 64 |
| 4.4 | Effects | 65 |
| 4.4.1 | Terrestrial Plants | 66 |
| 4.4.2 | Terrestrial Invertebrates | 67 |
| 4.4.3 | Aquatic Organisms | 67 |
| 4.4.4 | Birds | 68 |
| 4.4.5 | Mammals | 69 |
| 4.5 | Recommendations | 71 |
| 4.6 | Summary | 75 |
| 5 | Cadmium | 77 |
| 5.1 | Introduction | 77 |
| 5.2 | Environmental Chemistry | 77 |
| 5.3 | Concentrations in Field Collections | 78 |
| 5.4 | Lethal Effects | 81 |
| 5.5 | Sublethal Effects | 82 |
| 5.6 | Bioaccumulation | 85 |
| 5.7 | Teratogenesis, Mutagenesis, and Carcinogenesis | 87 |
| 5.8 | Recommendations | 87 |
| 5.9 | Summary | 93 |
| 6 | Carbofuran | 95 |
| 6.1 | Introduction | 95 |
| 6.2 | Chemical Properties and Persistence | 96 |
| 6.3 | Lethal Effects | 99 |
| 6.3.1 | Aquatic Animals | 100 |
| 6.3.2 | Aquatic and Terrestrial Plants | 100 |
| 6.3.3 | Terrestrial Invertebrates | 101 |
| 6.3.4 | Birds and Mammals | 101 |
| 6.4 | Sublethal Effects | 103 |
| 6.4.1 | Terrestrial Invertebrates | 104 |
| 6.4.2 | Aquatic Biota | 104 |

Contents

| | | |
|----------|--|------------|
| 6.4.3 | Birds | 106 |
| 6.4.4 | Mammals | 106 |
| 6.5 | Recommendations | 108 |
| 6.6 | Summary | 109 |
| 7 | Chlordane | 111 |
| 7.1 | Introduction | 111 |
| 7.2 | Chemical and Biochemical Properties | 111 |
| 7.3 | Uses | 115 |
| 7.4 | Concentrations in Field Collections | 115 |
| 7.4.1 | Abiotic Materials | 115 |
| 7.4.2 | Terrestrial Crops | 116 |
| 7.4.3 | Aquatic Invertebrates | 116 |
| 7.4.4 | Fishes | 117 |
| 7.4.5 | Amphibians and Reptiles | 118 |
| 7.4.6 | Birds | 118 |
| 7.4.7 | Mammals | 119 |
| 7.5 | Lethal and Sublethal Effects | 120 |
| 7.5.1 | Terrestrial Invertebrates | 120 |
| 7.5.2 | Aquatic Biota | 121 |
| 7.5.3 | Amphibians and Reptiles | 122 |
| 7.5.4 | Birds | 122 |
| 7.5.5 | Mammals | 123 |
| 7.6 | Recommendations | 125 |
| 7.7 | Summary | 127 |
| 8 | Chlorpyrifos | 129 |
| 8.1 | Introduction | 129 |
| 8.2 | Environmental Chemistry | 129 |
| 8.3 | Laboratory Investigations | 132 |
| 8.3.1 | Aquatic Organisms | 132 |
| 8.3.2 | Birds and Mammals | 133 |
| 8.4 | Field Investigations | 134 |
| 8.5 | Recommendations | 135 |
| 8.6 | Summary | 135 |
| 9 | Chromium | 137 |
| 9.1 | Introduction | 137 |
| 9.2 | Environmental Chemistry | 137 |
| 9.3 | Concentrations in Field Collections | 140 |
| 9.4 | Beneficial and Protective Properties | 141 |
| 9.5 | Lethal Effects | 142 |
| 9.5.1 | Aquatic Organisms | 142 |
| 9.5.2 | Terrestrial Invertebrates | 143 |
| 9.5.3 | Mammals and Birds | 143 |
| 9.6 | Sublethal Effects | 145 |
| 9.6.1 | Aquatic Organisms: Freshwater | 145 |
| 9.6.1.1 | Bacteria | 145 |
| 9.6.1.2 | Algae and Macrophytes | 145 |

Contents

| | | |
|-----------|---|------------|
| 9.6.1.3 | Invertebrates | 146 |
| 9.6.1.4 | Fishes | 146 |
| 9.6.2 | Aquatic Organisms: Marine | 147 |
| 9.6.2.1 | Algae and Macrophytes | 147 |
| 9.6.2.2 | Mollusks | 148 |
| 9.6.2.3 | Nematodes | 149 |
| 9.6.2.4 | Crustaceans | 149 |
| 9.6.2.5 | Annelids | 150 |
| 9.6.2.6 | Echinoderms | 151 |
| 9.6.2.7 | Fishes | 151 |
| 9.6.3 | Birds | 151 |
| 9.6.4 | Mammals | 152 |
| 9.7 | Field Investigations | 154 |
| 9.8 | Recommendations | 156 |
| 9.9 | Summary | 156 |
| 10 | Copper | 161 |
| 10.1 | Introduction | 161 |
| 10.2 | Sources and Uses | 161 |
| 10.2.1 | Sources | 162 |
| 10.2.2 | Uses | 162 |
| 10.3 | Chemical and Biochemical Properties | 164 |
| 10.3.1 | Chemical Properties | 164 |
| 10.3.2 | Metabolism | 166 |
| 10.3.2.1 | Aquatic Organisms | 166 |
| 10.3.2.2 | Mammals | 167 |
| 10.3.3 | Interactions | 169 |
| 10.3.3.1 | Aluminum | 169 |
| 10.3.3.2 | Cadmium | 169 |
| 10.3.3.3 | Iron | 170 |
| 10.3.3.4 | Manganese | 170 |
| 10.3.3.5 | Molybdenum | 170 |
| 10.3.3.6 | Zinc | 170 |
| 10.3.3.7 | Other Inorganics | 171 |
| 10.3.3.8 | Organic Compounds | 171 |
| 10.4 | Carcinogenicity, Mutagenicity, and Teratogenicity | 172 |
| 10.4.1 | Carcinogenicity | 172 |
| 10.4.2 | Mutagenicity | 172 |
| 10.4.3 | Teratogenicity | 173 |
| 10.5 | Concentrations in Field Collections | 173 |
| 10.5.1 | Abiotic Materials | 174 |
| 10.5.2 | Terrestrial Plants and Invertebrates | 175 |
| 10.5.3 | Aquatic Organisms | 175 |
| 10.5.4 | Amphibians and Reptiles | 178 |
| 10.5.5 | Birds | 178 |
| 10.5.6 | Mammals | 179 |
| 10.6 | Copper Deficiency Effects | 180 |
| 10.6.1 | Terrestrial Plants and Invertebrates | 180 |
| 10.6.2 | Aquatic Organisms | 180 |
| 10.6.3 | Birds and Mammals | 180 |

Contents

| | | |
|-----------|---|------------|
| 10.7 | Lethal and Sublethal Effects | 182 |
| 10.7.1 | Terrestrial Plants and Invertebrates | 183 |
| 10.7.2 | Aquatic Organisms | 184 |
| 10.7.2.1 | Plants | 184 |
| 10.7.2.2 | Cnidarians | 184 |
| 10.7.2.3 | Mollusks | 184 |
| 10.7.2.4 | Arthropods | 185 |
| 10.7.2.5 | Annelids | 186 |
| 10.7.2.6 | Fishes | 187 |
| 10.7.2.7 | Integrated Studies | 188 |
| 10.7.3 | Birds | 189 |
| 10.7.4 | Mammals | 189 |
| 10.8 | Proposed Criteria and Recommendations | 191 |
| 10.9 | Summary | 198 |
| 11 | Cyanide | 201 |
| 11.1 | Introduction | 201 |
| 11.2 | Chemical Properties | 203 |
| 11.3 | Mode of Action | 205 |
| 11.4 | Clinical Features | 207 |
| 11.5 | Antidotes | 208 |
| 11.6 | Sources and Uses | 209 |
| 11.7 | Concentrations in Field Collections | 213 |
| 11.8 | Persistence in Water, Soil, and Air | 214 |
| 11.9 | Lethal and Sublethal Effects | 215 |
| 11.9.1 | Terrestrial Flora and Invertebrates | 215 |
| 11.9.2 | Aquatic Organisms | 217 |
| 11.9.3 | Birds | 220 |
| 11.9.4 | Mammals | 222 |
| 11.10 | Recommendations | 227 |
| 11.11 | Summary | 231 |
| 12 | Diazinon | 233 |
| 12.1 | Introduction | 233 |
| 12.2 | Environmental Chemistry | 234 |
| 12.3 | Lethal Effects | 235 |
| 12.3.1 | Aquatic Organisms | 235 |
| 12.3.2 | Birds | 236 |
| 12.3.3 | Mammals | 237 |
| 12.3.4 | Terrestrial Invertebrates | 237 |
| 12.4 | Sublethal Effects | 237 |
| 12.4.1 | Aquatic Organisms | 237 |
| 12.4.2 | Birds | 239 |
| 12.4.3 | Mammals | 239 |
| 12.4.4 | Terrestrial Invertebrates | 240 |
| 12.5 | Recommendations | 241 |
| 12.6 | Summary | 242 |

Contents

| | | |
|-----------|---|------------|
| 13 | Diflubenzuron | 245 |
| 13.1 | Introduction | 245 |
| 13.2 | Environmental Chemistry | 245 |
| 13.2.1 | Chemical and Biochemical Properties | 246 |
| 13.2.2 | Persistence in Soil and Water | 247 |
| 13.3 | Uses | 248 |
| 13.4 | Lethal and Sublethal Effects | 249 |
| 13.4.1 | Terrestrial Plants | 249 |
| 13.4.2 | Terrestrial Invertebrates | 250 |
| 13.4.3 | Aquatic Organisms: Laboratory Studies | 251 |
| 13.4.4 | Aquatic Organisms: Field Studies | 253 |
| 13.4.5 | Birds | 254 |
| 13.4.6 | Mammals | 255 |
| 13.5 | Recommendations | 257 |
| 13.6 | Summary | 258 |
| | | |
| 14 | Dioxins | 261 |
| 14.1 | Introduction | 261 |
| 14.2 | Environmental Chemistry | 262 |
| 14.3 | Concentrations in Field Collections | 264 |
| 14.4 | Lethal and Sublethal Effects | 268 |
| 14.4.1 | Terrestrial Plants and Invertebrates | 268 |
| 14.4.2 | Aquatic Organisms | 268 |
| 14.4.3 | Birds | 270 |
| 14.4.4 | Mammals | 271 |
| 14.5 | Recommendations | 274 |
| 14.6 | Summary | 278 |
| | | |
| 15 | Famphur | 279 |
| 15.1 | Introduction | 279 |
| 15.2 | Uses | 279 |
| 15.3 | Chemistry and Metabolism | 280 |
| 15.4 | Lethal and Sublethal Effects | 283 |
| 15.4.1 | Terrestrial Invertebrates | 283 |
| 15.4.2 | Aquatic Organisms | 285 |
| 15.4.3 | Birds | 286 |
| 15.4.4 | Mammals | 288 |
| 15.5 | Recommendations | 289 |
| 15.6 | Summary | 290 |
| | | |
| 16 | Fenvalerate | 293 |
| 16.1 | Introduction | 293 |
| 16.2 | Environmental Chemistry | 294 |
| 16.2.1 | Chemical Properties | 294 |
| 16.2.2 | Uses | 294 |
| 16.2.3 | Persistence | 297 |
| 16.3 | Mode of Action | 299 |
| 16.3.1 | Types of Pyrethroids | 299 |
| 16.3.2 | Sodium Gating Kinetics | 299 |

Contents

| | | |
|-----------|---|------------|
| 16.3.3 | Metabolism | 300 |
| 16.3.4 | Mutagenicity, Teratogenicity, and Carcinogenicity | 301 |
| 16.4 | Effects | 302 |
| 16.4.1 | Terrestrial Plants and Invertebrates | 303 |
| 16.4.2 | Aquatic Organisms | 304 |
| 16.4.3 | Birds | 306 |
| 16.4.4 | Mammals | 307 |
| 16.5 | Recommendations | 308 |
| 16.6 | Summary | 311 |
| 17 | Gold | 313 |
| 17.1 | Introduction | 313 |
| 17.2 | Geology, Sources, and Production | 314 |
| 17.2.1 | Geology | 314 |
| 17.2.2 | Sources and Production | 316 |
| 17.2.2.1 | Asia and Environs | 317 |
| 17.2.2.2 | Canada | 317 |
| 17.2.2.3 | Europe | 317 |
| 17.2.2.4 | Republic of South Africa (RSA) | 318 |
| 17.2.2.5 | South America | 318 |
| 17.2.2.6 | United States | 318 |
| 17.3 | Uses | 320 |
| 17.3.1 | Jewelry | 320 |
| 17.3.2 | Coinage | 321 |
| 17.3.3 | Electronics | 321 |
| 17.3.4 | Radiogold | 321 |
| 17.3.5 | Medicine | 322 |
| 17.3.6 | Dentistry | 324 |
| 17.3.7 | Others | 324 |
| 17.4 | Properties | 324 |
| 17.4.1 | Physical Properties | 324 |
| 17.4.2 | Chemical Properties | 325 |
| 17.4.3 | Biochemical Properties | 327 |
| 17.5 | Gold Concentrations in Field Collections | 330 |
| 17.5.1 | Abiotic Materials | 330 |
| 17.5.2 | Plants | 332 |
| 17.5.3 | Animals | 332 |
| 17.6 | Gold Effects on Plants and Animals | 333 |
| 17.6.1 | Aquatic Organisms | 333 |
| 17.6.1.1 | Monovalent Gold | 333 |
| 17.6.1.2 | Trivalent Gold | 333 |
| 17.6.2 | Laboratory Mammals | 334 |
| 17.6.2.1 | Metallic Gold | 334 |
| 17.6.2.2 | Monovalent Gold | 335 |
| 17.6.2.3 | Trivalent Gold | 338 |
| 17.6.3 | Accumulation | 339 |
| 17.6.3.1 | Microorganisms, Fungi, and Higher Plants | 339 |
| 17.6.3.2 | Aquatic Macrofauna | 342 |
| 17.6.3.3 | Animal Fibrous Proteins | 342 |

Contents

| | | |
|-----------|---|------------|
| 17.7 | Health Risks of Gold Miners | 342 |
| 17.7.1 | Australia | 342 |
| 17.7.2 | North America | 343 |
| 17.7.3 | South America | 344 |
| 17.7.4 | Europe | 344 |
| 17.7.5 | Africa | 345 |
| 17.8 | Human Sensitivity to Gold | 348 |
| 17.8.1 | Hypersensitivity | 348 |
| 17.8.2 | Teratogenicity and Carcinogenicity | 350 |
| 17.8.3 | Dental Aspects | 350 |
| 17.9 | Gold Mine Wastes | 351 |
| 17.9.1 | Acid Mine Drainage | 351 |
| 17.9.2 | Tailings | 352 |
| 17.9.3 | Arsenic | 352 |
| 17.9.4 | Mercury Hazards from Gold Mining | 352 |
| 17.9.5 | Cyanide Hazards to Plants and Animals from Gold Mining and Related Water Issues | 353 |
| 17.9.5.1 | History of Cyanide Use in Gold Mining | 353 |
| 17.9.5.2 | Cyanide Hazards: Aquatic Ecosystems | 356 |
| 17.9.5.3 | Cyanide Hazards: Birds | 358 |
| 17.9.5.4 | Cyanide Hazards: Mammals | 360 |
| 17.9.5.5 | Cyanide Hazards: Terrestrial Flora | 361 |
| 17.9.5.6 | Cyanide Mitigation and Research Needs | 361 |
| 17.9.5.7 | Proposed Cyanide Criteria for the Protection of Natural Resources and Human Health | 362 |
| 17.9.5.8 | Water Management Issues | 362 |
| 17.9.5.9 | Pit Lakes | 364 |
| 17.9.5.10 | Water Quality and Management Research Needs | 365 |
| 17.10 | Recommendations | 365 |
| 17.11 | Summary | 368 |
| 18 | Lead | 371 |
| 18.1 | Introduction | 371 |
| 18.2 | Sources and Uses | 373 |
| 18.3 | Chemical Properties | 374 |
| 18.4 | Mode of Action | 376 |
| 18.5 | Concentrations in Field Collections | 379 |
| 18.5.1 | Abiotic Materials | 379 |
| 18.5.2 | Fungi, Mosses, and Lichens | 381 |
| 18.5.3 | Terrestrial Plants | 381 |
| 18.5.4 | Terrestrial Invertebrates | 382 |
| 18.5.5 | Aquatic Biota | 382 |
| 18.5.6 | Amphibians and Reptiles | 383 |
| 18.5.7 | Birds | 383 |
| 18.5.8 | Mammals | 386 |
| 18.6 | Lethal and Sublethal Effects | 387 |
| 18.6.1 | Terrestrial Plants and Invertebrates | 388 |
| 18.6.2 | Aquatic Biota | 389 |
| 18.6.3 | Amphibians and Reptiles | 392 |

Contents

| | | |
|------------|--|------------|
| 18.6.4 | Birds | 392 |
| 18.6.5 | Mammals | 394 |
| 18.7 | Recommendations | 396 |
| 18.8 | Summary | 405 |
| 19 | Mercury | 407 |
| 19.1 | Introduction | 407 |
| 19.2 | Mercury Uses and Sources | 409 |
| 19.2.1 | Uses | 410 |
| 19.2.2 | Sources | 411 |
| 19.2.2.1 | Natural Sources | 411 |
| 19.2.2.2 | Anthropogenic Sources | 412 |
| 19.3 | Properties | 415 |
| 19.3.1 | Physical Properties | 415 |
| 19.3.2 | Chemical Properties | 415 |
| 19.3.3 | Biological Properties | 417 |
| 19.3.4 | Biochemical Properties | 418 |
| 19.3.5 | Mercury Transport and Speciation | 419 |
| 19.3.6 | Mercury Measurement | 421 |
| 19.4 | Mercury Poisoning and Treatment | 421 |
| 19.4.1 | Poisoning | 421 |
| 19.4.1.1 | Elemental Mercury | 421 |
| 19.4.1.2 | Inorganic Mercurials | 422 |
| 19.4.1.2.1 | Mercuric Mercury | 422 |
| 19.4.1.2.2 | Mercurous Mercury | 423 |
| 19.4.1.3 | Organomercurials | 423 |
| 19.4.2 | Mercury Treatment | 424 |
| 19.5 | Mercury Concentrations in Abiotic Materials | 425 |
| 19.5.1 | Air | 426 |
| 19.5.2 | Coal | 426 |
| 19.5.3 | Sediments | 426 |
| 19.5.4 | Sewage Sludge | 427 |
| 19.5.5 | Snow and Ice | 427 |
| 19.5.6 | Soils | 427 |
| 19.5.7 | Water | 428 |
| 19.6 | Mercury Concentrations in Plants and Animals | 428 |
| 19.6.1 | Algae and Macrophytes | 429 |
| 19.6.2 | Invertebrates | 430 |
| 19.6.3 | Elasmobranchs and Bony Fishes | 430 |
| 19.6.4 | Amphibians and Reptiles | 434 |
| 19.6.5 | Birds | 435 |
| 19.6.6 | Humans | 439 |
| 19.6.7 | Other Mammals | 440 |
| 19.6.8 | Integrated Collections | 443 |
| 19.7 | Lethal Effects of Mercurials | 443 |
| 19.7.1 | Aquatic Organisms | 443 |
| 19.7.1.1 | Invertebrates | 443 |
| 19.7.1.2 | Vertebrates | 444 |
| 19.7.2 | Terrestrial Invertebrates | 445 |
| 19.7.3 | Reptiles | 445 |

Contents

| | | |
|------------|---|------------|
| 19.7.4 | Birds | 445 |
| 19.7.5 | Mammals | 446 |
| 19.8 | Sublethal Effects | 447 |
| 19.8.1 | Carcinogenicity, Genotoxicity, and Teratogenicity | 447 |
| 19.8.1.1 | Carcinogenicity | 448 |
| 19.8.1.2 | Genotoxicity | 448 |
| 19.8.1.3 | Teratogenicity | 448 |
| 19.8.2 | Bacteria and Other Microorganisms | 449 |
| 19.8.3 | Terrestrial Plants | 450 |
| 19.8.4 | Terrestrial Invertebrates | 450 |
| 19.8.5 | Aquatic Plants | 451 |
| 19.8.6 | Aquatic Animals | 451 |
| 19.8.6.1 | Invertebrates | 452 |
| 19.8.6.1.1 | Planarians | 452 |
| 19.8.6.1.2 | Coelenterates | 452 |
| 19.8.6.1.3 | Mollusks | 452 |
| 19.8.6.1.4 | Crustaceans | 453 |
| 19.8.6.1.5 | Annelids | 455 |
| 19.8.6.1.6 | Echinoderms | 455 |
| 19.8.6.2 | Vertebrates | 455 |
| 19.8.6.2.1 | Fishes | 455 |
| 19.8.6.2.2 | Amphibians | 459 |
| 19.8.7 | Birds | 459 |
| 19.8.8 | Mammals | 462 |
| 19.9 | Minamata | 466 |
| 19.9.1 | Minamata Disease | 467 |
| 19.9.1.1 | Human Health | 467 |
| 19.9.1.2 | Natural Resources | 470 |
| 19.9.2 | Mitigation | 471 |
| 19.10 | Mercury Hazards from Gold Mining | 472 |
| 19.10.1 | History | 473 |
| 19.10.2 | Brazil | 475 |
| 19.10.2.1 | Mercury Sources and Release Rates | 475 |
| 19.10.2.2 | Mercury Concentrations in Abiotic Materials and Biota | 477 |
| 19.10.2.3 | Mitigation | 480 |
| 19.10.3 | The United States | 481 |
| 19.11 | Proposed Mercury Criteria for the Protection of Natural Resources and Human Health | 484 |
| 19.11.1 | Agricultural Crops | 492 |
| 19.11.2 | Aquatic Life | 493 |
| 19.11.3 | Birds | 494 |
| 19.11.4 | Mammals | 494 |
| 19.11.5 | Human Health | 495 |
| 19.12 | Summary | 497 |
| 20 | Mirex | 503 |
| 20.1 | Introduction | 503 |
| 20.2 | Chemical Properties | 503 |
| 20.3 | Lethal Effects | 504 |
| 20.3.1 | Aquatic Organisms | 504 |
| 20.3.2 | Birds and Mammals | 505 |

Contents

| | | |
|-----------|---|------------|
| 20.4 | Sublethal Effects | 505 |
| 20.4.1 | Aquatic Organisms | 505 |
| 20.4.2 | Birds | 506 |
| 20.4.3 | Mammals | 506 |
| 20.5 | Bioaccumulation | 507 |
| 20.5.1 | Aquatic Organisms | 507 |
| 20.5.2 | Birds and Mammals | 508 |
| 20.6 | Mirex in the Southeastern U.S. | 509 |
| 20.7 | Mirex in the Great Lakes | 511 |
| 20.8 | Mirex in Other Geographic Areas | 513 |
| 20.9 | Recommendations | 514 |
| 20.10 | Summary | 516 |
| 21 | Molybdenum | 517 |
| 21.1 | Introduction | 517 |
| 21.2 | Environmental Chemistry | 517 |
| 21.2.1 | Sources and Uses | 518 |
| 21.2.2 | Chemical Properties | 518 |
| 21.2.3 | Mode of Action | 519 |
| 21.3 | Concentrations in Field Collections | 520 |
| 21.3.1 | Nonbiological Samples | 520 |
| 21.3.2 | Biological Samples | 521 |
| 21.4 | Effects | 522 |
| 21.4.1 | Terrestrial Plants | 522 |
| 21.4.2 | Terrestrial Invertebrates | 523 |
| 21.4.3 | Aquatic Organisms | 523 |
| 21.4.4 | Birds | 525 |
| 21.4.5 | Mammals | 525 |
| 21.5 | Recommendations | 528 |
| 21.6 | Summary | 531 |
| 22 | Nickel | 533 |
| 22.1 | Introduction | 533 |
| 22.2 | Sources and Uses | 534 |
| 22.2.1 | Sources | 535 |
| 22.2.2 | Uses | 536 |
| 22.3 | Properties | 537 |
| 22.3.1 | Physical and Chemical Properties | 537 |
| 22.3.2 | Metabolism | 538 |
| 22.3.3 | Interactions | 541 |
| 22.4 | Carcinogenicity, Mutagenicity, and Teratogenicity | 542 |
| 22.4.1 | Carcinogenicity | 543 |
| 22.4.2 | Mutagenicity | 546 |
| 22.4.3 | Teratogenicity | 546 |
| 22.5 | Concentrations in Field Collections | 548 |
| 22.5.1 | Abiotic Materials | 549 |
| 22.5.2 | Terrestrial Plants and Invertebrates | 550 |
| 22.5.3 | Aquatic Organisms | 551 |
| 22.5.4 | Amphibians | 551 |
| 22.5.5 | Birds | 552 |

Contents

| | | |
|-----------|---|------------|
| 22.5.6 | Mammals | 552 |
| 22.5.7 | Integrated Studies | 553 |
| 22.6 | Nickel Deficiency Effects | 554 |
| 22.6.1 | Bacteria and Plants | 554 |
| 22.6.2 | Birds | 555 |
| 22.6.3 | Mammals | 555 |
| 22.7 | Lethal and Sublethal Effects | 556 |
| 22.7.1 | Terrestrial Plants and Invertebrates | 556 |
| 22.7.2 | Aquatic Organisms | 557 |
| 22.7.3 | Birds | 558 |
| 22.7.4 | Mammals | 558 |
| 22.8 | Proposed Criteria and Recommendations | 563 |
| 22.9 | Summary | 570 |
| 23 | Paraquat | 573 |
| 23.1 | Introduction | 573 |
| 23.2 | Uses | 574 |
| 23.3 | Concentrations in Field Collections | 574 |
| 23.4 | Environmental Chemistry | 575 |
| 23.4.1 | Chemical Properties | 575 |
| 23.4.2 | Mode of Action | 575 |
| 23.4.3 | Fate in Soils and Water | 578 |
| 23.5 | Lethal and Sublethal Effects | 579 |
| 23.5.1 | Terrestrial Plants and Invertebrates | 580 |
| 23.5.2 | Aquatic Organisms | 582 |
| 23.5.3 | Birds | 583 |
| 23.5.4 | Mammals | 584 |
| 23.6 | Recommendations | 585 |
| 23.7 | Summary | 588 |
| 24 | Pentachlorophenol | 589 |
| 24.1 | Introduction | 589 |
| 24.2 | Environmental Chemistry | 590 |
| 24.2.1 | Sources and Uses | 590 |
| 24.2.2 | Properties | 591 |
| 24.2.3 | Fate | 593 |
| 24.3 | Concentrations in Field Collections | 595 |
| 24.4 | Effects | 596 |
| 24.4.1 | Terrestrial Plants and Invertebrates | 596 |
| 24.4.2 | Aquatic Biota | 597 |
| 24.4.3 | Birds | 599 |
| 24.4.4 | Mammals | 599 |
| 24.5 | Recommendations | 601 |
| 24.6 | Summary | 606 |
| 25 | Polychlorinated Biphenyls | 607 |
| 25.1 | Introduction | 607 |
| 25.2 | Sources and Uses | 607 |

Contents

| | | |
|-----------|--|------------|
| 25.3 | Chemical and Biochemical Properties | 608 |
| 25.3.1 | Physical Properties | 612 |
| 25.3.2 | Toxic Equivalency Factors | 613 |
| 25.3.3 | Structure–Function Relations | 614 |
| 25.3.4 | Quantitation | 615 |
| 25.4 | Concentrations in Field Collections | 620 |
| 25.4.1 | Nonbiological Materials | 620 |
| 25.4.2 | Marine Mammals | 623 |
| 25.4.3 | Other Aquatic Organisms | 625 |
| 25.4.4 | Reptiles | 630 |
| 25.4.5 | Birds | 630 |
| 25.4.6 | Terrestrial Mammals | 632 |
| 25.5 | Lethal and Sublethal Effects | 634 |
| 25.5.1 | Aquatic Organisms | 634 |
| 25.5.2 | Birds | 636 |
| 25.5.3 | Mammals | 637 |
| 25.6 | Recommendations | 639 |
| 25.7 | Summary | 643 |
| 26 | Polycyclic Aromatic Hydrocarbons | 645 |
| 26.1 | Introduction | 645 |
| 26.2 | Environmental Chemistry, Sources, and Fate | 646 |
| 26.2.1 | Properties | 646 |
| 26.2.2 | Sources | 647 |
| 26.2.3 | Fate | 651 |
| 26.3 | Concentrations in Field Collections | 654 |
| 26.3.1 | Nonbiological Samples | 655 |
| 26.3.2 | Biological Samples | 656 |
| 26.4 | Lethal and Sublethal Effects | 659 |
| 26.4.1 | Fungi | 659 |
| 26.4.2 | Terrestrial Plants | 659 |
| 26.4.3 | Aquatic Biota | 660 |
| 26.4.4 | Amphibians and Reptiles | 665 |
| 26.4.5 | Birds | 665 |
| 26.4.6 | Mammals | 666 |
| 26.5 | Recommendations | 669 |
| 26.6 | Summary | 675 |
| 27 | Radiation | 677 |
| 27.1 | Introduction | 677 |
| 27.2 | Physical Properties of Radiation | 678 |
| 27.2.1 | Electromagnetic Spectrum | 679 |
| 27.2.2 | Radionuclides | 679 |
| 27.2.3 | Linear Energy Transfer | 680 |
| 27.2.4 | New Units of Measurement | 680 |
| 27.3 | Sources and Uses | 680 |
| 27.3.1 | Natural Radioactivity | 681 |
| 27.3.2 | Anthropogenic Radioactivity | 683 |
| 27.3.3 | Dispersion | 687 |

Contents

| | | |
|------------|--|------------|
| 27.4 | Radionuclide Concentrations in Field Collections | 688 |
| 27.4.1 | Abiotic Materials | 688 |
| 27.4.2 | Aquatic Ecosystems | 688 |
| 27.4.3 | Birds | 690 |
| 27.4.4 | Mammals | 691 |
| 27.5 | Case Histories | 692 |
| 27.5.1 | Pacific Proving Grounds | 693 |
| 27.5.2 | Chernobyl | 696 |
| 27.5.2.1 | Local Effects | 698 |
| 27.5.2.1.1 | Acute Effects | 699 |
| 27.5.2.1.2 | Latent Effects: Humans | 700 |
| 27.5.2.1.3 | Latent Effects: Plants and Animals | 701 |
| 27.5.2.2 | Nonlocal Effects | 704 |
| 27.5.2.2.1 | Soil and Vegetation | 704 |
| 27.5.2.2.2 | Aquatic Life | 705 |
| 27.5.2.2.3 | Wildlife | 706 |
| 27.5.2.2.4 | Domestic Animals | 708 |
| 27.6 | Effects: Nonionizing Radiations | 709 |
| 27.7 | Effects: Ionizing Radiations | 711 |
| 27.7.1 | Terrestrial Plants and Invertebrates | 713 |
| 27.7.2 | Aquatic Organisms | 714 |
| 27.7.3 | Amphibians and Reptiles | 717 |
| 27.7.4 | Birds | 717 |
| 27.7.5 | Mammals | 718 |
| 27.7.5.1 | Survival | 718 |
| 27.7.5.2 | Carcinogenicity | 719 |
| 27.7.5.3 | Mutagenicity | 721 |
| 27.7.5.4 | Organ and Tissue Damage | 721 |
| 27.7.5.5 | Behavior | 722 |
| 27.7.5.6 | Absorption and Assimilation | 722 |
| 27.8 | Proposed Criteria and Recommendations | 723 |
| 27.9 | Summary | 730 |
| 28 | Selenium | 737 |
| 28.1 | Introduction | 737 |
| 28.2 | Environmental Chemistry | 738 |
| 28.3 | Concentrations in Field Collections | 740 |
| 28.4 | Deficiency and Protective Effects | 743 |
| 28.5 | Lethal Effects | 745 |
| 28.5.1 | Aquatic Organisms | 745 |
| 28.5.2 | Mammals and Birds | 747 |
| 28.6 | Sublethal and Latent Effects | 749 |
| 28.6.1 | Aquatic Organisms | 749 |
| 28.6.2 | Terrestrial Invertebrates | 751 |
| 28.6.3 | Birds | 752 |
| 28.6.4 | Mammals | 752 |
| 28.7 | Recommendations | 753 |
| 28.8 | Summary | 759 |

Contents

| | |
|---|------------|
| 29 Silver | 761 |
| 29.1 Introduction | 761 |
| 29.2 Sources and Uses | 761 |
| 29.2.1 Sources | 761 |
| 29.2.2 Uses | 763 |
| 29.3 Properties | 764 |
| 29.3.1 Physical and Chemical Properties | 764 |
| 29.3.2 Metabolism | 766 |
| 29.4 Concentrations in Field Collections | 769 |
| 29.4.1 Abiotic Materials | 769 |
| 29.4.2 Plants and Animals | 770 |
| 29.5 Lethal and Sublethal Effects | 772 |
| 29.5.1 Terrestrial Vegetation | 772 |
| 29.5.2 Aquatic Organisms | 772 |
| 29.5.3 Birds and Mammals | 776 |
| 29.6 Recommendations | 778 |
| 29.7 Summary | 781 |
| | |
| 30 Sodium Monofluoroacetate | 783 |
| 30.1 Introduction | 783 |
| 30.2 Uses | 784 |
| 30.2.1 Domestic Use | 784 |
| 30.2.2 Nondomestic Use | 786 |
| 30.3 Environmental Chemistry | 788 |
| 30.3.1 Chemical Properties | 789 |
| 30.3.2 Persistence | 790 |
| 30.3.3 Metabolism | 791 |
| 30.3.4 Antidotes | 793 |
| 30.4 Lethal and Sublethal Effects | 795 |
| 30.4.1 Terrestrial Plants and Invertebrates | 795 |
| 30.4.2 Aquatic Organisms | 797 |
| 30.4.3 Amphibians and Reptiles | 798 |
| 30.4.4 Birds | 798 |
| 30.4.5 Mammals | 801 |
| 30.5 Recommendations | 805 |
| 30.6 Summary | 807 |
| | |
| 31 Tin | 809 |
| 31.1 Introduction | 809 |
| 31.2 Chemical and Biochemical Properties | 810 |
| 31.2.1 Inorganic Tin | 810 |
| 31.2.2 Organotins | 811 |
| 31.3 Sources and Uses | 813 |
| 31.4 Concentrations in Field Collections | 815 |
| 31.4.1 Abiotic Materials | 815 |
| 31.4.2 Biological Samples | 816 |
| 31.5 Effects | 817 |
| 31.5.1 Aquatic Organisms | 817 |
| 31.5.2 Birds | 821 |

Contents

| | | |
|-----------|---|------------|
| 31.5.3 | Mammals | 822 |
| 31.5.4 | Terrestrial Invertebrates | 824 |
| 31.6 | Recommendations | 824 |
| 31.7 | Summary | 827 |
| 32 | Toxaphene | 829 |
| 32.1 | Introduction | 829 |
| 32.2 | Environmental Chemistry | 830 |
| 32.3 | Concentrations in Field Populations | 832 |
| 32.4 | Lethal Effects | 834 |
| 32.5 | Sublethal Effects | 835 |
| 32.6 | Recommendations | 837 |
| 32.7 | Summary | 839 |
| 33 | Zinc | 841 |
| 33.1 | Introduction | 841 |
| 33.2 | Sources and Uses | 842 |
| 33.3 | Chemical and Biochemical Properties | 843 |
| 33.3.1 | Chemical Properties | 843 |
| 33.3.2 | Metabolism | 845 |
| 33.3.3 | Interactions | 848 |
| 33.3.3.1 | Cadmium | 848 |
| 33.3.3.2 | Copper | 849 |
| 33.3.3.3 | Lead | 849 |
| 33.3.3.4 | Nickel | 850 |
| 33.3.3.5 | Others | 850 |
| 33.4 | Carcinogenicity, Mutagenicity, and Teratogenicity | 851 |
| 33.4.1 | Carcinogenicity | 851 |
| 33.4.2 | Mutagenicity | 852 |
| 33.4.3 | Teratogenicity | 853 |
| 33.5 | Concentrations in Field Collections | 853 |
| 33.5.1 | Abiotic Materials | 853 |
| 33.5.2 | Terrestrial Plants and Invertebrates | 854 |
| 33.5.3 | Aquatic Organisms | 855 |
| 33.5.4 | Birds | 857 |
| 33.5.5 | Mammals | 858 |
| 33.6 | Zinc Deficiency Effects | 860 |
| 33.6.1 | Terrestrial Plants | 860 |
| 33.6.2 | Aquatic Organisms | 860 |
| 33.6.3 | Birds | 861 |
| 33.6.4 | Mammals | 861 |
| 33.7 | Lethal and Sublethal Effects | 865 |
| 33.7.1 | Terrestrial Plants and Invertebrates | 865 |
| 33.7.2 | Aquatic Organisms | 866 |
| 33.7.2.1 | Algae and Macrophytes | 867 |
| 33.7.2.2 | Mollusks | 868 |
| 33.7.2.3 | Arthropods | 869 |
| 33.7.2.4 | Annelids | 871 |
| 33.7.2.5 | Echinoderms | 871 |

Contents

| | | |
|----------------------------|-----------------------|------------|
| 33.7.2.6 | Fishes | 872 |
| 33.7.2.7 | Amphibians | 874 |
| 33.7.3 | Birds | 874 |
| 33.7.4 | Mammals | 875 |
| 33.8 | Recommendations | 877 |
| 33.9 | Summary | 887 |
| General Index | | 891 |
| Species Index | | 933 |