

Vol. 1217, issue 2, 8 January 2010



CONTENTS

Abstracted/indexed in: Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, BioSIS, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents/Life Sciences, Current Contents/ Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, EMBASE/Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, MEDLINE, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

6TH HYDROPHOBIC INTERACTION CHROMATOGRAPHY/REVERSED-PHASE LIQUID CHROMATOGRAPHY BIOSEPARATION CONFERENCE, NAPA VALLEY, CA, USA, 15–19 MARCH 2009

FOTEWORD	
by D. Josic (Providence, RI, USA)	183
Hydrophobic interaction chromatography of proteins: Thermodynamic analysis of conformational changes by R. Ueberbacher, A. Rodler, R. Hahn and A. Jungbauer (Vienna, Austria)	184
Investigation of protein binding affinity in multimodal chromatographic systems using a homologous protein library by W.K. Chung, Y. Hou, M. Holstein, A. Freed, G.I. Makhatadze and S.M. Cramer (Troy, NY, USA)	191
A new thermodynamic model describes the effects of ligand density and type, salt concentration and protein species in hydrophobic interaction chromatography by R.W. Deitcher, J.E. Rome, P.A. Gildea, J.P. O'Connell and E.J. Fernandez (Charlottesville, VA, USA)	199
Analytical and preparative separation of PEGylated lysozyme for the characterization of chromatography media by A. Moosmann, J. Christel, H. Boettinger and E. Mueller (Stuttgart, Germany)	209
The distinctive separation attributes of mixed-mode resins and their application in monoclonal antibody downstream purification process by J. Chen, J. Tetrault, Y. Zhang, A. Wasserman, G. Conley, M. DiLeo, E. Haimes, A.E. Nixon and A. Ley (Cambridge, MA, USA)	216
Separation by hydrophobic interaction chromatography and structural determination by mass spectrometry of mannosylated glycoforms of a recombinant transferrin-exendin-4 fusion protein from yeast	
by M.D. Zolodz, J.T. Herberg, H.E. Narepekha, E. Raleigh, M.R. Farber, R.L. Dufield and D.M. Boyle (Chesterfield, MO, USA)	225
Industrial case study: Evaluation of a mixed-mode resin for selective capture of a human growth factor recombinantly expressed in <i>E. coli</i> by K.A. Kaleas, C.H. Schmelzer and S.A. Pizarro (South San Francisco, CA, USA)	235