



User name: _____
 Password: _____

[Register](#) [Forgotten Password](#) [Athens Login](#)

[Synergy Home](#) | [Browse](#) | [Search](#) | [My Synergy](#) | [Books Online](#) | [Resources](#) | [About](#) | [Help](#)

Journal of the American Ceramic Society



Journal Menu

Current Issue

[List of Issues](#)
[Free Sample Issue](#)
[Journal Information](#)

Tools

[Most Read Articles](#)
[Most Cited Articles](#)
[Add to favorite journals](#)
[Sign up for e-alerts](#)
 (What is this?)



**Sign up for
free email
table of
contents
alerts**

[Home](#) > [List of Issues](#) > [Table of Contents](#)

Journal of the American Ceramic Society

May 2007 - Vol. 90 Issue 5 Page 1347-1670

[Prev Issue](#) | [Next Issue](#)



Table of Contents

[Add to favorites](#) | [View abstracts](#) | [Export citations](#) | [Citation Alerts](#) | [Email this article](#)

Select
all

Feature

- Refractory Diborides of Zirconium and Hafnium**
[William G. Fahrenholtz](#), [Gregory E. Hilmas](#), [Inna G. Talmy](#) and [James A. Zaykoski](#)
 pages 1347–1364
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1375 KB\)](#) | [Rights and Permissions](#)

Articles

Processing Science

- Fabrication of Gas Electrodes by Wet Powder Spraying of Binder-Free Particle Suspensions Using a Pulse Injection Process**
[Naoki Oishi](#), [Yeong Yoo](#) and [Isobel Davidson](#)
 pages 1365–1369
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(465 KB\)](#) | [Rights and Permissions](#)
- Sol–Gel Synthesis and Photocatalytic Activity of CeO₂/TiO₂ Nanocomposites**
[Huaming Yang](#), [Ke Zhang](#), [Rongrong Shi](#) and [Aidong Tang](#)
 pages 1370–1374
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(263 KB\)](#) | [Rights and Permissions](#)
- Grain-Boundary Migration at High Velocity in Al₂O₃**
[Charles Greskovich](#) and [James Brewer](#)
 pages 1375–1381
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1158 KB\)](#) | [Rights and Permissions](#)
- Synthesis and Characterization of Bismuth Titanate by an Aqueous Sol–Gel Method**
[Xianfeng Du](#), [Youlong Xu](#), [Hanxiao Ma](#), [Jie Wang](#) and [Xifei Li](#)
 pages 1382–1385

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(226 KB\)](#) | [Rights and Permissions](#)

Gelcasting Performance of Alumina Aqueous Suspensions with Glycerol Monoacrylate: A New Low-Toxicity Acrylic Monomer

[Carolina Tallón](#), [Rodrigo Moreno](#), [M. Isabel Nieto](#), [Dariusz Jach](#), [Gabriel Rokicki](#) and [Mikolaj Szafran](#)
pages 1386–1393

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(985 KB\)](#) | [Rights and Permissions](#)

Anisotropic Microstructural Development During the Constrained Sintering of Dip-Coated Alumina Thin Films

[Olivier Guillon](#), [Ludwig Weiler](#) and [Jürgen Rödel](#)
pages 1394–1400

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(503 KB\)](#) | [Rights and Permissions](#)

New Method for the Preparation and Stabilization of Nanoparticulate t -ZrO₂ by a Combined Sol–Gel and Solvothermal Process

[Thomas Schmidt](#), [Martin Mennig](#) and [Helmut Schmidt](#)
pages 1401–1405

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(594 KB\)](#) | [Rights and Permissions](#)

Lanthanum Strontium Manganite Powders Synthesized by Gel-Casting for Solid Oxide Fuel Cell Cathode Materials

[Lan Zhang](#), [Yujun Zhang](#), [Y. D. Zhen](#) and [San Ping Jiang](#)
pages 1406–1411

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(562 KB\)](#) | [Rights and Permissions](#)

Electrospinning of PVA–Calcium Phosphate Sol Precursors for the Production of Fibrous Hydroxyapatite

[Xiaoshu Dai](#) and [Satya Shivkumar](#)
pages 1412–1419

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1496 KB\)](#) | [Rights and Permissions](#)

Influence of CeO₂ Reduction on the Microstructure and Mechanical Properties of Pulsed Electric Current Sintered Y₂O₃–CeO₂ Co-Stabilized ZrO₂ Ceramics

[S. G. Huang](#), [K. Vanmeensel](#), [O. Van der Biest](#) and [J. Vleugels](#)
pages 1420–1426

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1201 KB\)](#) | [Rights and Permissions](#)

Diamond Growth on a Si Substrate With Ceramic Interlayers

[Y. S. Li](#), [C. Xiao](#), [A. Hirose](#), [Q. Yang](#) and [S. Shimada](#)
pages 1427–1433

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1136 KB\)](#) | [Rights and Permissions](#)

Synthesis and Mechanism of Ferroelectric Potassium Tantalate Niobate Nanoparticles by the Solvothermal and Hydrothermal Processes

[Nian Wei](#), [Duan-Ming Zhang](#), [Xiang-Yun Han](#), [Feng-Xia Yang](#), [Zhi-Cheng](#)

[Zhong](#) and [Ke-Yu Zheng](#)

pages 1434–1437

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(389 KB\)](#) | [Rights and Permissions](#)

Process Window of BaTiO₃–Ni Ferroelectric–Ferromagnetic Composites

[Yung-Ching Huang](#), [Shiu-Sheng Chen](#) and [Wei-Hsing Tuan](#)

pages 1438–1443

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(450 KB\)](#) | [Rights and Permissions](#)

Articles

Electrical, Dielectric, Optical, and Magnetic Properties

Ferroelectric and Ferromagnetic Properties of Hot-Pressed Bi_{0.95–x}La_{0.05}Tb_xFeO₃ Ceramics

[Qinghui Jiang](#), [Yuanhua Lin](#), [Ce-Wen Nan](#) and [Zhijian Shen](#)

pages 1444–1447

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(397 KB\)](#) | [Rights and Permissions](#)

Tellurite and Fluorotellurite Glasses for Fiberoptic Raman Amplifiers: Glass Characterization, Optical Properties, Raman Gain, Preliminary Fiberization, and Fiber Characterization

[M. D. O'Donnell](#), [K. Richardson](#), [R. Stolen](#), [A. B. Seddon](#), [D. Furniss](#), [V. K. Tikhomirov](#), [C. Rivero](#), [M. Ramme](#), [R. Stegeman](#), [G. Stegeman](#), [M. Couzi](#) and [T. Cardinal](#)

pages 1448–1457

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(391 KB\)](#) | [Rights and Permissions](#)

Phase Transitions and Electrical Properties of (Na_{1–x}K_x)(Nb_{1–y}Sb_y)O₃ Lead-Free Piezoelectric Ceramics With a MnO₂ Sintering Aid

[Dunmin Lin](#), [Kin Wing Kwok](#), [Huyong Tian](#) and [Helen Wong Lai-wa Chan](#)

pages 1458–1462

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(708 KB\)](#) | [Rights and Permissions](#)

Layer Structure of Textured CaBi₄Ti₄O₁₅ Ceramics Fabricated by Slip Casting in High Magnetic Field

[Masahiko Kimura](#), [Kosuke Shiratsuyu](#), [Akira Ando](#), [Tohru S. Suzuki](#) and [Yoshio Sakka](#)

pages 1463–1466

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(506 KB\)](#) | [Rights and Permissions](#)

Low Loss Dielectrics in the Ca(B'_{1/2}Nb_{1/2})O₃ [B'=Lanthanides, Y] System

[L. Abdul Khalam](#) and [M. T. Sebastian](#)

pages 1467–1474

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1076 KB\)](#) | [Rights and Permissions](#)

Crystal Structure and Dielectric Properties of LaYbO₃

[Antonio Feteira](#), [Lisa J. Gillie](#), [Ralf Elsebrock](#) and [Derek C. Sinclair](#)

pages 1475–1482

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(1102 KB\)](#) |

Rights and Permissions **Modification of MgAl₂O₄ Microwave Dielectric Ceramics by Zn Substitution**

[Chang Wei Zheng](#), [Shu Ya Wu](#), [Xiang Ming Chen](#) and [Kai Xin Song](#)
pages 1483–1486

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(487 KB\)](#) | [Rights and Permissions](#)

 Microwave Dielectric Properties of Sintered Alumina Using Nano-Scaled Powders of α Alumina and TiO₂

[Cheng-Liang Huang](#), [Jun-Jie Wang](#) and [Chi-Yuen Huang](#)
pages 1487–1493

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(821 KB\)](#) | [Rights and Permissions](#)

 Enhanced Permeability and Dielectric Constant of NiZn Ferrite Synthesized in Nanocrystalline Form by a Combustion Method

[Sasanka Deka](#) and [P. A. Joy](#)
pages 1494–1499

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(693 KB\)](#) | [Rights and Permissions](#)

 Glass Formation and Properties of Chalcogenides in a GeSe₂-As₂Se₃-PbSe System

[Guang Yang](#), [Xianghua Zhang](#), [Jing Ren](#), [Yang Yunxia](#), [Guorong Chen](#), [Hongli Ma](#) and [J. L. Adam](#)
pages 1500–1503

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(260 KB\)](#) | [Rights and Permissions](#)

 Effect of Liquid-Phase Sintering on the Breakdown Strength of Barium Titanate

[A. Young](#), [G. Hilmas](#), [S. C. Zhang](#) and [R. W. Schwartz](#)
pages 1504–1510

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(458 KB\)](#) | [Rights and Permissions](#)

 Cryogenic Microwave Dielectric Properties of Sintered (Zr_{0.8}Sn_{0.2})TiO₄ Doped with CuO and ZnO

[M. V. Jacob](#), [D. Pamu](#) and [K. C. James Raju](#)
pages 1511–1514

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(349 KB\)](#) | [Rights and Permissions](#)

Articles*Mechanical, Thermal, and Chemical Properties* **Electrical Conductivity and Thermal Expansion of Spinel at Elevated Temperatures**

[Anthony Petric](#) and [Hang Ling](#)
pages 1515–1520

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(286 KB\)](#) | [Rights and Permissions](#)

 Physicochemical Mechanism for the Continuous Reaction of γ -Al₂O₃-Modified Aluminum Powder with Water

[Zhen-Yan Deng](#), [José M. F. Ferreira](#), [Yoshihisa Tanaka](#) and [Jinhua Ye](#)
pages 1521–1526

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(341 KB\)](#) | [Rights and Permissions](#)

Sub-Critical Crack Growth Behavior of a Low-Temperature Co-Fired Ceramic

[Rajan Tandon](#), [Clay S. Newton](#), [Saundra L. Monroe](#), [S. Jill Glass](#) and [Christine J. Roth](#)
pages 1527–1533

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(560 KB\)](#) | [Rights and Permissions](#)

Load-Dependent Transition in Sliding Wear Properties of TiCN–WC–Ni Cermets

[B. V. Manoj Kumar](#), [Bikramjit Basu](#), [Mitjan Kalin](#) and [Joze Vizintin](#)
pages 1534–1540

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(780 KB\)](#) | [Rights and Permissions](#)

Elucidation of the Formation Mechanism of β -SiAlON from a Zeolite

[Feng Jin Li](#), [Toru Wakihara](#), [Junichi Tatami](#), [Katsutoshi Komeya](#), [Takeshi Meguro](#) and [Kenneth J.D. Mackenzie](#)
pages 1541–1544

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(243 KB\)](#) | [Rights and Permissions](#)

Optimization of the Bend Strength of Flat-Layered Alumina–Zirconia Composites

[Milan Ambrožič](#) and [Tomaž Kosmač](#)
pages 1545–1550

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(185 KB\)](#) | [Rights and Permissions](#)

Grain-Boundary Diffusion of Cr in Pure and Y-Doped Alumina

[K. Bedu-Amisshah](#), [J. M. Rickman](#), [H. M. Chan](#) and [M. P. Harmer](#)
pages 1551–1555

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(269 KB\)](#) | [Rights and Permissions](#)

Relaxation and Glass Transition in an Isostatically Compressed Diopside Glass

[Lothar Wondraczek](#), [Harald Behrens](#), [Yuanzheng Yue](#), [Joachim Deubener](#) and [George W. Scherer](#)
pages 1556–1561

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(313 KB\)](#) | [Rights and Permissions](#)

Articles

Structure, Characterization, and Phase Equilibria

Nitridation of Silica Characterized by High-Energy X-Ray Diffraction Technique

[Toru Wakihara](#), [Tomohiro Yamakawa](#), [Junichi Tatami](#), [Katsutoshi Komeya](#), [Takeshi Meguro](#) and [Shinji Kohara](#)
pages 1562–1565

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(241 KB\)](#) | [Rights and Permissions](#)

Effect of Composition on Crystallization of Y/Yb–Si–Al–O–N B-Phase Glasses

[Y. Menke](#), [S. Hampshire](#) and [L. K. L. Falk](#)

pages 1566–1573

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(763 KB\)](#) | [Rights and Permissions](#)

Spherical Rhabdophane Sols. I: Rheology and Particle Morphology

[R. S. Hay](#), [E. E. Boakye](#) and [P. Mogilevsky](#)

pages 1574–1579

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(992 KB\)](#) | [Rights and Permissions](#)

Spherical Rhabdophane Sols. II: Fiber Coating

[E. E. Boakye](#), [R. S. Hay](#) and [P. Mogilevsky](#)

pages 1580–1588

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(2387 KB\)](#) | [Rights and Permissions](#)

Low-Temperature Synthesis and Growth of Hexagonal Boron-Nitride in a Lithium Bromide Melt

[Yunle Gu](#), [Mingtao Zheng](#), [Yingliang Liu](#) and [Zilin Xu](#)

pages 1589–1591

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(503 KB\)](#) | [Rights and Permissions](#)

Sol–Gel Preparation and Characterization of Lithium Disilicate Glass–Ceramic

[Bo Zhang T](#), [Allan J. Easteal](#), [Neil R. Edmonds](#), and [Debes Bhattacharyya](#)

pages 1592–1596

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(322 KB\)](#) | [Rights and Permissions](#)

Na-Modified Cubic Zirconia—Link Between Sodium Zirconate and Zirconia in the Na₂O–ZrO₂ Phase Diagram

[H. Näfe](#) and [N. Karpukhina](#)

pages 1597–1602

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(528 KB\)](#) | [Rights and Permissions](#)

Articles

Communications

***In Situ* Formation of Silicon Carbide Nanofibers on Cordierite Substrates**

[Daniel D. Jayaseelan](#), [William E. Lee](#), [Devaraj Amutharani](#), [Shaowei Zhang](#), [Katsumi Yoshida](#) and [Hideki Kita](#)

pages 1603–1606

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(646 KB\)](#) | [Rights and Permissions](#)

Refinement of the α -Phase Area in the Yb–SiAlON System

[Kevin M. Fox](#), [John R. Hellmann](#), [Mark S. Angelone](#) and [Russell L. Yeckley](#)

pages 1607–1610

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(231 KB\)](#) | [Rights and Permissions](#)

Use of Genetic Algorithm to Determine the Kinetic Model of Solid-State Reactions

[S. Maitra](#), [A. J. Pal](#), [N. Bandyopadhyay](#), [S. Das](#), and [Jayita Pal](#)

pages 1611–1614

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(136 KB\)](#) | [Rights and Permissions](#)

Seeded Crystallization of Leucite

[Yi Zhang](#), [Bin Li](#), [Pinggen Rao](#), [Ming Lü](#) and [Jianqing Wu](#)
pages 1615–1618

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(378 KB\)](#) | [Rights and Permissions](#)

Low-Dielectric Loss Characteristics of Nd(Co_{1/2}Ti_{1/2})O₃ Ceramics at Microwave Frequencies

[Ching-Fang Tseng](#), [Cheng-Liang Huang](#) and [Cheng-Hsing Hsu](#)
pages 1619–1622

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(415 KB\)](#) | [Rights and Permissions](#)

Lower-Temperature Hot-Pressed Dy- α -Sialon Ceramics with an LiF Additive

[Junming Xue](#), [Qian Liu](#) and [Linhua Gui](#)
pages 1623–1625

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(309 KB\)](#) | [Rights and Permissions](#)

Microwave Dielectric Properties of a New A₅B₄O₁₅-Type Cation-Deficient Perovskite Ba₂La₃Ti₃TaO₁₅

[Liang Fang](#), [Qian Yu](#), [Hui Zhang](#), [C. Z. Hu](#), and [B. L. Wu](#)
pages 1626–1628

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(235 KB\)](#) | [Rights and Permissions](#)

Diode-Pumped Passively Q-Switched Nd:YAG Ceramic Laser with a Cr⁴⁺:YAG Crystal-Satiated Absorber

[Yusong Wu](#), [Jiang Li](#), [Yubai Pan](#), [Qian Liu](#), [Jingkun Guo](#), [Benxue Jiang](#) and [Jun Xu](#)
pages 1629–1631

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(355 KB\)](#) | [Rights and Permissions](#)

Rapid Hydrolysis of Organophosphorous Esters Induced by Nanostructured, Fluorine-Doped Titania Replicas of Diatom Frustules

[Seung-Jin Lee](#), [Ching-Hua Huang](#), [Samuel Shian](#) and [Kenneth H. Sandhage](#)
pages 1632–1636

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(329 KB\)](#) | [Rights and Permissions](#)

Effect of Green-State Processing on the Sintering Stress and Viscosity of Alumina Compacts

[Olivier Guillon](#), [Jürgen Rödel](#) and [Rajendra K. Bordia](#)
pages 1637–1640

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(161 KB\)](#) | [Rights and Permissions](#)

Structural Level of Silica-Fumed Aqueous Suspensions

[F. J. Galindo-Rosales](#), [F. J. Rubio-Hernández](#), [J. F. Velázquez-Navarro](#) and [A. I. Gómez-Merino](#)
pages 1641–1643

[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(172 KB\)](#) | [Rights](#)

[and Permissions](#)

- Coupling of Phosphates on Alumina Surfaces for Bioactivation**
[Nadine Kaltenborn](#), [Michael Sax](#), [Frank A. Müller](#), [Lenka Müller](#), [Henning Dieker](#), [Arno Kaiser](#), [Rainer Telle](#) and [Horst Fischer](#)
pages 1644–1646
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(403 KB\)](#) | [Rights and Permissions](#)

- Translucent Mg- α -Sialon Ceramics Prepared by Spark Plasma Sintering**
[Yan Xiong](#), [Zhengyi Fu](#), [Hao Wang](#), [Weiming Wang](#), [Jinyong Zhang](#), [Qingjie Zhang](#), [Soo Wahn Lee](#) and [Koichi Niihara](#)
pages 1647–1649
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(454 KB\)](#) | [Rights and Permissions](#)

- Effect of Calcination Conditions and Excess Alkali Carbonate on the Phase Formation and Particle Morphology of $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3$ Powders**
[Pornsuda Bomlai](#), [Pattraporn Wichianrat](#), [Supasarute Muensit](#) and [Steven J. Milne](#)
pages 1650–1655
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(786 KB\)](#) | [Rights and Permissions](#)

- Microstructure, Density, and Dielectric Properties of Lead-Free $(\text{K}_{0.44}\text{Na}_{0.52}\text{Li}_{0.04})(\text{Nb}_{0.96-x}\text{Ta}_x\text{Sb}_{0.04})\text{O}_3$ Piezoelectric Ceramics**
[Yunfei Chang](#), [Zupei Yang](#) and [Lingling Wei](#)
pages 1656–1658
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(305 KB\)](#) | [Rights and Permissions](#)

- Lead-Free $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ and $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ Material Fabrication Using the Microwave-Assisted Molten Salt Synthesis Method**
[Hua Hao](#), [Han-xing Liu](#), [Yang Liu](#), [Ming-he Cao](#) and [Shi-xi Ouyang](#)
pages 1659–1662
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(680 KB\)](#) | [Rights and Permissions](#)

- Mechanical Properties of Cr_2AlC Ceramics**
[Wu-bian Tian](#), [Pei-ling Wang](#), [Guo-jun Zhang](#), [Yan-mei Kan](#) and [Yong-xiang Li](#)
pages 1663–1666
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(387 KB\)](#) | [Rights and Permissions](#)

- Electrical Properties of Silica-Based Nanocomposites with Multiwall Carbon Nanotubes**
[Shuqi Guo](#), [Ramasamy Sivakumar](#), [Hideaki Kitazawa](#) and [Yutaka Kagawa](#)
pages 1667–1670
[Abstract](#) | [References](#) | [Full Text HTML](#) | [Full Text PDF \(314 KB\)](#) | [Rights and Permissions](#)

[Add to favorites](#) | [View abstracts](#) | [Export citations](#) | [Citation Alerts](#) | [Email this article](#)

[Top](#)

Quick Search

Search in:

- All Journals
- This Journal
- This Issue

Advanced search
Saved searches

GO 

Quick Link

J American Ceramic Society


Vol: Issue: Page:

GO 

[Try CrossRef search](#)



[Privacy Statement](#) | [Terms & Conditions](#) | [Contact](#) | [Help](#)

 **Blackwell Publishing** Blackwell Synergy® is a Blackwell Publishing, Inc. registered trademark Technology Partner — [Atypon Systems, Inc.](#)
Partner of CrossRef, COUNTER, AGORA, HINARI and OARE