

## INDEX

- A**
- Acceptable daily intake (ADI), 170, 171
  - Acetic acid, 98, 139, 243–245
  - Acetonitrile, 7, 22, 33, 34, 54, 121, 123, 150, 151, 241, 243, 245, 253
  - Acrylamide, 8, 94–99
    - determination using GC-MS, 98
    - determination using LC-MS/MS, 98
    - chromatogram, 99
    - formation, in food processing, 98
    - levels in foodstuffs, 95
    - techniques for analysis, 98
  - Adipose tissue, 118
  - Administrative MRLs (AMRLs), 170
  - Adsorption processes, 23
  - Aflatoxins, 233–234, 237, 253
  - Alkyl-bonded silica columns, 173
  - Alternaria* fungi, 231, 252
    - toxins, 235, 237
  - Ambient desorption/ionization techniques, 38–62, 253
    - applications, 55, 61, 65
      - relevant to food safety and quality, 56–60
  - Ammonia, 52, 94
  - Analog-to-digital converter (ADC), 176
  - Analyte retention factors, 17
  - Analytical quality control (AQC) system, 76, 86
    - internal quality control, 86
      - method performance verification in routine use, 86
      - proficiency testing, 86, 87
  - Analytical workflow, elements, 80
    - extraction efficiency, 81
    - sample preparation, 80, 81
      - sample processing, effects, 81
  - Animal fat, 117
  - Anthocyanidins, 9
  - Antimicrobial residues
    - in meat, 223–227
      - principle for screening, 225
      - targeted/nontargeted screening approaches, 223–227
  - APCI. *See* Atmospheric pressure chemical ionization (APCI)
  - AQC guidelines, 76, 78, 90
  - Arginine, 109
  - ASAP. *See* Atmospheric pressure solids analysis probe (ASAP)
  - Aspergillus*, 231, 233, 242, 252, 253
  - Atmospheric pressure chemical ionization (APCI), 26, 44, 45, 53, 100, 102, 106, 250
  - Atmospheric pressure solids analysis probe (ASAP), 45, 46, 55, 60
    - ion source, and ionization process, 46
  - Atrazine, 9, 56, 59, 133, 147
  - Audits, 75
  - Australian government statutory authority, 171
  - Australian Pesticides and Veterinary Medicines Authority (APVMA), 171
  - Automated extraction systems, 8
  - Automated SPE workstations, 8
  - Automation of weighing and preparing standard solutions, 5
    - QuEChERS, 6
    - SweEt, 6
  - Azo-dyes, 105

- B**  
Beauvericin, 232, 237, 245  
Belgium, dioxins in pork and milk products, 1  
Bensulfuron-methyl, 118, 122, 137, 149  
Benzene, 1, 10, 119  
Benzimidazoles, 193  
Benzyl butyl phthalate, 103, 105  
Bioaccumulation, 103  
Bioactivity-based methods, 2  
Bioflavonoids, 9  
Biological techniques, 172, 238, 256–258  
Biosensors, 194, 238, 259  
Bis(2-ethylhexyl)phthalate, 103  
Bisphenol A (BPA), 101  
Bovine spongiform encephalopathy, 1  
Brilliant green (BG), 220  
    extracted ion chromatograms, 222  
    high-resolution LC–MS, 221  
    mass spectra, 221  
    and metabolites in fish  
        identification under HRMS conditions  
        (See Nontargeted approach;  
        Targeted approach)  
Brominated flame retardants, 19  
Bruker micrOTOF system, 182  
Butyl benzyl phthalate (BBP), 120  
 $\beta$ -Zearalenol ( $\beta$ -ZOL), 254
- C**  
Canadian Food Inspection Agency (CFIA), 170  
Capillary electrophoresis, 10  
Carcinogen, 94, 117, 119, 220, 237  
Centers for Disease Control and Prevention (CDC), 1, 2  
Chemical contamination, 90, 93, 95, 97, 109  
Chemical ionization (CI), 18  
Chemical pollutants, 117  
    in animal fat, 118  
China, 1  
    melamine milk crisis, 3, 23, 94  
    pork samples, analysis, 152  
    regulations for mycotoxins, 237  
    risk assessment of environmental pollution, 162  
Chloramphenicol, 168, 170, 174, 187, 193, 194  
Chloropropanols, 100  
Chlortoluron, 118, 122, 137, 149  
Chromatograms, 20, 99, 104, 110, 138, 139, 185, 196, 197, 200, 222, 251  
Chromatography  
    based approaches, 15  
    performance, 22  
    separation of VDs, 174–175  
CI. See Chemical ionization (CI)  
Citrinin, 237  
*Claviceps* fungi, 252  
    toxicogenic molds of, 231  
Code of federal regulations (CFR), 96–97  
Codex Alimentarius Commission (CAC), 2, 76, 95, 171, 172, 215  
    standards, recommendations for, 2  
Column  
    Florisil, 121  
    geometry, 16, 174  
    length, 16, 220  
    Megabore, 17  
    particle-based, 23  
    with a small internal diameter, 16  
Confirmatory analysis, 79, 191, 250  
Confirmatory methods, 2, 78, 79, 199  
    validation and EU regulation, 79  
Control of records, 75  
Core-shell columns, 24  
Correlation coefficients, 28–29  
Crystal violet (CV), 220  
C-shaped storage trap, 178  
Cyanuric acid, 23, 94, 109  
    chromatogram, 110
- D**  
DAPCI. See Desorption atmospheric pressure chemical ionization (DAPCI)  
DAPPI. See Desorption atmospheric pressure photoionization (DAPPI)  
Darcy's law, 22  
DART ionization. See Direct analysis in real-time (DART) ionization  
DART–Orbitrap MS fingerprinting, 254  
Data-dependent acquisition (DDA) mode, 177, 218  
Decision limit ( $CC\alpha$ ), 171, 192, 195, 196  
Deoxynivalenol (DON), 54, 232, 237, 243, 245, 253–255, 257, 258  
    calibrations, and isotope dilution, 255

- matrix-matched standards/isotope dilution, 255
  - Desciprofloxacin, 185
  - DESI. *See* Desorption electrospray ionization (DESI)
  - Desorption atmospheric pressure chemical ionization (DAPCI), 45, 46, 59
  - Desorption atmospheric pressure photoionization (DAPPI), 46, 47, 60
  - Desorption electrospray ionization (DESI), 41–43, 53–54, 253
    - geometry-independent, 43
    - ion source, and ionization process, 42
    - mass analyzers, suitable to deal with, 53
    - matrix effects, 54
    - optimization, 47–48
      - for food-related DESI applications, 42
    - quantification, 54–55
    - sensitivity, 42
    - source parameters, 48–50
    - transmission mode (TM) DESI, 42
  - Detection capability (CC $\beta$ ), 88–89, 171, 192, 195, 196
  - Diacetoxyscirpenol, 58, 232, 237, 245
  - Dibutyl phthalate (DBP), 104, 105, 120
  - Dichloromethane, 52, 103, 122, 138, 139
  - 1,3-Dichloropropan-2-ol (1,3-DCP), 100
  - Dicyandiamide, 108
  - Diethyl phthalate (DEP), 104, 105, 120
  - Diethylstilbestrol, 168
  - Dimethyl phthalate (DMP), 104, 105, 120
  - Dioctyl phthalate (DOP), 120
  - Diode array detector (DAD), 183, 192, 248
  - Dioxins, 1
  - Direct analysis in real-time (DART)
    - ionization, 44–45, 53–54, 253, 254
    - applicability of DART-MS to chicken meat metabolomics for, 62
    - authenticity assessment of extra virgin olive oil, 61
    - efficient tool for rapid determination of lipids/ionizable impurities, 62, 254
    - mass analyzers, suitable to deal with
      - TOF/Orbitrap mass analyzers, for fungicides, 53
    - matrix effects, 54
    - multivariate analysis, 62
    - optimization, 47–48
      - of partition-based sample cleanup, 62
    - quantification, 54–55
    - source parameters, 50–53
      - dopants, 50, 52–53
      - geometry, 50
      - ionization gas parameters, 50–52
      - voltages, 50
  - Dispersive solid-phase extraction (dsPE), 241–243, 245, 247
  - Diterpene glycosides, 9, 61
  - Docosahexaenoic acid (DHA), 5, 6
  - Document control, 74
  - DON. *See* Deoxynivalenol (DON)
  - DON-3-glucoside (D3G), 238, 243, 245, 250, 254
  - 2,4-D pesticide, 118
  - Dried distiller's grains with solubles (DDGS), 241
  - Drug discovery, 3
  - Drug residues, 3, 76, 79, 193, 213, 215, 224
    - physicochemical analyses, 213
  - Dynamic range enhancement (DRE), 176
- ## E
- Eicosapentaenoic acid (EPA), 5, 6, 119, 120
  - electronic Laboratory Information Management System (LIMS), 75
  - Electron ionization (EI), 18
  - Electrospray ionization (ESI), 26, 41, 98, 103, 122, 183, 187, 190, 198, 249, 254
  - Electrostatic interactions, 23
  - Endosulfan, 20, 117, 122, 124, 148, 159, 161
  - Enniatins, 232, 237, 243, 244
  - Environmental contaminants, 2, 19
  - Environmental pollutants, 117
    - long-term hazards, 117
    - residues, 117
  - Environmental protection, 117
  - Enzyme-linked immunosorbent assay (ELISA), 77, 238, 256, 257, 259
    - disadvantage of, 256
    - LC-MS-based confirmation, 256
  - Ergot alkaloids, 236, 237, 242, 243, 248, 254
  - EU. *See* European Union (EU)

- The European Food Safety Authority (EFSA), 1, 95, 171
- European Medicines Agency (EMA), 171
- European Pharmacopoeia, 171
- European Union (EU), 1
- analytical methods, minimum performance criteria, 171, 172
  - food safety framework, 168
  - human health of VD residues, regulated controls, 169
    - characterization of quinolones regulated by, 192
    - Commission Regulation (EU) 37/2010, 169
    - legislative documents, 169
    - MRL values, 170, 171, 189, 196, 199
    - principle of zero tolerance, 170
  - legislation on contaminants, 95
  - substances banned, 168
- Exactive™ Orbitrap, 178
- Extracted ion chromatograms (EIC), 181, 218, 221–223
- Extractive electrospray ionization (EESI), 43, 55, 57, 61
- ion source, and ionization process, 43
  - QTOF mass spectra of grapes, 61
  - tolerance to sample matrix, 43
- Extraction efficiency, 81
- comparison of, 150
- F**
- False negative, 3, 89
- False positive, 3
- Fast gas chromatography, 16
- applications, 19
- The Federal Food, Drug, and Cosmetic Act (FFDCA), 95
- Federal government agencies, 2
- Fertilizers, 93
- Fipronil, 118
- Flavor compounds, 19
- Flumequine, mass spectra, 217
- Fluorescence
- detector, 248
  - liquid chromatography (LC), 168
- Fluorescence polarization (FP)
- immunoassays, 258
- Food analysis, 2, 15, 17, 55, 59, 227, 246, 258
- Food and Agriculture Organization of the United Nations (FAO), 2, 170, 215
- Food and Drug Administration (FDA), 1, 94
- Food authenticity, 2
- Food-borne pathogen, 2
- Food-containing residues, with antimicrobial activity, 167
- Food contamination, 16, 93, 94
- accidental, 94
  - nonintentionally added substances (NIAS), 94
  - undesirable packaging contaminants, 94
- Food control applications, 181
- comparison studies, 195–201
  - confirmation/quantification methods, 191–195
  - screening applications, 181–191
- Food monitoring program, 95
- Food-producing animal drugs, 168
- notice of compliance (NOC) for, 170
- Food safety
- classifications, 3
  - Food Safety Modernization Act (FSMA), 1, 95
  - U. S./Canada, 168
- Food Standard Agency (FSA), 93
- Formic acid, 98
- Fourier transform ion cyclotron resonance (FTICR) mass spectrometers, 214, 216
- Fourier transform orbital trap (FTMS–Orbitrap), 214
- France, tainted coca-cola in, 1
- Fumonisin, 233, 237, 245, 254, 256–258
- Furan, 100, 101
- Fusarium* mycotoxins, 241, 257
- G**
- Gas chromatography (GC), 15, 172, 247
- steps, 16
- Gas chromatography–mass spectrometry (GC–MS), 2, 4, 15–21, 78, 117, 124
- Gastric intestinal disturbances, 167
- Gel permeation chromatography (GPC), 103, 117, 121, 124, 136, 138, 151, 153

- GEMS/Food Programme, 95  
Graphitized carbon black (GCB), 242  
Growth-promoting agents (GPAs), 169
- H**
- Headspace analysis, 10  
Headspace gas chromatography–mass spectrometry (HS-GC–MS), 10  
  equilibration times, 38  
  HS-MS (e-nose), for volatile compounds analysis, 38  
Headspace solid-phase microextraction (HS-SPME), 19  
  features, 37–38  
  incubation and extraction times, 38  
  MS e-nose, in food authenticity studies, 38  
Heat-induced food processing contaminants, 97–101  
Helium, 17, 44, 50–52, 124  
Heptafluorobutyric acid (HFBA), 108, 175, 224  
Heptafluorobutyrylimidazole (HFBI), 100  
Hexythiazox, 118, 122, 137, 149  
Higher energy collision dissociation (HCD), 178, 198  
High-field asymmetric waveform ion mobility spectrometry (FAIMS) method, 254  
High-performance liquid chromatography (HPLC), 7, 21, 22, 24, 101, 105, 191, 192, 195, 220, 243, 244, 249, 253  
High-resolution/accurate mass analyzers, 18  
High-resolution mass spectrometry (HRMS), 25, 80, 168, 173, 195–201, 214, 218, 250–252  
  comparison studies, 195–201  
  food control applications  
    extracted MS/MS ion chromatograms, enrofloxacin milk sample, 185  
    screening applications, 181–182, 185–186, 189–190  
  hybrid quadrupole-time of flight (QqTOF), 168  
  metabolites in fish, 220–222  
  nontargeted analysis using, 219, 223, 226  
  Orbitrap-MS analyzer, 168  
    detection of veterinary drug residues in food samples, 187–188  
    targeted analysis using, 218–219, 223  
    time of flight (TOF) MS, 168  
      detection of veterinary drug residues in food samples, 183–184  
      veterinary drugs (VDs), 192–195  
      veterinary medicinal products, in foodstuffs, 223  
  High-resolution TOFMS (HRTOFMS), 19  
  High screening capacities, 4  
  High-speed high-resolution/accurate mass analyzers, 18  
  High-speed TOFMS (HSTOFMS), 19  
  High-throughput analysis, 61  
    for food safety, 3  
  High throughput concept, 3  
  High-throughput definition, 4  
  High-throughput drug analysis, 3  
  High-throughput screening, 3  
  High/ultrahigh-performance liquid chromatography (HPLC/UHPLC), 248  
HPLC–QLIT–MS/MS  
  using SRM mode for multiscreening of VDs, 191  
HPLC–QqQ–MS/MS system, 195  
HPLC–TOF–MS method, 196  
HRMS. *See* High-resolution mass spectrometry (HRMS)  
HT2 toxins, 252  
Hybrid QqTOF–MS analyzer  
  application in field of VDs, 177  
  MS/MS mode, 191  
Hybrid quadrupole-ion trap (QTrap) LC–MS systems, 216  
Hybrid quadrupole/time-of-flight (QTOF), 250  
Hydrogen bonding, 23  
Hydrophilic interaction liquid chromatography (HILIC), 7, 22, 23, 108  
  food analyses, 23  
Hydrophilic stationary phase, 22  
Hygienic limits, 237
- I**
- Identification points (IPs), 171  
Igcure, 101, 102

- Immunoaffinity column (IAC), 246
- Immunochemical methods, 172, 238, 256–258
- enzyme-linked immunosorbent assay, 238, 256
  - fluorescence polarization (FP) immunoassays, 258
  - membrane-based immunoassays, 257–258
  - surface plasmon resonance, 258
- Injection techniques, 16
- Insecticides, 121
- in honey, 9
  - organophosphorus, 49
  - persistent organic pollutants, 118
- Internal quality control (IQC), 76
- method performance verification in routine use, minimum requirements, 86
- Ionization efficiencies, 16, 23, 26, 47, 50, 174, 218, 254
- Ion mobility spectrometry (IMS), 254
- determination of OTA, 254
- Ion trap (IT) LC–MS systems, 173, 189–191, 194, 216
- Isobaric interferences, 178
- in food samples, 53
- Isopropyl thioxanthone (ITX), 94
- ISO 17025 quality standard, 73
- IT technology
- detection of veterinary drug residues, 190
  - identification and confirmation of VD residues in food samples, 189, 194
  - improvements in, 179
- J**
- Japan, 1
- government “positive list” to regulate, 1
  - MHLW establish positive list with MRLs for pesticides, 170, 171
  - pesticides in contaminated foods, 1
  - regulations for industrial use of PFOS, 1
  - regulations for mycotoxins, 237
- Joint FAO/WHO Expert Committee on Food Additives (JECFA), 170
- K**
- Kjeldahl method, 94
- L**
- Labeling accuracy, 2
- Lateral flow devices (LFD), 256
- LC coupled with Q–MS and QqQ–MS/MS chromatograms for enroloxacin, 196
- LRMS limitations, 168
  - scanning modes, 194–195
- LC-TOF-MS method, 192
- for screening and quantification of VD residues, 185
- Legislation. *See also* regulation
- for adulterated food, 97
  - Code of Federal Regulations (CFR), 96, 97
  - Commission Regulation (EC) No. 1881/2006, 96
  - Directive 96/23/EC specifies, 215
  - 657/2002/EC document, 1
  - on food contaminants, 95
  - foodstuffs, 237
  - toxicants, 237
  - instrumentation and software, 97
  - mycotoxins, 231, 237
  - Rapid Alert System for Food and Feed (RASFF), 95, 240
  - Regulation 10/2011, 96
  - Regulation 2003/460/EC, 96
  - Regulation No. 450/2009, 96
  - toxicants, 237
  - veterinary drug, 168–172
  - Commission Decision 2002/657/EC, 171
  - Council Directive 96/23/EC, 169
  - Directive 2001/82/CE, 169
  - Regulation 2377/90/EC, 169
  - Regulation (EC) No. 470/2009, 169
- Leucobase of brilliant green (LBG), 220, 221
- mass spectra, 221
- Leuco-malachite green (LMG), 220
- Limits of detection (LODs), 33, 84, 118, 121, 139, 148, 184, 187, 190, 258
- Lincomycin, 193
- Linear ion traps (LITs), 173, 178
- improvements in technology, 179
  - use of third quadrupole (Q3) as, 180
- Linear-orbital trap (LTQ-Orbitrap), 173, 215
- detection of veterinary drug residues in food samples, 187–188

- Liquid chromatography–mass spectrometry (LC–MS), 2, 15, 21–22, 78, 97, 117, 124, 168, 173, 238, 248–249
- Liquid extraction surface analysis, 5, 9–10
- Liquid–liquid extraction (LLE), 5, 8
- LODs. *See* Limits of detection (LODs)
- Low-pressure gas chromatography (LP–GC), 17
- advantages, 17
- Low-resolution mass spectrometry analyzers (LRMS)
- detectors, 178, 199
- limitations, 168
- M**
- Macrolides, 193
- Malachite green (MG), 220
- Malicious contamination of food, 105–111
- Masked mycotoxins, 238
- Mass accuracy, 25, 176, 178, 218
- Mass spectrometry (MS), 15, 24
- ambient desorption/ionization methods, 38–41
- based techniques, 2, 10
- calibration, role of weighting factors for, 28–30
- matrix effects, 26–28
- nontargeted analysis, 26
- targeted analysis, 24–26
- Mass-to-charge ratio (*m/z*), 219, 221
- Mass window setting, 21
- Matrix-assisted laser desorption/ionization–mass spectrometry (MALDI–MS), 30, 252–253
- applications relevant to food safety and quality, 33–34
- in high-throughput analysis of food, 36–37
- instrumentation, 30–31
- optimization of key parameters, 31
- laser parameters, 35
- matrix, 32
- sample preparation, 32, 35
- principles, 30–31
- Matrix effects, 26
- Matrix solid-phase dispersion (MSPD), 5, 118, 120, 246
- Maximum residue limits (MRLs), 84, 85, 169, 170, 183–184, 187, 192, 193, 215, 219, 224, 227
- CODEX Alimentarius, guidelines, 171, 172, 215
- in food products, 215
- Regulation (EC) No. 37/2010, 215
- Regulation (EC) No. 470/2009, 215
- veterinary drug, 171
- Melamine, 23, 93, 109
- chromatogram, 110
- Membrane-based immunoassays, 257–258
- Methanol, 7, 22, 23, 33, 34, 36, 58, 98, 100, 122, 224, 247, 253, 256–258
- Metsulfuromethyl, 118
- Microextraction by packed sorbent (MEPS), 5, 9
- Microwave assisted extractions (MAE), 118, 119
- Minimum required performance limit (MRPL), 79, 169, 170, 184
- defined, 169
- values established for, 170
- Molecularly imprinted polymers (MIP), 246
- Moniliformin, 237
- 3-Monochloropropane-1,2-diol (3-MCPD), 100, 101
- Monolithic columns, 23, 24
- Monomers, 94
- MRLs. *See* Maximum residue limits (MRLs)
- MRPL. *See* Minimum required performance limit (MRPL)
- MS/MS mode, 189, 218
- MS/MS transitions, 19
- MSPD. *See* Matrix solid-phase dispersion (MSPD)
- Multiclass/multiresidue analyses, 120–122
- actual sample analysis, 157–161
- analytical methods, 124, 136
- GC–MS/MS with EI source, 124–135
- GC–MS with NCI source, 124–137
- GPC cleanup, 124
- LC–MS/MS, 124, 136
- experiment, 122
- extraction solvent, selection of, 138–139
- GPC cleanup conditions, selection of, 136, 138
- GPC chromatogram
- blank sample, 138

- Multiclass/multiresidue analyses (*Continued*)  
  standard fortified sample, 139  
  instruments, 122  
  linear range/LOD/LOQ, 140–149, 152  
  pesticide and VD residue analyses, 181, 182  
  precisions, 152, 157  
  qualitative/quantitative determination, 136  
  reagents, 122  
  recoveries, 152, 157  
  sample cleanup, comparison of, 151–156  
  sample extraction methods, comparison of, 150–151  
    accelerated solvent extraction, 150  
    homogeneous extraction, 150  
    oscillation extraction, 150  
  sample preparation, 123  
  standard solutions, preparation, 122–123
- Multiple reaction monitoring (MRM), 18, 24, 98, 213. *See also* selected reaction monitoring (SRM)
- Multiresidue methods (MRMs), 77, 81, 120  
  quantitative, 78, 80  
  screening, 181
- Mycotoxins, 2, 9, 186, 231–236  
  analysis in high-throughput environment, 238–239  
  analytical methods, for analysis, 239  
  chromatographic techniques, 247  
  countries partly established regulations for, 237  
  definition of, 231  
  emerging, 237–238  
  in food and feed, 237  
  health risks, public awareness, 231  
  legislation and regulatory limits, 231–237  
  masked, 238  
  matrices, 240
- NO-separation mass spectrometry-based methods  
  ambient ionization mass spectrometry, 253–254  
  enzyme-linked immunosorbent assay, 256  
  fluorescence polarization (FP) immunoassays, 258  
  immunochemical methods, 256  
  ion mobility spectrometry (IMS), 254–256  
  matrix-assisted laser desorption ionization–mass spectrometry, 252–253  
  membrane-based immunoassays, 257–258  
  surface plasmon resonance, 258  
  QuEChERS applications, 243–245  
  sample preparation, 239  
    dispersive solid-phase extraction (dSPE), 241–242  
    extraction of, 241–246  
    matrices of interest, 240–241  
    purification of sample extracts, 246–247  
    sampling, 240  
    use of QuEChERS, 242  
  separation/detection, 247  
    high-resolution mass spectrometry (*See* High-resolution mass spectrometry (HRMS))  
    liquid chromatography–mass spectrometry-based methods, 238, 248–250
- N
- Nano-ESI-MS analysis, 9, 10
- Nanoparticles, 10, 257
- National Oceanic and Atmospheric Administration (NOAA), 2
- Negative chemical ionization (NCI), 18, 117, 122, 124, 136
- NIR spectroscopy, 10
- Nitrofurans, 168, 170, 193
- Nitrogen content, of processed food, 94
- Nitroimidazoles, 193
- Nivalenol (NIV), 57, 232, 237, 245
- N*-nitrosamines, 102–103
- Nongovernmental organizations (NGOs), 170
- Nonintentionally added substances (NIAS), 94, 95
- Nontargeted analysis, 26, 214, 219–221  
  aimed at identifying metabolites of antimicrobials, 224  
  residues in meat, 223–227  
  principle of high-resolution full scan screening using, 226  
  *vs.* targeted approach, 26, 216, 223  
  veterinary drugs, 189



Notice of compliance (NOC), 170  
Nuclear magnetic resonance (NMR), 10, 109

**O**

Ochratoxins, 9, 235, 237, 245  
Omega-6 fatty acid, 9  
Optimal QuEChERS-based extraction protocol, 242  
Orbitrap-MS analyzer, 25, 53, 168, 177, 214, 216, 221, 223, 252  
determination of norfloxacin and its isobaric interference, 179  
mycotoxin applications, 250–252, 254  
veterinary drugs applications, 177–179, 186, 193–194, 197  
Organochlorine pesticides, 16, 118  
Oxociprofloxacin, 185  
Oxolinic acid, 217

**P**

Packaging migrants, 101–105  
bisphenol A, 101  
chemical migration, 102  
detection levels, 101  
faster QuEChERS method, 101  
irgacure, 101  
ITX, 101  
LC-MS/MS chromatogram, 104  
legislation, 101  
*N*-nitrosamines, 102  
photoinitiators in food, 102  
phthalates, 102, 105  
sample preparation, 101  
TRP-ITX, 101  
PAHs. *See* Polycyclic aromatic hydrocarbons (PAHs)  
Partial least-squares discriminant analysis (PLSDA) models, 253  
Particle size, 10, 22  
Partitioning theory, 23  
Patulin (PAT), 237  
PCBs. *See* Polychlorinated biphenyls (PCBs)  
Penicillins, 9, 193  
*Penicillium* fungi, 231, 242, 252  
Perfluorinated contaminants (PFCs), 103, 105, 106  
Perfluorooctane sulfonate (PFOS), 1, 103, 106  
Perfluorooctanesulfonic acid (PFOA), 103

Persistent organic pollutants (POPs), 118–119, 157  
Pesticide residue analysis, 2  
Pesticides  
residue analysis, 2, 4, 19, 78, 117, 121, 186, 241  
residues in foods, screening methods for validation, 79  
PFCs. *See* Perfluorinated contaminants (PFCs)  
Phomopsis, 237  
Photoinitiators, 94  
Photoionization, 47  
Phoxim, 118  
Phthalate bis-2-ethylhexyl ester (DEHP), 120  
Phthalate esters (PAEs), 102, 117, 119, 120, 157  
Phthalates, 1, 94, 102, 105  
Pistachios, 1  
Plant toxins, 186  
Plasticizers, 94, 103  
Polar organic mobile phase, 23  
Polybrominated diphenyl ethers, 120  
Polychlorinated biphenyls (PCBs), 9, 19, 96, 117, 119–120, 125–135, 157  
Polycyclic aromatic hydrocarbons (PAHs), 6, 19, 58, 96, 117, 119, 157  
Poly(methyl methacrylate) (PMMA), 47  
Polytetrafluoroethylene (PTFE), 47, 49  
Polyvinylchloride (PVC), 103  
Positive chemical ionization (PCI), 18  
Pressurized liquid extraction, 7–8  
Primary–secondary amine (PSA), 242  
Product ion scan (PIS), 173  
Proficiency testing, 76, 86, 87  
ISO/IEC 17043, 86  
laboratory performance, dependent on, 87  
Propanil, 118  
Protein precipitation (PPT), 5  
Proteomics, applications, 24

**Q**

QqQ LC-MS systems, 216, 217  
Quadrupole-time of flight mass spectrometry (QqTOF-MS), 18, 168, 177, 191, 195  
confirmation of VDs in milk samples, 185  
MS/MS ion chromatograms, 185  
methodologies used for the detection of veterinary drug residues, 183–184

- Quadrupole IT (QIT), 178  
  detection of veterinary drug residues, 190  
  two-dimensional, 179
- Quadrupole-linear ion trap (QqLIT), 173,  
  178, 249
- Qualitative screening methods, 76–78  
  biochemical methods, 77  
  biological methods, 77  
  confirmatory methods, 78, 79  
  physicochemical methods, 77  
  selectivity of mass spectrometry-based  
    methods, 78  
  validation (*See* validation)
- Quality control (QC), 75, 76, 86–87
- Quality manual, 74
- Quality systems, 73  
  advantages of implementing, 73  
  core elements, 73  
    audits, 75  
    control of records, 75  
    document control, 74  
    internal quality control, 76  
    manual, 74  
    method performance criteria, 76  
    procedures, 74  
    roles and responsibilities, 74  
    staff competency, 75  
    system design, 73, 74  
    validation of methodology, 75  
  design, 73, 74
- QuEChERS method, 5, 6, 19, 27, 56–60,  
  101, 118, 119, 181, 241, 242, 250,  
  251, 254  
  applications in the analysis of mycotoxins,  
    243–245  
  approaches, 181  
  extraction method, 19  
  procedure, modified, 54
- Quinolones, 193
- R**
- Rapid Alert System for Food and Feed  
  (RASFF), 95
- Recovery, 27, 152
- Red wine, 9
- Regulations, 1–4, 80, 215–216. *See also*  
  Legislation
- Relative isotopic abundance (RIA), 77, 189,  
  202
- Relative standard deviations (RSDs), 118,  
  140–149, 198
- Residue analysis. *See* Pesticides; Veterinary  
  drugs (VDs)
- Resolution  
  chromatography, 17, 22  
  mass spectrometry, 18, 25, 175–176, 178,  
    186, 216–217, 221, 224
- Retention time reproducibility, 17
- Reversed-phase liquid chromatography  
  (RPLC), 23, 173
- RIA. *See* Relative isotopic abundance (RIA)
- RSDs. *See* Relative standard deviations  
  (RSDs)
- S**
- Salmonella*, in peanuts and pistachios, 1
- Salting out LLE (SALLE), 5
- Sample capacity, 17
- Sample cleanup comparison, 151, 246
- Sample preparation, 9, 19, 80, 239  
  techniques, advanced, 5
- Sample throughput, 4, 15, 17, 19, 181, 242,  
  246, 247
- Sample volumes, 9, 17
- Sampling, 240
- Scheduled selected reaction monitoring  
  (sSRM) algorithm, 2
- Screening capacity, 4
- Screening detection limit (SDL), 79
- Screening method, 3, 76, 171, 181, 199
- Screening target concentration (STC), 88
- Selected ion monitoring (SIM) mode, 18,  
  189, 213
- Selective reaction monitoring (SRM) modes,  
  24, 173, 213. *See also* Multiple  
  reaction monitoring (MRM)
- Selectivity, 78
- Sensitivity, 16, 18, 24, 35, 49, 53, 102, 176,  
  186, 196, 246, 254, 259
- Sieve<sup>®</sup> software, 221, 224
- Size exclusion chromatography, 10
- “Soft” ionization techniques, 18
- Sol–gel process, 23
- Solid–liquid extraction (SLE), 118, 241
- Solid-phase extraction (SPE), 5, 8, 27, 100,  
  118, 119, 120, 241, 246  
  cleanup technique, 246  
  column modes, 247

- Solid-phase microextraction (SPME), 8–9, 27, 101, 119
- Soxhlet extraction 118, 119
- Spoilage markers, 2
- Staff competency, 75
- State government agencies, 2
- Stationary phase, 19, 23
- Sterigmatocystin, 237
- Steroids, 201
- Sudan dyes, 93, 96, 106, 108  
contamination in Europe, 93  
in food as contaminants, 107
- Sulfonamides, 168, 193  
trace analysis, 9
- Surface plasmon resonance (SPR)  
technology, 256, 258
- Swedish extraction technique (SweET), 5, 6
- T**
- Taiwan, phthalates in drinks and foods, 1, 3
- Targeted approach, 189, 218–219, 221  
identification of antimicrobial residues in meat, 223–227  
vs. non-targeted, 26, 216, 223  
principle for screening with high-resolution full scan and, 225
- Tetracyclines, 168, 193  
residues, in calves, 170
- Thin layer chromatography (TLC), 42, 45, 247
- Time-to-digital converter (TDC), 176
- TOF-MS. See Time-of-flight mass spectrometry
- Time-of-flight mass spectrometry (TOF-MS), 18, 78, 168, 214, 216, 250–252, 254  
application in the field of mycotoxins, 250–252  
application in field of veterinary drugs, 175–176, 183–184, 192, 194, 197  
limits of detection, 185
- Tolerable daily intake (TDI) values, 237
- Toluene, 47
- Total ion chromatogram (TIC), 221
- Toxic effects  
direct/indirect, 167
- Toxicogenic strains, 231
- ToxID<sup>®</sup>, 224
- Tranquilizers, 193
- Transesterification, 19
- Traveling wave-based radio frequency-only stacked ring ion guide (TWIG), 176
- Trichlorphon, 118
- Trichothecenes, 232
- Tridecafluoroheptanoic acid (TFHA), 108
- Triethylamine (TEA), 173
- Turbulent flow chromatography, 7
- Tylosin, 170
- U**
- UHPLC–LTQ–Orbitrap–MS, 186, 189  
analysis, 199
- UHPLC–TOF–MS method, 193, 195, 251
- Ultrahigh-performance liquid chromatography (UHPLC), 10, 21, 22, 173, 174, 181–182, 186, 192–193, 195, 197, 248–249
- United Kingdom  
benzene in carbonated drinks, 1  
bovine spongiform encephalopathy in beef, 1  
tests by dairies, 3
- United States  
federal laws, 2  
salmonella in peanuts and pistachios, 1
- United States Department of Agriculture (USDA), 2, 94
- United States Food and Drug Administration (USFDA), 167
- Unit-resolution instruments, 18
- UV-absorbing analytes, 47
- V**
- Validation, 75, 79, 81–85 216  
commodity groups and representative commodities, 82, 83  
compliance with ISO 17025, 75  
method validation parameters and criteria, 84  
qualitative screening multiresidue methods  
for pesticide residues in foods, 79, 80  
SANCO document, 85  
for veterinary drug residues in foods, 87  
the Community Reference Laboratories Guidelines, 77

- Validation (*Continued*)  
determination of specificity/  
selectivity and detection  
capability, 88  
determination of the applicability, 89  
establishment of a cutoff level and  
calculation, 88, 89  
EU legislation covering method, 87,  
88  
HRMS technologies, 80
- Valine, 109
- VDs. *See* Veterinary drugs (VDs)
- Veterinary drugs (VDs), 1, 167, 172–174,  
186, 189, 191, 192. *See also*  
Veterinary medicinal product  
residues; Veterinary medicinal  
products  
chromatographic separation, 174–175  
and European regulations, 168, 215–216  
food-producing, infectious diseases, 215  
in food samples, 168, 183, 187, 190  
high-resolution mass spectrometers,  
175, 213, 214, 216, 237  
hybrid QqQLIT platform, 179, 216  
ion trap (IT) LC–MS systems, 216  
LIT scanmodes, 180  
LRMS detectors, 178  
LTQ–Orbitrap, 216  
Orbitrap–MS analyzer, 177–178  
Q–Exactive (Q–Orbitrap), 216  
QqTOF–MS analyzer, 177, 216  
(QTrap) LC–MS systems, 216  
technologies, advantages, 173–174  
TOF–MS analyzer, 175–176  
legislation, 168–172  
metabolites, 214  
multiresidue screenings of, 182  
U.S./Canada, 168
- Veterinary medicinal product residues  
(VMPRs), 213, 214, 237. *See also*  
Veterinary drugs
- Veterinary medicinal products (VMPs), 167,  
169, 213, 215, 216, 218, 227. *See  
also* Veterinary drugs
- Viscosity, 22
- VMPRs. *See* Veterinary medicinal product  
residues (VMPRs)
- VMPs. *See* Veterinary medicinal products  
(VMPs)
- Volatile acids, 98
- Volatility, 16, 38, 55, 174
- W**
- Weighting factors, 28–29
- World Health Organization (WHO), 2, 215,  
237
- World Wide Web, 219
- Z**
- Zearalenone (ZON), 57, 233, 237, 245,  
256–258
- ZON-4-glucoside (Z4G), 238