

Index

A

acquired immunodeficiency syndrome (AIDS), 301–3
 active managerial control, 351–3; *see also* Hazard Analysis Critical Control Point (HACCP)
 adenovirus, 300, 303
 adult infectious botulism, 42
 age-related immune deficiency, 298–301, 308–11
 allergies, food, 360
 American Cancer Society, 2, 313
Anisakis simplex, 356–7
 approved supplier, 4, 229–33
 association of food groups and pathogens, 227
 audit of food in healthcare setting, 247–8, 251

B

Bacillus cereus
 as cause of foodborne disease, 14
 association with food groups, 227
 characteristics, 14–15
 disease in humans, 15
 drink from vending machine and, 346
 examples of outbreaks, 17–19, 263–5, 270, 272
 hazards in production of food, 229
 ice and, 334
 prevention and control, 17, 20, 229, 330, 356–7, 368
 source and transmission, 16–17
Bacillus licheniformis, 14
Bacillus subtilis, 14
Bacillus weihenstephanensis, 14
 Better Hospital Food Programme, 324
 biological food hazards, 355–7
 boil water notices, 339–40
 bone marrow transplant patients, 303–4, 310–13
 bottled water, 345
 botulism *see Clostridium botulinum*; infant botulism
Brucella spp.
 as cause of foodborne disease, 23
 association with food groups, 227
B. abortus, 23–5
B. canis, 23–5
B. melitensis, 23–5
B. suis, 23–5
 characteristics, 23–4
 control, 25
 disease in humans, 24

examples of outbreaks, 25
 hazards in production of food, 229
 source and transmission, 24–5
 brucellosis, 23–5
Burkholderia cepacia, 341
 butter
Brucella and, 24
Listeria monocytogenes and, 96, 101, 103–4, 258, 259
 low microbial diet and, 312

C

Caliciviridae, 177
Campylobacter spp.
 as cause of foodborne disease, 27
 association with food groups, 227
C. coli, 27, 31, 33, 229
C. fetus, 27, 30, 32
C. jejuni, 27–8, 30–35, 227, 229, 308–9, 339, 356–7
C. lari, 27
 characteristics, 27
 control and prevention, 35–6, 308–9, 311, 330, 356–7
 disease in humans, 27–30, 298, 301, 303
 examples of outbreaks, 31–5, 257, 272–3, 338–9
 hazards in production of food, 229
 source and transmission, 30–31
 cancer patients, 303, *see also* iatrogenic immune suppression
 advice to, 2, 311, 313
Listeria monocytogenes and, 94–5, 103, 269, 305
Vibrio vulnificus and, 153
 catering in hospitals, 324–8
 CCP *see* critical control point (CCP)
 cheese
 advice from American Cancer Society, 2, 313
Brucella and, 23–5
Campylobacter and, 30, 36
Clostridium botulinum and, 44, 47, 50
Enterobacter sakazakii and, 64
 enteroinvasive *E. coli* and, 71
 enterotoxigenic *E. coli* and, 69
 food handling practices for vulnerable groups, 308–9, 311–12

- cheese (*cont.*)
 food preparation process, 369
 guidance for care homes, 228
 hazards and control measures, 229, 230
Listeria monocytogenes and, 92, 93, 97–105
 pathogens associated with, 227
Salmonella and, 115, 120, 122, 241, 267
 shiga-like toxin-producing *E. coli* and, 78–9,
 82
Shigella and, 137
Staphylococcus aureus and, 144–6, 148
- chicken *see* poultry
- children, vulnerability of, 301, 308–10
- cholera *see* *Vibrio* spp.
- ciguatera poisoning, 227
- Citrobacter freundii*, 273–4
- Clostridium baratii*, 41
- Clostridium botulinum*
 as cause of foodborne disease, 40
 association with food groups, 227
 characteristics, 40–42
 disease in humans, 42–4, 295
 hazards in production of food, 229
 outbreaks, 45–9
 prevention and control, 45, 49–51, 356–7
 source and transmission, 44
- Clostridium butyricum*, 41
- Clostridium difficile*, 8, 295–6
- Clostridium perfringens*
 as cause of foodborne disease, 54
 association with food groups, 227
 characteristics, 54–5
 disease in humans, 55–6
 examples of outbreaks, 57–9, 252, 254–5, 260–3,
 283–4
 hazards in production of food, 229
 prevention and control, 57, 60, 330, 356–7, 368
 source and transmission, 56–7
- coconut milk, 138, 157
- cook-chill/cook-freeze catering system, 325, 329
- cost of foodborne disease outbreaks, 256–7
- coxsackievirus, 303–5
- critical control point (CCP), 7, 361–2
- cross-contamination, 6, 265–9
- Cryptosporidium* spp.
 as cause of foodborne disease, 200
 association with food groups, 227
 characteristics, 200–201
 disease in humans, 201–2, 303
 examples of outbreaks, 203–4, 338–9, 343
 hazards in production of food, 229
 prevention and control, 84, 203, 205, 311, 357
 source and transmission, 202–3
- Cyclospora cayentanensis*
 as cause of foodborne disease, 207
 association with food groups, 227
- characteristics, 207–8
- disease in humans, 208
- examples of outbreaks, 209–11, 339
- hazards in production of food, 229
- prevention and control, 209, 212, 357
- source and transmission, 209
- D
- defensins, 291–2
- dysentery, 134–5
- E
- EAEC (Enteraggregative *E. coli*), 70–71
- EAggEC (Enteraggregative *E. coli*), 70–71
- egg
 advice from the American Cancer Society, 2, 313
 allergen, 359, 360
Campylobacter and, 35, 36
Salmonella and, 4, 114–19, 121, 124–6, 227–8, 230,
 254–6, 258–64, 270, 272, 274–5, 281–2, 284,
 308, 310–12, 356
Staphylococcus aureus and, 144, 146, 147
- EIEC (Enteroinvasive *E. coli*), 70–71
- Eimeria acervulina*, 207
- elderly, vulnerability of, 298–301, 310
- employee health policy, 6, 192, 233, 280–81, 353,
 357
- enteral tube feeds (ETF), 3, 273–5
- Enterobacter sakazakii*
 as cause of foodborne disease, 63
 association with food groups, 227
 characteristics, 63
 disease in humans, 1, 63
 examples of outbreaks, 64–5, 273–5
 hazards in production of food, 229
 prevention and control, 66–7
 source and transmission, 64
- EPEC (Enteropathogenic *E. coli*), 69–70
- equipment, contamination of, 5–6
- ESBL (extended-spectrum β -lactamase-producing)
 Enterobacteriaceae, 283
- Escherichia coli*
 as cause of foodborne disease, 69–71
 association with food groups, 227
 bottled water and, 345
 drinks vending machine and, 346
 Enteraggregative *E. coli* (EAEC or EAggEC),
 70–71
 Enteroinvasive *E. coli* (EIEC), 70–71
 Enteropathogenic *E. coli* (EPEC), 69–70
 Enterotoxigenic *E. coli* (ETEC), 69–71
Escherichia coli O157 (*see* shiga-like
 toxin-producing *E. coli* (STEC))
 hazards in production of food, 230
 overview, 69–71
 shiga-like toxin-producing *E. coli* (STEC)

- association with food groups, 227
 - characteristics, 72
 - control and prevention, 77, 83–5, 308–9, 311, 356, 368
 - disease in humans, 72–3, 295
 - examples of outbreaks, 74–82, 257–8, 269–70, 276, 278–9
 - hazards in production of food, 230, 356
 - outbreaks of waterborne disease, 338
 - source and transmission, 73, 77
 - ETEC (Enterotoxigenic *E. coli*), 69–71
 - ETF *see* enteral tube feeds (ETF)
 - European Food Safety Authority, 8
 - Exophilia jeanselmei*, 341
 - extended-spectrum β -lactamase producing (ESBL)
 - Enterobacteriaceae, 283
- F
- FAE (follicle-associated epithelium), 292–3
 - fish
 - advice from the American Cancer Society, 2, 313
 - allergen, 360
 - Clostridium botulinum* and, 43–7, 50
 - Clostridium perfringens* and, 56–8
 - food handling practices for vulnerable groups, 308–11
 - food preparation process, 369
 - hazards and control measures, 230–31, 356–7
 - Listeria monocytogenes* and, 97, 100, 105
 - pathogens associated with, 227
 - Salmonella* and, 114–15
 - Staphylococcus aureus* and, 144
 - Vibrio* and, 153–8, 160
 - Yersinia* and, 166
 - Flavobacterium* sp., 343
 - follicle-associated epithelium (FAE), 292–3
 - Food Code (US), vii, 306–7, 362, 369–71
 - food handlers
 - Campylobacter* and, 33, 35–6
 - Clostridium perfringens* and, 57
 - Cryptosporidium* and, 203–5, 357
 - Cyclospora* and, 210, 357
 - enterotoxigenic *E. coli* and, 69
 - Giardia* and, 217–19, 357
 - guidelines for, 6, 192, 280–81
 - healthcare settings, 247
 - hepatitis A virus and, 182, 185, 190, 192–4, 231, 357
 - hygiene and, 323
 - norovirus and, 182, 185–7, 192, 194, 232, 357
 - outbreaks due to, 275–82
 - Salmonella* and, 116, 120, 122, 262
 - shiga-like toxin-producing *E. coli* and, 74, 81, 83
 - Shigella* and, 135–9
 - Staphylococcus aureus* and, 144–9
 - Vibrio* and, 157
 - Yersinia* and, 168
 - food handling practices
 - basic, 306–7
 - for vulnerable populations, 307–13
 - bone marrow transplant patients, 310–13
 - elderly and immunocompromised, 310–11
 - pregnant women, infants, young children, 308–10
 - food hygiene *see* hygiene, food
 - Food Hygiene (England) Regulations 2006, 321–3, 333
 - food law in UK, 321–4
 - food poisoning, definition of, 238
 - food preparation processes, 366–7
 - food procurement *see* procurement, food
 - food safety
 - advice from the American Cancer Society, 2, 313
 - for vulnerable groups (*see* susceptibility to foodborne disease; vulnerable populations)
 - inspections, 328–9
 - management systems
 - active managerial control, 351–3
 - HACCP (*see* Hazard Analysis Critical Control Point (HACCP))
 - quality control, 328
 - Food Safety Act 1990, 321, 329
 - Food Safety Regulations, 324, 329
 - foodborne botulism *see* *Clostridium botulinum*
 - foods, high-risk, 228, 281–2, 326
 - fruit
 - advice from the American Cancer Society, 2, 313
 - associated pathogens, 227
 - chemical hazards associated with, 359
 - Clostridium botulinum* and, 44, 46, 50
 - Cryptosporidium* and, 202–3
 - Cyclospora* and, 209–12
 - Enterobacter sakazakii* and, 63
 - food handling practices for vulnerable groups, 308–9, 311
 - food preparation and, 370
 - Giardia* and, 217–19
 - guidance for care homes, 228
 - hazards associated with, 230–31, 357
 - hepatitis A virus and, 181–2, 189, 194
 - low microbial diet and, 310, 312
 - norovirus and, 181–2, 184, 189, 191–2, 194
 - Salmonella* and, 111, 114–15, 120, 125–6
 - shiga-like toxin-producing *E. coli*, 72, 77, 80, 83–5
 - Shigella* and, 138–9
 - Toxoplasma* and, 224–5
 - fruit juice *see* juice
 - Fusarium solani*, 341

G

- Giardia* spp.
 as cause of foodborne disease, 215
 association with food groups, 227
 characteristics, 215–16
 disease in humans, 216, 303
 examples of outbreaks, 217–18, 338–9
 hazards in production of food, 229
 prevention and control, 217, 219, 357
 source and transmission, 216–17
- Guillain-Barré syndrome (GBS), 28, 208
- gut-associated lymphoid tissue (GALT), 292–4

H

- haemolytic uraemic syndrome (HUS), 72–82, 135, 279
- Hazard Analysis Critical Control Point (HACCP)
see also active managerial control
 advantages of, 371–2
 introduction to, 7, 353–5
 principles, 355–65
 process approach to, 365–71
- Health Protection Agency (HPA), 330
- healthcare-associated infection (HAI) *see also*
 surveillance of foodborne disease, in the
 healthcare setting
 as potentially foodborne disease, 246–7
 burden of, 244–5
 common types of, 244
 examples of, 243
 history of, 242–3
 importance of control and prevention of, 247–9
 risk of developing, 245
- helminth parasites, 227
- hepatitis A virus
 as cause of foodborne disease, 178–9
 association with food groups, 227
 characteristics, 179–80
 disease in humans, 180, 300–301, 303, 304
 examples of outbreaks, 182, 188–90, 276, 278
 of waterborne disease, 338
 hazards in production of food, 229
 prevention and control, 185, 191–3, 356–7
 source and transmission, 180–82
- hepatitis E virus, 193–4, 229, 304, 356
- herbs
 association with pathogens, 227
 basil and *Cyclospora*, 209–11
Clostridium botulinum and, 51
Cyclospora and, 209–11
 hazards associated with, 229, 231
 parsley
Cryptosporidium and, 202
 enterotoxigenic *E. coli* and, 69
Shigella and, 136–7
- high-risk foods, 228, 281–2, 326
- histamine poisoning, 227

honey

- advice from the American Cancer Society, 2, 313
- infant botulism and, 44, 49, 51, 227, 229
- Hospitals in Europe Link for Infection Control
 through Surveillance (HELICS), 243
- HPA (Health Protection Agency), 330
- HUS *see* haemolytic uraemic syndrome
- hygiene
 food, 7, 8, 104, 212, 247–8, 264, 273, 282, 321–2,
 327–8
 personal, 5–6, 8, 133, 135, 145, 193, 262, 278, 282,
 306, 323, 352, 355, 368–9

I

- ice and ice-making machines, 343–5
- ice cream
Brucella and, 23–4
Giardia and, 218
Listeria monocytogenes and, 100
 low microbial diet and, 312
Salmonella and, 111, 114, 119, 125
- inadequate cooking, 5, 262–5
- indigenous microbial flora (IMF), 295
- infant botulism, 42–5, 49, 51, 229, *see also*
Clostridium botulinum
- infant formula, 16, 20, 44, 63–7, 273–5
- infection control team (ICT), 243, 246–7
- inspections in healthcare settings, 328–30
- intestinal mucosal barrier, 291–6
- intraepithelial lymphocyte (IEL), 292–4
- irradiated foods, 3

J

- juice
 fruit juice
 advice from the American Cancer Society, 2, 313
 chemical hazards associated with, 358
Cryptosporidium and, 204
Enterobacter sakazakii and, 63
 food handling practices for vulnerable groups,
 308–9, 311
 hazards associated with, 230–32, 356
 hepatitis A virus and, 189
 low microbial diet and, 312
 mycotoxin and, 358
Salmonella and, 111, 115, 126
 shiga-like toxin-producing *E. coli* and, 72, 77, 80,
 84–5
- vegetable juice
 advice from the American Cancer Society, 2, 313
Clostridium botulinum and, 48
 hazards associated with, 230–32, 356
 low microbial diet and, 312

L

- lamina propria (LP), 292–4
- Legionella*, 341, 343

- lettuce
Cryptosporidium and, 202
Cyclospora and, 209–11
Giardia and, 217–18
hepatitis A virus and, 181
Listeria monocytogenes and, 100, 104
norovirus and, 187
Salmonella and, 119, 122, 267
shiga-like toxin-producing *E. coli* and, 80, 81, 83, 257–9
Shigella and, 136–7
Yersinia and, 167, 171
- Listeria monocytogenes*
as cause of foodborne disease, 1, 3, 92
association with food groups, 227
characteristics, 92–3
disease in humans, 93–6, 271, 304–5
examples of outbreaks, 97–8, 100–103, 257–9, 269–72
hazards in production of food, 229
prevention and control, 97, 99, 104–5, 307–9, 311, 330, 356
source and transmission, 96–7
- low microbial diet (LMD), 2, 310–13
- M
- Major Histocompatibility Complex Class II receptors (MHC II), 291
- management systems for food safety *see* food safety, management systems
- marine toxins, 227
- meat
Bacillus cereus and, 18–19
basic food handling practices, 306–7
Campylobacter and, 31–2
Clostridium botulinum and, 44, 45, 47, 50
Clostridium perfringens and, 54, 56–60, 254–5, 260–64, 284
Enterobacter sakazakii and, 64
food handling practices for vulnerable groups, 308–13, 326
guidance for care homes, 228
hazards and control measures, 229–32, 356, 359, 367
hepatitis E virus and, 193–4
Listeria monocytogenes and, 92, 97–105
pathogens associated with, 227
Salmonella and, 114–17, 119–21, 124, 126, 260, 263–4, 267–8, 283–4
shiga-like toxin-producing *E. coli* and, 72, 74–7, 82–4, 269
Staphylococcus aureus and, 144, 147–8
Toxoplasma gondii and, 221–5
Yersinia and, 169–70
- mesenteric lymph nodes (MLN), 292–4
- Methicillin-resistant *Staphylococcus aureus* (MRSA), 143, 145, 275–7
- microwave oven use, 325, 332
- milk
advice from the American Cancer Society, 2, 313
allergen, 359–60
Bacillus cereus and, 14, 16, 18, 20
Brucella and, 23–5
Campylobacter and, 30–36
Clostridium botulinum and, 47
Cryptosporidium and, 200, 202–4
food handling practices for vulnerable groups, 308–9, 311–13
guidance for care homes, 228
hazards and control measures, 229–30, 232, 356
hepatitis A virus and, 180
Listeria monocytogenes and, 92, 96–8, 100–102, 104–5
pathogens associated with, 227
Salmonella and, 111, 115, 119, 122, 126, 273–5
shiga-like toxin-producing *E. coli* and, 72, 77–9, 82–4
Staphylococcus aureus and, 143–5, 146, 148–9
Toxoplasma gondii and, 224–5
Yersinia and, 165, 168–9, 171
- milk powder
Clostridium botulinum and, 44
Enterobacter sakazakii and, 64, 274
Salmonella and, 121, 123
Staphylococcus aureus and, 148
- milk, coconut *see* coconut milk
- MRSA (Methicillin-resistant *Staphylococcus aureus*), 143, 145, 275–7
- mucins, 291–2
- multilocus sequence typing (MLST), 27
- Mycobacterium* spp., 341, 344
- N
- National Nosocomial Infection Surveillance (NNIS), 243
- NHS Supply Chain, 4, 327–8
- norovirus
as cause of foodborne disease, 175–6
association with food groups, 227
characteristics, 177
disease in humans, 177–8, 300
examples of outbreaks, 182–4, 186–7, 255, 257–8, 276–7
of waterborne disease, 338–9, 343, 345
hazards in production of food, 229
prevention and control, 185, 191–3, 308, 310–11, 356–7
source and transmission, 180–82
- Norwalk virus, 175, 303 *see also* norovirus
- nuts
advice from the American Cancer Society, 2, 313
allergen, 359–60
chemical hazard associated with, 358
Clostridium botulinum and, 44, 46

- nuts (*cont.*)
 low microbial diet and, 312
Salmonella and, 312
- O
- outbreak of foodborne disease
 causes of
 commercially prepared, contaminated ingredients, 260–62
 contaminated enteral feeds, infant formula, breast milk, 273–5
 contaminated food prepared outside hospital, 269–72
 contaminated raw ingredients, 257–60
 cross-contamination, 265–9
 hospital staff other than catering staff, 272–3
 in nurseries or day-care centres, 279
 inadequate cooking, handling, storage, 262–5
 infected food handlers, 144–5, 148–9, 186–7, 190, 192, 275–9
 continuing challenges, 282–4
 lessons learned from, 279–82
 reporting of, 12–13
 significance of
 cost, 256–7
 reviews, 252–6
 surveillance of (*see* surveillance of foodborne disease)
- P
- paratyphoid fever, 110, 111, 114, 122
 PARNUTS, 5
 pathogens, translocation of, 296–7
 personal hygiene *see* hygiene, personal
 pest control in hospital, 333–4
 physiological defences
 breakdown of mucosal barrier function, 295–6
 intestinal mucosal barrier, 291–4
 translocation of pathogens, 296–7
Plesiomonas shigelloides, 338
 potentially hazardous food (PHF), 228, 356, 361
 poultry
 advice from the American Cancer Society, 2, 313
Bacillus cereus and, 18, 263, 265, 267
 basic food handling practices, 306–7
Campylobacter and, 27, 30–36, 272, 273
Clostridium botulinum and, 40
Clostridium perfringens and, 55–60
 food handling practices for vulnerable groups, 308, 311, 326
 guidance for care homes, 228
 hazards and control measures, 229–30, 356, 367–8
Listeria monocytogenes and, 97–9, 102–4, 258
 pathogens associated with, 227, 356
Salmonella and, 14, 115, 117–22, 124–6, 254–6, 265–8, 276–7, 283
 shiga-like toxin-producing *E. coli* and, 74
Staphylococcus aureus and, 142–4, 147–8
Toxoplasma gondii and, 221, 224
- pregnant women
 food handling practices for, 308–10
 immune suppression, 304–5
 preparation processes of food, 366–7
 prime cooking, 324
 procurement, food, 3–5
 provision of food
 Better Hospital Food Programme, 324
 catering systems, 324–7
 contracts, 327–8
 food law in UK, 321–4
 inspections, 328–30
 microbiological analysis, 329–30
 pest control, 333–4
 quality control, 328
 ward kitchens, 330–33
 provision of water
 bottled water, 345
 drinks vending machines, 346
 enteric pathogens, 338–40
 ice and ice-making machines, 343–5
 importance of, 337
 opportunistic pathogens, 340–43
Pseudomonas aeruginosa, 340–46
 Public Health Laboratory Service (PHLS), 244–5
 pulsed-field gel electrophoresis (PFGE), 27, 63, 72, 93, 111, 119, 142, 164
- Q
- quality control, 328, 330
- R
- Ralstonia pickettii*, 341
 reactive arthritis, 28, 112, 135, 166, 171, 208, 273
 Refrigerated Foods of Extended Durability (REFPETS), 17, 227
 Reiter's syndrome, 112, 135, 166
 reovirus, 356
 REPFEDS, 17, 227
 rice and *Bacillus cereus*, 15–20, 270, 272
 risk factors for foodborne disease, 352–3
 rotavirus, 194, 299–300, 303, 356–7
- S
- salad vegetables *see* vegetables
Salmonella
 as cause of foodborne disease, 110
 association with food groups, 227
 characteristics, 110–111
 disease in humans, 111–14, 296, 300, 301, 303

- ESBL, 283
- examples of outbreaks, 115–23, 241, 252–68, 270, 272–8, 281–2, 284
- of waterborne disease, 338
- reviews of, 252–6
- hazards in production of food, 229
- prevention and control, 122, 124–6, 308–11, 330, 356–7, 368
- source and transmission, 114–15
- sandwiches
- Clostridium perfringens* and, 58, 225
- Giardia* and, 218
- hepatitis A virus and, 185, 190
- high-risk food, 281
- Listeria monocytogenes* and, 97–8, 102–3, 269–71
- norovirus and, 185–7, 257–8, 276
- Salmonella* and, 119–21, 254, 256, 261–2, 266–7, 276, 278
- shiga-like toxin-producing *E. coli* and, 74, 81, 276–8
- Shigella* and, 136
- SENIC study, 242–4
- Serratia marcescens*, 341
- shellfish
- allergen, 360
- Cryptosporidium* and, 202–3
- food handling practices for vulnerable groups, 308, 311
- food preparation process, 369
- Giardia* and, 217, 219
- guidance for care homes, 228
- hazards and control measures, 231–2, 356
- hepatitis A virus and, 181–2, 185, 188, 191, 194, 357
- norovirus and, 177, 181, 183, 185, 194, 357
- pathogens associated with, 227
- Salmonella* and, 114–15
- Shigella* and, 139
- Staphylococcus aureus* and, 144
- Vibrio* and, 152, 154–60
- Yersinia* and, 166
- shiga-like toxin-producing *E. coli* (STEC) *see* *Escherichia coli*
- Shigella* spp.
- as cause of foodborne disease, 133
- association with food groups, 227
- characteristics, 133–4
- control and prevention, 139, 308–9, 311, 356
- disease in humans, 134–5, 303
- examples of outbreaks, 135–8, 276, 279
- of waterborne disease, 338, 343
- hazards in production of food, 229
- source and transmission, 135
- source of food, unsafe, 5–7
- spices, including paprika
- Bacillus cereus* and, 16
- Clostridium botulinum* and, 51
- low microbial diet and, 312
- Salmonella* and, 124
- Staphylococcus aureus*
- as cause of foodborne disease, 142
- association with food groups, 227
- characteristics, 142–3
- disease in humans, 143
- examples of outbreaks, 144–8, 252, 260–61, 275–7
- hazards in production of food, 229
- Methicillin-resistant *S. aureus* (MSRA), 143, 145, 275–7
- prevention and control, 145, 149, 330, 356–7
- source and transmission, 144
- STEC (Shiga-like toxin-producing *E. coli*) *see* *Escherichia coli*
- Stenotrophomonas maltophilia*, 341, 343
- supplier, approved, 229–33
- surveillance of foodborne disease, 234–5
- in the general population, 235–42
- in the healthcare setting, 242–8
- susceptibility to foodborne disease *see also* vulnerable populations
- breakdown of mucosal barrier function, 295–6
- factors contributing to infection, 305–6
- translocation of pathogens, 296–7
- T
- Taenia* spp., 356–7
- temperature control, 5, 306–7, 321, 323, 325–6, 329, 331; *see also* time/temperature control for safety food (TCS)
- thermostable direct hemolysin (TDH), 152–3
- thermostable related haemolysin (TRH), 152–3
- time/temperature control for safety food (TCS), 228, 361–2
- tomatoes *see* fruit
- Toxoplasma gondii*
- as cause of foodborne disease, 221
- association with food groups, 227
- characteristics, 221–3
- disease in humans, 223, 304
- examples of outbreaks, 224
- hazards in production of food, 229
- prevention and control, 224–5, 308–9, 311
- source and transmission, 223–4
- traceability of food, 4
- trade of food, 4
- translocation of pathogens, 296–7
- trefoil factors, 291–2
- Trichinella spiralis*, 356–7
- turkey *see* poultry
- typhoid fever, 110, 111, 114, 122

- 856 - Bakt

U

unsafe source, food from, 5-7

V

vegetable juice *see* juice

vegetable sprouts

advice from the American Cancer Society, 2, 313
food handling practices for vulnerable groups, 308,
310-11

Salmonella and, 122, 125-6

shiga-like toxin-producing *E. coli* and, 77, 80-81,
84

vegetables

advice from the American Cancer Society, 2, 313

Bacillus cereus and, 15, 17-19

Clostridium botulinum and, 43-51

Clostridium perfringens and, 56-7, 59-60

Cryptosporidium and, 202-4

Cyclospora cavetanensis and, 207, 209, 211-12

Enterobacter sakazakii and, 64

enterotoxigenic *E. coli* and, 69

food handling practices for vulnerable groups, 308,
311

Giardia and, 215, 217-19

hazards and control measures, 229-32, 356-7, 359

hepatitis A virus and, 181-2, 189, 193-4

Listeria monocytogenes and, 92, 100

norovirus and, 181, 184, 194

pathogens associated with, 227-8

Salmonella and, 114-15, 120-21, 125-6

shiga-like toxin-producing *E. coli* and, 80-84,
278

Shigella and, 136-9, 279

Staphylococcus aureus and, 148

Toxoplasma gondii and, 224

Vibrio and, 154, 156-7, 160

Yersinia and, 170-71

vending machine use, 333, 346

Vero cytotoxin-producing *E. coli* (VTEC) *see*

Escherichia coli

Vibrio spp.

as cause of foodborne disease, 151

association with food groups, 227

characteristics, 152-3

control and prevention, 155, 160, 308, 310-11, 356

disease in humans, 153-4, 295-6

examples of outbreaks, 155-9, 338, 345

hazards in production of food, 229

source and transmission, 154-5

virus, foodborne

hepatitis A (*see* hepatitis A virus)

hepatitis E (*see* hepatitis E virus)

norovirus (*see* norovirus)

rotavirus (*see* rotavirus)

VTEC (Vero cytotoxin-producing *E. coli*) *see*

Escherichia coli, shiga-like toxin-producing
E. coli (STEC)

vulnerable groups, ix, 1-3, 8, 14, 17, 54, 93-7,

100-105, 282-3, 290, 297-8, *see also*

susceptibility to foodborne disease

acquired immunodeficiency syndrome, 301-3

age-related immune deficiency, 298-301

factors contributing to infection, 305-6

food handling practices for, 307-13

iatrogenic immune suppression, 303-4

pregnancy-related immune suppression, 304-5

W

ward kitchens, 330-33

water *see* provision of water

wound botulism, 42

Y

Yersinia enterocolitica

as cause of foodborne disease, 164

association with food groups, 227

characteristics, 164-6

disease in humans, 166

examples of outbreaks, 168-70, 338

hazards in production of food, 229

prevention and control, 170, 308-9, 311

source and transmission, 166-7

Yersinia pestis, 164

Yersinia pseudotuberculosis

as cause of foodborne disease, 164

association with food groups, 227

characteristics, 164-6

disease in humans, 166

examples of outbreaks, 170-71

hazards in production of food, 229

prevention and control, 170

source and transmission, 166-7