

INDEX

363.1926 PRA

Contact "Library Services" : info@dss.go.th

References to tables are given in bold type.

- abattoirs, 554–5
- accidental toxicity, 313
- acids, 486
- Acrobacter* spp., 427
- acrylamide, 138–9
- active packaging, 375–6
- Aeromonas* spp., 425
- aflatoxins, 107, 129–30, 367
- Ageless Eye, 382
- Agricultural and Processed Food Exports Development Authority (India), 93
- Agricultural Standards Act (Thailand), 74
- air pollution *see* long-range transboundary air pollution
- alcohols, 486
- alfalfa seeds, 362
- Alicyclobacillus acidoterrestris*, 365
- allergens, 313–14
 - photodecomposition, 366–7
- alligators, 169
- aluminum, **312**
 - EU limits, 136–7
 - toxicology, 136
- amalgam disease, 216
- amebiasis, 429–30
- American Meat Institute, 21–2
- American National Standards Institute (ANSI), 44
- aminomethylphosphonic acids, 171
- ammonium hydroxide, 2
- anthrax, 557
- antibiotics, 432, 504, 508–10, 544
 - lactobacterial resistance, 507–8
- antioxidants, 320–2
- antisecretory mechanisms, 430–1
- apoptosis, 214
- apples, 361
 - cider, 364
 - juice, 7
 - mycotoxins, 367
 - pesticide residues, **151, 152**
- Argentina, 86
- Arrhenius model, 398
- arsenic, 223–5, 237–8, **312**
 - applications, 223–5
- asparagus, 88
- Aspergillus* spp., 129–30
- audiovisual resources, 56–7
- Australia, product tracing, 71
- azuki bean juice, 328
- Bacillus cereus*, 434
- Bacillus thuringiensis*, 175–6
- bacteria
 - fresh fruit and vegetables, 8
 - outbreaks, 3, 8
 - probiotic *see* lactic acid bacteria
 - soil remediation, 273
 - spoilage and pathogenic, 397

Practical Food Safety: Contemporary Issues and Future Directions. First Edition.

Edited by Rajeev Bhat and Vicente M. Gómez-López.

© 2014 John Wiley & Sons, Ltd. Published 2014 by John Wiley & Sons, Ltd.

- bacteria (*cont'd*)
 see also *Campylobacter* spp.; *Escherichia coli*;
 Listeria monocytogenes; *Salmonella* spp.;
 Staphylococcus aureus
- bacteriocins, 504–10
 resistance to, 507
- bald eagles, 169
- Bandura, Albert, 39
- Bangladesh, 100, 214
- barcodes, 348
- barley, 321–2
- beef
 hormone supplementation, 17–18
 lean finely textured (LFTB), 2
 see also cattle; red meat
- Beef Traceability Law (Japan), 72–3
- beer, 227
- beetles, 540, 545
- betaine, 322
- bio-chemical spoilage, 397–8
- bioaccumulation
 heavy metals, 250
 fish and seafood, 261–3
 lead, 220
 radionuclides, 288, 293
 selenium, 226
- biomagnification, 156
- bioreceptors, 385
- birds (wild), 541
- black beans, 319, 319–20
- boiling, 325–6
- botulism, 365, 434–5
- bovine somatotropin (BST), 18–19
- bovine spongiform encephalopathy (BSE), 73
- boza, 505
- Brazil
 product tracing, 74
 training, legislation, 51
- Brazil nuts, 314
- brevetoxins, 436
- brinjal, **151, 152**
- Broley, Charles, 169
- BSE *see* bovine spongiform encephalopathy
- Bunsen-Roscoe reciprocity law, 356
- cadmium, 4
 applications, 216
 health effects, 217–18
 occurrence, 216
 toxicology, 218–19
- bones, 219
 cancer, 219–20
- Campylobacter* spp., 14, 423–4, 518,
 519, 538
 poultry, 537, 538, 538–9
- Canada
 cadmium intakes, 219
 product tracing, 72
- Canadian Food Inspection Agency, 5, 45
- cancer *see* carcinogens
- cantaloupes, 20
- capillary electrophoresis, 197–8
- carbon dioxide sensors, 383–5
- carcinogens
 arsenic, 224–5
 cadmium, 219–20
 chromium, 223
 estradiol, 18
 lead-210 and polonium-210, 292–4
 melamine, 200–1
- Carson, Rachel, 169
- cassava, 272, 315–16
- cattle, 421, 460
 diseases, **557**
- cauliflower, pesticide residues, **151**
- CCQM *see* Consultative Committee for Amount
 of Substance
- cell towers, 76
- Center for Disease Control (US), 84
- certification schemes, 87
- certified reference materials (CRM), 105
- chamomile, 239
- chemical contaminants, 128–9
- Chernobyl disaster, 284–5, 298
- chickpeas, 328
- children
 dysentery, 424
 food safety knowledge, 405
 heavy metal exposure, 214, 251
 lead poisoning, 222
 mercury, 215
 melamine toxicity, 194
 pesticides, 157
 radionuclide exposure, 285
- China, 2
 exports, 85
 food safety laws, 6–7
 government agencies, 2, 5, 205
 heavy metals, 267–8
 fish, 263

- National Center for Food Safety Risk Assessment, 205
product tracing, 73–4
regulations, melamine, 202–3, 204–5
responsibility for food safety, 203–6
supervision and risk management, 205–6
- China Total Diet Study, 202–3
- chlorine dioxide, 483
- cholera, 425–6
- cholesterol, 326–7
- choline, 322
- chromium, 214, 223
- cigarette smoking, 217
- ciguatera, 435
- clenbuterol, 558
- Clostridium perfringens*, 434, 565
- cobalt, 227
- coccidiosis, 544–5
- Code of Hygienic Practice for Meat*, 556
- Codex Alimentarius, 5, 14, 66–7, 89
acrylamide, 139
Code of Hygienic Practice for Meat, 555
- coeliac disease, 133
- coffee, 578
drying, 583–4
good practices, 589–90
harvesting, 580
mycotoxins, 578–80
pulping and fermentation, 580–1
sorting, 580
storage, 585–6
varieties, 578
waste management, 587–8
- colonization-factor antigens (CFA), 419
- colorimetry, 236
- ComBase, 529, **530**
- commingling, product tracing and, 77
- Committee for Weights and Measures, 112
- communications equipment, product tracing and, 76–7
- Compton effect, 457–8, 458
- conducting polymers (CP), 389
- conflicts of interest, 175
- Consultative Committee for Amount of Substance (CCQM), 111
- consumers
attitudes, 12–13, **13**
behavior and, 21–2
contamination, 19–21
demographics and, 23
education and, 23–4
genetic engineering, **14**
genetic modification, **13**, 15–16
hormone supplementation, **13**, 17–19
irradiation, **13**, 14–15
nanotechnology, **14**, 16–17
organic foods, 19
food handling, 21, 406
knowledge and behavior, 22–3, 23–4
purchasing habits, 405–6
- control charts, 107–8
- cooked meats *see* ready-to-eat meats
- cooking, pesticide residues and, 150–1
- cool-season legumes, 325–6
- copper, 225–6, 237–9
see also heavy metals
- cosmogenic radionuclides, 282
- counterfeit foods *see* food fraud
- critical control points (CCP), 589
- crofelmmer, 432
- cryptosporidiosis, 428–9
- cucumber, 244–5
- cyanogens, 315–16
- cyanuric acid, 201
- cyclosporiasis, 429
- cypermethrin, 117–20
- Czech Republic, 219
- daily dietary index, 247
- dairy *see* milk
- DDT, 169
- Debaoshan mine, 250
- DEHP (di-2-ethylhexyl) phthalate, 2
- demucilization, 581
- deoxynivalenol, 367
- Dermanyssus* spp., 541–2
- developing countries
food safety challenges, 93–5
trade opportunities, 85–6
- diarrheal disease, 31
bacterial
Aeromonas, 425
Campylobacter spp., 423
E. coli, 419–23
Plesiomonas, 425
salmonellosis, 424–5
protozoan, 428–30
shigellosis, 424
travel-associated, 416–18
Yersinia enterocolitica, 426–7

- dioxins, 100
dioxynivalenol, 133–4
Dip Pen Nanolithography, 349
disease, 11–12, 49–50
 global epidemiology, 11–12, 49–50
DNA nanosensors, 388–9
doner kebab, 561
drinking water, 224
dysentery, 424, 430
- E. coli* *see* *Escherichia coli*
- education, 23–4, 32–3
 effectiveness, 33
 initiatives, Philippines, 89–90
 instructional strategies, 41–3
 interventions
 design, 38–41
 effectiveness, 37–8
 learner assessment, 43
 learning theories, 40
 literature reviews, 33, 34–6
 non-English language, 44–5
 online training, 41
 outcomes, 33
 product tracing, 76
 program evaluation, 51–2
 targeting food handlers, 33–8
 see also training
- egg products, 461, 537
- Egypt
 heavy metals, fruit and vegetables, 269
 organic produce, 243
 product tracing, 72
 seafood, 262
- Eimeria*, 544
- electric field inactivation, 480–1
electromagnetic radiation, 475
electron beam irradiation, 453–4
 dosimetry, 455
 inactivation kinetics, 459–60
 inactivation process, 457–8
 microbial resistance, 460
 secondary emission, 464–5, 465
- electronic noses, 347
endocrine disruption, 179
enteroaggregative *E. coli*, 420–1
enterotoxigenic *E. coli*, 419–20
Environmental Protection Agency (US), 4–5, 16
 Also known as USEPA, 220, 248, 290
Enviropig, 15
enzymatic spoilage, 397
- enzyme-linked immunosorbent assay (ELISA), 196–7
EPSPS (enolpyruvylshikimate-3-phosphate synthase), 173
Escherichia coli, 84, 519
 diarrheal disease and, 419
 diffusely adherent, 423
 enteroaggregative, 420–1
 enterohemorrhagic, 421–2, 558
 enteroinvasive, 422–3
 enteropathogenic, 422
 enterotoxigenic, 419–20
 O104:H4 strain, 3, 68–9
 outbreaks, 3, 68–9, 460, 519
 in red meat, 558–9, 560, 568–9, 569–70
 UV inactivation, 359, 363, 365–6
- estradiol, 18
 -17 β , 17
- estradiols, 17, 18
- EurepGAP scheme, 92
European Commission, 126
European Food Safety Authority, 5
European Union
 exports, 125
 imports, 3, 85, 125
 legislation, 126–7
 limits, aluminum, 136–7
 nanotechnology, 349–50
 product tracing, 71
 regulations, 5
 mycotoxins, 129–35
 training, 50
- farm-to-fork models, 561
fava beans, 314
Federal Meat Inspection Act (FMIA), 554–5
fermentation, 326
 coffee, 580–1
 dairy products, 499
 meats, 569–70
- fertilizers, cadmium, 217
Field to Fork standards, 91–2
filth flies, 541
fish
 farming, 2–3, 262
 heavy metals, 258, 261–3
 mercury, 215, 216
 radionuclides, 285
 see also seafood
- flame atomic absorbance spectroscopy (FAAS), 237
fleas, 542
flies, 541, 546

- Food Hygiene Training Model, 38
Food and Agricultural Organization, 5, 32
Food Code (United States), 40
Food and Drug Administration (FDA), 4, 349
 Food Safety Modernization Act, 6
 fresh fruit and vegetables, 7–8
 nanotechnology, 349
 product traceability, 69–70
 pulsed light technologies, 477
food fraud, 1, 19–21, 203–4
 see also melamine
Food Hygiene Law (China), 6
food labeling, 86
food safety, general definition, 1–2
Food Safety Act (UK), 12
food safety education *see* education
Food Safety Law (China), 6, 204
Food Safety Modernization Act, 6, 7, 69
Food Safety Risk Evaluation Committee (China), 2
Food Safety Standard Evaluation Committee (China), 2
Food Safety and Standards Authority of India, 90–1
Food Standards Agency (UK), 5, 134, 349
Food Standards Code (Australia), 71
free radicals, 478
freezing, 400
 food quality and, 400
 pesticide residues and, 153
 see also refrigeration
fresh fruit and vegetables, 7–8
 heavy metals, 237–9, 251, 265–8
 by country, 268–71, **269**
 leafy vegetables, 260
 uptake from soil, 259–60
irradiation, 15
 pesticide residues, 150–2
 UV inactivation, 362–3
fruit *see* fresh fruit and vegetables
Fukushima Daiichi disaster, 285
fumonisins, 134

galactooligosaccharides, 329–30, 401
gamma rays, 478
garlic, 7
gas chromatography, 118
gas chromatography/mass spectrometry (GC-MS), 198
gas sensors
 carbon dioxide, 383–4
 composition, 384
 oxygen, 381–3

gastroenteritis, 402, 519
General Agreement on Trade and Tariffs (GATT), 85
General Food Law Regulation (EU), 12, 71
General Hygiene Act (UK), 12
genetically modified organisms (GMO)
 Bt producing, 175–7
 maize, 175–8
 consumer perceptions, **13**, 15–16
 pesticides and, 171–2
 Roundup, 172–5
 side effects
 insertional mutagenesis, 177
 transgene expression, 177
 toxicity tests
 90-day tests, 181
 in vitro vs *in vivo*, 180
 long-term tests, 181–2
 traceability, 64
genotoxicity, melamine, 201
giardiasis, 428
Global Burden of Disease (GBD) report, 31
Global Food Safety Initiative (GFSI), 2, 5, 67–8, 89
Global Trade Item Numbers (GTIN), 68
glutathione, 320, 321
glyphosate, 171, 172–5
goitrogens, 315
Good Agricultural Practices (GAP) standard, 204
Good Hygienic Practice, 560, 588
Good Manufacturing Practices (GMP), 13, 204–5
government agencies, 2
grains, 313
 bacteriocins in, 504–5
 heavy metals, 240–1
 phenolics, 320–3
 phytates, 318
graphite furnace atomic absorbance spectroscopy, 237
Greece, heavy metals, **269**
green tea, 117–18, **119**
Grothuss-Draper law, 356–7
GS1, 68

haemagglutinins, 314
hamburgers, 558–9, 560–1
hand hygiene, 41
hand washing, 58
Hazard Analysis and Critical Control Point (HACCP), 6, 13, 50, 348, 562, 588–92, **588**
hazard index, 252
hazard quotient (HQ), 290
Health Belief Model, 38, **39**
Health and Consumer Protection Directorate, 71

- health risk index, heavy metals, 247–52
heavy metals *see* metals
hemolytic urtic syndrome (HUS), 422, 519
hide beetle, 540
high-performance liquid chromatography (HPLC), 197
Hong Kong, 111
hormone supplementation
 beef, 17–18
 consumer perceptions, **13**, 17–19
 risk analysis, 18–19
horse meat, 20
house fly, 541
houseflies, 541
Huguchi equation, 344
hydrophilic interaction liquid chromatography, 198–9
hypochlorous acid, 481–2

ice, 7
imported products, 2
 disease resulting, 84
 seafood, 5
 South Korea, 4
 United States, 3
 from China, 7
India
 education, 44
 food safety initiatives, 90–1
 exports, 85
 grape producers, 86
 heavy metals, 248–9, 251
 product tracing, 72
 supply chains, refrigerated, 92–5
inductively coupled plasma mass spectroscopy (ICP-MS), 237
infant formula, 20
 melamine in, 193
 see also milk
infosheets, 57
insecticides, 547
insulin-like growth factor 1 (IGF-1), 18
Integrated Pest Management (IPM), 171, 547
intelligent packaging (IP), 376–8
 biosensors, 385–6
 conducting polymers, 389
 DNA-based nanosensors, 388–9
 freshness indicators, 384–5
 gas sensors, 381–3
 nanosensors, 386
 RFID tags, 379–81, 391
interactive media, 56–7

International Standards Organization standards
 chemical analysis, ISO/IEC 17025, 100, 101, 113
 tracing systems, 67
 ISO 9000:2000, 64
 ISO 22005, 65
international travel, **417**
interventions *see* education, interventions
intoxications, 433–5
iodine, radioactive, 283
iodophores, 485
ionizing radiation, 14–15
Iraq, mercury poisoning, 216
iron, 227–8, **312**
irradiation
 consumer perceptions, **13**, 14–15
 electron beam *see* electron beam irradiation
 gamma ray and X-ray, 456, 478–9
 see also ultraviolet light illumination
ISO *see* International Standards Organization

Japan
 heavy metals, 267–8
 product tracing, 72–3
Jordan, 74
The Jungle, 554

Kenya
 exports, 85
 Nile perch ban, 100
Keshan disease, 226
Key data elements, 69–70, **70**, 77–8
kidneys *see* renal toxicity
Kolb, David, 39

labeling, 87
labile toxin (LT), 419–20
laboratories
 accreditation, 111
 ISO/IEC 17025 requirements, **102**
 proficiency testing, 112–20
 see also quality measurement
lactic acid bacteria (LAB), 498, 498–9, 500
 antibiotic resistance, 507, 507–8
 bacteriocin production, 502–10
 effect of commercial drugs, 506–7
lantibiotics, 504
lathrogens, 316
lead, 237–9, **312**
 applications, 220
 children and, 222

- radioactive, 292–4
- toxicology, 221–2
- lean finely textured beef (LFTB), 2
- learning theories, 40
- Lebanon, 260
- lectins, 326–7, 327
- legumes, 12, 318
 - accidental toxicity, 313
 - beneficial effects, **329**
 - fermentation, 326
 - germination and malting, 326
 - health effects, 326–7
 - lignins and lignans, 317–18
 - phenolics, 319–20
 - radionuclides, 292–3
 - soaking, 325
 - steeping, 325–6
- lesser mealworm, 540
- lignans, 317–18
- lignins, 317–18
- limits of detection (LOD), 106
- linamarin, 316
- linear accelerator, 453, 456
- liquid chromatography, 197–8, 198–9
- liquid chromatography/mass spectrometry (LC-MS), 198–9
- Listeria monocytogenes*, 4, 360–1, 363–4, 518–19
 - 2011 US outbreak, 3
 - in meat, 564, 565–6, 566–7
 - sensors, 347
 - UV inactivation, 366
- long-range transboundary air pollution (LRTAP), 217, 263–4
- luminescent compounds, 384
- lungs, chromium toxicity, 223

- magnesium, 228
- magnetite, 275
- maize, 177
- malaria, 431
- manganese, 226
- Marks and Spencer, 91
- mass spectrometry, 104, 198–9
- meat
 - fermented, 568–70
 - outlook, 570–1
 - poultry *see* poultry
 - ready-to-eat *see* ready-to-eat meats c
 - red *see* red meat
 - UV illumination, 363–4
- media, 23–4
- medicinal plants, heavy metals, 239–40
- melamine, 192–3
 - China Total Diet study, 202–3
 - Chinese milk scandal 2007/8, 2
 - epidemiology, 194–5
 - risk management responses, 195–6
 - epidemiological studies, 193–4
 - genotoxicity, 201
 - in infant formula, 193
 - proficiency testing in milk, 115–17
 - regulation, 204–5
 - screening methods
 - capillary electrophoresis, 197–8
 - ELISA, 196–7
 - toxicity, 200–1
 - wheat gluten contamination, 2
- melatonin, 322–3
- men, 23
- Mercosur, 51
- mercury
 - chemical species, 215
 - in fish, 215, 216
 - health effects, 215–16
 - toxicology, 216
 - uses, 214–15
- metals, 4, 213–14, 225
 - arsenic, 223–5
 - cadmium, 216–19
 - chromium, 223
 - lead, 220–2
 - mercury, 214–16
 - nickel, 225
 - air transport, 263–5
 - analytical methods, 236–7
 - apoptosis and, 214
 - bioaccumulation, 258
 - contaminant removal, 271–5
 - daily dietary index, 247
 - deposition from air, 263–4
 - essential
 - cobalt, 227
 - copper, 225–6
 - iron, 227–8
 - magnesium, 228
 - manganese, 226
 - molybdenum, 226–7
 - selenium, 226
 - exposure routes, 250
 - fish and seafood, 241–2, 261–3
 - food chain, soil to vegetables, 258–60
 - fresh fruit and vegetables, 265–8

- metals (*cont'd*)
 in grains, 240–1
 health effects, 246–52
 heavy *see* heavy metals
 irrigation water, 260–1
 in medicinal plants, 239–40
 medicinal plants, 239–40
 radioactive *see* radionuclides
 risk assessment, 247
 shellfish, 250
 soil remediation, 272–3
method validation, 101–7
methyl mercury, 215, 216
Metre Convention, 112
Metro, **33**
metrology in chemistry, 111–14
Microbial Responses Viewer, 529, **530**
microbiological risk assessment (MRA), 527–9, 546–7
MicroHiBro, **530**
milk
 hormone supplementation, 18
 melamine contamination, 2
 pesticides, 155
 radionuclides, 293, 296
 see also infant formula
Minimata disease, 216
Ministry of Agriculture (China), 205
mites, 541–2
modified atmosphere packaging (MAP), 381, 481
molybdenum, 22, 226
monazite, 294
Monitor Mark, 377
monoculture, soya, 86
mosquitoes, 545
multilayer films, 343–4
multinational corporations, 91–3
mung beans, **329**
mushrooms, 365
music, 57
mycotoxins, 129–35
 in coffee, 578–80
 photodecomposition, 367
Namibia, 74
nanotechnology
 antimicrobial compound-immobilizing, 344–5
 antimicrobial compound-releasing, 343–4
 consumer perceptions, **14**, 16–17
 DNA nanosensors, 388–9
 heavy metal removal, 275
 metallic nanoparticles, 386–7
 nanosensors, 345–6
 regulations, 349–50
 toxin sensors, 348
National Food Safety Monitoring Scheme (China), 206
natural killer (NK) cells, 327
nervous system, 222
neural networks, 525–6
New Zealand, product tracing, 71
Nile perch, 100
nitrite, 564
nitrofurans, 137–8
nitrogen sensors, 385
non-profit organizations, 86
noodles, 135–7
normal distribution, **106**, 110
norovirus, 40, 427–8, 478, 519
northern fowl mite, 541
nucleic acids, 476–7
oats, 321
Obama, Barack, 12
Observational Learning Theory, **40**
ochratoxin, 367
 in coffee, 586, 587–9
ochratoxin A, 131–2
okra, pesticide residues, **151**, **152**
olives, pesticide residues, **151**
online training, 41
optical density (OD), 521–2
optimistic bias, 22–3
ordinary legislative procedure, 125–6
organic foods, 16
 consumer perceptions, 19
 heavy metals, 243–4
 pesticide residues, 155
 poultry, 538–9
osteoporosis, 328
outbreak investigations, 75
oxygen indicators, 381–3
ozone, 483–4
Pakistan, heavy metals, **269**
pasteurization, 461, 567
Pathogen Modeling Program, 529, **530**
patulin, 132–3, 367
peanut products, 12
peppermint, 239
periacetic acid, 484
Perna viridis, 294
peroxyacids, 484–5

- Peru, 88
- pesticides
- benefits and risks, 147
 - bioaccumulation, 156
 - in children, 157
 - definition, 146
 - fruits and vegetables, 153–5
 - health effects, 157–9, **157**
 - history, 146
 - organic foods, 155
 - production and consumption worldwide, 146
 - reproductive effects, 168–70
 - residue dissipation, 150–3
 - by chemical solutions, 150
 - by washing, 150, **151**
 - heat treatment, 150–1
 - toxicity
 - in vitro* tests, 180
 - sex-dependent effects, 179
 - toxicity tests, limitations, 178–9
 - in women, 156–7, 159
- pet foods, melamine in, 193
- Philippines, 89–90
- phosphorus, **312**
- photonic inactivation *see* ultraviolet light
- photosensitization, 367–8
- phytohemagglutinin, 327
- pigs, **557**
 - see also* pork; red meat
- pink slime, 2
- planar radionucleotide ventriculography (PRV), 288
- plant phenolics, 319–20
- plants, uranium, 294–5
- plate count, 521
- Plesiomonas spp.*, 425
- polonium, 292–4
- polyaniline (PANI), 389
- polydiacetylene (PDA), 389
- polyphenols, 319–20
- potassium, radioactive, 296
- potato
 - heavy metals, 245–6
 - pesticide residues, **151**
- poultry, 536–7
 - aflatoxins, 130
 - contamination risk
 - conventional poultry, 537–8
 - pasture poultry, 538–9
 - ectoparasites, 541–2
 - flock management, 545–6
 - housing types, 545
 - pest control, 545–6
 - waste management, 545
 - premise pests, 540–1
 - rodents, 546
 - Salmonella*, 542–4
 - prawns, 137–8
 - prebiotics, 501–2
 - predictive microbiology
 - applications, 530–1
 - cardinal parameters models, 524–5
 - data collection, 521–2
 - dose-response models, 526
 - dynamic models, 526
 - experiment design, 521
 - growth media, 521
 - history, 519–21
 - models, 520
 - neural networks, 525–6
 - polynomial models, 525
 - probabilistic models, 525
 - risk assessment, 527–9
 - software and web applications, 529–30
 - square root models, 524
 - pregnant women, 23
 - printed materials, 57–8
 - probabilistic models, 525
 - product testing, 7
 - product tracing, 63–4, 86–7
 - benefits, 75
 - Canada, 72
 - China, 73–4
 - commingling, 77
 - costs, 75–6
 - education, 76
 - Egypt, 72
 - European Union, 71
 - high risk foods, 69–70
 - Japan, 72–3
 - Jordan, 74
 - key data elements, 69–70, **70**, 77–8
 - Namibia, 74
 - nanotechnology and, 348–9
 - red meat, 561
 - regulations, 65–7
 - regulatory consolidation, 72
 - Singapore, 74–5
 - standards, 65–6
 - country-specific, 68–9
 - GFSI, 67–8
 - GS1, 68
 - ISO, 67

- product tracing (*cont'd*)
 steps toward a global traceable supply chain,
 78–9
 Taiwan, 75
 technology, 76–8
 RFID tags, 77
 Thailand, 74
 traceability, 64–5
 transformative events, 72–3
 United States, 69–70
- proficiency testing (PT), 113–14
 assigned values, 114
 melamine in milk, 115–17
- protozoans, 428–30, 431, 544
- Public Health Agency of Canada, 12
- public-private partnerships, 87
- puffer fish, 435
- pulsed light, 357–8, 358, 359–60, 362–3, 363–4
- pulsed light (PL), 356, 357–9
 viral inactivation, 477–8
- pulses, heavy metals, 266–7
- quality measurement, 100
 accuracy, 105
 analytical techniques, 102–4
 calibration, 103–5
 control charts, 107–9
 limits of detection, 106
 measurement uncertainty, 110–11
 method validation, 101–7
 metrology in chemistry (MiC), 111–14
 proficiency testing, 112–14
 reference materials, 105
 ruggedness, 107
 traceability, 108–9
- quantum dots, 346, 387–8
- radio frequency identification *see* RFID
- radionuclides, 282–4
 cesium, 297–8
 dose calculation, 290–1
 in food chain, 286–9
 historical background, 284
 measurement, 289–91
 in nature, 282–4
 polonium, 292–4
 potassium, 295–6
 seawater contamination, 285–6
 strontium, 297
 transfer factor, 286
- radish, heavy metals, 238
- radium, 295–6, 296
- raffinose, 322
- Rapid Alert System for Food and Feed, 128
- reactive oxygen species (ROS), 214
- ready-to-eat meats, 564
 chemical hazards, 564–5
 fermented, 568–70
 hazards, 564, 568–9
 processing, 565–6
 risk assessment, 566
 risk management, 566–7
- recycled materials, 67
- red meat
 chemical hazards, 557–8
 fresh, 556–9
 animal health and, 557
 microbiological hazards, 558–9
 physical hazards, 558
 processing, 559–60
 risk assessment, 560–1
 risk management, 561–4
- refrigeration, 453
 device energy labels, 403–4
 effect on food shopping, 405–6
 food spoilage and, 396
 temperature dependence, 398–400
 freezing process, 400
 microbial spoilage, 396–7
 pesticide residues and, 153
 physical principle, 401–2
 red meat, 556–7
 refrigerator layout, 402–3
 temperature distributions, 402–3
 domestic devices, 407–9
- regulations, 4–6, 12
 European Union *see* European Union
 melamine, 204–5
 nanotechnology, 349–50
 training, 50–1
- renal toxicity, lead, 222
- retinoids, 476
- RFID tags, 77, 346, 379–81, 390
- rice
 heavy metals, 240–1
 see also grains
- rifaximin, 433
- risk assessment, 527–9
 heavy metals, 247
 meat production, 555

- ready-to-eat meats, 566
- red meat, 560–1
- Risk Assessment Calculator, **530**
- risk management
 - China, 205–6
 - meat production, 555–6
 - ready-to-eat meats, 566
 - red meat, 561–4
- Risk Ranger, 529, **530**, 561
- rodents, 540–1, 546
- rotavirus, 427
- Safe Food for Canadians Act, 12–13
- salami, 568
- Salmonella* spp., 4, 424–5, 452, 453, 518
 - irradiation, 14, 455–8
 - outbreaks, 460–1
 - 2011 US, 69
 - photophysical effect, 359–60
 - photothermal effect, 360
 - poultry, 537
 - probiotics and, 499–500
 - radio-resistance, 460
 - in red meat, 558–9, 562
 - sensors, 347
 - UV inactivation, 359, 365
- saponins, 322, 328
- saxitoxin, 436
- scombroid intoxication, 437
- seafood
 - heavy metals, 258, 261–3
 - poisoning from, 435–7
 - radionuclides, polonium, 293–4
 - regulations, United States, 5
 - Salmonella*, 461
- Seafood Spoilage and Safety Predictor, 529, **530**
- Seaman, Phillip, 38
- seawater, 285–6
- selenium, 226
- sheep, diseases, **557**
- shellfish
 - heavy metals, 250
 - poisoning from, 436–7
- Shigella* spp, 422
- shigellosis, 422, 424, 432
- silver zeolites, 343, 344
- Sinclair, Upton, 554
- Singapore, 74–5
- single-walled carbon nanotubes, 380
- slides, 57
- sludge, 242
- smartphones, 24
- soaking, 325
- Social Cognitive Theory, **39**
- social constructivism, **40**
- social media, 24
- sodium, **312**
- soil
 - heavy metals, 267
 - bioremediation, 273
 - metal phytoextraction, 273–4
 - pesticide use and, 156
- South Africa, 32
 - fumonisin, 134
- South Korea, 4
 - product traceability, 73
- soya, 314
 - monoculture, 86
 - pesticide residues, **151**
- spice, 87
- spinach, pesticide residues, **151**
- spoilage processes
 - microbial, 396–7, 399
 - physical, 398
 - temperature dependence, 398–400
- Staphylococcus aureus*, 360, 365, 368, 433–4
 - enterotoxin, 433–4
 - methicillin-resistant (MRSA), 460
 - in ready-to-eat meats, 564, 568–9
- State Council Food Safety Commission, 2
- strawberries, 15, 362–3
 - heavy metals, 237–8
- strontium, 297
- Sub-Saharan Africa, 32
- supermarkets, 85
- supply chains
 - cold, 92–5
 - global, 85
 - private standards, 90–2
 - traceability *see* product tracing
- surfactants, 485–6
- Sym'previus, 530
- synbiotics, 501–2
- synthetic hormones, 17
- T-2 toxin, 134–5
- Taiwan, product tracing, 75
- tea, 117–80
- temperature, spoilage and, 398–400
- temperature sensors, 376–7

- terrorism, 20
testosterone, 17
Thailand
 organic foods, 19
 product tracing, 74
Theory of Planned Behavior, 39, **39**
thermostats, 402
thorium, 295–6, 296
thyroid conditions, 285, 315
ticks, 542
time-temperature indicators, 376–9
tin, **312**
titanium dioxide, 344–5
toll-like receptors, 500
tomato, pesticide residues, **151**
toxin sensors, 348
traceability (of a measurement), 108–10
traceback, 64–5
traceforward, 64, 65
TRACEO, 378
tracing *see* product tracing
Trade Control and Expert System (TRACES), 71
training
 legislation, 50–1
 program evaluation, 50–1
 program planning
 audiovisual resources, 56–7
 duration, 58
 languages, 58
 lectures, 54–5
 methods, 53–4
 printed materials, 578
 recreational activities, 58
 target audience, 52
 themes, 52–3
 see also education
transfer factor, 286
Transformative Learning Theory,
 39–40, **40**
travel *see* international travel
travelers' diarrhea, 416–18
 prevention, 432–3
 risk areas, 407
 symptoms, 416–17, 430–1
 treatment, 431–2
 vaccines, 433–4
 viral, 427–8, 430
 see also diarrheal disease
Trichinella spiralis, 569
trichothecenes, 133
Trichothecium roseum, 133
TT Sensor, 377
Turkey X disease, 130
ultrasound, 480
ultraviolet (UV) light illumination, 355–6
 continuous wave, 356–7, 362, 363
 inactivation mechanism, 358–9
 dosimetry, 356
 inactivation kinetics, 361–2
 of liquids, 364–5
 meat, 363–4
 microbial inactivation, 358
 mycotoxin decomposition, 367
 photosensitivity, 361
 allergen decomposition, 366–7
 inactivation mechanism, 359–60
 viral inactivation, 478
 sublethal injury, 361
 vegetables, 362–3
 viral inactivation, 475–7
 pulsed light, 477–8
United Kingdom Committee on Mutagenicity,
 132–3
United Kingdom Veterinary Products
 Committee, 18
United States
 disease epidemiology, 31–2
 product tracing, 69–70
 regulations, training, 50–1
United States Department of Agriculture, 2
uranium, 294–5
urinary tract problems, 195–6
vaccines, 433
vegetables *see* fresh fruit and vegetables
veterinary residues, 137–8
Vibrio cholerae, 425–6
vicia faba agglutinin, 327
videos, 56–7
viruses
 inactivation
 chemical, 481–6
 chlorine dioxide, 483
 dehydration, 481
 gamma irradiation, 478–9
 high pressure, 479–80
 high-temperature, 474–5
 iodophores, 485
 low-temperature, 473
 ozone, 483–4
 peroxyacids, 484–5

- surfactants, 485–6
- ultrasound, 480
- UV, 475–7
- norovirus, 40, 427–8, 478, 519
- rotavirus, 427

- washing, 481
- wasps, 546
- Weatherill Report, 12–13
- wheat, 240, 251
 - see also* grains
- wild animals, 541
 - pesticide effects, 169
- Wilson's disease, 226
- women, 23, 156–7

- World Health Organization, 5
 - irradiation, 14
- World Trade Organization (STO), 85, 555

- X-rays, 454, 456, 478
- xanthine oxidase, 327

- Yersinia enterocolitica*, 426–7
- Youden Ruggedness Trial, 107

- zaldaride maleat, 432
- Zambia, 32
- zearalenone, 135–6, 367
- zinc, 227, **312**, 318
- zinc oxide, 344–5